

Test Report

92.98%

Run ID: 21187713523-py3.12 • Generated: 2026-01-20 21:25:01 • Duration: 119.82s

Plugin: v0.2.0 (a03dbe622cdc018f89b74731aed91adf1a582867) [dirty]

Repo: v0.2.0 (d2fd9d249637ac31799e3d932bd4a33a487034c1)

Total Coverage

623

TOTAL TESTS

623

PASSED

0

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

[Source Coverage](#) [Per Test Details](#) [Failures Only](#)

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest_llm_report/aggregation.py 119 6 113 94.96% 13, 15-19, 21,
35, 38, 44, 46,
52-53, 55-57, 59,
61-64, 69, 73-74,
77-80, 84, 87-89,
93, 103, 109,
112-114, 116-120,
122-123, 128,
130-131, 133-134,
137-138, 144-147,
150, 152, 154, 66, 90-91, 110,
168, 170, 174, 198, 209
176, 178, 188,
190-194, 196-197,
200, 202, 211,
223, 225-239,
241, 243, 251-
252, 254-255,
257, 259-261,
265, 268-269,
271-272, 275,
277-278, 280,
282-283, 287

src/pytest_llm_report/calculator.py 47 3 44 93.62% 13, 15-19, 21,
27, 33, 39-41,
43, 53, 55-56,
58, 60-62, 68-69,
78, 86, 88, 90, 64-65, 130
92, 94, 97, 103,
107, 118-119,
121, 123, 129,
132-136, 141,
144, 153

src/pytest_llm_report/collector.py 111 1 110 99.1% 19, 21-22, 24,
26-27, 33-34, 45-
50, 52, 58, 60-
62, 69, 78-79,
81, 90, 93-94,
96, 99-104, 106-
107, 109-112,
114-119, 121-122,
124, 127-128,
130, 132-133,
135-137, 140-141,
143, 155, 163-
164, 167-169, 239
171, 173, 181-
182, 185-189,
191, 198-200,
202, 209-210,
212-214, 216,
218, 227-228,
230-236, 238,
241, 250-252,
254, 261, 264-

265, 268-269,
271, 277, 279,
285

src/pytest_llm_report/context_util.py	53	3	50	94.34%	13-15, 18, 27, 29-31, 33, 35-36, 38-41, 47-49, 51- 52, 55-59, 61-62, 64, 66-69, 72, 53, 83-84 81-82, 86, 88-90, 93, 96, 108, 111, 124, 126-127, 129-130, 133, 135
---------------------------------------	----	---	----	--------	---

src/pytest_llm_report/coverage_map.py	135	6	129	95.56%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106- 108, 114, 116, 118, 121-122, 127-128, 131-135, 137-140, 144-146, 148, 150, 152- 153, 156, 160- 162, 165, 167- 168, 173, 176, 62, 123, 125, 178-184, 187-189, 157, 221, 251 191, 196, 199- 200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-250, 252-254, 257, 259-260, 263-264, 271, 273-274, 276-279, 281-283, 285, 299-300, 302, 308
---------------------------------------	-----	---	-----	--------	---

src/pytest_llm_report/errors.py	36	0	36	100.0%	8-9, 12, 25-28, 31-36, 39-42, 45- 46, 49-51, 54-55, 64-66, 68, 70, 73, 77-79, 83, 132, 142
---------------------------------	----	---	----	--------	---

src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7
---------------------------------------	---	---	---	--------	--------

src/pytest_llm_report/llm/annotator.py	154	21	133	86.36%	4, 6-10, 12-15, 21-22, 25-30, 33, 47-48, 50-52, 56, 58-59, 65, 67-68, 70, 73-74, 76, 84, 86-90, 95-96, 98-99, 106-107, 112-113, 116, 121-126, 130, 132, 134, 137, 144, 156, 181- 182, 184, 186, 188-189, 199, 77-81, 160-168, 211, 213-216, 173, 286-287, 221-223, 226, 345, 364-365, 371 249-252, 254-255, 260, 262, 264- 267, 269-270, 277-279, 281, 283-284, 289-290, 292-293, 298-301, 303, 306, 329- 332, 334, 336, 342, 344, 350- 351, 353-354, 356-359, 361-362, 367-368, 370, 376-379, 381	
src/pytest_llm_report/llm/base.py	131	6	125	95.42%	13, 15-18, 20, 30, 33, 47, 50, 53, 59, 65-66, 68, 87-88, 96, 101, 103, 105, 128, 134-135, 137-138, 149, 155, 157, 163, 165, 174, 176, 185-186, 188, 191-198, 200, 202, 212, 214- 217, 219-222, 224, 232, 243, 245, 247, 264, 266-267, 270-272, 91-92, 230, 284, 274-275, 277, 292, 296 279, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 310, 312, 314, 316, 325-326, 329-331, 333-334, 337-339, 342-347, 351, 353, 359-360, 363-364, 367-369, 372, 384, 386, 388-389, 391-392,	

394, 396-397,
399, 401-402,
404, 406

src/pytest_llm_report/llm/batching.py	90	4	86	95.56%	8, 10-13, 20, 23-24, 27-29, 31-32, 34, 36-37, 39, 44, 53-55, 58, 67-68, 70, 73, 92-93, 95, 97, 103-106, 108-110, 112, 122-123, 126-128, 136, 139, 156-157, 160, 162, 164-167, 170-176, 181-185, 187-188, 190, 192-194, 196-197, 203-206, 209-210, 213-214, 216-218, 222, 224	158, 207, 211, 220
---------------------------------------	----	---	----	--------	--	--------------------

src/pytest_llm_report/llm/gemini.py	325	7	318	97.85%	7, 9-13, 15-16, 23-27, 30-34, 37-42, 44-46, 48-50, 52, 57-63, 65-70, 72-73, 75-78, 80-85, 87-89, 91-97, 99-114, 121-122, 125, 128, 134-135, 137-141, 143-144, 146, 164-166, 173-175, 178, 181-182, 184, 186-189, 191-192, 198-206, 208-210, 212-213, 215, 218, 221-230, 232-233, 235-237, 239-243, 246-247, 249-252, 254-255, 259, 261, 263, 268, 272-276, 279-281, 283, 288-293, 295, 299-305, 308-309, 311-312, 318-319, 322, 326, 332-333, 335, 339-343, 345-349, 352-353, 358-359, 366-367, 369, 383, 385-386, 390, 410, 413-415, 418-422, 424-427, 432, 434-435, 437, 115-117, 298, 310, 313-314
-------------------------------------	-----	---	-----	--------	---

441-444, 446,
449-463, 469,
471-473, 475-478,
480, 486, 488-
491, 493, 495,
497-498, 502-508,
511, 514-516,
518-521, 523-528,
534, 537, 539-
543, 547-548,
550-559, 562-564,
567-570, 574

src/pytest_llm_report/llm/litellm_provider.py	77	1	76	98.7%	8, 10, 12-13, 21, 31, 37-38, 41-42, 44, 51, 60-62, 64, 82-83, 89, 92, 95-96, 98, 100-101, 104, 106-107, 112, 114, 116, 120, 122, 124-126, 129-130, 132, 135, 137, 139, 141-142, 144, 148, 170, 182- 183, 186-188, 190, 192-193, 196-198, 204, 206, 211, 213, 215, 221-222, 224, 227-231, 234, 236, 242- 243, 245	207
---	----	---	----	-------	--	-----

src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 51, - 53, 59, 61, 67	-
-----------------------------------	----	---	----	--------	--	---

src/pytest_llm_report/llm/ollama.py	72	1	71	98.61%	7, 9, 11-12, 18, 24, 42-43, 49, 52-53, 55, 58, 60-61, 63-67, 70, 74-77, 83, 85-86, 92, 94, 96-98, 100-101, 103, 107, 113-114, 116-118, 122, 128, 130, 138, 140, 142-144, 149-150, 156, 158, 160-162, 165-167, 172-173, 178, 180, 190, 192-193, 204, 209, 211-212	90
-------------------------------------	----	---	----	--------	--	----

src/pytest_llm_report/llm/schemas.py 36 1 35 97.22% 8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130

src/pytest_llm_report/llm/token_refresh.py 71 0 71 100.0% 7, 9-14, 17, 20, 23-24, 36-39, 41-43, 47, 59-60, 63-66, 69-72, 74, 83, 85-88, 90-91, 93, 101-103, 107-109, 111, 113-

116, 120, 132-136, 139-140, 143-145, 148-150, 153-156, 158, 160-162

src/pytest_llm_report/llm/utils.py 33 2 31 93.94% 4, 6, 9, 20, 23, 42-43, 46-47, 51-53, 55-56, 66, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 90, 93-94, 96, 98

48, 78
17-18, 20, 23, 26-27, 36-38, 40, 49-50, 59-61, 63, 65, 72-73, 86-92, 94, 96, 107-108, 120-126, 128, 130, 135-141, 143, 146-147, 169-185, 187-188, 190, 192, 194, 201-224, 227-228, 236-237, 239,

src/pytest_llm_report/models.py 253 2 251 99.21% 241, 247-248, 257-259, 261, 263, 270-271, 280-282, 284, 286, 290-292, 295-296, 333-362, 364-372, 374, 376, 394-417, 419-437, 440-441, 455-463, 465, 467, 477-479, 482-483, 500-510, 512, 518, 520, 526-540

42, 142

src/pytest_llm_report/options.py	268	57	211	78.73%	<p>122, 170, 199, 202-204, 209-211, 217-219, 225-227, 233-235, 241-242, 245-254, 257-259, 265-267, 271-274, 276, 284, 293, 308, 311-312, 320-325, 327, 332-337, 340-345, 348-349, 352-353, 356-357, 360-369, 372-375, 378-393, 396-397, 400-405, 408-409, 412-413, 416-421, 426-427, 430-431, 436-439, 444-447, 449, 451, 453, 460- 461, 463-464, 466-467, 470-475, 479, 482-495, 498, 502-503, 507, 510, 514- 515, 519-520, 524, 527, 531, 534-536, 540-541, 545-546, 550, 553, 557, 560, 564-565, 569, 572-574, 578, 581-584, 587, 591-592, 596, 599-608, 611, 613</p>
src/pytest_llm_report/plugin.py	182	24	158	86.81%	<p>41, 44, 50, 56, 62, 68, 74, 81, 90, 96, 102, 108, 114, 122, 128, 134, 142, 148, 155, 161, 169, 176, 185, 192, 199, 208, 215, 223, 229, 235, 241, 247, 254, 260, 268, 274, 283, 289, 297, 304, 311, 328, 332, 336, 342- 343, 346-347, 349, 351, 354- 356, 362-363, 371-372, 399-400, 13, 15-18, 20-21, 403-404, 407, 23, 29-32, 35, 410-411, 413-414, 319, 377, 481- 417-418, 420, 482, 488, 548- 422-426, 429-430, 549, 571, 595, 432, 434, 437- 611-612</p>

438, 441-442,
444-445, 448-452,
454, 457-458,
460, 463-466,
468, 470-473,
476-477, 485-487,
491-494, 497,
499, 502-507,
509, 512-514,
516-521, 523,
534-535, 558-559,
562-563, 566-568,
579-580, 583,
586-587, 590-592,
602-603, 606-608,
619-620, 623,
626, 628-629

src/pytest_llm_report/pr ompts.py	110	3	107	97.27%	13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78- 79, 82-84, 86-87, 92, 94-95, 98- 101, 103-112, 114, 116, 118, 139-140, 142-144, 147, 152-153, 155-157, 159-161, 80, 185, 233 163-164, 166-167, 170-171, 173, 177, 180, 189, 192-194, 196-197, 201, 203, 216- 217, 219-220, 223-228, 231-232, 235-237, 239-240, 242-247, 249, 251, 268, 275, 284-287
--------------------------------------	-----	---	-----	--------	--

src/pytest_llm_report/re nder.py	65	6	59	90.77%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 140-142, 147, 155-157, 159, 172-177, 191, 210-211, 224, 267, 269, 285	148-149, 212, 217-218, 222
-------------------------------------	----	---	----	--------	---	-------------------------------

src/pytest_llm_report/report_writer.py	167	3	164	98.2%	13, 15-25, 27-29, 46, 55, 58, 67- 68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 113, 116, 127- 128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256- 259, 262-264, 266, 268, 310, 319, 321-322, 324-335, 337, 339, 347, 350- 352, 355-356, 359-361, 364, 367, 375, 383, 385-386, 389, 392, 395, 398, 406, 408-409, 415, 417, 419, 421-432, 439, 441-442, 444-446, 454-458, 460, 462, 465, 468- 469, 471, 477- 481, 487-488, 495, 502, 504, 506-508, 510, 513-514, 516, 522-523	135-137
src/pytest_llm_report/utils/fs.py	34	1	33	97.06%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-65, 67, 40 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	
src/pytest_llm_report/utils/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121	

src/pytest_llm_report/ut il/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
--	----	---	----	--------	--	---

src/pytest_llm_report/ut il/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-
--	----	---	----	--------	---	---

Per Test Details

tests/test_adaptive_prompts.py 9 tests

PASSED tests/test_adaptive_prompts.py::TestComplexityEstimation::test_compl
ex_test_high_complexity 1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	17 lines (ranges: 65-66, 185, 188, 191-198, 200, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_adaptive_prompts.py::TestComplexityEstimation::test_empty
_source_zero_complexity 1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 185- 186, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestComplexityEstimation::test_simple_test_low_complexity 2ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	17 lines (ranges: 65-66, 185, 188, 191-198, 200, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestConfigValidation::test_invalid_prompt_tier 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-261, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestConfigValidation::test_valid_prompt_tiers

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_auto_tier_complex_test

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-220, 222, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_auto_tier_simple_test

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_minimal_tier_override

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 212, 214-215, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_standar_d_tier_override

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 212, 214, 216-217, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_aggregation.py

10 tests

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy 2ms



3

COVERAGE

src/pytest_llm_report/aggregation.py	71 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 133-134, 137, 144, 150, 152, 154-159, 161, 163-165, 176, 223, 225-229, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	8 lines (ranges: 52, 55-57, 109, 112-114)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	79 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 133-134, 137, 144, 150, 152, 154-159, 161, 163-165, 176, 188, 190-194, 196-197, 200, 223, 225-229, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_configured 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	3 lines (ranges: 44, 52-53)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	10 lines (ranges: 52, 55-57, 109, 112-113, 116-117, 176)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/aggregation.py	83 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 133-134, 137-140, 144-147, 150, 152, 154-159, 161, 163-165, 176, 188, 190-194, 200, 223, 225-229, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	35 lines (ranges: 65-68, 130-133, 135-137, 139, 141, 143, 190, 194-199, 201, 203, 205, 207, 210-214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py

67 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 154-161, 163-165, 176, 188, 190-192, 200, 223, 225-226, 241, 251, 254-255, 257, 259, 282-285, 287)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_load_coverage_from_source 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py

19 lines (ranges: 251-252, 254-255, 257, 259-263, 265, 268-269, 271-272, 275, 277-278, 280)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_recalculate_summary 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py

17 lines (ranges: 223, 225-239, 241)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_aggregation.py::TestAggregator::test_skips_invalid_json 3ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	72 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122-123, 128, 130-131, 154-159, 161, 163-165, 168, 170-172, 174, 176, 188, 190-192, 200, 223, 225-226, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_aggregation_maximal.py

1 tests

PASSED tests/test_aggregation_maximal.py::TestAggregationMaximal::test_recalculate_summary_coverage 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/aggregation.py	10 lines (ranges: 44, 223, 225-231, 241)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_annotator.py

13 tests

PASSED

tests/test_annotator.py::TestAnnotateTests::test_batch_optimization_message 2ms 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	98 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-91, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_progress_reporting 1ms 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	50 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-128, 130, 134, 156, 181-182, 184, 211, 213-219, 221, 223)
src/pytest_llm_report/llm/batching.py	18 lines (ranges: 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped 2ms 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	95 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-124, 130, 132, 134, 137-141, 144-151, 156, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation 3ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	90 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188-196, 213-219, 221, 223, 329-332, 334, 336-340, 342, 344, 350-351, 353-354, 356-359, 361-362, 367-368, 370, 376, 381)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation_handles_failures 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188-196, 213-219, 221-223, 329-332, 334, 336-340, 342, 344, 350-351, 353-354, 356-359, 361-362, 367-368, 370, 376-379, 381)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_annotator.py::TestAnnotateTests::test_progress_reporting 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_reports_progress_messages 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

`tests/test_annotator.py::TestAnnotateTests::test_respects_opt_out_and_limit` 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	91 lines (ranges: 47, 50-51, 58-59, 65, 67-68, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_annotator.py::TestAnnotateTests::test_respects_rate_limit 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-257, 260, 262, 264-267, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation

12.00s



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264-267, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation_error_tracking

24.00s



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	98 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221-223, 249-252, 254-255, 257-258, 260, 262, 264-267, 269-274, 277-279, 281, 283-284, 289-290, 292, 298-301, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 47-48)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 47, 50-54, 56)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_base_coverage_v2.py

2 tests

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_malformed_json_after_extract 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 325-326, 329-330, 333-334, 359-360)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_non_string_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342-346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_base_maximal.py

9 tests

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_gemini_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 384, 386, 388, 391, 396, 401-402, 404)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_invalid_provider 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 384, 386, 388, 391, 396, 401, 406)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_litellm_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_noop_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_ollama_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 384, 386, 388, 391-392, 394)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_available_caches_result

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 134-135, 137-138)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_model_name_defaults_to_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 163)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_rate_limits_defaults_to_none 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 155)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_is_local_defaults_to_false 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 174)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_batching.py

17 tests

PASSED tests/test_batching.py::TestBuildBatchPrompt::test_context_files_included 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	35 lines (ranges: 34, 39, 156-157, 160, 162, 181-185, 187-188, 190, 192-194, 196-200, 203-206, 209-210, 213-214, 216-218, 222, 224)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestBuildBatchPrompt::test_parametrized_batch_prompt 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	24 lines (ranges: 34, 39-40, 156-157, 160, 162, 164-168, 170-177, 187-188, 190, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestBuildBatchPrompt::test_single_test_prompt 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	15 lines (ranges: 34, 39, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestComputeSourceHash::test_consistent_hash 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 67, 70)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestComputeSourceHash::test_different_source _different_hash 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 67, 70)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestComputeSourceHash::test_empty_source 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 67-68)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestConfigValidation::test_batch_max_tests_minimum 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271-273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestConfigValidation::test_context_line_padding_non_negative 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestConfigValidation::test_invalid_context_compression 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestConfigValidation::test_valid_context_compression

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGetBaseNodeid::test_nested_params

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53-54)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGetBaseNodeid::test_parametrized_nodeid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53-54)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestGetBaseNodeid::test_simple_nodeid 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestGroupTestsForBatching::test_batch_max_size_respected 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	24 lines (ranges: 53-54, 67-68, 92-93, 95, 103-106, 108-110, 122-123, 126-132, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_batching.py::TestGroupTestsForBatching::test_batching_disabled 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	6 lines (ranges: 92-93, 95, 97-99)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGroupTestsForBatching::test_parametrized _tests_grouped

1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	27 lines (ranges: 34, 39-40, 53-54, 67, 70, 92-93, 95, 103-106, 108-110, 122-123, 126-132, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGroupTestsForBatching::test_single_tests _no_grouping

1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	18 lines (ranges: 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_cache.py

7 tests

PASSED

tests/test_cache.py::TestHashSource::test_consistent_hash

1ms 3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestHashSource::test_different_source_different_hash

1ms  3

COVERAGE

src/pytest_llm_report/cache.py

1 lines (ranges: 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestHashSource::test_hash_length

1ms  3

COVERAGE

src/pytest_llm_report/cache.py

1 lines (ranges: 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_clear

1ms  4

COVERAGE

src/pytest_llm_report/cache.py

26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_does_not_cache_errors

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_get_missing

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_set_and_get

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_opt_out_default_false

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_enabled_by_default

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed

1ms



COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestTestCollector::test_create_collector

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestTestCollector::test_get_results_sorted

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestTestCollector::test_handle_collection_finish 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_collector_maximal.py

14 tests

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_disabled_via_handle_report 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stderr 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stdout

1ms



COVERAGE

src/pytest_llm_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_truncated

1ms



COVERAGE

src/pytest_llm_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_create_result_with_item_markers

2ms



COVERAGE

src/pytest_llm_report/collector.py

35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_repr_crash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_fallback

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_string

1ms



COVERAGE

src/pytest_llm_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_tuple

1ms



COVERAGE

src/pytest_llm_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_collection_report_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtест_rerun

2ms



COVERAGE

src/pytest_llm_report/collector.py

42 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140-141, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238, 261, 264-265, 268-269)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtест_setup_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtест_teardown_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_invalid_compression_mode

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_negative_padding_invalid

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_valid_compression_modes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_zero_p
adding_valid

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

26 lines (ranges: 123, 171,
199, 202-203, 209-210, 217-
218, 225-226, 233-234, 241,
245, 247, 249, 251, 253, 257-
258, 265-266, 271, 273, 276)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_context_compression.py::TestContextCompression::test_comp
ression_enabled_by_default

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_context_compression.py::TestContextCompression::test_comp
ression_mode_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_context_compression.py::TestContextCompression::test_line_padding_default

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_contiguous_lines_no_gap

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_empty_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 216-217)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_extract_multiple_ranges

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	24 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242-247, 249)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_extract_single_line

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_pading_boundary

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

tests/test_context_limits.py

4 tests

PASSED

tests/test_context_limits.py::test_no_truncation_needed

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 243, 245, 264, 266, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 312, 314)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_limits.py::test_smart_distribution

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	25 lines (ranges: 243, 245, 264, 266, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 310, 312, 314)
src/pytest_llm_report/llm/utils.py	32 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_limits.py::test_splitting_logic

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 243, 245, 264, 266, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307, 310, 312, 314)
src/pytest_llm_report/llm/utils.py	30 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_limits.py::test_truncation_logic

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 243, 245, 264, 266, 270-272, 274-275)
src/pytest_llm_report/llm/utils.py	1 lines (ranges: 20)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_context_util.py

28 tests

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_collapse_three_empty_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	1 lines (ranges: 108)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_many_empty_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	1 lines (ranges: 108)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_preserve_two_empty_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

1 lines (ranges: 108)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_single_newline

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

1 lines (ranges: 108)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_always_collapses_empty_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

6 lines (ranges: 108, 124, 126, 129, 133, 135)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestOptimizeContext::test_combined_optimization 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	45 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-59, 61-62, 64, 66-69, 81-82, 86, 88-90, 93, 108, 124, 126-127, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestOptimizeContext::test_default_strips_docs_only 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	36 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestOptimizeContext::test_empty_source 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_source_with_only_whitespace

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_strip_both

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	44 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69, 81-82, 86, 88-90, 93, 108, 124, 126-127, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_strip_comments_only

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	14 lines (ranges: 81-82, 86, 88-90, 93, 108, 124, 126, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestOptimizeContext::test_strip_neither 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	6 lines (ranges: 108, 124, 126, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestStripComments::test_comment_after_string_with_hash 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestStripComments::test_escaped_quotes 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestStripComments::test_mixed_quotes 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestStripComments::test_no_comments 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_context_util.py::TestStripComments::test_preserve_hash_in_double_quoted_string 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_preserve_hash_in_single_quoted_string

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_strip_simple_comment

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_strip_standalone_comment

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_handles_syntax_error_gracefully

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

4 lines (ranges: 27, 29-31)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_multiple_docstrings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

30 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-59, 61-62, 64, 66-69)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_preserves_multiline_data_strings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_preserves_regularizer_strings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

25 lines (ranges: 27, 29, 33, 35-36, 38-45, 49, 51-52, 55-56, 58, 61, 64, 66-69)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_preserves_stripings_in_structures

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

27 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58, 61, 64, 66-69)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_strip_multiline_docstring

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/context_util.py

29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_strip_triple_d
ouble_quoted_docstring

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66- 69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_strip_triple_s
ingle_quoted_docstring

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66- 69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_coverage_boosters.py

3 tests

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_model_parsing_edge_cases 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	19 lines (ranges: 134-135, 137-141, 143-144, 476, 478, 524-531)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_rate_limiter_edge_math 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_models_to_dict_variants 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	47 lines (ranges: 96-103, 130-133, 135, 137-139, 141, 143, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_coverage_map_coverage.py

17 tests

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_contexts_by_lineno_exception

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	29 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152, 156, 160-162, 167-170, 199, 202)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_no_me
asured_files

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	7 lines (ranges: 44-45, 118, 121-122, 127-128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_skip_
non_python_files

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144- 146)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestLoadCoverageData::test_cove
rage_not_installed

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestLoadCoverageData::test_no_coverage_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_analysis_exception_handling

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_employee_statements

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	18 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259-261, 273-274, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_include_test_files_when_not_configured

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_skip_non_python_files

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	10 lines (ranges: 44-45, 243-244, 246-249, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_skip_test_files_when_configured

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 243-244, 246-248, 250, 252-255, 257, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_all_phase_config

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
---------------------------------------	---

src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_empty_string

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
---------------------------------------	----------------------------------

src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_none

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
---------------------------------------	----------------------------------

src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_run_phase_default 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_setup_phase_config 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_teardown_phase_config 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233-234, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_without_pipe

1ms

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	6 lines (ranges: 44-45, 216, 220, 224, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_coverage_map_maximal.py

9 tests

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_full_logic

1ms

6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_no_contexts 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_nodeid_variants 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_no_files 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_read_error 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_with_parallel_files 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_coverage_no_data 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_analysis_error 2ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_comprehensive 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

tests/test_errors.py

3 tests

PASSED

tests/test_errors.py::test_make_warning

1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors.py::test_warning_code_values

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors.py::test_warning_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

8 lines (ranges: 70-71, 73-75, 77-79)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

tests/test_errors_maximal.py

6 tests

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_know_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 142-145)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_unknown_code

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 142-145)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_with_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 142-145)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestWarningCodes::test_codes_are_strings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_no_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

7 lines (ranges: 70-71, 73-75, 77, 79)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_with_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

8 lines (ranges: 70-71, 73-75, 77-79)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

tests/test_fs.py

12 tests

PASSED

tests/test_fs.py::TestIsPythonFile::test_non_python_file

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/util/fs.py

1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestIsPythonFile::test_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestMakeRelative::test_makes_path_relative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs.py::TestNormalizePath::test_already_normalized

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_forward_slashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED tests/test_fs.py::TestShouldSkipPath::test_normal_path 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_git 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_venv

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

tests/test_fs_coverage.py

15 tests

PASSED

tests/test_fs_coverage.py::TestIsPythonFile::test_is_python_file_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs_coverage.py::TestIsPythonFile::test_is_python_file_true

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/util/fs.py

1 lines (ranges: 79)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_path_not_under_base

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/util/fs.py

12 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63, 65, 67)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_success

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/util/fs.py

11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_with_none_base

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_ba ckslashes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_pa th_object

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_trailing_slash

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_not_skip_regular_path

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_git

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_path_starting_with_skip_dir

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_pycache

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_site_packages

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_venv 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_with_exclude_patterns 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

tests/test_gemini_provider.py

25 tests

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_annotate_loop_daily_limit_hit

4ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	50 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-227, 232-233, 318-320, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_annotation_exceptions_coverage

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	100 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 221-224, 228-230, 232-233, 235-236, 239-244, 263-265, 268, 293, 295, 299-303, 318-320, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_coverage_gaps 184ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	27 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-331)
src/pytest_llm_report/llm/gemini.py	173 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181-182, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 254-255, 259, 340, 343, 346, 348-356, 358-361, 363-364, 366-367, 435, 437-439, 441-442, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-498, 502-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-564, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_parse_p
referred_models_coverage 2ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	13 lines (ranges: 134-135, 137-141, 143-144, 524-527)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_prune_da
ily_requests 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 39-42, 81- 82, 84, 87-89)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_tpm_avai
lable_fallback 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	4 lines (ranges: 39-42)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_import_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	14 lines (ranges: 134-135, 137-141, 143-144, 164-165, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_no_token

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	21 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-188)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

`tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_rate_limit_retry` 4ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	19 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221)
src/pytest_llm_report/llm/gemini.py	214 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-237, 239-244, 246, 249-250, 252, 261, 263-265, 299-300, 304-306, 308-309, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413-416, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569, 574)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_success 396ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	19 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221)
src/pytest_llm_report/llm/gemini.py	208 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-430, 432, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567-568, 574)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_gemini_provider.py::TestGeminiProvider::test_availability 3ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134-135, 137-141, 143-144, 332-333, 335)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_annotation_retry_exceptions 60.00s ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	111 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 221-224, 228-230, 232-233, 235-237, 239-244, 263-265, 268, 272-276, 279-281, 283-286, 288-292, 318-320, 322-323, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_annotation_retry_loop_coverage 3ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	27 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-331)
src/pytest_llm_report/llm/gemini.py	97 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-94, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 212-213, 215-216, 218, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 254, 259, 340, 343, 471-473)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test.ensure_rate_limits_error 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 134-135, 137-141, 143-144, 346, 348-356, 358-361, 363-364, 366-367)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_fetc
h_available_models_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	15 lines (ranges: 134-135, 137-141, 143-144, 537, 539-541, 544-545)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_fetc
h_available_models_invalid_json

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	34 lines (ranges: 134-135, 137-141, 143-144, 476-477, 537, 539-543, 547-548, 550-559, 562-563, 567, 569, 574)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_get_max_context_tokens_calls_ensure 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 163)
src/pytest_llm_report/llm/gemini.py	15 lines (ranges: 134-135, 137-141, 143-144, 486, 488-491, 493)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_parse_rate_limits_types 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 134-135, 137-141, 143-144, 449-457, 459-460, 463-466)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_gemini_provider.py::TestGeminiRateLimiter::test_prune_logic 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_record_to_kens_invalid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpd_limit 1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpm_limit 1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_seconds_until_tpm_available_branches

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 100-101, 103-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_wait_for_slot_daily_limit_exceeded

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_wait_for_slot_sleeps

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_different_config 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_returns_short_has 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED tests/test_hashing.py::TestComputeFileSha256::test_hashes_file 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED tests/test_hashing.py::TestComputeHmac::test_different_key 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED tests/test_hashing.py::TestComputeHmac::test_with_key 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED tests/test_hashing.py::TestComputeSha256::test_consistent 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestComputeSha256::test_length

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest

81ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict

81ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_loads_key

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_no_key_file

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

 tests/test_integration_gate.py

16 tests

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_true

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 123, 171, 284, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_secret_excluded_globs

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_deterministic_output

6ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite 6ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	62 lines (ranges: 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation 39ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation 63ms 7

COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	138 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-329, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_me_ta_has_aggregation_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_me_ta_has_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

 tests/test_litllm_retry_coverage.py

4 tests

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_all_retries_exhausted

2.00s  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 144-145, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_non_401_error_no_force_refresh

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	38 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141, 144-145, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_retry_succeeds_after_transient_error

6.00s 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	47 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-187, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_token_refresh_on_401

6.09s



7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	54 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-188, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_llm.py

9 tests

PASSED tests/test_llm.py::TestGetProvider::test_gemini_returns_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 384, 386, 388, 391, 396, 401-402, 404)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_llm.py::TestGetProvider::test_litellm_returns_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_none_returns_noop

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_ollama_returns_provider

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 384, 386, 388, 391-392, 394)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_unknown_raises

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 384, 386, 388, 391, 396, 401, 406)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestNoopProvider::test_get_model_name_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 67)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestNoopProvider::test_is_available

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 65-66, 134, 137-138)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 59)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test_llm_contract.py

13 tests

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/schemas.py

5 lines (ranges: 77-81)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_partial

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/schemas.py

5 lines (ranges: 77-81)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method 1ms ⚡ 7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 65-66, 384, 386, 388-389, 391-392, 394, 396-397, 399, 401-402, 404)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

📄 tests/test_llm_providers.py

52 tests

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_handles_context_too_large

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	187 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 263-265, 299, 311-312, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524-525, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	34 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-195, 471-473, 497-498, 502-503, 537)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	21 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-188)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_records_tokens 1ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	220 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-430, 432, 435, 437-439, 441-444, 449-455, 457, 459-460, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	216 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 263-265, 299-300, 304-306, 308-309, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413-416, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-458, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate rotates_models_on_daily_limit

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	210 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526-527, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_skips_on_daily_limit

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	47 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	216 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-230, 232-233, 235-236, 239-244, 246, 249-250, 252, 261, 318-320, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_success_with_mock_response

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	209 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_exhausted_mode
l_recovers_after_24h

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	47 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	222 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 212-213, 215-216, 218, 222-230, 232-233, 235-236, 239-244, 246, 249-250, 252, 261, 318-320, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_fetch_available_models_error 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	68 lines (ranges: 134-135, 137-141, 143-144, 346, 348-349, 352-356, 358-361, 363-364, 366-367, 435, 437-439, 441-444, 449-452, 463-466, 476, 478, 497-498, 502-508, 511, 514-516, 518-521, 524-525, 537, 539-541, 544-545)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_model_list_ref
resses_after_interval 1ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	201 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-458, 463-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_401_retry_with_token_refresh

1ms



7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	50 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 124-127, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116, 120, 135, 137, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_invaid_key_assertions

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	43 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346-348)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 206, 211)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_missing_dependency

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 87-89, 97-99, 105)
src/pytest_llm_report/llm/litellm_provider.py	8 lines (ranges: 37-38, 41, 82-86)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_with_prompt_override

1ms

6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_with_token_usage

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_api_base_pass through

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182-183, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_api_key_passes through

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_auth_error without_refresher 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	36 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 132-133, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_auth_retry_fails_on_second_attempt

2.00s



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	51 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 124-127, 129-130, 132-133, 141-142, 170-174, 176-178, 182, 186-188, 190)
src/pytest_llm_report/llm/token_refresh.py	31 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_context_too_long_error

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346-348)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_get_max_content_tokens_dict_format

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	10 lines (ranges: 37-38, 41, 221-222, 224, 227-228, 230-231)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_get_max_content_tokens_fallback_on_error

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	10 lines (ranges: 37-38, 41, 221-222, 224, 227, 232-234)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_get_max_content_tokens_success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	9 lines (ranges: 37-38, 41, 221-222, 224, 227-229)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_with_module

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 65-66, 134, 137-138)
src/pytest_llm_report/llm/litellm_provider.py	6 lines (ranges: 37-38, 41, 242-243, 245)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_token_refresh_integration

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	41 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_transient_err or_retry

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	42 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallbacks_on_context_length_error

1ms



7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	70 lines (ranges: 65-66, 87-89, 97-99, 101, 103, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 243, 245, 264, 266-267, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 312, 314, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	27 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71-72, 83, 85-86, 92, 138, 140, 142-144, 175-176, 178)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handles_call_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/ollama.py	18 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-65, 94, 97-98, 100-101, 103-104)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 87-89, 97-99, 105)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 42-46)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_runti
me_error_immediate_fail

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/ollama.py	13 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-65, 94, 96)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_succe
ss_full_flow

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	34 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71-72, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_with_prompt_override 1ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	34 lines (ranges: 42-43, 49, 52-53, 58, 60-61, 63-67, 71-72, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_with_token_usage 1ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	40 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71, 74-80, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_success 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_uses_default_model

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_failure

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 113-114, 116-117, 119-120)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_non_200

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 113-114, 116-118)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 113-114, 116-118)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_context_length_key

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 138, 140, 142-147, 149-150, 156, 165-167, 172-173)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_fallback_on_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	11 lines (ranges: 138, 140, 142-147, 175-176, 178)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_from_model_info

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 138, 140, 142-147, 149-150, 156, 165-167, 172-173)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_from_parameters

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 138, 140, 142-147, 149-150, 156, 158, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_non_200_status

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	10 lines (ranges: 138, 140, 142-147, 149, 178)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_is_local_returns_true

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_json

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 65-66, 325-326, 329-331)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_key_assertions

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346-348)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_code_fence

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_plain_fence

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response _success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_llm_utils.py

6 tests

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_constrained

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	32 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	2 lines (ranges: 42-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_fair_share

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	30 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_max_files

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_llm_utils.py::test_distribute_token_budget_sufficient 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_llm_utils.py::test_estimate_tokens 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	1 lines (ranges: 20)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_models.py

29 tests

PASSED tests/test_models.py::TestArtifactEntry::test_to_dict 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 263-266)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestCollectionError::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 241-243)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestCoverageEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 65-68)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestLlmAnnotation::test_empty_annotation

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	9 lines (ranges: 130-133, 135, 137, 139, 141, 143)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 130-133, 135-137, 139-141, 143)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_default_report

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_collection_errors

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 241-243, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_warnings

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	73 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestReportWarning::test_to_dict_with_detail 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	8 lines (ranges: 70-71, 73-75, 77-79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestReportWarning::test_to_dict_without_detail 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestRunMeta::test_aggregation_fields_present 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 286-288, 290-292, 376-392, 394, 397, 399, 402, 405, 407, 409, 411-417, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_llm_fields_excluded_when_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_llm_traceability_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	43 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419-431, 433, 435, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 286-288, 290-292, 376-392, 394-417, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_run_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_format

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_in_repo
rt_root

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSourceCoverageEntry::test_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 96-103)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_minimal

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 286-288, 290, 292)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestSourceReport::test_to_dict_with_run_id 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 286-288, 290-292)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestSummary::test_to_dict 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 467-475, 477, 479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestTestCaseResult::test_minimal_result 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_coverage 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	24 lines (ranges: 65-68, 190, 194-199, 201, 203, 205, 207, 210-212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214-216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_rerun 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	21 lines (ranges: 190, 194-199, 201, 203, 205, 207-210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_models_coverage.py

15 tests

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_all_optional_fields 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	76 lines (ranges: 96-103, 241-243, 263-266, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_artifacts 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	59 lines (ranges: 263-266, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530-532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_collection_errors 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 241-243, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_custom_metadata 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534-536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_hmac_signature 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534-536, 538-540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_sha256 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536-538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_source_coverage 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	63 lines (ranges: 96-103, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532-534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_warnings

1ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestSummaryToDict::test_to_dict_with_coverage_total_percent

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	12 lines (ranges: 467-475, 477-479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestSummaryToDict::test_to_dict_without_coverage_total_percent

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 467-475, 477, 479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_all_optional_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

42 lines (ranges: 65-68, 130-133, 135, 137, 139, 141, 143, 190, 194-199, 201-207, 210-224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_captured_stderr

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220-222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_captured_stdout

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218-220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_param_summary

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

21 lines (ranges: 190, 194-199, 201, 203-207, 210, 212, 214, 216, 218, 220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_requirements

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222-224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

tests/test_options.py

21 tests

PASSED

tests/test_options.py::TestConfig::test_default_exclude_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestConfig::test_default_redact_patterns 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestConfig::test_default_values 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestConfig::test_get_default_config 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_is_llm_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_aggregate_policy

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-221, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_context_mode

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-213, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_include_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-229, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 123, 171, 199, 202-205, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_numeric_ranges

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	31 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245-254, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_valid_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_aggregation_options 4ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599-607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestLoadConfig::test_load_batch_flag_conflict 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestLoadConfig::test_load_config_missing_pypr object 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestLoadConfig::test_load_coverage_source 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607-608, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestLoadConfig::test_load_defaults 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_overrides_pyproject 4ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	132 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492-494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_provider_override 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	133 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463-464, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_options.py::TestLoadConfig::test_load_from_cli_retries 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494-495, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_pyproject

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	134 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382-384, 386-388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_token_optimization_options 4ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	88 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470-474, 476-477, 479, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test_options_coverage.py

47 tests

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_dependenc
y_snapshot

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486, 488, 490-492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_evidence_ bundle

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486, 488-490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_report_js 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484-486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_report_pd_f 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486-488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_invalid_token_output_format 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-237, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_token_refresh_interval_too_short 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241-242, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_valid_litellm_config 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_aggregate_include_history 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438-440, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_aggregate_policy_from_pyproject 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436-438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_all_config_keys_combined 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	150 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-337, 340-346, 348-350, 352-354, 356-357, 360-369, 372-375, 378-392, 396, 400, 402, 404, 408-410, 412-413, 416-422, 426-428, 430-432, 436-440, 444-447, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_cache_dir 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390-392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_cache_ttl_seconds 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388-390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_capture_failed_output 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418-420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_capture_output_max_chars 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420-422, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_bytes 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362-364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_exclude_globs 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368-369, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_file_limit 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364-366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_include_globs 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366-368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_hmac_key_file 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446-447, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_param_values 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372-374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_phase 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412-413, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_pytest_invocation 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426-428, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_invocation_redact_patterns 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430-432, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_api_base 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340-342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_api_key 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342-344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_json_key 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356-357, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_output_format 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352-354, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_refresh_command 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344-346, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_refresh_interval 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348-350, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_malformed_pyproject 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	73 lines (ranges: 123, 171, 308, 311-312, 320-325, 449, 451, 453-456, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_max_concurrency 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380-382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_max_tests 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378-380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_metadata_file 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444-446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_ollama_host 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336-337, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load OMIT_TESTS_FROM_COVERAGE 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408-410, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_param_value_max_chars 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374-375, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_report_collect_only 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416-418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_timeout_seconds 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384-386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_batch_max_tests 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400-402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_batch_parametrized_tests 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	131 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396-398, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_context_compression 4ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402-404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_context_line_padding 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404-405, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_prompt_tier 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392-393, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_batch_max_tests_too_small 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271-273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_context_line_padding_negative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_invalid_context_compression

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_invalid_prompt_tier

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-261, 265-266, 271, 273, 276)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults

3ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	122 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-337, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378-380, 382, 384-386, 388, 390, 392, 396, 400, 402, 404, 408-410, 412-413, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463, 466, 470, 472-473, 476-477, 482-488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603-605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config

1ms

2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test _both_json_and_html_outputs 99ms 8

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	91 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40,
42-46, 50-51, 53, 65, 67, 79-
85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

122 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226-227, 230, 233, 254, 256-
259, 262-264, 266, 268-275,
277-278, 280-289, 291-294,
296-297, 299-300, 302-303,
305-307, 319, 321-322, 324-
325, 337, 347, 350-352, 355-
356, 359-361, 364, 367-371,
383, 385-386, 389, 392, 395,
398-402, 477-478, 502, 504,
506-508, 510, 513)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test _collection_finish_counts_items 60ms ⚡ 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test _creates_nested_directory 59ms 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	11 lines (ranges: 70-71, 73-75, 77, 79, 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349,
351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

116 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
484, 502, 504, 506-508, 510,
513)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_fixture_error_captured 62ms 7

COVERAGE

src/pytest_llm_report/collector.py	50 lines (ranges: 78-79, 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349,
351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

115 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324, 326,
328, 330, 332, 334-335, 337,
347, 350-352, 355-356, 359-
361, 364, 367-371, 477-478,
502, 504, 506-508, 510, 513)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_makereport_captures_all_outcomes 171ms 7

COVERAGE

src/pytest_llm_report/collector.py	59 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-118, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 250-251, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309,

311-315, 328-330, 332-334,
336-338, 342, 346-347, 349,
351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

114 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-329,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_no_report_when_disabled 55ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	250 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403-404, 558-559, 562-563, 566-568, 579, 583, 602-603, 619-620)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_pdf_option_enables_plugin 602ms 8

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486-488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79- 85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	110 lines (ranges: 67-73, 85- 86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197- 198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277- 278, 280-289, 291-294, 296- 297, 299-300, 302-303, 305- 307, 319, 321-322, 324-325, 337, 408, 417, 419, 421-423, 431-436, 439, 441-442, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test _session_start_records_time 60ms ⚡ 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_content_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_output_out_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker

1ms



2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration

41ms



6

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

81 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

136 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_disabled 1ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 558-559, 562, 566-568, 579-580, 586-587)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_enabled 2ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	12 lines (ranges: 558-559, 562, 566-568, 579-580, 586, 590-592)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_no_session 1ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 579, 583)

PASSED tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_session_none 1ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 579, 583)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_llm_enabled_warning 3ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	30 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_validation_errors 3ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	135 lines (ranges: 123, 171, 199, 202-205, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	25 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-358, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_worker_skip 1ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 328-330, 332-334, 336-338, 342-343, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigureFallback::test_pyte
st_configure_fallback_load

4ms



2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

30 lines (ranges: 328-330,
332-334, 336-338, 342, 346-
347, 349, 351, 354-355, 362-
364, 366-367, 371-373, 558-
559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config
_cli_overrides_pyproject

2ms



3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

122 lines (ranges: 123, 171,
308, 311-312, 320-325, 327-
328, 332-334, 336, 340, 342,
344, 348, 352, 356, 360, 362,
364, 366, 368, 372, 374, 378,
380, 382, 384, 386, 388, 390,
392, 396, 400, 402, 404, 408,
412, 416, 418, 420, 426, 430,
436, 438, 444, 446, 460-461,
463-464, 466-467, 470, 472-
473, 476-477, 482-494, 499-
500, 504-505, 511-512, 516-
517, 521-522, 528-529, 534,
537-538, 542-543, 547-548,
554-555, 561-562, 566-567,
572, 575-576, 581, 583, 588-
589, 593-594, 599-607, 611,
613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config _from_pyproject

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	112 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382-384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 399, 403-404, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_worker_skip

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 399-400, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::testload_config

2ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

69 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470, 472-473, 476-477, 482-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_disabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

7 lines (ranges: 558-559, 562-563, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_enabled

2ms



2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 558-559, 562, 566-568, 602-603)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_enabled

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

10 lines (ranges: 558-559, 562, 566-568, 602, 606-608)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 558-559, 562, 566-568, 619-620)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_enabled

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	11 lines (ranges: 558-559, 562, 566-568, 619, 623, 626, 628-629)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	220 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption_no_ini 3ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	220 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_coverage_calculation 3ms 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	53 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 468, 470-473, 485-486, 491-492, 534-544, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_termin
al_summary_llm_enabled

3ms



COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	66 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485-486, 491-494, 497, 499, 502-504, 512-514, 516, 523-531, 534-544, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_termin
al_summary_no_collector

2ms



COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	45 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_with_aggregation 3ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	21 lines (ranges: 399, 403, 407, 410-411, 413-414, 417-418, 420, 422-426, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummaryErrors::test_terminal_summary_coverage_error 4ms 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	52 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 476-479, 485-486, 491-492, 534-544, 558-559, 562, 566-568)



tests/test_prompts.py

7 tests

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_balanced_context 7ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	63 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_complete_context 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	38 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 139-140, 268-272)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_minimal_context

1ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_balanced_context_limits

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	46 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts.py::TestContextAssembler::test_complete_context_limits_override

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	50 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-84, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 268-272, 284-285, 287)

PASSED

tests/test_prompts.py::TestContextAssembler::test_get_test_source_ed ge_cases

1ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_should_exclude

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 284-287)

 tests/test_prompts_coverage.py

12 tests

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_assemble_minimal_mode

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_assemble_with_context_override 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	62 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_excludes_patterns 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	20 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163-164, 201, 284-286)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_file_not_exists 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	16 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-161, 201)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_max_bytes_limit 117ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_no_coverage

1ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 139-140)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_reaches_max_bytes_before_file

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	35 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-157, 159-160, 163, 166, 167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_complete_context_delegates_to_balanced

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	38 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 268-272, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_empty_nodeid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	9 lines (ranges: 33, 78-79, 82-83, 86-89)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_extraction_stops_at_next_def 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_file_not_exists 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	6 lines (ranges: 33, 78-79, 82-84)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_with_class 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED tests/test_ranges.py::TestCompressRanges::test_consecutive_lines 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)
--------------------------------------	---

PASSED tests/test_ranges.py::TestCompressRanges::test_duplicates 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)
--------------------------------------	---

PASSED tests/test_ranges.py::TestCompressRanges::test_empty_list 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)
--------------------------------------	-------------------------

PASSED

tests/test_ranges.py::TestCompressRanges::test_mixed_ranges

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_single_line

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED tests/test_ranges.py::TestCompressRanges::test_two_consecutive 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED tests/test_ranges.py::TestCompressRanges::test_unsorted_input 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED tests/test_ranges.py::TestExpandRanges::test_empty_string 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test_ranges.py::TestExpandRanges::test_mixed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_range

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_roundtrip

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_single_number

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

tests/test_render.py

9 tests

PASSED

tests/test_render.py::TestFormatDuration::test_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test_render.py::TestFormatDuration::test_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	57 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 155-157, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	57 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	64 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 140-142, 144, 147, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

68 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 155-156, 159-167, 172-178, 180-186, 191, 206, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

55 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

tests/test_report_writer.py

19 tests

PASSED

tests/test_report_writer.py::TestComputeSha256::test_different_content

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test_report_writer.py::TestComputeSha256::test_empty_bytes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_run_meta

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	72 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_all_outcomes 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 319, 321-322, 324-335, 337)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_counts 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 319, 321-322, 324-329, 337)

PASSED tests/test_report_writer.py::TestReportWriter::test_create_writer 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_ass
embles_tests

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_incl
udes_coverage_percent

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage

5ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	97 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_messages_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	99 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback 6ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	62 lines (ranges: 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	130 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513-514, 516-519, 522-523)

PASSED

`tests/test_report_writer.py::TestReportWriterWithFiles::testCreatesDirectoryIfMissing` 6ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	81 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	128 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-484, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_ensure_dir_failure 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 477-480, 487-491)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_htmlCreatesFile 39ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	120 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary 39ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330-333, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_jsonCreatesFile 6ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdfCreatesFile 43ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	130 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408, 417, 419, 421-430, 441-442, 444-450, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_p 6ms ⚡ 4
df_missing_playwright_warns

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	103 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408-412, 415)

tests/test_report_writer_coverage.py

10 tests

PASSED

tests/test_report_writer_coverage.py::TestGetGitInfo::test_git_info_from_nonexistent_path 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer_coverage.py::TestGetGitInfo::test_git_info_from_valid_repo 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	16 lines (ranges: 67-74, 76-81, 83-84)

PASSED

tests/test_report_writer_coverage.py::TestGetPluginGitInfo::test_plugin_git_info_fallback 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test_report_writer_coverage.py::TestGetPluginGitInfo::test_plugin_git_info_returns_values 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterAtomicWrite::test_atomic_write_fallback 7ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_pdf_playwright_exception

117ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	28 lines (ranges: 156-158, 408, 417, 419, 421-423, 431-436, 439, 441-442, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_pdf_playwright_not_installed

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 156-158, 408-412, 415)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolve_html_sourceCreatesTemp

34ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 455, 460, 462, 465-469)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolve_html_sourceMissingHtmlFile

34ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 455-457, 460, 462, 465-469)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolves_html_source_uses_existing

1ms



4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	7 lines (ranges: 156-158, 455-458)

tests/test_schemas.py

2 tests

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_smoke_pytester.py

15 tests

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_report_created 96ms 8

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79- 85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	106 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197- 198, 202, 211-218, 222, 226- 227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277- 278, 280-289, 291-294, 296- 297, 299-300, 302-303, 305- 307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_summary_counts_all_statuses 133ms 8

COVERAGE

src/pytest_llm_report/collector.py	69 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460,

463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40,
42-46, 50-51, 53, 65, 67, 79-
85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

116 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222, 226-
227, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-335,
337, 383, 385-386, 389, 392,
395, 398-402, 477-478, 502,
504, 506-508, 510, 513)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_json_report_created 65ms 7

COVERAGE

src/pytest_llm_report/collector.py	55 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309,

311-315, 328-330, 332-334,
336-338, 342, 346-347, 349,
351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

112 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-327,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_ annotations_in_report 63ms 14

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/llm/base.py	55 lines (ranges: 65-66, 87-89, 97, 105, 134, 137-138, 155, 163, 174, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/llm/litellm_provider.py	43 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213, 221-222, 224, 227-229, 242-243, 245)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

src/pytest_llm_report/models.py	103 lines (ranges: 130-133, 135-137, 139, 141, 143, 190, 194-199, 201, 203, 205, 207, 210, 212-214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419-437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py	316 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-494, 497, 499, 502-506, 509, 512-514, 516-517, 523-531, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-73, 85-86, 98-99, 102, 105-108, 113, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 301-302, 304-305, 307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported 95ms 14

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/llm/annotator.py	100 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221-223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298-301, 303)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 87-89, 97, 105, 134, 137-138, 155, 163, 174, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/llm/litellm_provider.py	44 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 137, 170-174, 176-178, 182, 186-187, 190, 221-222, 224, 227-229, 242-243, 245)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241,

245, 247, 249, 251, 253, 257-
258, 265-266, 271, 273, 276,
284, 308, 311-312, 320-325,
327-328, 332-336, 340, 342,
344, 348, 352, 356, 360, 362,
364, 366, 368, 372, 374, 378,
380, 382, 384, 386, 388, 390,
392, 396, 400, 402, 404, 408,
412, 416, 418, 420, 426, 430,
436, 438, 444, 446, 460, 463,
466, 470, 472-473, 476-477,
482-484, 486, 488, 490, 492,
494, 499-500, 504-505, 511-
512, 516-517, 521-522, 528-
529, 534, 537-538, 542-543,
547-548, 554-555, 561-562,
566-567, 572, 575-576, 581,
583, 588-589, 593-594, 599,
601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

316 lines (ranges: 41, 44-48,
50-54, 56-60, 62-66, 68-72,
74-79, 81-86, 90-94, 96-100,
102-106, 108-112, 114-118,
122-126, 128-132, 134-138,
142-146, 148-153, 155-159,
161-165, 169-174, 176-181,
185-190, 192-197, 199-204,
208-213, 215-219, 223-227,
229-233, 235-239, 241-245,
247-252, 254-258, 260-264,
268-272, 274-279, 283-287,
289-293, 297-302, 304-309,
311-315, 328-330, 332-334,
336-338, 342, 346-347, 349,
351, 354-355, 362-364, 366-
367, 371-373, 399, 403, 407,
410, 429-430, 437-438, 441-
442, 444-445, 448-452, 454,
457-458, 460, 463-464, 485,
491-494, 497, 499, 502-507,
512-514, 516-517, 523-531,
534-544, 558-559, 562, 566-
568, 579, 583, 602, 606-608,
619, 623, 626, 628-629)

src/pytest_llm_report/prompts.py

29 lines (ranges: 33, 49, 52,
55, 58-59, 65, 78-79, 82-83,
86-87, 92, 94, 98-101, 103-
109, 111-112, 116)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40,
42-46, 50-51, 53, 65, 67, 79-
85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

111 lines (ranges: 55, 67-73,
85-86, 98-99, 102, 105-108,
113, 127-128, 130, 156-158,
186, 192-193, 197-198, 202,

211-218, 222, 226-227, 230,
233, 254, 256-259, 262-264,
266, 268-275, 277-278, 280-
289, 291-296, 298-299, 301-
302, 304-305, 307, 319, 321-
322, 324-325, 337, 383, 385-
386, 389, 392, 395, 398-402,
477-478, 502, 504, 506-508,
510, 513)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214-216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373,

399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222-224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373,

399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_multiple_xfail_out
comes 66ms 7

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

113 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330-331, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_skip_outcome

58ms  7

COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

112 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324, 326,
328-329, 337, 347, 350-352,
355-356, 359-361, 364, 367-
371, 477-478, 502, 504, 506-
508, 510, 513)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_xfail_outcome

62ms  7

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

113 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324, 326,
328, 330-331, 337, 347, 350-
352, 355-356, 359-361, 364,
367-371, 477-478, 502, 504,
506-508, 510, 513)

PASSED

tests/test_smoke_pytester.py::TestParametrization::test_parametrize_d_tests 61ms 7

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203-205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_help_contains_examples 51ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered 45ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered 52ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_characters_in_nodeid 96ms 8

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40,
42-46, 50-51, 53, 65, 67, 79-
85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

106 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222, 226-
227, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-325,
337, 383, 385-386, 389, 392,
395, 398-402, 477-478, 502,
504, 506-508, 510, 513)

tests/test_time.py

15 tests

PASSED

tests/test_time.py::TestFormatDuration::test_boundary_one_minute

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

src/pytest_llm_report/util/time.py

6 lines (ranges: 39, 41, 43,
46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_microseconds_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

src/pytest_llm_report/util/time.py

2 lines (ranges: 39-40)

PASSED tests/test_time.py::TestFormatDuration::test_milliseconds_format 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test_time.py::TestFormatDuration::test_minutes_format 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED tests/test_time.py::TestFormatDuration::test_multiple_minutes 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_one_second

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test_time.py::TestFormatDuration::test_seconds_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test_time.py::TestFormatDuration::test_small_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test_time.py::TestFormatDuration::test_very_small_microseconds 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test_time.py::TestIsoFormat::test_formats_naive_datetime 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test_time.py::TestIsoFormat::test_formats_with_microseconds 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestUtcNow::test_has_utc_timezone

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_is_current_time

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_returns_datetime

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)



tests/test_token_refresh.py

12 tests

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_command_failure

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_empty_output

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-109, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_force_refresh

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_json
_custom_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

29 lines (ranges: 59-60, 63,
69-72, 83, 85-86, 90, 93-98,
101, 107-108, 111, 132-135,
139, 143-144, 148)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_json
_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

29 lines (ranges: 59-60, 63,
69-72, 83, 85-86, 90, 93-98,
101, 107-108, 111, 132-135,
139, 143-144, 148)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_text
_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

25 lines (ranges: 59-60, 63,
69-72, 83, 85-86, 90, 93-98,
101, 107-108, 111, 132, 153-
154, 156)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_invalid_json 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-134, 149-150)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_invalidate 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_missing_json_key 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139-141, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_thread_safety 52ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_timeout_handling 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	16 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_token_caching 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_command_failure_no_stderr

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_empty_command_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_invalid_command_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-88, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_not_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

27 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-137, 149)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_token_empty_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_token_not_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_oserror_on_execution

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	19 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113, 115-118)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_text_only_whitespace_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	4 lines (ranges: 132, 153-155)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_whitespace_only_command

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_usage.py::test_token_usage_aggregation

5ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	73 lines (ranges: 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485-487, 491-494, 497, 499, 502-506, 509, 512-514, 516-521, 523-531, 534-544, 558-559, 562, 566-568)