

Test Report

92.96%

Run ID: 21155945570-py3.12 • Generated: 2026-01-20 01:04:44 • Duration: 33.14s

Plugin: v0.2.0 (b7a157f6cb9189cc50a17c846484c8454deeac61) [dirty]

Repo: v0.2.0 (71fdfb394527f4aea049ad4cf6bc79764a5623f5)

Total Coverage

541

TOTAL TESTS

541

PASSED

0

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

[Source Coverage](#) [Per Test Details](#) [Failures Only](#)

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest_llm_report/aggregation.py	117	5	112	95.73%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 84, 87-89, 93, 103, 109-111, 113-117, 119-120, 125, 127-128, 130-131, 134-135, 141-144, 147, 149, 151, 165, 167, 171, 173, 66, 90-91, 195, 175, 185, 187- 191, 193-194, 197, 199, 208, 220, 222-236, 238, 240, 248- 249, 251-252, 254, 256-258, 262, 265-266, 268-269, 272, 274-275, 277, 279-280, 284 206
--------------------------------------	-----	---	-----	--------	---

src/pytest_llm_report/calculator.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 64-65, 130 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153
-------------------------------------	----	---	----	--------	---

src/pytest_llm_report/collector.py	111	2	109	98.2%	19, 21-22, 24, 26-27, 33-34, 45- 50, 52, 58, 60- 62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106- 107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140, 143, 155, 163- 164, 167-169, 141, 239 171, 173, 181- 182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-252, 254, 261, 264-
------------------------------------	-----	---	-----	-------	--

265, 268-269,
271, 277, 279,
285

src/pytest_llm_report/coverage_map.py 135 6 129 95.56% 13, 15-17, 19-22,
30, 38, 44-45,
47, 58-60, 64,
72-73, 83, 86,
88-90, 92, 94-96,
98, 101-104, 106-
108, 114, 116,
118, 121-122,
127-128, 131-135,
137-140, 144-146,
148, 150, 152-
153, 156, 160-
162, 165, 167-
168, 173, 176,
178-184, 187-189, 62, 123, 125,
157, 221, 251
191, 196, 199-
200, 202, 204,
216-217, 220,
224-225, 228-234,
236, 239, 241,
243-244, 246-250,
252-254, 257,
259-260, 263-264,
271, 273-274,
276-279, 281-283,
285, 299-300,
302, 308

src/pytest_llm_report/errors.py 35 0 35 100.0% 8-9, 12, 25-28,
31-36, 39-42, 45-
46, 49-51, 54-55,
64-66, 68, 70,
74-76, 80, 129,
139 -

src/pytest_llm_report/llm/__init__.py 3 0 3 100.0% 4-5, 7 -

src/pytest_llm_report/llm/annotator.py 110 0 110 100.0% 4, 6-10, 12-15,
21-22, 25-28, 31,
45-46, 48-50, 54,
56-57, 59, 61-62,
64, 66-68, 71-72,
74-82, 87, 97-98,
100, 102, 104-
105, 115, 127,
129-132, 137-139,
142, 165-168, -
170-171, 176,
178, 180-183,
185-190, 192-193,
198-201, 203,

206, 229-232,
234, 236-237,
239-240, 245-246,
248-253, 255-256,
261-264, 266

src/pytest_llm_report/llm/base.py	102	0	102	100.0%	13, 15-18, 28, 31, 45, 48, 54, 60-61, 63, 80, 83-84, 86, 88, 109, 115-116, 118-119, 130, 136, 138, 144, 146, 155, 157, 166-167, 170-177, 179, 181, 191, 193-196, 198, 200-202, 204, 220, 222-228, 230, 232, 241- 242, 245-247, 249-250, 253-255, 258-263, 267, 269, 275-276, 279-280, 283-285, 288, 300, 302, 304-305, 307-308, 310, 312-313, 315, 317-318, 320, 322
-----------------------------------	-----	---	-----	--------	---

src/pytest_llm_report/llm/gemini.py	280	23	257	91.79%	7, 9-13, 15-16, 23-27, 30-34, 37- 42, 44-46, 48-50, 52, 57-63, 65-70, 72-73, 75-78, 80- 85, 87-88, 91-97, 99-103, 105, 107- 114, 121-122, 125, 128, 134, 136-139, 141-142, 144, 160-161, 167-169, 172, 174-175, 177, 179-187, 189-191, 193-194, 196, 199, 203-211, 213-214, 216-218, 220-224, 227-228, 230-231, 240, 242-243, 247-248, 251-252, 254-255, 263-264, 271, 277-278, 280, 284-288, 290-294, 297-298, 303-304, 311-312, 314, 89, 104, 106, 115-117, 202, 233-234, 238, 244-246, 253, 256-259, 261, 267, 395, 472, 475
-------------------------------------	-----	----	-----	--------	---

328, 330-331,
335, 355, 358-
360, 363-371,
373-374, 376,
380-383, 385,
388-394, 396-402,
408, 411-413,
415-418, 420,
422-423, 427-433,
436, 439-441,
443-445, 447-452,
458-459, 461-465,
468-471, 473-474,
476-478

src/pytest_llm_report/ll
m/litellm_provider.py 62 4 58 93.55% 8, 10, 12-13, 21,
31, 37-38, 41-42,
44, 51, 60-62,
64, 80-81, 87,
90, 93, 95-96,
99, 101-102, 107,
109, 111, 115,
117, 119-121,
130, 132, 134,
136-137, 139,
143, 165, 177-
178, 181-183,
185, 187-188,
190, 192, 197,
199, 201, 207-
208, 210 124-125, 127, 193

src/pytest_llm_report/ll
m/noop.py 13 0 13 100.0% 8, 10, 12-13, 20,
26, 32, 34, 50, -
52, 58, 60, 66

src/pytest_llm_report/ll
m/ollama.py 45 2 43 95.56% 7, 9, 11-12, 18,
24, 40-41, 47,
50, 53, 55-56,
58-61, 63, 65-66,
72, 74, 77-78, 70, 76
80-81, 83, 87,
93-94, 96-98,
102, 108, 110,
120, 122-123,
134, 139, 141-142

src/pytest_llm_report/ll
m/schemas.py 36 1 35 97.22% 8, 10-12, 16, 22,
38, 42-44, 46-47,
50-53, 55, 58-59, 39
62-65, 67-68, 77,
84, 90, 94-98,
102, 130

						7, 9-14, 17, 20, 23-24, 36-39, 41- 43, 47, 59-60, 63-66, 69-72, 74, 83, 85-88, 90-91, 93, 101-103, 107- 109, 111, 113- 116, 120, 132- 136, 139-140, 143-145, 148-150, 153-156, 158, 160-162
src/pytest_llm_report/llm/token_refresh.py	71	0	71	100.0%		17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95- 100, 102, 104, 109-115, 118-119, 141-157, 159-160, 162, 164, 166, 173-196, 199-200, 208-209, 211, 213, 219-220, 229-231, 233, 235, 239-241, 244-245, 254-256, 258, 260, 267- 268, 277-279, 281, 283, 287- 289, 292-293, 330-359, 361-366, 368, 370, 388- 411, 413-425, 428-429, 443-451, 453, 455, 465- 467, 470-471, 488-498, 500, 506, 508, 514-528
src/pytest_llm_report/models.py	243	0	243	100.0%		122, 163, 192, 195-197, 202-204, 210-212, 218-220, 226-228, 234-235, 238-247, 250-252, 257, 261, 270, 285, 288-289, 297-302, 304, 309-314, 317-322, 325-326, 329-330, 333-334, 337-346, 349-352, 355-369, 373-374, 377-378, 381-386, 391-392, 395-396, 401-404, 409-412, 414, 416, 418, 425-
src/pytest_llm_report/options.py	203	53	150	73.89%		13-15, 21-22, 98- 102, 105-107, 110-115, 118-121, 138-139, 142-149, 152-154, 157-159, 162, 173-177, 180-181, 184, 186, 259, 264, 273, 370

426, 428-429,
431-432, 435-448,
451-460, 463, 465

40, 43, 49, 55,
61, 67, 73, 80,
89, 95, 101, 107,
113, 121, 127,
133, 150, 154,
158, 164-165,
168-169, 171,
173, 176-178,
184-185, 193-194,
221-222, 225-226,
229, 232-233,
235-236, 239-240,
242, 244-248, 13, 15-17, 19-20,
251-252, 254, 22, 28-31, 34,
256, 259-260, 141, 199, 303-
263-264, 266-267, 304, 309-310,
270-274, 276, 355-356, 376,
279-280, 282, 400, 416-417
285-288, 290,
292-295, 298-299,
307-308, 313-316,
319, 321, 324-
329, 331, 333,
341-342, 363-364,
367-368, 371-373,
384-385, 388,
391-392, 395-397,
407-408, 411-413,
424-425, 428,
431, 433-434

src/pytest_llm_report/pl 147 24 123 83.67%

ugin.py

13, 15-17, 24,
27, 33, 35, 49,
52, 55, 58-61,
63, 65, 67, 78-
79, 82-84, 86-87,
92, 94-95, 98-
101, 103-112, 80
114, 116, 118,
132-133, 135-138,
140-142, 144-146,
148-149, 151-152,
154-156, 158-159,
163, 165, 180,
182, 191-194

src/pytest_llm_report/pr 75 1 74 98.67%

ompts.py

13, 15-16, 18,
24, 30-31, 34,
40, 42, 50-51,
53, 56, 65-67,
70, 79, 87, 90,
99, 101-102, 107,
110, 121-124,

126-129, 131-134,
141-143, 145,
158-163, 177, 196

src/pytest_llm_report/report_writer.py	167	3	164	98.2%	135-137
					13, 15-25, 27-29, 46, 55, 58, 67- 68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 113, 116, 127- 128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256- 259, 262-264, 266, 268, 303, 312, 314-315, 317-328, 330, 332, 340, 343- 345, 348-349, 352-354, 357, 360, 368, 376, 378-379, 382, 385, 388, 391, 399, 401-402, 408, 410, 412, 414-425, 432, 434-435, 437-439, 447-451, 453, 455, 458, 461- 462, 464, 470- 474, 480-481, 488, 495, 497, 499-501, 503, 506-507, 509, 515-516

src/pytest_llm_report/utils/fs.py	34	1	33	97.06%	40
					11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-65, 67, 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123

src/pytest_llm_report/ut il/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121
---	----	---	----	--------	--

src/pytest_llm_report/ut il/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95
--	----	---	----	--------	--

src/pytest_llm_report/ut il/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, - 46-48
--	----	---	----	--------	---

Per Test Details

 tests/test_adaptive_prompts.py 9 tests

PASSED tests/test_adaptive_prompts.py::TestComplexityEstimation::test_compl
ex_test_high_complexity 1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 60-61, 166, 170-177, 179, 300, 302, 304- 305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestComplexityEstimation::test_empty_source_zero_complexity

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 60-61, 166-167, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestComplexityEstimation::test_simple_test_low_complexity

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 60-61, 166, 170-177, 179, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestConfigValidation::test_invalid_prompt_tier 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-254, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestConfigValidation::test_valid_prompt_tiers 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_auto_tier_complex_test

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 60-61, 166, 170-177, 179, 191, 193, 195, 198, 200, 202, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_auto_tier_simple_test

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 60-61, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_minimal_tier_override

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 60-61, 191, 193-194, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_standalone_tier_override

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 60-61, 191, 193, 195-196, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)



tests/test_aggregation.py

10 tests

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	70 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 147, 149, 151-156, 158, 160-162, 173, 220, 222-226, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 109-111)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy 3ms 3

COVERAGE

src/pytest_llm_report/aggregation.py

78 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 147, 149, 151-156, 158, 160-162, 173, 185, 187-191, 193-194, 197, 220, 222-226, 238, 248, 251-252, 254, 256, 279-282, 284)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_configured 1ms 3

COVERAGE

src/pytest_llm_report/aggregation.py

3 lines (ranges: 44, 52-53)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports 1ms 3

COVERAGE

src/pytest_llm_report/aggregation.py

9 lines (ranges: 52, 55-57, 109-110, 113-114, 173)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/aggregation.py	82 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134-137, 141-144, 147, 149, 151-156, 158, 160-162, 173, 185, 187-191, 197, 220, 222-226, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	34 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 162, 166-171, 173, 175, 177, 179, 182-186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/aggregation.py	66 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 151-158, 160-162, 173, 185, 187-189, 197, 220, 222-223, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_load_coverage_from_source

3ms



3

COVERAGE

src/pytest_llm_report/aggregation.py

19 lines (ranges: 248-249, 251-252, 254, 256-260, 262, 265-266, 268-269, 272, 274-275, 277)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_recalculate_summary

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

17 lines (ranges: 220, 222-236, 238)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation.py::TestAggregator::test_skips_invalid_json

3ms



COVERAGE

src/pytest_llm_report/aggregation.py

71 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119-120, 125, 127-128, 151-156, 158, 160-162, 165, 167-169, 171, 173, 185, 187-189, 197, 220, 222-223, 238, 248, 251-252, 254, 256, 279-282, 284)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_aggregation_maximal.py::TestAggregationMaximal::test_recalculate_summary_coverage

1ms



4

COVERAGE

src/pytest_llm_report/aggregation.py

10 lines (ranges: 44, 220, 222-228, 238)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped

1ms



5

COVERAGE

src/pytest_llm_report/cache.py

1 lines (ranges: 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)

src/pytest_llm_report/options.py

3 lines (ranges: 123, 164, 261)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation

3ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	64 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation_handles_failures

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261-264, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_annotator.py::TestAnnotateTests::test_progress_reporting 3ms ⚡ 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation 12.00s ⚡ 5

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_annotator_maximal.py

4 tests

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_concurrent_with_progress_and_errors

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	28 lines (ranges: 229-232, 234, 236-237, 239-242, 245-246, 248-253, 255-258, 261-264, 266)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_sequential_rate_limit_wait

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	23 lines (ranges: 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_tests_cached_progress

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	37 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-98, 100, 127, 129-135, 137, 139)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_tests_provider_unavailable

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_base_coverage_v2.py

2 tests

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_malformed_json_after_extract 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 60-61, 241-242, 245-246, 249-250, 275-276)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_non_string_fields 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 60-61, 241-242, 245-246, 249-250, 253-255, 258-262, 267, 269-273)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

 tests/test_base_maximal.py

9 tests

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_gemini_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 60-61, 300, 302, 304, 307, 312, 317-318, 320)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_invalid_provider

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 300, 302, 304, 307, 312, 317, 322)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_litellm_provider

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 60-61, 300, 302, 304, 307, 312-313, 315)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_noop_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 60-61, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_ollama_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 60-61, 300, 302, 304, 307-308, 310)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_available_caches_result

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 60-61, 115-116, 118-119)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_model_name_defaults_to_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 60-61, 144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_rate_limits_defaults_to_none

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 60-61, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_is_local_defaults_to_false 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 60-61, 155)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_cache.py

7 tests

PASSED

tests/test_cache.py::TestHashSource::test_consistent_hash 1ms 3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_cache.py::TestHashSource::test_different_source_different_hash 1ms 3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_cache.py::TestHashSource::test_hash_length

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_cache.py::TestLlmCache::test_clear

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_cache.py::TestLlmCache::test_does_not_cache_errors

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_cache.py::TestLlmCache::test_get_missing

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_cache.py::TestLlmCache::test_set_and_get

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

 tests/test_collector.py

11 tests

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none 1ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_opt_out_default_false 1ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestCollectorOutputCapture::test_capture_disabled_by_default 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestTestCollector::test_create_collector 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestTestCollector::test_get_results_sorted 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_collector.py::TestTestCollector::test_handle_collection_finish 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_collector_maximal.py

14 tests

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_disabled_via_handle_report 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stderr 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stdout 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_truncated

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_create_result_with_item_markers

2ms



3

COVERAGE

src/pytest_llm_report/collector.py

35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_repr_crash

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_fallback

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_tuple

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_collection_report_failure

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_rerun

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_setup_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_teardown_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

tests/test_coverage_boosters.py

3 tests

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_model_parsing_edge_cases 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/gemini.py	17 lines (ranges: 134, 136-139, 141-142, 416, 418, 448-455)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_rate_limiter_edge_math 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_models_to_dict_variants 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	46 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file 2ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_coverage_map_coverage.py

17 tests

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_contexts_by_lineno_exception

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	29 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152, 156, 160-162, 167-170, 199, 202)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_no_me
asured_files

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	7 lines (ranges: 44-45, 118, 121-122, 127-128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_skip
_non_python_files

17ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144- 146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestLoadCoverageData::test_cove
rage_not_installed

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestLoadCoverageData::test_no_c
overage_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72- 73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_anal
ysis_exception_handling

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243- 244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299- 300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_employee_statements

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	18 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259-261, 273-274, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_include_test_files_when_not_configured

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_skip_non_python_files

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	10 lines (ranges: 44-45, 243-244, 246-249, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_skip_test_files_when_configured

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 243-244, 246-248, 250, 252-255, 257, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_all_phase_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_empty_string

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_none

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_run_phase_default

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_setup_phase_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_teardown_phase_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233-234, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_without_pipe

1ms

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	6 lines (ranges: 44-45, 216, 220, 224, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_coverage_map_maximal.py

9 tests

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_full_logic

1ms

6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_no_contexts 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_nodeid_variants 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_no_files 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_read_error 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_with_parallel_files 2ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_coverage_no_data

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_analysis_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_comprehensive 2ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

tests/test_errors.py

3 tests

PASSED

tests/test_errors.py::test_make_warning

1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors.py::test_warning_code_values

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors.py::test_warning_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

6 lines (ranges: 70-72, 74-76)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

tests/test_errors_maximal.py

6 tests

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_know_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 139-142)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_unknown_code

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 139-142)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_with_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 139-142)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors_maximal.py::TestWarningCodes::test_codes_are_strings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_no_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

5 lines (ranges: 70-72, 74, 76)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_with_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

6 lines (ranges: 70-72, 74, 76)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

tests/test_fs.py

12 tests

PASSED

tests/test_fs.py::TestIsPythonFile::test_non_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

src/pytest_llm_report/util/fs.py

1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestIsPythonFile::test_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestMakeRelative::test_makes_path_relative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs.py::TestNormalizePath::test_already_normalized

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_forward_slashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED tests/test_fs.py::TestShouldSkipPath::test_normal_path 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_git 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_venv

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

tests/test_fs_coverage.py

15 tests

PASSED

tests/test_fs_coverage.py::TestIsPythonFile::test_is_python_file_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs_coverage.py::TestIsPythonFile::test_is_python_file_true

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

src/pytest_llm_report/util/fs.py

1 lines (ranges: 79)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_path_not_under_base

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

src/pytest_llm_report/util/fs.py

12 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63, 65, 67)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_success

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

src/pytest_llm_report/util/fs.py

11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_with_none_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_backslashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_path_object

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_trailing_slash

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_not_skip_regular_path

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_git

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_path_starting_with_skip_dir

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_pycache

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_site_packages

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_venv 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_with_exclude_patterns 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

tests/test_gemini_advanced.py

4 tests

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_pruning 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_rpm_limit 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_tpm_limit 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_wait_for_slot 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_record_zero_to_kens 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_requests_per_day_exhaustion 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_tpm_fallback_wait 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 39-42, 66-68-70, 81-82, 84, 87-88, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_provider_rpm_coldown 562ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	39 lines (ranges: 60-61, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	120 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-218, 220-225, 227-228, 230-231, 240, 242-243, 247-249, 251-252, 285-288, 291, 293-301, 303-306, 308-309, 311-312, 374, 376-378, 380-381, 411-413, 416-417)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_gemini_provider.py

5 tests

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_rate_limit_retry 4ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	18 lines (ranges: 60-61, 166, 170-177, 179, 191, 193, 195, 198, 200-201)
src/pytest_llm_report/llm/gemini.py	195 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-218, 220-225, 227, 230-231, 240, 242-243, 247-249, 251-252, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358-361, 363-369, 371, 374, 376-378, 380-383, 388-391, 402-405, 411-413, 416-418, 422-423, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_success 4ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	18 lines (ranges: 60-61, 166, 170-177, 179, 191, 193, 195, 198, 200-201)
src/pytest_llm_report/llm/gemini.py	187 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-217, 220-225, 227-228, 230-231, 240, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-371, 374, 376-378, 380-383, 388-391, 402-405, 411-413, 416-418, 422-423, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_availability 3ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 134, 136-139, 141-142, 277-278, 280)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpd_limit 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpm_limit 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_hashing.py

13 tests

PASSED tests/test_hashing.py::TestComputeConfigHash::test_different_config 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_hashes_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED

tests/test_hashing.py::TestComputeHmac::test_different_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test_hashing.py::TestComputeHmac::test_with_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test_hashing.py::TestComputeSha256::test_consistent

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestComputeSha256::test_length

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest

82ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict

83ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_loads_key

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED tests/test_hashing.py::TestLoadHmacKey::test_no_key_file 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

tests/test_integration_gate.py

16 tests

PASSED tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_false

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 123, 164, 261, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_secret_exclude_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_deterministic _output 7ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite 6ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation 36ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	113 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_json_report_ 60ms 7
generation

COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	133 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_me_ta_has_aggregation_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_me_ta_has_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

 tests/test_litllm_retry_coverage.py

4 tests

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_all_retries_exhausted

2.00s  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230)
src/pytest_llm_report/llm/litellm_provider.py	38 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111-112, 115, 130, 134, 136-137, 139-140, 165-169, 171-173, 177, 181-182, 185)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_non_401_error_no_force_refresh

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230)
src/pytest_llm_report/llm/litellm_provider.py	37 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111-112, 115, 130, 134, 136, 139-140, 165-169, 171-173, 177, 181-182, 185)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_retry_succeeds_after_transient_error

6.00s 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	40 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111-112, 115, 130, 134, 136-137, 165-169, 171-173, 177, 181-182, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::test_token_refresh_on_401

6.10s



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	47 lines (ranges: 37-38, 41-42, 44-48, 60-61, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111-112, 115, 130, 134, 136-137, 165-169, 171-173, 177, 181-183, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_llm.py

9 tests

PASSED tests/test_llm.py::TestGetProvider::test_gemini_returns_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 60-61, 300, 302, 304, 307, 312, 317-318, 320)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_llm.py::TestGetProvider::test_litellm_returns_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 60-61, 300, 302, 304, 307, 312-313, 315)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_llm.py::TestGetProvider::test_none_returns_noop 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 60-61, 300, 302, 304-305)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_llm.py::TestGetProvider::test_ollama_returns_provider 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 60-61, 300, 302, 304, 307-308, 310)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_llm.py::TestGetProvider::test_unknown_raises 1ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 300, 302, 304, 307, 312, 317, 322)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm.py::TestNoopProvider::test_get_model_name_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm.py::TestNoopProvider::test_is_available

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 115, 118-119)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

 tests/test_llm_annotator.py

6 tests

PASSED

tests/test_llm_annotator.py::test_annotate_tests_emits_summary

1ms  6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test_llm_annotator.py::test_annotate_tests_reports_progress

1ms



COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

`tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit` 1ms ⚡ 6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED tests/test_llm_annotator.py::test_annotate_tests_respects_rate_limit 1ms 6

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-173, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED tests/test_llm_annotator.py::test_annotate_tests_skips_unavailable_provider 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_annotator.py::test_annotate_tests_uses_cache

1ms  6

COVERAGE

src/pytest_llm_report/cache.py	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 127, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

 tests/test_llm_contract.py

13 tests

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_empty 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_partial 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/schemas.py

7 lines (ranges: 90-92, 94-96, 98)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/base.py

6 lines (ranges: 60-61, 300, 302, 304-305)

src/pytest_llm_report/llm/noop.py

1 lines (ranges: 32)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation 1ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method 1ms 7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 60-61, 300, 302, 304-305, 307-308, 310, 312-313, 315, 317-318, 320)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

 tests/test_llm_providers.py

35 tests

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_handles_context_too_large

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230)
src/pytest_llm_report/llm/gemini.py	167 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-217, 220-225, 242, 254-255, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 374, 376-378, 380-383, 388-391, 402-405, 411-413, 416-418, 422-423, 427-430, 432-433, 436, 439-441, 443-445, 448-449, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-164)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_records_tokens

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	197 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-217, 220-225, 227-228, 230-231, 240, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-371, 374, 376-378, 380-383, 388-394, 396, 398-399, 402-405, 411-413, 416-418, 422-423, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	195 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-217, 220-225, 227, 230-231, 240, 242-243, 247-249, 251-252, 285-288, 291-294, 297, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358-361, 363-369, 371, 374, 376-378, 380-383, 388-394, 396-397, 402-405, 411-413, 416-418, 422-423, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate rotates_models_on_daily_limit

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	191 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-211, 213, 216-217, 220-225, 227, 230-231, 240, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-369, 371, 374, 376-378, 380-383, 388-394, 396, 398, 400-405, 411-413, 416-418, 422-424, 427-430, 432-433, 436, 439-441, 443-445, 448, 450-451, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_skips_on_daily_limit

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	198 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-211, 213-214, 216-217, 220-225, 227, 230-231, 240, 263-265, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-369, 371, 374, 376-378, 380-383, 388-394, 396, 398, 400-405, 411-413, 416-418, 422-424, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_success_with_mock_response

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	191 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-217, 220-225, 227, 230-231, 240, 285-288, 291-294, 297, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-369, 371, 374, 376-378, 380-383, 388-394, 396-405, 411-413, 416-418, 422-423, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_exhausted_mode
l_recovers_after_24h

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	204 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-191, 193-194, 196-197, 199, 203-211, 213-214, 216-217, 220-225, 227, 230-231, 240, 263-265, 285-288, 291-294, 297-301, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-369, 371, 374, 376-378, 380-383, 388-394, 396, 398, 400-405, 411-413, 416-418, 422-424, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_fetch_available_models_error 1ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/gemini.py	65 lines (ranges: 134, 136-139, 141-142, 291, 293-294, 297-301, 303-306, 308-309, 311-312, 374, 376-378, 380-383, 388-391, 402-405, 416, 418, 422-423, 427-433, 436, 439-441, 443-445, 448-449, 459, 461-463, 466-467)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_model_list_refreshes_after_interval

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/gemini.py	183 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 172, 174-175, 177, 179-187, 189-190, 203-205, 209-211, 213, 216-217, 220-225, 227, 230-231, 240, 285-288, 291-294, 297, 303-306, 308-309, 311-312, 328, 330-333, 335-348, 351, 355-356, 358, 363-369, 371, 374, 376-378, 380-383, 388-394, 396-397, 402-405, 411-413, 416-418, 422-424, 427-430, 432-433, 436, 439-441, 443-445, 448, 450, 452-455, 459, 461-465, 468-471, 473-474, 476-478)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

`tests/test_llm_providers.py::TestLiteLLMProvider::test_401_retry_with_token_refresh` 1ms 7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	48 lines (ranges: 37-38, 41-42, 44-48, 60-61, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111-112, 115, 117, 119-122, 165-169, 171-173, 177, 181-183, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230)
src/pytest_llm_report/llm/litellm_provider.py	33 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111, 115, 130, 132, 165-169, 171-173, 177, 181-182, 185)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_invaid_key_assertions

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	38 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262-264)
src/pytest_llm_report/llm/litellm_provider.py	33 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 165-169, 171-173, 177, 181-182, 185, 187-188, 190, 192, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_missing_dependency

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/litellm_provider.py	8 lines (ranges: 37-38, 41, 80-84)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	32 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 165-169, 171-173, 177, 181-182, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_api_base_pass through

1ms

6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	33 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 165-169, 171-173, 177-178, 181-182, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_api_key_passe
through

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	33 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 165-169, 171-173, 177, 181-183, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_ with_module

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 115, 118-119)
src/pytest_llm_report/llm/litellm_provider.py	6 lines (ranges: 37-38, 41, 207-208, 210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_token_refresh_integration

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41-42, 44-48, 60-61, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 165-169, 171-173, 177, 181-183, 185, 187-188, 190, 199)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallbacks_on_context_length_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	49 lines (ranges: 60-61, 80, 83-84, 86, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222-228, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 40-41, 47, 50, 53, 55-56, 58-61, 63, 65-66, 72)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handles_call_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 40-41, 47, 50, 53, 55-56, 58-60, 74, 77-78, 80-81, 83-84)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx

1ms



5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 60-61, 80, 83, 88)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 40-44)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_success_full_flow

1ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	42 lines (ranges: 60-61, 80, 83, 88, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/ollama.py	30 lines (ranges: 40-41, 47, 50, 53, 55-56, 58-61, 63, 72, 120, 122-130, 134-137, 139, 141-142)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 120, 122-130, 134-137, 139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_use_default_model

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 120, 122-130, 134-137, 139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 93-94, 96-97, 99-100)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_non_200

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 93-94, 96-98)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 93-94, 96-98)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_is_local_returns_true

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 60-61)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 108)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_json

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 60-61, 241-242, 245-247)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_key_assertions

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 60-61, 241-242, 245-246, 249-250, 253-255, 258, 260, 262-264)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_code_fence

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 60-61, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_plain_fence

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 60-61, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response _success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 60-61, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_models.py

29 tests

PASSED

tests/test_models.py::TestArtifactEntry::test_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 260-263)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestCollectionError::test_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 213-215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestCoverageEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 40-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestLlmAnnotation::test_empty_annotation

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_field

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestReportRoot::test_default_report

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_collection_errors

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 213-215, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_models.py::TestReportRoot::test_report_with_warnings 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	60 lines (ranges: 235-237, 239, 241, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	73 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_models.py::TestReportWarning::test_to_dict_with_detail 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 235-237, 239-241)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_models.py::TestReportWarning::test_to_dict_without_detail 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 235-237, 239, 241)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_models.py::TestRunMeta::test_aggregation_fields_present 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 283-285, 287-289, 370-386, 388, 391, 393, 396, 399, 401, 403, 405-411, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_models.py::TestRunMeta::test_llm_fields_excluded_when_disabled 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestRunMeta::test_llm_traceability_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	40 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413-425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 283-285, 287-289, 370-386, 388-411, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestRunMeta::test_run_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_format

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_in_repo_rt_root

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestSourceCoverageEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 71-78)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 283-285, 287, 289)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_with_run_id

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 283-285, 287-289)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestSummary::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 455-463, 465, 467)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestTestCaseResult::test_minimal_result

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_coverage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	24 lines (ranges: 40-43, 162, 166-171, 173, 175, 177, 179, 182-184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186-188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_rerun 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	21 lines (ranges: 162, 166-171, 173, 175, 177, 179-182, 184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)



PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_all_optional_fields 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	81 lines (ranges: 71-78, 213-215, 235-237, 239, 241, 260-263, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_artifacts 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	59 lines (ranges: 260-263, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518-520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_collection_errors

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 213-215, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_custom_metadata

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522-524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_hmac_signature

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526-528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_sha256

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524-526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_source_coverage 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	63 lines (ranges: 71-78, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520-522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_warnings 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	60 lines (ranges: 235-237, 239, 241, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestSummaryToDict::test_to_dict_with_coverage_total_percent 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	12 lines (ranges: 455-463, 465-467)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestSummaryToDict::test_to_dict_without_coverage_total_percent

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 455-463, 465, 467)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_all_optional_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	41 lines (ranges: 40-43, 104-107, 109, 111, 113, 115, 162, 166-171, 173-179, 182-196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_captured_stderr

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192-194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_captured_stdout

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190-192, 194, 196)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_param_summary

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

21 lines (ranges: 162, 166-171, 173, 175-179, 182, 184, 186, 188, 190, 192, 194, 196)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_requirements

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194-196)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestConfig::test_default_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestConfig::test_get_default_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestConfig::test_is_llm_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_aggregate_policy 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-214, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_context_mode 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-206, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_include_page 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-222, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options.py::TestConfig::test_validate_invalid_provider 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	24 lines (ranges: 123, 164, 192, 195-198, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options.py::TestConfig::test_validate_numeric_ranges 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238-247, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options.py::TestConfig::test_validate_valid_config 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options.py::TestLoadConfig::test_load_aggregation_options 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 164, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451-459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options.py::TestLoadConfig::test_load_config_missing_pyproject 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options.py::TestLoadConfig::test_load_coverage_source 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 164, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459-460, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestLoadConfig::test_load_defaults

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_overrides_pyproject

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	71 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425-426, 428-429, 431-432, 435-437, 439, 441, 443, 445-447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_provider_override 3ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	69 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425-426, 428-429, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_retries 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 164, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447-448, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_pyproject

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	70 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-313, 317, 319, 321, 325, 329, 333, 337-339, 341, 343, 345, 349, 351, 355, 357, 359-361, 363-365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_options_coverage.py

38 tests

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_dependency_snapshot

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 164, 285, 288-289, 297-299, 425-426, 428-429, 431-432, 435, 437, 439, 441, 443-445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_evidence_bundle 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 164, 285, 288-289, 297-299, 425-426, 428-429, 431-432, 435, 437, 439, 441-443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_report_js_on 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 164, 285, 288-289, 297-299, 425-426, 428-429, 431-432, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_report_pd
f 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 164, 285, 288-289, 297-299, 425-426, 428-429, 431-432, 435, 437, 439-441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_invalid_token_output_format 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-230, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_token_refresh_interval_too_short 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	23 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234-235, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_valid_llm_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_aggregate_include_history

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403-405, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_aggregate_policy_from_pyproject

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401-403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_all_config_keys_combined

2ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	107 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-314, 317-323, 325-327, 329-331, 333-334, 337-346, 349-352, 355-369, 373-375, 377-378, 381-387, 391-393, 395-397, 401-405, 409-412, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_cache_dir 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367-369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_cache_ttl_seconds 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365-367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_capture_failed_output 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383-385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_capture_output_max_chars 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385-387, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_bytes 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339-341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_exclude_globs 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345-346, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_file_limit 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341-343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_include_globs 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343-345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_hmac_key_file 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 410, 412, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_param_values 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349-351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_phase 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377-378, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_pytest_invocation 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391-393, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_invocation_redact_patterns

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395-397, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_api_base

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317-319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_api_key 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319-321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_token_json_key 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319-321, 325, 329, 333-334, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_output_format 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	68 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319, 321, 325, 329-331, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_refresh_command 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	68 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319, 321-323, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_llm_token_refresh_interval 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	68 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319, 321, 325-327, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load malformed_pyproject 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	34 lines (ranges: 123, 164, 285, 288-289, 297-302, 414, 416, 418-421, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_max_concurrency 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357-359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_max_tests 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355-357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_metadata_file 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409-411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_ollama_host 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-311, 313-314, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load OMIT_TESTS_FROM_COVERAGE 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	67 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373-375, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_param_value_max_chars 2ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351-352, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_report_collect_only

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381-383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_timeout_seconds

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309, 311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361-363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_aggregation_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_all_output_paths

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_capture_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_compliance_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_coverage_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_custom_exclude_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

1 lines (ranges: 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_include_globs 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_invocation_settings 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 123)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_execution_settings 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_params_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_repo_root_path

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_valid_ph
ase_values

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

22 lines (ranges: 123, 164,
192, 195-196, 202-203, 210-
211, 218-219, 226-227, 234,
238, 240, 242, 244, 246, 250-
251, 257)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364,
367, 371-373)

tests/test_options_maximal.py

10 tests

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_defau
lt_exclude_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364,
367, 371-373)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_defau
lt_redact_patterns

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 164)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364,
367, 371-373)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_values

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 270)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_maximal.py::TestConfigHelpersMaximal::test_is_llm_enabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_aggregate_policy

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-214, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_context_mode 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-206, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_include_phase 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-222, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_provider 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	24 lines (ranges: 123, 164, 192, 195-198, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_numeric_bounds

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238-246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_valid_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_plugin_integration.py

14 tests

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	79 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-314, 317, 319, 321, 325, 329, 333, 337-339, 341, 343, 345, 349, 351, 355-357, 359, 361-363, 365, 367, 369, 373-375, 377-378, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425-426, 428, 431, 435-441, 443, 445, 447, 451, 453, 455-457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

`tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_both_json_and_html_outputs` 88ms ⚡ 8

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	75 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	48 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-

198, 202, 211-218, 222-223,
226-227, 230, 233, 254, 256-
259, 262-264, 266, 268-275,
277-278, 280-289, 291-294,
296-297, 299-300, 312, 314-
315, 317-318, 330, 340, 343-
345, 348-349, 352-354, 357,
360-364, 376, 378-379, 382,
385, 388, 391-395, 470-471,
495, 497, 499-501, 503, 506)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_collection_finish_counts_items 59ms 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	75 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test _creates_nested_directory 56ms 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	81 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 235-237, 239, 241, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-477, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_fixture_error_captured 63ms 7

COVERAGE

src/pytest_llm_report/collector.py	50 lines (ranges: 78-79, 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323, 325, 327-
328, 330, 340, 343-345, 348-
349, 352-354, 357, 360-364,
470-471, 495, 497, 499-501,
503, 506)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_makereport_captures_all_outcomes 172ms 7

COVERAGE

src/pytest_llm_report/collector.py	55 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	109 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223,

226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317-322, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_no_report_when_disabled 53ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	46 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	114 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225-226, 363-364, 367-368, 371-373, 384, 388, 407-408, 424-425)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_pdf_option_enables_plugin 683ms 8

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439-441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412,

414-416, 424-429, 432, 434-
435, 448, 453, 455, 458-462,
470-471)

PASSED

tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_session_start_records_time 59ms 7

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	75 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_content_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_output_out_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration 37ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	81 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	131 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

tests/test_plugin_maximal.py

26 tests

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

10 lines (ranges: 363-364, 367, 371-373, 384-385, 391-392)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

12 lines (ranges: 363-364, 367, 371-373, 384-385, 391-395-397)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_no_session

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 363-364, 367, 371-373, 384, 388)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_session_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 363-364, 367, 371-373, 384, 388)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_llm_enabled_warning 3ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-302, 304-305, 309-313, 317, 319, 321, 325, 329, 333, 337-339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	30 lines (ranges: 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184-186, 188-189, 193-195, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_validation_errors 3ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	88 lines (ranges: 123, 164, 192, 195-198, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 285, 288-289, 297-302, 304-305, 309-311, 313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	25 lines (ranges: 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-180, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_worker_skip 1ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 150-152, 154-156, 158-160, 164-165, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigureFallback::test_pyte
st_configure_fallback_load

3ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

30 lines (ranges: 150-152,
154-156, 158-160, 164, 168-
169, 171, 173, 176-177, 184-
186, 188-189, 193-195, 363-
364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config
_cli_overrides_pyproject

4ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

79 lines (ranges: 123, 164,
285, 288-289, 297-302, 304-
305, 309-311, 313, 317, 319,
321, 325, 329, 333, 337, 339,
341, 343, 345, 349, 351, 355,
357, 359, 361, 363, 365, 367,
369, 373, 377, 381, 383, 385,
391, 395, 401, 403, 409, 411,
425-426, 428-429, 431-432,
435-447, 451-459, 463, 465)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364,
367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_from_pyproject

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	69 lines (ranges: 123, 164, 285, 288-289, 297-302, 304-305, 309-313, 317, 319, 321, 325, 329, 333, 337-339, 341, 343, 345, 349, 351, 355, 357, 359-361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_disabled

1ms



2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 221, 225-226, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_worker_skip

1ms



2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 221-222, 363-364, 367, 371-373)

PASSED tests/test_plugin_maximal.py::TestPluginMaximal::testload_config 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	30 lines (ranges: 123, 164, 285, 288-289, 297-299, 425-426, 428-429, 431-432, 435-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_disabled 2ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	7 lines (ranges: 363-364, 367-368, 371-373)

PASSED tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_enabled 2ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_disabled 1ms ⚡ 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 363-364, 367, 371-373, 407-408)

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_enabled 2ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	10 lines (ranges: 363-364, 367, 371-373, 407, 411-413)
---------------------------------	--

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_disabled 1ms 2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	8 lines (ranges: 363-364, 367, 371-373, 424-425)
---------------------------------	--

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_enabled 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	11 lines (ranges: 363-364, 367, 371-373, 424, 428, 431, 433-434)
---------------------------------	--

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest _addoption

2ms



2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

84 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest _addoption_no_ini

2ms



2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

84 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_termin al_summary_coverage_calculation

3ms



3

COVERAGE

src/pytest_llm_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)

src/pytest_llm_report/options.py

3 lines (ranges: 123, 164, 261)

src/pytest_llm_report/plugin.py

53 lines (ranges: 221, 225, 229, 232, 251-252, 254, 256, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-288, 290, 292-295, 307-308, 313-314, 341-351, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_termin
al_summary_llm_enabled

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	59 lines (ranges: 221, 225, 229, 232, 251-252, 254, 256, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307-308, 313-316, 319, 321, 324-326, 333-338, 341-351, 363-364, 367, 371- 373)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_termin
al_summary_no_collector

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	45 lines (ranges: 221, 225, 229, 232, 251-252, 254, 256, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341- 351, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_with_aggregation 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	21 lines (ranges: 221, 225, 229, 232-233, 235-236, 239-240, 242, 244-248, 363-364, 367, 371-373)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummaryErrors::test_terminal_summary_coverage_error 4ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 164, 261)
src/pytest_llm_report/plugin.py	52 lines (ranges: 221, 225, 229, 232, 251-252, 254, 256, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-288, 298-301, 307-308, 313-314, 341-351, 363-364, 367, 371-373)



tests/test_prompts.py

6 tests

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_balanced_context 7ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	51 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_complete_context 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132-133, 180)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_minimal_context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_balanced_context_limits

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test_prompts.py::TestContextAssembler::test_get_test_source_ed
ge_cases

1ms

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98- 101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_should_exclude

2ms

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 191-194)

 tests/test_prompts_coverage.py

12 tests

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_assemble_minimal_mode 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_assemble_with_context_override 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	50 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_excludes_patterns 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	16 lines (ranges: 33, 132, 135-138, 140-141, 144-145, 148-149, 163, 191-193)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_file_not_exists 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 132, 135-138, 140-141, 144-146, 163)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_max_bytes_limit 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	22 lines (ranges: 33, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_no_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 132-133)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_reaches_max_bytes_before_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 132, 135-138, 140-142, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_complete_context_delegates_to_balanced

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	22 lines (ranges: 33, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 180, 191-192, 194)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_empty_nodeid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	9 lines (ranges: 33, 78-79, 82-83, 86-89)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_extraction_stops_at_next_def

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_file_not_exists

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	6 lines (ranges: 33, 78-79, 82-84)

PASSED tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_with_class 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

tests/test_ranges.py

13 tests

PASSED tests/test_ranges.py::TestCompressRanges::test_consecutive_lines 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED tests/test_ranges.py::TestCompressRanges::test_duplicates 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_empty_list

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED

tests/test_ranges.py::TestCompressRanges::test_mixed_ranges

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_single_line

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_two_consecutive

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_unsorted_input

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestExpandRanges::test_empty_string

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test_ranges.py::TestExpandRanges::test_mixed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_range

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_roundtrip

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_single_number

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

tests/test_render.py

9 tests

PASSED

tests/test_render.py::TestFormatDuration::test_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test_render.py::TestFormatDuration::test_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)



tests/test_report_writer.py

19 tests

PASSED tests/test_report_writer.py::TestComputeSha256::test_different_content 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test_report_writer.py::TestComputeSha256::test_empty_bytes 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_run_meta 5ms ⚡ 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_all_outcomes 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 312, 314-315, 317-328, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_counts 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 312, 314-315, 317-322, 330)

PASSED tests/test_report_writer.py::TestReportWriter::test_create_writer 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_ass
embles_tests

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_incl
udes_coverage_percent

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_messages_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	94 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback 6ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506-507, 509-512, 515-516)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::testCreates
_directory_if_missing

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	86 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-477, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::testEnsure
DirFailure

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 470-473, 480-484)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_htmlCreatesFile

36ms



6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary 34ms ⚡ 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317, 319, 321, 323-326, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_jsonCreatesFile 6ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdfCreatesFile 37ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412, 414-423, 434-435, 437-443, 448, 453, 455, 458-462, 470-471)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_p 6ms ⚡ 4
df_missing_playwright_warns

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401-405, 408)

tests/test_report_writer_coverage.py

10 tests

PASSED

tests/test_report_writer_coverage.py::TestGetGitInfo::test_git_info_from_nonexistent_path 2ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer_coverage.py::TestGetGitInfo::test_git_info_from_valid_repo 5ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	16 lines (ranges: 67-74, 76-81, 83-84)

PASSED

tests/test_report_writer_coverage.py::TestGetPluginGitInfo::test_plugin_git_info_fallback 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test_report_writer_coverage.py::TestGetPluginGitInfo::test_plugin_git_info_returns_values 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterAtomicWrite::test_atomic_write_fallback 7ms 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_pdf_playwright_exception 113ms 6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	28 lines (ranges: 156-158, 401, 410, 412, 414-416, 424-429, 432, 434-435, 448, 453, 455, 458-462, 470-471)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_pdf_playwright_not_installed 1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 156-158, 401-405, 408)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolve_html_sourceCreatesTemp

30ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 448, 453, 455, 458-462)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolve_html_sourceMissingHtmlFile

30ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 448-450, 453, 455, 458-462)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_reso
lve_html_source_uses_existing

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	7 lines (ranges: 156-158, 448-451)

tests/test_report_writer_coverage_v2.py

2 tests

PASSED

tests/test_report_writer_coverage_v2.py::test_report_writer_ensure_d
ir_creation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 470-477)

PASSED

tests/test_report_writer_coverage_v2.py::test_report_writer_metadata_skips 10ms ⚡ 5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	36 lines (ranges: 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 164)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

tests/test_schemas.py

2 tests

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_smoke_pytester.py

15 tests

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_report_created 88ms 8

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435-437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379,

382, 385, 388, 391-395, 470-
471, 495, 497, 499-501, 503,
506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html
_summary_counts_all_statuses 129ms 8

COVERAGE

src/pytest_llm_report/collector.py	65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435-437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317-328, 330, 376, 378-379,
382, 385, 388, 391-395, 470-
471, 495, 497, 499-501, 503,
506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_json_report_created 70ms 7

COVERAGE

src/pytest_llm_report/collector.py	51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317-320, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_ annotations_in_report 59ms 13

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	55 lines (ranges: 60-61, 80, 83, 88, 115, 118-119, 136, 144, 155, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 241-242, 245-246, 249-250, 253-255, 258, 260, 262, 267, 269-273, 300, 302, 304, 307, 312-313, 315)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 165-169, 171-173, 177, 181-182, 185, 187-188, 190, 199, 207-208, 210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	96 lines (ranges: 104-107, 109-111, 113, 115, 162, 166-171, 173, 175, 177, 179, 182, 184-186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413-425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)

src/pytest_llm_report/options.py	89 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-302, 304-305, 309-313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	172 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184-186, 188-189, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-316, 319, 321, 324-328, 331, 333-338, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/report_writer.py	110 lines (ranges: 55, 67-73, 85-86, 98-99, 102, 105-108, 113, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported 89ms 13

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137-139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 60-61, 80, 83, 88, 115, 118-119, 136, 144, 155, 166, 170-177, 179, 191, 193, 195, 198, 200-201, 220, 222, 230, 300, 302, 304, 307, 312-313, 315)
src/pytest_llm_report/llm/litellm_provider.py	37 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 90, 93, 95-96, 99, 101-102, 107, 109, 111-112, 115, 130, 132, 165-169, 171-173, 177, 181-182, 185, 207-208, 210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-302, 304-305, 309-313, 317, 319, 321, 325, 329, 333, 337, 339, 341, 343, 345, 349, 351, 355, 357, 359, 361, 363, 365, 367, 369, 373, 377, 381, 383, 385, 391, 395, 401, 403, 409, 411, 425, 428, 431, 435-437, 439, 441, 443, 445, 447,

451, 453, 455, 457, 459, 463,
465)

src/pytest_llm_report/plugin.py

172 lines (ranges: 40, 43-47,
49-53, 55-59, 61-65, 67-71,
73-78, 80-85, 89-93, 95-99,
101-105, 107-111, 113-117,
121-125, 127-131, 133-137,
150-152, 154-156, 158-160,
164, 168-169, 171, 173, 176-
177, 184-186, 188-189, 193-
195, 221, 225, 229, 232, 251-
252, 259-260, 263-264, 266-
267, 270-274, 276, 279-280,
282, 285-286, 307, 313-316,
319, 321, 324-329, 333-338,
341-351, 363-364, 367, 371-
373, 384, 388, 407, 411-413,
424, 428, 431, 433-434)

src/pytest_llm_report/prompts.py

29 lines (ranges: 33, 49, 52,
55, 58-59, 65, 78-79, 82-83,
86-87, 92, 94, 98-101, 103-
109, 111-112, 116)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40,
42-46, 50-51, 53, 65, 67, 79-
85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

106 lines (ranges: 55, 67-73,
85-86, 98-99, 102, 105-108,
113, 127-128, 130, 156-158,
186, 192-193, 197-198, 202,
211-218, 222, 226-227, 230,
233, 254, 256-259, 262-264,
266, 268-275, 277-278, 280-
289, 291-296, 298-299, 312,
314-315, 317-318, 330, 376,
378-379, 382, 385, 388, 391-
395, 470-471, 495, 497, 499-
501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186-188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194-196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_multiple_xfail_out
comes 63ms 7

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_skip_outcome

57ms  7

COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321-322, 330, 340,
343-345, 348-349, 352-354,
357, 360-364, 470-471, 495,
497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_xfail_outcome

62ms  7

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestParametrization::test_parametrize_d_tests 62ms 7

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173, 175-177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437-439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_help_contains_examples 50ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	46 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	104 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 363-364, 367, 371-373)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered 43ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	46 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	104 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 363-364, 367, 371-373)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered 52ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	46 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435, 437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	104 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 363-364, 367, 371-373)

PASSED

tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_characters_in_nodeid 85ms 8

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	47 lines (ranges: 123, 164, 192, 195-196, 202-203, 210-211, 218-219, 226-227, 234, 238, 240, 242, 244, 246, 250-251, 257, 261, 285, 288-289, 297-299, 425, 428, 431, 435-437, 439, 441, 443, 445, 447, 451, 453, 455, 457, 459, 463, 465)
src/pytest_llm_report/plugin.py	152 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-125, 127-131, 133-137, 150-152, 154-156, 158-160, 164, 168-169, 171, 173, 176-177, 184, 193-195, 221, 225, 229, 232, 251-252, 259-260, 263-264, 266-267, 270-274, 276, 279-280, 282, 285-286, 307, 313-314, 341-351, 363-364, 367, 371-373, 384, 388, 407, 411-413, 424, 428, 431, 433-434)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379,

tests/test_time.py

15 tests

PASSED tests/test_time.py::TestFormatDuration::test_boundary_one_minute 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED tests/test_time.py::TestFormatDuration::test_microseconds_format 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED tests/test_time.py::TestFormatDuration::test_milliseconds_format 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test_time.py::TestFormatDuration::test_minutes_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_multiple_minutes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_one_second

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED tests/test_time.py::TestFormatDuration::test_seconds_format 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED tests/test_time.py::TestFormatDuration::test_small_milliseconds 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test_time.py::TestFormatDuration::test_very_small_microseconds 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test_time.py::TestIsoFormat::test_formats_naive_datetime 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test_time.py::TestIsoFormat::test_formats_with_microseconds 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test_time.py::TestUtcNow::test_has_utc_timezone 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED tests/test_time.py::TestUtcNow::test_is_current_time 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_returns_datetime

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

tests/test_token_refresh.py

12 tests

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_command_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_empty_output

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-109, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_force_refresh 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_get_token_json _custom_key 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	29 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132-135, 139, 143-144, 148)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_get_token_json _format 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	29 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132-135, 139, 143-144, 148)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_text_format

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_invalid_json

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

25 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-134, 149-150)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_invalidate

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_missing_json_key

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139-141, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_thread_safety

52ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_timeout_handling

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	16 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_token_refresh.py::TestTokenRefresher::test_token_caching 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

tests/test_token_refresh_coverage.py

9 tests

PASSED tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_command_failure_no_stderr 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_empty_command_string 1ms ⚡ 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_invalid_command_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-88, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_not_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	27 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-137, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_token_empty_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_token_not_string

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_oserror_on_execution

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

19 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113, 115-118)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_text_only_whitespace_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

4 lines (ranges: 132, 153-155)

src/pytest_llm_report/plugin.py

6 lines (ranges: 363-364, 367, 371-373)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_whitespace_only_command 1ms 3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 363-364, 367, 371-373)