Test Report

Run ID: 20935703956-py3.12 • Generated: 2026-01-12 21:32:37 • Duration: 14.85s
Plugin: v0.1.0 (2f498263985a34902252c53c11fb820445bd8f21) [dirty]
Repo: v0.1.0 (11fc0ed8ce2071647e80286d2b6e0eb4d3181af0)

95.8%
Total Coverage

283	**283**	**0**	**0**
TOTAL TESTS	PASSED	FAILED	SKIPPED

0	**0**	**0**
XFAILED	XPASSED	ERRORS

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy   2ms   🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py	56 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126, 133, 138, 140-145, 147, 149-151, 162, 209, 211-215, 227)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists   4ms   🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 101-103)

PASSED   `tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy`   3ms   🛡 1

COVERAGE

`src/pytest_llm_report/aggregation.py`	64 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126, 133, 138, 140-145, 147, 149-151, 162, 174, 176-180, 182-183, 186, 209, 211-215, 227)

PASSED   `tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_configured`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/aggregation.py`	3 lines (ranges: 44, 52-53)

PASSED   `tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports`   1ms   🛡 1

COVERAGE

`src/pytest_llm_report/aggregation.py`	9 lines (ranges: 52, 55-57, 101-102, 105-106, 162)

PASSED   `tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations`   2ms   🛡 2

COVERAGE

`src/pytest_llm_report/aggregation.py`	68 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126-129, 133-136, 138, 140-145, 147, 149-151, 162, 174, 176-180, 186, 209, 211-215, 227)
`src/pytest_llm_report/models.py`	32 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176-180, 182, 184, 186, 188, 190)

PASSED `tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage` 1ms 🛡 1

COVERAGE

`src/pytest_llm_report/aggregation.py`	53 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 140-147, 149-151, 162, 174, 176-178, 186, 209, 211-212, 227)

PASSED `tests/test_aggregation.py::TestAggregator::test_recalculate_summary` 1ms 🛡 1

COVERAGE

`src/pytest_llm_report/aggregation.py`	17 lines (ranges: 209, 211-225, 227)

PASSED `tests/test_aggregation.py::TestAggregator::test_skips_invalid_json` 3ms 🛡 1

COVERAGE

`src/pytest_llm_report/aggregation.py`	58 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111-112, 117, 119-120, 140-145, 147, 149-151, 154, 156-158, 160, 162, 174, 176-178, 186, 209, 211-212, 227)

PASSED `tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped` 1ms 🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	1 lines (ranges: 153)
`src/pytest_llm_report/llm/annotator.py`	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)

PASSED `tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation` 2ms 🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	1 lines (ranges: 153)
`src/pytest_llm_report/llm/annotator.py`	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105-114, 128-133, 135, 137, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263, 268)

PASSED `tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation_handles_failures` 1ms 🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	1 lines (ranges: 153)
`src/pytest_llm_report/llm/annotator.py`	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105-114, 128-133, 135-137, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263-266, 268)

PASSED `tests/test_annotator.py::TestAnnotateTests::test_progress_reporting` 1ms 🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	1 lines (ranges: 153)
`src/pytest_llm_report/llm/annotator.py`	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)

PASSED tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation   12.00s 🛡 2

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181-184, 186-190, 192, 198, 203)

PASSED tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)

PASSED tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)

PASSED tests/test_cache.py::TestHashSource::test_consistent_hash   0ms 🛡 1

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)

PASSED tests/test_cache.py::TestHashSource::test_different_source_different_hash   0ms 🛡 1

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)

PASSED tests/test_cache.py::TestHashSource::test_hash_length   0ms 🛡 1

COVERAGE

| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |

PASSED tests/test_cache.py::TestLlmCache::test_clear   1ms 🛡 1

COVERAGE

| src/pytest_llm_report/cache.py | 26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141) |

PASSED tests/test_cache.py::TestLlmCache::test_does_not_cache_errors   0ms 🛡 1

COVERAGE

| src/pytest_llm_report/cache.py | 11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121) |

PASSED tests/test_cache.py::TestLlmCache::test_get_missing   0ms 🛡 1

COVERAGE

| src/pytest_llm_report/cache.py | 9 lines (ranges: 39-41, 53, 55-56, 118-119, 121) |

PASSED tests/test_cache.py::TestLlmCache::test_set_and_get   1ms 🛡 1

COVERAGE

| src/pytest_llm_report/cache.py | 28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121) |

PASSED tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure   0ms

PASSED	tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty	0ms
PASSED	tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none	0ms
PASSED	tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_opt_out_default_false	0ms
PASSED	tests/test_collector.py::TestCollectorOutputCapture::test_capture_disabled_by_default	0ms
PASSED	tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default	0ms
PASSED	tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed	0ms
PASSED	tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed	0ms
PASSED	tests/test_collector.py::TestTestCollector::test_create_collector	0ms
PASSED	tests/test_collector.py::TestTestCollector::test_get_results_sorted	0ms
PASSED	tests/test_collector.py::TestTestCollector::test_handle_collection_finish	0ms
PASSED	tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper	0ms
PASSED	tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings	0ms

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file — 1ms 🛡 1

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases — 0ms

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context — 0ms

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup — 0ms

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase — 0ms

PASSED tests/test_fs.py::TestIsPythonFile::test_non_python_file — 0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED tests/test_fs.py::TestIsPythonFile::test_python_file — 0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED tests/test_fs.py::TestMakeRelative::test_makes_path_relative — 1ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED   tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED   tests/test_fs.py::TestNormalizePath::test_already_normalized   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED   tests/test_fs.py::TestNormalizePath::test_forward_slashes   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED   tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED   tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED   tests/test_fs.py::TestShouldSkipPath::test_normal_path   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_git   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_pycache   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_venv   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_different_config   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED tests/test_hashing.py::TestComputeFileSha256::test_hashes_file 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/hashing.py | 5 lines (ranges: 44-48) |

PASSED tests/test_hashing.py::TestComputeHmac::test_different_key 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 61) |

PASSED tests/test_hashing.py::TestComputeHmac::test_with_key 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 61) |

PASSED tests/test_hashing.py::TestComputeSha256::test_consistent 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 32) |

PASSED tests/test_hashing.py::TestComputeSha256::test_length 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 32) |

PASSED tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest 70ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/hashing.py | 8 lines (ranges: 113-114, 116-121) |

PASSED   tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict   76ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED   tests/test_hashing.py::TestLoadHmacKey::test_loads_key   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED   tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED   tests/test_hashing.py::TestLoadHmacKey::test_no_key_file   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults   0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_false   0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal   0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default   0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true   0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none   0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_secret_exclude_globs   0ms

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_deterministic_output   7ms   🛡 2

COVERAGE

src/pytest_llm_report/models.py	77 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite   6ms   🛡 2

COVERAGE

src/pytest_llm_report/models.py	66 lines (ranges: 229-231, 233, 235, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	109 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199-203, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation   29ms   🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	104 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation   53ms 🛡 4

COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/models.py	77 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	124 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-307, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields   0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	53 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)

PASSED | tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_aggregation_fields | 0ms | 🛡 1

COVERAGE

| src/pytest_llm_report/models.py | 28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393) |

PASSED | tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_status_fields | 0ms | 🛡 1

COVERAGE

| src/pytest_llm_report/models.py | 28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393) |

PASSED | tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined | 0ms

---

PASSED | tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields | 0ms | 🛡 1

COVERAGE

| src/pytest_llm_report/models.py | 17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190) |

PASSED | tests/test_llm.py::TestGetProvider::test_gemini_returns_provider | 0ms | 🛡 1

COVERAGE

| src/pytest_llm_report/llm/base.py | 9 lines (ranges: 36, 115, 117, 119, 122, 127, 132-133, 135) |

PASSED | tests/test_llm.py::TestGetProvider::test_litellm_returns_provider | 0ms | 🛡 1

COVERAGE

| src/pytest_llm_report/llm/base.py | 8 lines (ranges: 36, 115, 117, 119, 122, 127-128, 130) |

PASSED tests/test_llm.py::TestGetProvider::test_none_returns_noop   0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	5 lines (ranges: 36, 115, 117, 119-120)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm.py::TestGetProvider::test_ollama_returns_provider   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	7 lines (ranges: 36, 115, 117, 119, 122-123, 125)

PASSED tests/test_llm.py::TestGetProvider::test_unknown_raises   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	7 lines (ranges: 115, 117, 119, 122, 127, 132, 137)

PASSED tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface   0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty   0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED   `tests/test_llm.py::TestNoopProvider::test_get_model_name_empty`   0ms   🛡 2

COVERAGE

`src/pytest_llm_report/llm/base.py`	1 lines (ranges: 36)
`src/pytest_llm_report/llm/noop.py`	2 lines (ranges: 32, 66)

PASSED   `tests/test_llm.py::TestNoopProvider::test_is_available`   0ms   🛡 2

COVERAGE

`src/pytest_llm_report/llm/base.py`	1 lines (ranges: 36)
`src/pytest_llm_report/llm/noop.py`	2 lines (ranges: 32, 58)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_emits_summary`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
`src/pytest_llm_report/llm/annotator.py`	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_reports_progress`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
`src/pytest_llm_report/llm/annotator.py`	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)

PASSED tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit 1ms 🛡 2

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)

PASSED tests/test_llm_annotator.py::test_annotate_tests_respects_rate_limit 1ms 🛡 2

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-172, 175, 177-178, 181-184, 186-190, 192, 198, 203)

PASSED tests/test_llm_annotator.py::test_annotate_tests_skips_unavailable_provider 0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)

PASSED   tests/test_llm_annotator.py::test_annotate_tests_uses_cache   1ms   🛡 2

COVERAGE

src/pytest_llm_report/cache.py	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields   0ms

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_empty   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_partial   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)

PASSED   tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields   0ms

PASSED tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict 0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	5 lines (ranges: 36, 115, 117, 119-120)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED   tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED   tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED   tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	14 lines (ranges: 36, 115, 117, 119-120, 122-123, 125, 127-128, 130, 132-133, 135)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED   tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED   tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit   0ms   🛡 2

COVERAGE

| src/pytest_llm_report/llm/base.py | 1 lines (ranges: 36) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_rotates_models_on_daily_limit   0ms   🛡 2

COVERAGE

| src/pytest_llm_report/llm/base.py | 1 lines (ranges: 36) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_skips_on_daily_limit   0ms   🛡 2

COVERAGE

| src/pytest_llm_report/llm/base.py | 1 lines (ranges: 36) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_success_with_mock_response   1ms   🛡 2

COVERAGE

| src/pytest_llm_report/llm/base.py | 1 lines (ranges: 36) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_exhausted_mode l_recovers_after_24h   0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_model_list_ref reshes_after_interval   1ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_hand les_completion_error   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_inva lid_key_assertions   0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_miss ing_dependency   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_with_module   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallbacks_on_context_length_error   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handles_call_error   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_invalid_json 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_invalid_key_assertions 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_json_in_code_fence 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_json_in_plain_fence 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_success   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_models.py::TestArtifactEntry::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	4 lines (ranges: 254-257)

PASSED tests/test_models.py::TestCollectionError::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	3 lines (ranges: 207-209)

PASSED tests/test_models.py::TestCoverageEntry::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	4 lines (ranges: 40-43)

PASSED tests/test_models.py::TestLlmAnnotation::test_empty_annotation   0ms

PASSED tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)

PASSED `tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_fields` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/models.py`	10 lines (ranges: 104-107, 109-111, 113-115)

PASSED `tests/test_models.py::TestReportRoot::test_default_report` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/models.py`	53 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)

PASSED `tests/test_models.py::TestReportRoot::test_report_with_collection_errors` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/models.py`	57 lines (ranges: 207-209, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482-484, 486, 488, 490, 492, 494, 496)

PASSED `tests/test_models.py::TestReportRoot::test_report_with_warnings` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/models.py`	59 lines (ranges: 229-231, 233, 235, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)

PASSED tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	70 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)

PASSED tests/test_models.py::TestReportWarning::test_to_dict_with_detail 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	6 lines (ranges: 229-231, 233-235)

PASSED tests/test_models.py::TestReportWarning::test_to_dict_without_detail 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	5 lines (ranges: 229-231, 233, 235)

PASSED tests/test_models.py::TestRunMeta::test_aggregation_fields_present 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	38 lines (ranges: 277-279, 281-283, 351-367, 369, 372, 374, 377, 380, 382, 384, 386-393)

PASSED tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)

PASSED tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full   0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	48 lines (ranges: 277-279, 281-283, 351-367, 369-393)

PASSED tests/test_models.py::TestRunMeta::test_run_status_fields   0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)

PASSED tests/test_models.py::TestSchemaVersion::test_schema_version_format   0ms

PASSED tests/test_models.py::TestSchemaVersion::test_schema_version_in_report_root   0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	53 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)

PASSED tests/test_models.py::TestSourceCoverageEntry::test_to_dict   0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	8 lines (ranges: 71-78)

PASSED tests/test_models.py::TestSourceReport::test_to_dict_minimal   0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	5 lines (ranges: 277-279, 281, 283)

PASSED   tests/test_models.py::TestSourceReport::test_to_dict_with_run_id   0ms   🛡1

COVERAGE

src/pytest_llm_report/models.py	6 lines (ranges: 277-279, 281-283)

PASSED   tests/test_models.py::TestSummary::test_to_dict   0ms   🛡1

COVERAGE

src/pytest_llm_report/models.py	11 lines (ranges: 423-431, 433, 435)

PASSED   tests/test_models.py::TestTestCaseResult::test_minimal_result   0ms   🛡1

COVERAGE

src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

PASSED   tests/test_models.py::TestTestCaseResult::test_result_with_coverage   0ms   🛡1

COVERAGE

src/pytest_llm_report/models.py	22 lines (ranges: 40-43, 161-165, 167, 169, 171, 173, 176-178, 180, 182, 184, 186, 188, 190)

PASSED   tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out   0ms   🛡1

COVERAGE

src/pytest_llm_report/models.py	18 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190)

PASSED `tests/test_models.py::TestTestCaseResult::test_result_with_rerun` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/models.py`	19 lines (ranges: 161-165, 167, 169, 171, 173-176, 178, 180, 182, 184, 186, 188, 190)

PASSED `tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/models.py`	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

PASSED `tests/test_options.py::TestConfigAggregationFields::test_aggregate_dir_defaults_to_none` 0ms

PASSED `tests/test_options.py::TestConfigAggregationFields::test_aggregate_group_id_defaults_to_none` 0ms

PASSED `tests/test_options.py::TestConfigAggregationFields::test_aggregate_include_history_defaults_to_false` 0ms

PASSED `tests/test_options.py::TestConfigAggregationFields::test_aggregate_run_id_defaults_to_none` 0ms

PASSED `tests/test_options.py::TestConfigDefaults::test_aggregate_policy_defaults_to_latest` 0ms

PASSED `tests/test_options.py::TestConfigDefaults::test_capture_failed_output_defaults_to_false` 0ms

PASSED `tests/test_options.py::TestConfigDefaults::test_context_mode_defaults_to_minimal` 0ms

PASSED	tests/test_options.py::TestConfigDefaults::test_default_exclude_globs_include_secrets	0ms
PASSED	tests/test_options.py::TestConfigDefaults::test_llm_include_param_values_defaults_to_false	0ms
PASSED	tests/test_options.py::TestConfigDefaults::test_llm_requests_per_minute_defaults_to_five	0ms
PASSED	tests/test_options.py::TestConfigDefaults::test_omit_tests_from_coverage_defaults_to_true	0ms
PASSED	tests/test_options.py::TestConfigDefaults::test_provider_defaults_to_none	0ms
PASSED	tests/test_options.py::TestConfigIsLlmEnabled::test_gemini_provider_is_enabled	0ms
PASSED	tests/test_options.py::TestConfigIsLlmEnabled::test_litellm_provider_is_enabled	0ms
PASSED	tests/test_options.py::TestConfigIsLlmEnabled::test_none_provider_not_enabled	0ms
PASSED	tests/test_options.py::TestConfigIsLlmEnabled::test_ollama_provider_is_enabled	0ms
PASSED	tests/test_options.py::TestConfigValidation::test_context_bytes_too_small_produces_error	0ms
PASSED	tests/test_options.py::TestConfigValidation::test_invalid_aggregate_policy_produces_error	0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_invalid_context_mode_produces_error`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_invalid_include_phase_produces_error`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_invalid_provider_produces_error`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_max_tests_negative_produces_error`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_multiple_errors_reported`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_requests_per_minute_too_small_produces_error`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_timeout_too_small_produces_error`   0ms

PASSED   `tests/test_options.py::TestConfigValidation::test_valid_config_has_no_errors`   0ms

PASSED   `tests/test_options.py::TestGetDefaultConfig::test_returns_config_instance`   0ms

PASSED   `tests/test_options.py::TestGetDefaultConfig::test_returns_defaults`   0ms

PASSED   `tests/test_options_extended.py::TestConfigAnnotations::test_aggregation_settings`   0ms

PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_all_output_paths	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_capture_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_compliance_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_coverage_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_custom_exclude_globs	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_include_globs	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_invocation_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_llm_execution_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_llm_param_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_llm_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_repo_root_path	0ms

PASSED tests/test_options_extended.py::TestConfigAnnotations::test_valid_phase_values 0ms

PASSED tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults 0ms

PASSED tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config 0ms

PASSED tests/test_plugin_integration.py::TestPluginIntegration::test_llm_context_marker 0ms

PASSED tests/test_plugin_integration.py::TestPluginIntegration::test_llm_opt_out_marker 0ms

PASSED tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker 0ms

PASSED tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration 31ms 🛡 3

COVERAGE

src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_prompts.py::TestContextAssembler::test_balanced_mode_includes_coverage 7ms

PASSED tests/test_prompts.py::TestContextAssembler::test_context_override_from_marker 0ms

PASSED tests/test_prompts.py::TestContextAssembler::test_create_assembler 0ms

PASSED tests/test_prompts.py::TestContextAssembler::test_minimal_mode_returns_empty_context 0ms

PASSED tests/test_prompts.py::TestContextAssemblerExcludes::test_excludes_secret_files 0ms

PASSED   `tests/test_ranges.py::TestCompressRanges::test_consecutive_lines`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_duplicates`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_empty_list`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_mixed_ranges`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_single_line`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_two_consecutive`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_unsorted_input`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_empty_string`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	2 lines (ranges: 81-82)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_mixed`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	11 lines (ranges: 81, 84-91, 93, 95)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_range`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	10 lines (ranges: 81, 84-91, 95)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_roundtrip`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED tests/test_ranges.py::TestExpandRanges::test_single_number   0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

PASSED tests/test_render.py::TestFormatDuration::test_milliseconds   0ms 🛡 1

COVERAGE

src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED tests/test_render.py::TestFormatDuration::test_seconds   0ms 🛡 1

COVERAGE

src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes   0ms 🛡 1

COVERAGE

src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome   0ms 🛡 1

COVERAGE

src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report   0ms 🛡 1

COVERAGE

src/pytest_llm_report/render.py	52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED   `tests/test_report_writer.py::TestComputeSha256::test_different_content`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	1 lines (ranges: 55)

PASSED   `tests/test_report_writer.py::TestComputeSha256::test_empty_bytes`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	1 lines (ranges: 55)

PASSED   `tests/test_report_writer.py::TestReportWriter::test_build_run_meta`   5ms   🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	59 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285)

PASSED   `tests/test_report_writer.py::TestReportWriter::test_build_summary_all_outcomes`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	19 lines (ranges: 156-158, 297, 299-300, 302-313, 315)

PASSED   `tests/test_report_writer.py::TestReportWriter::test_build_summary_counts`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	13 lines (ranges: 156-158, 297, 299-300, 302-307, 315)

PASSED   tests/test_report_writer.py::TestReportWriter::test_create_writer   0ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED   tests/test_report_writer.py::TestReportWriter::test_write_report_ass embles_tests   5ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	84 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315)

PASSED   tests/test_report_writer.py::TestReportWriter::test_write_report_inc ludes_coverage_percent   6ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	84 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-196, 199-203, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315)

PASSED   tests/test_report_writer.py::TestReportWriter::test_write_report_inc ludes_source_coverage   5ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	83 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199-203, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_merges_coverage 5ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	85 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185-188, 191, 194-195, 199, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback 6ms 🛡 2

COVERAGE

src/pytest_llm_report/models.py	66 lines (ranges: 229-231, 233, 235, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	116 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199-203, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491-492, 494-497, 500-501)

PASSED `tests/test_report_writer.py::TestReportWriterWithFiles::test_creates_directory_if_missing` 6ms 🛡 2

COVERAGE

`src/pytest_llm_report/models.py`	83 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 229-231, 233, 235, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
`src/pytest_llm_report/report_writer.py`	114 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-462, 480, 482, 484-486, 488, 491)

PASSED `tests/test_report_writer.py::TestReportWriterWithFiles::test_ensure_dir_failure` 1ms 🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	12 lines (ranges: 156-158, 455-458, 465-469)

PASSED `tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure` 1ms 🛡 1

COVERAGE

`src/pytest_llm_report/report_writer.py`	9 lines (ranges: 67-73, 85-86)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_creates_file   29ms 🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	106 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary   30ms 🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	109 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306, 308-311, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_json_creates_file   6ms   🛡 2

COVERAGE

src/pytest_llm_report/models.py	77 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_creates_file   30ms   🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	116 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223, 227-228, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 386, 395, 397, 399-408, 419-420, 422-428, 433, 438, 440, 443-447, 455-456)

PASSED   tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_missing_playwright_warns   5ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	89 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223, 227-228, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 386-390, 393)

PASSED   tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)

PASSED   tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)

PASSED   tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_report_created   82ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED   tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_summary_counts_all_statuses   122ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	102 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-313, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_json_report_created 69ms 🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED   tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_annotations_in_report   60ms   🛡 7

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 36, 72, 91, 115, 117, 119, 122, 127-128, 130)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	82 lines (ranges: 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176, 178-180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED | tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported | 85ms 🛡 6

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135-137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 36, 72, 91, 115, 117, 119, 122, 127-128, 130)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_smoke_pytester.py::TestMarkers::test_llm_opt_out_marker 59ms 🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED tests/test_smoke_pytester.py::TestMarkers::test_llm_opt_out_marker 59ms 🛡 3

PASSED   `tests/test_smoke_pytester.py::TestMarkers::test_requirement_marker`   58ms   🛡 3

COVERAGE

`src/pytest_llm_report/errors.py`	9 lines (ranges: 70-72, 74, 76, 139-142)
`src/pytest_llm_report/models.py`	73 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188-190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
`src/pytest_llm_report/report_writer.py`	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED   `tests/test_smoke_pytester.py::TestMarkers::test_requirement_marker`   58ms   🛡 3

PASSED   `tests/test_smoke_pytester.py::TestOutcomes::test_multiple_xfail_outcomes`   65ms   🛡 3

COVERAGE

`src/pytest_llm_report/errors.py`	9 lines (ranges: 70-72, 74, 76, 139-142)
`src/pytest_llm_report/models.py`	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
`src/pytest_llm_report/report_writer.py`	99 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306, 308-309, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED   tests/test_smoke_pytester.py::TestOutcomes::test_skip_outcome   84ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306-307, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED `tests/test_smoke_pytester.py::TestOutcomes::test_xfail_outcome`   59ms 🛡 3

COVERAGE

`src/pytest_llm_report/errors.py`	9 lines (ranges: 70-72, 74, 76, 139-142)
`src/pytest_llm_report/models.py`	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
`src/pytest_llm_report/report_writer.py`	99 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306, 308-309, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED   tests/test_smoke_pytester.py::TestParametrization::test_parametrized_tests   62ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167, 169-171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED   tests/test_smoke_pytester.py::TestPluginRegistration::test_help_contains_examples   51ms

PASSED   tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered   45ms

PASSED   tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered   53ms

PASSED   tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_c hars_in_nodeid   83ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED   tests/test_time.py::TestFormatDuration::test_boundary_one_minute   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED   tests/test_time.py::TestFormatDuration::test_microseconds_format   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED   tests/test_time.py::TestFormatDuration::test_milliseconds_format   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test_time.py::TestFormatDuration::test_minutes_format   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED tests/test_time.py::TestFormatDuration::test_multiple_minutes   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED tests/test_time.py::TestFormatDuration::test_one_second   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED tests/test_time.py::TestFormatDuration::test_seconds_format   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED tests/test_time.py::TestFormatDuration::test_small_milliseconds   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test_time.py::TestFormatDuration::test_very_small_microseconds   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

| PASSED | tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc | 0ms | 🛡 1 |

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

| PASSED | tests/test_time.py::TestIsoFormat::test_formats_naive_datetime | 0ms | 🛡 1 |

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

| PASSED | tests/test_time.py::TestIsoFormat::test_formats_with_microseconds | 0ms | 🛡 1 |

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

| PASSED | tests/test_time.py::TestUtcNow::test_has_utc_timezone | 0ms | 🛡 1 |

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

| PASSED | tests/test_time.py::TestUtcNow::test_is_current_time | 0ms | 🛡 1 |

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

| PASSED | tests/test_time.py::TestUtcNow::test_returns_datetime | 0ms | 🛡 1 |

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES

File	Statements	Missing	Covered	Coverage	Missing Lines	Excluded Lines
src/pytest_llm_report/__about__.py	1	1	0	0.0%	-	4
src/pytest_llm_report/__init__.py	2	2	0	0.0%	-	4, 6
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-
src/pytest_llm_report/aggregation.py	90	3	87	96.67%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 83, 85, 95, 101-103, 105-109, 111-112, 117, 119-120, 122-123, 126-127, 133-136, 138, 140, 154, 156, 160, 162, 164, 174, 176-180, 182-183, 186, 188, 197, 209, 211-225, 227	66, 184, 195
src/pytest_llm_report/cache.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153	64-65, 130
src/pytest_llm_report/errors.py	35	1	34	97.14%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 70, 74, 76, 80, 129, 139	75
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-

File	Statements	Missing	Excluded	Coverage	Missing Lines	Partial Lines
src/pytest_llm_report/llm/annotator.py	108	3	105	97.22%	4, 6-10, 12-15, 21-22, 25-28, 31, 45-46, 48-50, 54, 56-57, 59, 61-62, 64, 66-68, 71-72, 74-81, 87, 97-99, 101, 103, 105-106, 117, 128-130, 135-137, 140, 165-167, 169-170, 175, 177-178, 181-184, 186-190, 192-193, 198-201, 203, 206, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263-266, 268	82, 241, 258
src/pytest_llm_report/llm/base.py	33	1	32	96.97%	13, 15-17, 24, 30, 36, 66, 72, 74, 82, 91, 94-95, 98-100, 103, 115, 117, 119-120, 122-123, 125, 127-128, 130, 132-133, 135, 137	80
src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66	-
src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130	39
src/pytest_llm_report/models.py	222	11	211	95.05%	17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-111, 113-115, 118-119, 141-157, 159, 161, 167-171, 173-182, 184, 186, 188-190, 193-194, 202-203, 205, 207, 213-214, 223-225, 227, 229, 233-235,	112, 172, 183, 185, 187, 434,

					Missing	Excluded
					238-239, 248-250, 252, 254, 261-262, 271-273, 275, 277, 281-283, 286-287, 318-347, 349, 351, 369-393, 396-397, 411-419, 421, 423, 433, 435, 438-439, 456-466, 468, 474, 476, 482-486, 488, 490, 492, 494, 496	487, 489, 491, 493, 495
src/pytest_llm_report/render.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196	-
src/pytest_llm_report/report_writer.py	167	10	157	94.01%	13, 15-25, 27-29, 46, 55, 58, 67-68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 116, 127-128, 130, 142, 150, 156-158, 160, 185-188, 191, 194-196, 199-200, 208, 219-220, 223-224, 227-228, 230, 232, 250, 252-255, 258-260, 262, 264, 288, 297, 299-300, 302-313, 315, 317, 325, 328-330, 333-334, 337-339, 342, 345, 353, 361, 363-364, 367, 370, 373, 376, 384, 386-387, 393, 395, 397, 399-408, 419-420, 422-424, 432-433, 438, 440, 443, 446-447, 449, 455-459, 465-466, 473, 480, 482,	113, 135-137, 409-410, 417, 434-436

					484-486, 488, 491-492, 494, 500-501
src/pytest_llm_report/util/fs.py	34	3	31	91.18%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	40, 65, 67
src/pytest_llm_report/util/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73-74, 76-78, 80-81, 86, 96, 103-104, 107, 113-114, 116-121	-
src/pytest_llm_report/util/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
src/pytest_llm_report/util/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-