

# Test Report

Run ID: 21005364249-py3.12 • Generated: 2026-01-14 18:33:42 • Duration: 286.53s

Plugin: v0.1.0 (2f498263985a34902252c53c11fb820445bd8f21) [dirty]

Repo: v0.1.1 (43490d5e9bd1d94015cfe6cf8bce947be453118c)

91.09%

Total Coverage

387  
TOTAL TESTS

387  
PASSED

0  
FAILED

0  
SKIPPED

0  
XFAILED

0  
XPASSED

0  
ERRORS

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_all\_policy

2ms

3

COVERAGE

src/pytest_llm_report/aggregation.py	69 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 217, 219-223, 235, 245, 248-249, 251, 253, 276-279, 281)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_dir\_not\_exists

4ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 109-111)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_latest\_policy

3ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	77 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 182, 184-188, 190-191, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 276-279, 281)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_dir\_configured

1ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	3 lines (ranges: 44, 52-53)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_reports

1ms



#### COVERAGE

src/pytest\_llm\_report/aggregation.py

9 lines (ranges: 52, 55-57, 109-110, 113-114, 170)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_coverage\_and\_llm\_annotations

2ms



#### COVERAGE

src/pytest\_llm\_report/aggregation.py

81 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134-137, 141-144, 146, 148-153, 155, 157-159, 170, 182, 184-188, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 276-279, 281)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

32 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176-180, 182, 184, 186, 188, 190)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_source\_coverage

2ms  3

#### COVERAGE

src/pytest_llm_report/aggregation.py	66 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 148-155, 157-159, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 276-279, 281)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_load\_coverage\_from\_source

3ms  3

#### COVERAGE

src/pytest_llm_report/aggregation.py	19 lines (ranges: 245-246, 248-249, 251, 253-257, 259, 262-263, 265-266, 269, 271-272, 274)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_recalculate\_summary

1ms  3

#### COVERAGE

src/pytest_llm_report/aggregation.py	17 lines (ranges: 217, 219-233, 235)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_skips\_invalid\_json

3ms



#### COVERAGE

src/pytest\_llm\_report/aggregation.py

71 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119-120, 125, 127-128, 148-153, 155, 157-159, 162, 164-166, 168, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 276-279, 281)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_aggregation\_maximal.py::TestAggregationMaximal::test\_recalculate\_summary\_coverage

1ms



#### COVERAGE

src/pytest\_llm\_report/aggregation.py

10 lines (ranges: 44, 217, 219-225, 235)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 107, 147)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_cached\_tests\_are\_skipped

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation

3ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	64 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation\_handles\_failures

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137-139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261-264, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_progress\_reporting

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_sequential\_annotation

12.00s



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_disabled

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_provider\_unavailable

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotate\_concurrent\_with\_progress\_and\_errors

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	28 lines (ranges: 229-232, 234, 236-237, 239-242, 245-246, 248-253, 255-258, 261-264, 266)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotat  
e\_sequential\_rate\_limit\_wait

2ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	23 lines (ranges: 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotat  
e\_tests\_cached\_progress

2ms



#### COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	37 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-98, 100, 127, 129-135, 137, 139)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotat  
e\_tests\_provider\_unavailable

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_coverage\_v2.py::test\_base\_parse\_response\_malformed\_j  
son\_after\_extract

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 186-187, 190-191, 194-195, 220-221)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_coverage\_v2.py::test\_base\_parse\_response\_non\_string\_fields

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203-207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_gemini\_provider

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_invalid\_provider

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_litellm\_provider

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_noop\_provider

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_ollama\_provider

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_available\_caches\_result

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 107-108, 110-111)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_get\_model\_name\_defaults\_to\_config

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_get\_rate\_l  
imits\_defaults\_to\_none

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 128)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_is\_local\_d  
efaults\_to\_false

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 147)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_cache.py::TestHashSource::test\_consistent\_hash

1ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_cache.py::TestHashSource::test\_different\_source\_different\_hash

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_cache.py::TestHashSource::test\_hash\_length

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_cache.py::TestLlmCache::test\_clear

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_cache.py::TestLlmCache::test\_does\_not\_cache\_errors

1ms



#### COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_cache.py::TestLlmCache::test\_get\_missing

1ms



#### COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_cache.py::TestLlmCache::test\_set\_and\_get

1ms



#### COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorCollectionErrors::test\_collection\_error\_structure

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorCollectionErrors::test\_get\_collection\_errors\_initially\_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_content\_override\_default\_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_output\_default\_false

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_disabled\_by\_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_max\_chars\_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_failed\_is\_xfailed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_passed\_is\_xpassed

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestTestCollector::test\_create\_collector

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestTestCollector::test\_get\_results\_sorted

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector.py::TestTestCollector::test\_handle\_collection\_finish

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_disabled\_via\_handle\_report

2ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_stderr

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_stdout

1ms



COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_truncated

1ms



COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_create\_result\_with\_item\_markers

3ms



COVERAGE

src/pytest_llm_report/collector.py	35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_error\_repr\_crash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_error\_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_fallback

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extrac  
t\_skip\_reason\_string

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extrac  
t\_skip\_reason\_tuple

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_h  
andle\_collection\_report\_failure

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_rerun

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_setup\_failure

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_teardown\_failure

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_model\_parsing\_edge\_cases

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	17 lines (ranges: 134, 136-139, 141-142, 385, 387, 417-424)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_rate\_limiter\_edge\_math

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_models\_to\_dict\_variants

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	46 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_create\_mapper

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_get\_warnings

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_map\_coverage\_no\_coverage\_file

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_all\_phases

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_empty\_context

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_filters\_setup

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_with\_run\_phase

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_full\_logic

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_no\_contexts

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_nodeid\_variants

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_no\_files

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_read\_error

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_with\_parallel\_files

3ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_coverage\_no\_data

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_analysis\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_comprehensive

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test\_errors.py::test\_make\_warning

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors.py::test\_warning\_code\_values

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors.py::test\_warning\_to\_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	6 lines (ranges: 70-72, 74-76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_known\_code

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_unknown\_code

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_with\_detail

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors\_maximal.py::TestWarningCodes::test\_codes\_are\_strings

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors\_maximal.py::TestWarningDataClass::test\_warning\_to\_dict\_no\_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	5 lines (ranges: 70-72, 74, 76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_errors\_maximal.py::TestWarningDataClass::test\_warning\_to\_dict\_with\_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	6 lines (ranges: 70-72, 74-76)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_non\_python\_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_python\_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_makes\_path\_relative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_returns\_normalized\_with\_no\_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_already\_normalized

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_forward\_slashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_strips\_trailing\_slash

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_custom\_exclude\_patterns

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_normal\_path

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_git

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_venv

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)



PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_pruning

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/gemini.py

11 lines (ranges: 39-42, 81-85, 87-88)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_rpm\_limit

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/gemini.py

26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_tpm\_limit

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/gemini.py

33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_wait\_for\_slot

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_limiter\_record\_zero\_to\_kens

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_limiter\_requests\_per\_day\_exhaustion

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_limiter\_tpm\_fallback\_w  
ait

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 39-42, 66, 68-70, 81-82, 84, 87-88, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_provider\_rpm\_cooldown  
n

606ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 52-53, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	117 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-223, 225-227, 233-234, 238-240, 242-243, 274-277, 280, 282-290, 292-295, 297-298, 300-301, 346, 348-350, 352-353, 381-382, 385-386)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_rate\_limit\_retry

4ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-222, 225-227, 233-234, 238-240, 242-243, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330-333, 335-341, 343, 346, 348-350, 352-355, 360-363, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_success

4ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	173 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-227, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-343, 346, 348-350, 352-355, 360-363, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_availability

3ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 134, 136-139, 141-142, 266-267, 269)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_rpd\_limit

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/gemini.py

18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_rpm\_limit

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/gemini.py

27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_hashing.py::TestComputeConfigHash::test\_different\_config

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 107, 147)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

src/pytest\_llm\_report/util/hashing.py

8 lines (ranges: 96-101, 103-104)

PASSED

tests/test\_hashing.py::TestComputeConfigHash::test\_returns\_short\_hash

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test\_hashing.py::TestComputeFileSha256::test\_consistent\_with\_bytes

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED

tests/test\_hashing.py::TestComputeFileSha256::test\_hashes\_file

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED

tests/test\_hashing.py::TestComputeHmac::test\_different\_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test\_hashing.py::TestComputeHmac::test\_with\_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test\_hashing.py::TestComputeSha256::test\_consistent

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)



PASSED

tests/test\_hashing.py::TestComputeSha256::test\_length

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_includes\_pytest

80ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_returns\_dict

82ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_loads\_key

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_missing\_key\_file

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_no\_key\_file

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_aggregation\_defaults

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_capture\_failed\_output\_default\_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_context\_mode\_default\_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_llm\_not\_enabled\_by\_default

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 107, 147, 224, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_omit\_tests\_default\_true

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_provider\_default\_none

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_secret\_excl  
ude\_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_deterministic  
\_output

7ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_empty\_test\_suite

6ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_html\_report\_generation

32ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	113 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_json\_report\_generation

54ms



## COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	133 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)



PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_report\_root\_has\_required\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_meta\_has\_aggregation\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_meta\_has\_status\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_schema\_version\_defined

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_test\_case\_has\_required\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestGetProvider::test\_gemini\_returns\_provider

1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestGetProvider::test\_litellm\_returns\_provider

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestGetProvider::test\_none\_returns\_noop

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestGetProvider::test\_ollama\_returns\_provider

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestGetProvider::test\_unknown\_raises

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestLlmProviderContract::test\_noop\_implements\_interface

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_annotate\_returns\_empty

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_get\_model\_name\_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_is\_available

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_respects\_opt\_out\_and\_limit

1ms



COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)



PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_respects\_rate\_limit

1ms



## COVERAGE

src/pytest\_llm\_report/cache.py

20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-173, 176, 178, 180-183, 185-190, 192, 198, 203)

src/pytest\_llm\_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

src/pytest\_llm\_report/prompts.py

12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_skips\_unavailable\_provider

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/annotator.py

7 lines (ranges: 45, 48-52, 54)

src/pytest\_llm\_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/cache.py	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 127, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_from\_d  
ict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handle  
s\_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handle  
s\_partial

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_has\_required\_fields

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_from\_factory

1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_is\_llm\_provider

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_returns\_empty\_annotation

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_annotate\_returns\_annotation

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_empty\_code

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_none\_context

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_has\_annotate\_method

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 52-53, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_handles\_context\_too\_large

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 72, 75-76, 80, 165, 167, 175)
src/pytest_llm_report/llm/gemini.py	155 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 233, 245-248, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 346, 348-350, 352-355, 360-363, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417-418, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_dependency

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-164)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_token

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	183 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-227, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-343, 346, 348-350, 352-355, 360-366, 368, 370-371, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-227, 233-234, 238-240, 242-243, 274-277, 280-283, 286, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330-333, 335-341, 343, 346, 348-350, 352-355, 360-366, 368-369, 374-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	177 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210, 213-214, 217-222, 225-227, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368, 370, 372-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419-420, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	184 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210-211, 213-214, 217-222, 225-227, 252-254, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368, 370, 372-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	177 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-227, 274-277, 280-283, 286, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368-377, 381-382, 385-387, 391-392, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	190 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-188, 190-191, 193-194, 196, 200-208, 210-211, 213-214, 217-222, 225-227, 252-254, 274-277, 280-283, 286-290, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368, 370, 372-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_fetch\_available\_models\_error

1ms

5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	65 lines (ranges: 134, 136-139, 141-142, 280, 282-283, 286-290, 292-295, 297-298, 300-301, 346, 348-350, 352-355, 360-363, 374-377, 385, 387, 391-392, 396-402, 405, 408-410, 412-414, 417-418, 428, 430-432, 435-436)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_model\_list\_ref  
reshes\_after\_interval

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	169 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-227, 274-277, 280-283, 286, 292-295, 297-298, 300-301, 315, 317-320, 322-325, 327-328, 330, 335-341, 343, 346, 348-350, 352-355, 360-366, 368-369, 374-377, 381-382, 385-387, 391-393, 396-399, 401-402, 405, 408-410, 412-414, 417, 419, 421-424, 428, 430-434, 437-440, 442-443, 445-447)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_handles\_completion\_error

90.00s  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	22 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 78-79, 81-82, 84-85)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_invalid\_key\_assertions

90.00s  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/litellm_provider.py	25 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69, 73, 76, 81-82, 84-85)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_missing\_dependency

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/litellm_provider.py	5 lines (ranges: 37-41)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_success\_with\_mock\_response

1ms  6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	20 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69-70)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_is\_available\_  
with\_module

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 94-95, 97)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_fallb  
acks\_on\_context\_length\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	33 lines (ranges: 52-53, 72, 75-76, 78, 165, 167-173, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_handles\_call\_error

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-59, 71-72, 74-75, 77-78)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_missing\_httpx

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 40-44)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_success\_full\_flow

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	29 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_call\_ollama\_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_call\_ollama\_us  
es\_default\_model

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 114, 116-123, 127-130, 132, 134-135)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_failure

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 87-88, 90-91, 93-94)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_non\_200

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 87-88, 90-92)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 87-88, 90-92)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_is\_local\_returns\_true

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 102)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response\_invalid\_json

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 52-53, 186-187, 190-192)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_key\_assertions1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_code\_fence1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_plain\_fence

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestArtifactEntry::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 254-257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestCollectionError::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 207-209)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestCoverageEntry::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 40-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_empty\_annotation

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_minimal

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_with\_all\_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestReportRoot::test\_default\_report

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_collection\_errors

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 207-209, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508-510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_warnings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	60 lines (ranges: 229-231, 233, 235, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestReportRoot::test\_tests\_sorted\_by\_nodeid

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	71 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestReportWarning::test\_to\_dict\_with\_detail

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 229-231, 233-235)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestReportWarning::test\_to\_dict\_without\_detail

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 229-231, 233, 235)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestRunMeta::test\_aggregation\_fields\_present

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 277-279, 281-283, 364-380, 382, 385, 387, 390, 393, 395, 397, 399-405, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestRunMeta::test\_llm\_fields\_excluded\_when\_disabled

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestRunMeta::test\_llm\_traceability\_fields

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	40 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407-419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_models.py::TestRunMeta::test\_non\_aggregated\_excludes\_source\_reports

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_meta\_to\_dict\_full

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 277-279, 281-283, 364-380, 382-405, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_status\_fields

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_format

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_in\_repo  
rt\_root

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

54 lines (ranges: 364-380, 382, 385, 387, 390, 393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestSourceCoverageEntry::test\_to\_dict

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

8 lines (ranges: 71-78)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 277-279, 281, 283)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_with\_run\_id

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 277-279, 281-283)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestSummary::test\_to\_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 449-457, 459, 461)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_minimal\_result

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_coverage

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

22 lines (ranges: 40-43, 161-165, 167, 169, 171, 173, 176-178, 180, 182, 184, 186, 188, 190)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_llm\_opt\_out

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

18 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_rerun

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 161-165, 167, 169, 171, 173-176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_without\_rerun\_excludes\_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_default\_values

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_get\_default\_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_is\_llm\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_aggregate\_policy

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-197, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_context\_mod  
e

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-189, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_include\_ph  
se

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-205, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_provider

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_numeric\_ranges

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209-218, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_valid\_config

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_aggregation\_options

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286-294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_config\_invalid\_int\_ini

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263-267, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_coverage\_source

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_defaults

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	24 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_overrides\_  
ini

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259-261, 263, 270-272, 274, 276, 278, 280-282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_retries

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282-283, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_ini

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	32 lines (ranges: 107, 147, 248, 251-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_aggregation\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_all\_output\_paths

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_capture\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_compliance\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_coverage\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_custom\_exclude\_globs

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_include\_globs

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_invocation\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 107)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_execution\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_param\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_repo\_root\_path

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_valid\_ph  
ase\_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigDefaultsMaximal::test\_defau  
lt\_exclude\_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigDefaultsMaximal::test\_defau  
lt\_redact\_patterns

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigDefaultsMaximal::test\_defaults\_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 233)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigHelpersMaximal::test\_is\_llm\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_aggregate\_policy

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-197, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)



PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_context\_mode

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-189, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_include\_phase

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-205, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_provider

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_numeric\_bounds

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	21 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209-217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_valid\_config

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_config\_defaults

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	33 lines (ranges: 107, 147, 248, 251-259, 261, 263-265, 270, 272-276, 278, 280, 282, 286, 288, 290-292, 294, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_markers\_exist\_in\_config

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_content\_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_output\_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_requirement\_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_integration.py::TestReportGeneration::test\_report\_writer\_integration

32ms  6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	79 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	131 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_disabled

1ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 380-381, 384, 388-390, 401-402, 408-409)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	12 lines (ranges: 380-381, 384, 388-390, 401-402, 408, 412-414)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_no\_session

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 380-381, 384, 388-390, 401, 405)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_session\_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 380-381, 384, 388-390, 401, 405)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_llm\_enabled\_warning

3ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	44 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	29 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_validation\_errors

3ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	43 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 248, 251-253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	25 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-199, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_worker\_skip

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 169-171, 173-175, 177-179, 183-184, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigureFallback::test\_pytest\_configure\_fallback\_load

3ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	29 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginLoadConfig::test\_load\_config\_all\_ini\_options

2ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	31 lines (ranges: 107, 147, 248, 251-263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginLoadConfig::test\_load\_config\_cli\_overrides\_ini

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	38 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259-263, 270-283, 286-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 238, 242-243, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_worker\_skip

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 238-239, 380-381, 384, 388-390)



PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::testload\_config

3ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	36 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270-283, 286-295, 298, 300)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginRuntest::test\_runtest\_makereport\_disabled

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	7 lines (ranges: 380-381, 384-385, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginRuntest::test\_runtest\_makereport\_enabled

2ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_collection\_finish\_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 380-381, 384, 388-390, 424-425)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_collection\_finish\_enabled


2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 380-381, 384, 388-390, 424, 428-430)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_sessionstart\_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 380-381, 384, 388-390, 441-442)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_sessionstart\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	11 lines (ranges: 380-381, 384, 388-390, 441, 445, 448, 450-451)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_pytest\_addoption

2ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

99 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_pytest\_addoption\_ini

2ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

99 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_coverage\_calculation

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	53 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 307, 309-312, 324-325, 330-331, 358-368, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_llm\_enabled

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	59 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324-325, 330-333, 336, 338, 341-343, 350-355, 358-368, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_no\_collector

2ms



#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	45 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_with\_aggregation

2ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	21 lines (ranges: 238, 242, 246, 249-250, 252-253, 256-257, 259, 261-265, 380-381, 384, 388-390)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummaryErrors::test\_terminal\_summary\_coverage\_error

4ms



#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 107, 147, 224)
src/pytest_llm_report/plugin.py	52 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 315-318, 324-325, 330-331, 358-368, 380-381, 384, 388-390)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_balanced\_context

7ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	51 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_complete\_context

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132-133, 180)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_minimal\_context

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_balanced\_context\_limits

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_get\_test\_source\_edge\_cases

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_should\_exclude

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 191-194)



PASSED

tests/test\_ranges.py::TestCompressRanges::test\_consecutive\_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_duplicates

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_empty\_list

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_mixed\_ranges

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_non\_consecutive\_lines

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_single\_line

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_two\_consecutive

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_unsorted\_input

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_empty\_string

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_mixed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_range

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_roundtrip

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_single\_number

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

PASSED

tests/test\_render.py::TestFormatDuration::test\_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test\_render.py::TestFormatDuration::test\_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_all\_outcomes

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_unknown\_outcome

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_basic\_report

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_coverage

1ms

3

COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

src/pytest\_llm\_report/render.py

52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_llm\_annotation

1ms

3

COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

src/pytest\_llm\_report/render.py

54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_source\_coverage

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_xpass\_summary

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_report\_writer.py::TestComputeSha256::test\_different\_content

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)



PASSED

tests/test\_report\_writer.py::TestComputeSha256::test\_empty\_bytes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_build\_run\_meta

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_and\_outcomes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 312, 314-315, 317-328, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_co  
unts

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 312, 314-315, 317-322, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_create\_writer

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_ass  
embles\_tests5ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_inc  
ludes\_coverage\_percent6ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_includes\_source\_coverage

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_merges\_coverage

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	94 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_atomic\_write\_fallback

6ms

5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506-507, 509-512, 515-516)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_creates\_directory\_if\_missing

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	84 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 229-231, 233, 235, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510-512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-477, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_ensure\_dir\_failure

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 470-473, 480-484)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_git\_info\_failure

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_html\_creates\_file

31ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_html\_includes\_xfail\_summary

31ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317, 319, 321, 323-326, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)



PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_j  
son\_creates\_file

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_pdf\_creates\_file

33ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412, 414-423, 434-435, 437-443, 448, 453, 455, 458-462, 470-471)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_p  
df\_missing\_playwright\_warns

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401-405, 408)

PASSED

tests/test\_report\_writer\_coverage\_v2.py::test\_report\_writer\_ensure\_d  
ir\_creation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 470-477)

PASSED

tests/test\_report\_writer\_coverage\_v2.py::test\_report\_writer\_metadata\_skips

10ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	36 lines (ranges: 364-380, 382-393, 395, 397, 399, 401, 403, 407, 419)
src/pytest_llm_report/options.py	2 lines (ranges: 107, 147)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_from\_dict\_full

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_to\_dict\_full

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-



## COVERAGE

src/pytest_llm_report/collector.py	65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-328, 330, 376, 378-379,

382, 385, 388, 391-395, 470-  
471, 495, 497, 499-501, 503,  
506)



## COVERAGE

src/pytest_llm_report/collector.py	51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 312, 314-315,  
317-320, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	39 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	23 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69-70, 94-95, 97)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	94 lines (ranges: 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176, 178-180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407-419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	47 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-259, 261, 263-265, 270, 272-

274, 276, 278, 280, 282, 286,  
288, 290, 292, 294, 298, 300)

src/pytest\_llm\_report/plugin.py

186 lines (ranges: 40, 43-47,  
49-53, 55-59, 61-65, 67-71,  
73-78, 80-85, 89-93, 95-99,  
101-105, 107-111, 113-117,  
121-124, 126-129, 131-134,  
136-140, 142-145, 147-151,  
153-156, 169-171, 173-175,  
177-179, 183, 187-188, 190,  
192, 195-196, 203-205, 207-  
208, 212-213, 238, 242, 246,  
249, 268-269, 276-277, 280-  
281, 283-284, 287-291, 293,  
296-297, 299, 302-303, 324,  
330-333, 336, 338, 341-345,  
348, 350-355, 358-368, 380-  
381, 384, 388-390, 401, 405,  
424, 428-430, 441, 445, 448,  
450-451)

src/pytest\_llm\_report/prompts.py

29 lines (ranges: 33, 49, 52,  
55, 58-59, 65, 78-79, 82-83,  
86-87, 92, 94, 98-101, 103-  
109, 111-112, 116)

src/pytest\_llm\_report/report\_writer.py

105 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-296, 298-  
299, 312, 314-315, 317-318,  
330, 340, 343-345, 348-349,  
352-354, 357, 360-364, 470-  
471, 495, 497, 499-501, 503,  
506)

## COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137-139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	21 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	25 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 78-79, 81-82, 84-85, 94-95, 97)
src/pytest_llm_report/options.py	47 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	186 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-

281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-333, 336, 338, 341-346, 350-355, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)

src/pytest\_llm\_report/prompts.py

29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,  
317-318, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)



## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188-190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,  
317-318, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259,

262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 312, 314-315,  
317, 319, 321, 323-324, 330,  
340, 343-345, 348-349, 352-  
354, 357, 360-364, 470-471,  
495, 497, 499-501, 503, 506)

## COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-  
297, 299-300, 312, 314-315,  
317, 319, 321-322, 330, 340,  
343-345, 348-349, 352-354,  
357, 360-364, 470-471, 495,  
497, 499-501, 503, 506)

## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-  
297, 299-300, 312, 314-315,  
317, 319, 321, 323-324, 330,  
340, 343-345, 348-349, 352-  
354, 357, 360-364, 470-471,  
495, 497, 499-501, 503, 506)



## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	74 lines (ranges: 161-165, 167, 169-171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 364-380, 382, 385, 387, 390-393, 395, 397, 399, 401, 403, 407, 419, 449-457, 459, 461, 500, 502-506, 508, 510, 512, 514, 516, 518, 520, 522)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_help\_contains\_examples

49ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 380-381, 384, 388-390)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_markers\_registered

44ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)

src/pytest\_llm\_report/plugin.py

118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 380-381, 384, 388-390)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_plugin\_registered

51ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)

src/pytest\_llm\_report/plugin.py

118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 380-381, 384, 388-390)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300)
src/pytest_llm_report/plugin.py	166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-

471, 495, 497, 499-501, 503,  
506)

PASSED

tests/test\_time.py::TestFormatDuration::test\_boundary\_one\_minute

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_microseconds\_format

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test\_time.py::TestFormatDuration::test\_milliseconds\_format

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test\_time.py::TestFormatDuration::test\_minutes\_format

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_multiple\_minutes

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_one\_second

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test\_time.py::TestFormatDuration::test\_seconds\_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test\_time.py::TestFormatDuration::test\_small\_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test\_time.py::TestFormatDuration::test\_very\_small\_microseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)



PASSED

tests/test\_time.py::TestIsoFormat::test\_formats\_datetime\_with\_utc

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestIsoFormat::test\_formats\_naive\_datetime

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestIsoFormat::test\_formats\_with\_microseconds

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestUtcNow::test\_has\_utc\_timezone

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_is\_current\_time

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_returns\_datetime

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 380-381, 384, 388-390)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

## Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest_llm_report/aggregation.py	116	5	111	95.69%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 84, 87-89, 93, 103, 109-111, 113-117, 119-120, 125, 127-128, 130-131, 134-135, 141-144, 146, 148, 162, 164, 168, 170, 172, 182, 184-188, 190-191, 194, 196, 205, 217, 219-233, 235, 237, 245-246, 248-249, 251, 253-255, 259, 262-263, 265-266, 269, 271-272, 274, 276-277, 281	66, 90-91, 192, 203
--------------------------------------	-----	---	-----	--------	---	---------------------

src/pytest_llm_report/cache.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153	64-65, 130
--------------------------------	----	---	----	--------	---	------------

src/pytest_llm_report/collector.py	111	2	109	98.2%	19, 21-22, 24, 26-27, 33-34, 45-50, 52, 58, 60-62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140, 143, 155, 163-164, 167-169, 171, 173, 181-182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-252, 254, 261, 264-265, 268-269,	141, 239
------------------------------------	-----	---	-----	-------	--	----------

					271, 277, 279, 285	
src/pytest_llm_report/coverage_map.py	135	10	125	92.59%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106-108, 114, 116, 118, 121-122, 127, 131-135, 137-140, 144-146, 148, 150, 152-153, 156, 160-162, 165, 167-168, 173, 176, 178-184, 187-189, 191, 196, 199-200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-248, 250, 252-254, 259-260, 263-264, 271, 273, 276-279, 281-283, 285, 299-300, 302, 308	62, 123, 125, 128, 157, 221, 249, 251, 257, 274
src/pytest_llm_report/errors.py	35	0	35	100.0%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 70, 74-76, 80, 129, 139	-
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-
src/pytest_llm_report/llm/annotator.py	110	0	110	100.0%	4, 6-10, 12-15, 21-22, 25-28, 31, 45-46, 48-50, 54, 56-57, 59, 61-62, 64, 66-68, 71-72, 74-82, 87, 97-98, 100, 102, 104-105, 115, 127, 129-132, 137-139, 142, 165-168, 170-171, 176, 178, 180-183, 185-190, 192-193, 198-201, 203, 206, 229-232,	-

					234, 236-237, 239-240, 245-246, 248-253, 255-256, 261-264, 266
					13, 15-18, 26, 40, 46, 52-53, 55, 72, 75-76, 78, 80, 101, 107-108, 110-111, 122, 128, 130, 136, 138, 147, 149, 165, 167-173, 175, 177, 186-187, 190-192, 194-195, 198-200, 203-208, 212, 214, 220-221, 224-225, 228-230, 233, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265, 267
src/pytest_llm_report/llm/base.py	78	0	78	100.0%	
					7, 9-13, 15-16, 23-27, 30-34, 37-42, 44-46, 48-50, 52, 57-63, 65-70, 72-73, 75-78, 80-85, 87-88, 91-97, 99-103, 105, 107-114, 121-122, 125, 128, 134, 136-139, 141-142, 144, 160-161, 167-169, 171-172, 174, 176-184, 186-188, 190-191, 193, 196, 200-208, 210-211, 213-215, 217-223, 225-227, 233-234, 238-239, 242-243, 245-248, 252-253, 260, 266-267, 269, 273-277, 279-283, 286-287, 292-293, 300-301, 303, 315, 317-318, 322, 327, 330-332, 335-343, 345-346, 348, 352-355, 357, 360-366, 368-374, 380-382, 384-387, 389, 391-392, 89, 104, 106, 115-117, 199, 230-231, 235-237, 244, 250, 256, 367, 441, 444
src/pytest_llm_report/llm/gemini.py	275	18	257	93.45%	

					396-402, 405, 408-410, 412-414, 416-421, 427-428, 430-434, 437-440, 442-443, 445-447
src/pytest_llm_report/llm/litellm_provider.py	32	1	31	96.88%	7, 9, 11-12, 18, 21, 37-38, 44, 46, 49, 51-52, 54-56, 66-67, 69-74, 70, 73, 76, 78-79, 81-82, 84, 88, 94-95, 97
src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66
src/pytest_llm_report/llm/ollama.py	43	1	42	97.67%	7, 9, 11-12, 18, 24, 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67, 71-72, 74-75, 77, 81, 87-88, 90-92, 96, 102, 104, 114, 116-117, 127, 132, 134-135
src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130
src/pytest_llm_report/models.py	240	10	230	95.83%	17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-115, 118-119, 141-157, 159, 161, 167-171, 173-182, 184, 186, 188-190, 193-194, 202-203, 205, 207, 213-214, 223-225, 227, 229, 233-235, 238-239, 248-250, 252, 254, 261-262, 271-273, 275, 277, 281-283, 286-287, 324-353, 172, 183, 185, 187, 460, 513, 515, 517, 519, 521

						355-360, 362, 364, 382-405, 407-419, 422-423, 437-445, 447, 449, 459, 461, 464-465, 482-492, 494, 500, 502, 508-512, 514, 516, 518, 520, 522
--	--	--	--	--	--	--

src/pytest_llm_report/op tions.py	117	45	72	61.54%	106, 146, 175, 178-180, 185-187, 193-195, 201-203, 209-218, 220, 224, 233, 248, 251-267, 270-283, 286-295, 298, 300	13-15, 21-22, 90-94, 97-99, 102-105, 122-123, 126-132, 135-137, 140-142, 145, 156-160, 163-164, 167, 169, 222, 227, 236
--------------------------------------	-----	----	----	--------	---	---

src/pytest_llm_report/pl ugin.py	151	24	127	84.11%	40, 43, 49, 55, 61, 67, 73, 80, 89, 95, 101, 107, 113, 121, 126, 131, 136, 142, 147, 153, 169, 173, 177, 183-184, 187-188, 190, 192, 195-197, 203-204, 212-213, 238-239, 242-243, 246, 249-250, 252-253, 256-257, 259, 261-265, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 307, 309-312, 315-316, 324-325, 330-333, 336, 338, 341-346, 348, 350, 358-359, 380-381, 384-385, 388-390, 401-402, 405, 408-409, 412-414, 424-425, 428-430, 441-442, 445, 448, 450-451	13, 15-17, 19-20, 22, 28-31, 34, 160, 216, 320-321, 326-327, 372-373, 393, 417, 433-434
-------------------------------------	-----	----	-----	--------	---	---

src/pytest_llm_report/prompts.py	75	5	70	93.33%	13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116, 118, 132-133, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 165, 180, 182, 191-194	80, 114, 142, 146, 149
----------------------------------	----	---	----	--------	--	------------------------

src/pytest_llm_report/reader.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196	-
---------------------------------	----	---	----	--------	---	---

src/pytest_llm_report/report_writer.py	167	10	157	94.01%	13, 15-25, 27-29, 46, 55, 58, 67-68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 116, 127-128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256-259, 262-264, 266, 268, 303, 312, 314-315, 317-328, 330, 332, 340, 343-345, 348-349, 352-354, 357, 360, 368, 376, 378-379, 382, 385, 388, 391, 399, 401-402, 408, 410, 412, 414-423, 434-435, 437-439, 447-448, 453, 455, 458, 461-462, 464, 470-474, 480-481, 488, 495, 497,	113, 135-137, 424-425, 432, 449-451
--	-----	----	-----	--------	--	-------------------------------------



					499-501, 503, 506-507, 509, 515-516
src/pytest_llm_report/ut il/fs.py	34	3	31	91.18%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 40, 65, 67 79, 82, 100, 103, 111-113, 116-117, 119-121, 123
src/pytest_llm_report/ut il/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121
src/pytest_llm_report/ut il/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, - 52, 55, 65-67, 70, 81-82, 84-91, 93, 95
src/pytest_llm_report/ut il/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, - 46-48