

# Test Report

92.92%

Run ID: 21115295335-py3.12 • Generated: 2026-01-18 16:55:45 • Duration: 32.37s

Plugin: v0.1.0 (b7a157f6cb9189cc50a17c846484c8454deeac61) [dirty]

Repo: v0.1.1 (f14672465aed6654261f3d6f117489e6f858f985)

Total Coverage

530

TOTAL TESTS

530

PASSED

0

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

[Source Coverage](#)   [Per Test Details](#)   [Failures Only](#)

## Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest_llm_report/aggregation.py	117	5	112	95.73%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 84, 87-89, 93, 103, 109-111, 113-117, 119-120, 125, 127-128, 130-131, 134-135, 141-144, 147, 149, 151, 165, 167, 171, 173, 66, 90-91, 195, 175, 185, 187- 191, 193-194, 197, 199, 208, 220, 222-236, 238, 240, 248- 249, 251-252, 254, 256-258, 262, 265-266, 268-269, 272, 274-275, 277, 279-280, 284 206
--------------------------------------	-----	---	-----	--------	---

src/pytest_llm_report/calculator.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 64-65, 130 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153
-------------------------------------	----	---	----	--------	---

src/pytest_llm_report/collector.py	111	2	109	98.2%	19, 21-22, 24, 26-27, 33-34, 45- 50, 52, 58, 60- 62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106- 107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140, 143, 155, 163- 164, 167-169, 141, 239 171, 173, 181- 182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-252, 254, 261, 264-
------------------------------------	-----	---	-----	-------	--

265, 268-269,  
271, 277, 279,  
285

src/pytest\_llm\_report/coverage\_map.py 135 6 129 95.56% 13, 15-17, 19-22,  
30, 38, 44-45,  
47, 58-60, 64,  
72-73, 83, 86,  
88-90, 92, 94-96,  
98, 101-104, 106-  
108, 114, 116,  
118, 121-122,  
127-128, 131-135,  
137-140, 144-146,  
148, 150, 152-  
153, 156, 160-  
162, 165, 167-  
168, 173, 176,  
178-184, 187-189, 62, 123, 125,  
157, 221, 251  
191, 196, 199-  
200, 202, 204,  
216-217, 220,  
224-225, 228-234,  
236, 239, 241,  
243-244, 246-250,  
252-254, 257,  
259-260, 263-264,  
271, 273-274,  
276-279, 281-283,  
285, 299-300,  
302, 308

src/pytest\_llm\_report/errors.py 35 0 35 100.0% 8-9, 12, 25-28,  
31-36, 39-42, 45-  
46, 49-51, 54-55,  
64-66, 68, 70,  
74-76, 80, 129,  
139 -

src/pytest\_llm\_report/llm/\_\_init\_\_.py 3 0 3 100.0% 4-5, 7 -

src/pytest\_llm\_report/llm/annotator.py 110 0 110 100.0% 4, 6-10, 12-15,  
21-22, 25-28, 31,  
45-46, 48-50, 54,  
56-57, 59, 61-62,  
64, 66-68, 71-72,  
74-82, 87, 97-98,  
100, 102, 104-  
105, 115, 127,  
129-132, 137-139,  
142, 165-168, -  
170-171, 176,  
178, 180-183,  
185-190, 192-193,  
198-201, 203,

206, 229-232,  
234, 236-237,  
239-240, 245-246,  
248-253, 255-256,  
261-264, 266

src/pytest\_llm\_report/ll  
m/base.py 78 0 78 100.0%  
13, 15-18, 26,  
40, 46, 52-53,  
55, 72, 75-76,  
78, 80, 101, 107-  
108, 110-111,  
122, 128, 130,  
136, 138, 147,  
149, 165, 167-  
173, 175, 177,  
186-187, 190-192, -  
194-195, 198-200,  
203-208, 212,  
214, 220-221,  
224-225, 228-230,  
233, 245, 247,  
249-250, 252-253,  
255, 257-258,  
260, 262-263,  
265, 267

src/pytest\_llm\_report/ll  
m/gemini.py 278 23 255 91.73%  
7, 9-13, 15-16,  
23-27, 30-34, 37-  
42, 44-46, 48-50,  
52, 57-63, 65-70,  
72-73, 75-78, 80-  
85, 87-88, 91-97,  
99-103, 105, 107-  
114, 121-122,  
125, 128, 134,  
136-139, 141-142,  
144, 160-161,  
167-169, 171-172,  
174, 176-184,  
186-188, 190-191,  
193, 196, 200-  
208, 210-211,  
213-215, 217-223,  
225-226, 235, 89, 104, 106,  
228-229, 233, 115-117, 199,  
237-238, 242-243, 239-241, 248,  
246-247, 249-250, 251-254, 256,  
258-259, 266, 262, 373, 447,  
272-273, 275, 450  
279-283, 285-289,  
292-293, 298-299,  
306-307, 309,  
321, 323-324,  
328, 333, 336-  
338, 341-349,  
351-352, 354,  
358-361, 363,  
366-372, 374-380,

386-388, 390-393,  
395, 397-398,  
402-408, 411,  
414-416, 418-420,  
422-427, 433-434,  
436-440, 443-446,  
448-449, 451-453

src/pytest\_llm\_report/ll  
m/litellm\_provider.py 62 4 58 93.55% 8, 10, 12-13, 21,  
31, 37-38, 41-42,  
44, 51, 60-62,  
64, 80-81, 87,  
89, 92, 94-95,  
98, 100-101, 106,  
108, 110, 114,  
116, 118-120, 123-124, 126, 191  
129, 131, 133,  
135-136, 138,  
142, 164, 175-  
176, 179-181,  
183, 185-186,  
188, 190, 195,  
197, 199, 205-  
206, 208

src/pytest\_llm\_report/ll  
m/noop.py 13 0 13 100.0% 8, 10, 12-13, 20,  
26, 32, 34, 50, -  
52, 58, 60, 66

src/pytest\_llm\_report/ll  
m/ollama.py 45 2 43 95.56% 7, 9, 11-12, 18,  
24, 40-41, 47,  
50, 52, 54-55,  
57-60, 62, 64-65,  
71, 73, 76-77, 69, 75  
79-80, 82, 86,  
92-93, 95-97,  
101, 107, 109,  
119, 121-122,  
132, 137, 139-140

src/pytest\_llm\_report/ll  
m/schemas.py 36 1 35 97.22% 8, 10-12, 16, 22,  
38, 42-44, 46-47,  
50-53, 55, 58-59, 39  
62-65, 67-68, 77,  
84, 90, 94-98,  
102, 130

src/pytest\_llm\_report/ll  
m/token\_refresh.py 71 0 71 100.0% 7, 9-14, 17, 20,  
23-24, 36-39, 41-  
43, 47, 59-60,  
63-66, 69-72, 74,  
83, 85-88, 90-91,  
93, 101-103, 107-  
109, 111, 113-  
116, 120, 132-  
136, 139-140,

143-145, 148-150,  
153-156, 158,  
160-162

src/pytest\_llm\_report/models.py 243 0 243 100.0% -  
  
17-18, 21, 24-25,  
34-36, 38, 40,  
47-48, 61-67, 69,  
71, 82-83, 95-  
100, 102, 104,  
109-115, 118-119,  
141-157, 159-160,  
162, 164, 166,  
173-196, 199-200,  
208-209, 211,  
213, 219-220,  
229-231, 233,  
235, 239-241,  
244-245, 254-256,  
258, 260, 267-  
268, 277-279,  
281, 283, 287-  
289, 292-293,  
330-359, 361-366,  
368, 370, 388-  
411, 413-425,  
428-429, 443-451,  
453, 455, 465-  
467, 470-471,  
488-498, 500,  
506, 508, 514-528

src/pytest\_llm\_report/options.py 188 51 137 72.87% -  
  
122, 162, 191,  
194-196, 201-203,  
209-211, 217-219,  
225-227, 233-234,  
237-246, 248, 13-15, 21-22, 98-  
252, 261, 276, 102, 105-107,  
279-280, 288-293, 110-115, 118-121,  
295, 300-305, 138-139, 142-148,  
308-313, 316-317, 151-153, 156-158,  
320-321, 324-325, 161, 172-176,  
328-337, 340-343, 179-180, 183,  
346-359, 362-363, 185, 250, 255,  
366-367, 370-375, 264  
380-381, 384-385,  
390-393, 398-401,  
408-421, 424-433,  
436, 438

src/pytest_llm_report/plugin.py	144	24	120	83.33%	40, 43, 49, 55, 61, 67, 73, 80, 89, 95, 101, 107, 113, 130, 134, 138, 144-145, 148-149, 151, 153, 156-158, 164-165, 173-174, 199-200, 203-204, 207, 210-211, 213-214, 217-218, 220, 222-226, 229-230, 232, 234, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-266, 268, 270-273, 276-277, 285-286, 291-294, 297, 299, 302- 307, 309, 311, 319-320, 341-342, 345-346, 349-351, 362-363, 366, 369-370, 373-375, 385-386, 389-391, 402-403, 406, 409, 411-412	13, 15-17, 19-20, 22, 28-31, 34, 121, 177, 281- 282, 287-288, 333-334, 354, 378, 394-395
src/pytest_llm_report/prompts.py	75	1	74	98.67%	13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78- 79, 82-84, 86-87, 92, 94-95, 98- 101, 103-112, 114, 116, 118, 132-133, 135-138, 140-142, 144-146, 148-149, 151-152, 154-156, 158-159, 163, 165, 180, 182, 191-194	80
src/pytest_llm_report/renderer.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196	-

src/pytest_llm_report/report_writer.py	167	3	164	98.2%	13, 15-25, 27-29, 46, 55, 58, 67- 68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 113, 116, 127- 128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256- 259, 262-264, 266, 268, 303, 312, 314-315, 317-328, 330, 332, 340, 343- 345, 348-349, 352-354, 357, 360, 368, 376, 378-379, 382, 385, 388, 391, 399, 401-402, 408, 410, 412, 414-425, 432, 434-435, 437-439, 447-451, 453, 455, 458, 461- 462, 464, 470- 474, 480-481, 488, 495, 497, 499-501, 503, 506-507, 509, 515-516	135-137
src/pytest_llm_report/utils/fs.py	34	1	33	97.06%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-65, 67, 40 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	
src/pytest_llm_report/utils/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121	

src/pytest_llm_report/ut il/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
--	----	---	----	--------	--	---

src/pytest_llm_report/ut il/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-
--	----	---	----	--------	---	---

## Per Test Details

 tests/test_aggregation.py	10 tests
---	----------

PASSED	tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy	2ms	 3
--------	--	-----	---

### COVERAGE

src/pytest_llm_report/aggregation.py	70 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113- 117, 119, 125, 127-128, 130- 131, 134, 141, 147, 149, 151- 156, 158, 160-162, 173, 220, 222-226, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED	tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_ex ists	4ms	 3
--------	--	-----	---

### COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 109-111)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_latest\_policy 3ms 3

## COVERAGE

src/pytest\_llm\_report/aggregation.py

78 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 147, 149, 151-156, 158, 160-162, 173, 185, 187-191, 193-194, 197, 220, 222-226, 238, 248, 251-252, 254, 256, 279-282, 284)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_dir\_configured 1ms 3

## COVERAGE

src/pytest\_llm\_report/aggregation.py

3 lines (ranges: 44, 52-53)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_reports 1ms 3

## COVERAGE

src/pytest\_llm\_report/aggregation.py

9 lines (ranges: 52, 55-57, 109-110, 113-114, 173)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_coverage\_and\_llm\_annotations 2ms ⚡ 4

## COVERAGE

src/pytest_llm_report/aggregation.py	82 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134-137, 141-144, 147, 149, 151-156, 158, 160-162, 173, 185, 187-191, 197, 220, 222-226, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	34 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 162, 166-171, 173, 175, 177, 179, 182-186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_source\_coverage 2ms ⚡ 3

## COVERAGE

src/pytest_llm_report/aggregation.py	66 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 151-158, 160-162, 173, 185, 187-189, 197, 220, 222-223, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_load\_coverage\_from\_source 3ms 3

## COVERAGE

src/pytest_llm_report/aggregation.py	19 lines (ranges: 248-249, 251-252, 254, 256-260, 262, 265-266, 268-269, 272, 274-275, 277)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_recalculate\_summary 1ms 3

## COVERAGE

src/pytest_llm_report/aggregation.py	17 lines (ranges: 220, 222-236, 238)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_skips\_invalid\_json 3ms 3

## COVERAGE

src/pytest_llm_report/aggregation.py	71 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119-120, 125, 127-128, 151-156, 158, 160-162, 165, 167-169, 171, 173, 185, 187-189, 197, 220, 222-223, 238, 248, 251-252, 254, 256, 279-282, 284)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_aggregation\_maximal.py::TestAggregationMaximal::test\_recalculate\_summary\_coverage

1ms



4

## COVERAGE

src/pytest\_llm\_report/aggregation.py

10 lines (ranges: 44, 220, 222-228, 238)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_cached\_tests\_are\_skipped

1ms



## COVERAGE

src/pytest\_llm\_report/cache.py

1 lines (ranges: 153)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)

src/pytest\_llm\_report/options.py

3 lines (ranges: 123, 163, 252)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation

3ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	64 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation\_handles\_failures

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261-264, 266)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_annotator.py::TestAnnotateTests::test\_progress\_reporting 2ms ⚡ 5

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_annotator.py::TestAnnotateTests::test\_sequential\_annotation 12.00s ⚡ 5

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_disabled 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_provider\_unavailable 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

tests/test\_annotator\_maximal.py

4 tests

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotation\_concurrent\_with\_progress\_and\_errors

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	28 lines (ranges: 229-232, 234, 236-237, 239-242, 245-246, 248-253, 255-258, 261-264, 266)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotation\_sequential\_rate\_limit\_wait

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	23 lines (ranges: 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotation\_tests\_cached\_progress

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	37 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-98, 100, 127, 129-135, 137, 139)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotation\_tests\_provider\_unavailable

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

tests/test\_base\_coverage\_v2.py

2 tests

PASSED

tests/test\_base\_coverage\_v2.py::test\_base\_parse\_response\_malformed\_json\_after\_extract 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 186-187, 190-191, 194-195, 220-221)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_coverage\_v2.py::test\_base\_parse\_response\_non\_string\_fields 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203-207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)



tests/test\_base\_maximal.py

9 tests

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_gemini\_provider

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_invalid\_provider

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_litellm\_provider

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_noop\_provider

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_ollama\_provider

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_available\_caches\_result

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 107-108, 110-111)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_get\_model\_name\_defaults\_to\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_get\_rate\_limits\_defaults\_to\_none

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_is\_local\_defaults\_to\_false 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 52-53, 147)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_cache.py

7 tests

PASSED

tests/test\_cache.py::TestHashSource::test\_consistent\_hash 1ms 3

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_cache.py::TestHashSource::test\_different\_source\_different\_hash 1ms 3

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_cache.py::TestHashSource::test\_hash\_length

1ms  3

#### COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_cache.py::TestLlmCache::test\_clear

1ms  4

#### COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_cache.py::TestLlmCache::test\_does\_not\_cache\_errors

1ms  4

#### COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_cache.py::TestLlmCache::test\_get\_missing

1ms  4

## COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_cache.py::TestLlmCache::test\_set\_and\_get

1ms  4

## COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

 tests/test\_collector.py

11 tests

PASSED

tests/test\_collector.py::TestCollectorCollectionErrors::test\_collection\_error\_structure

1ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestCollectorCollectionErrors::test\_get\_collection\_errors\_initially\_empty 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_context\_override\_default\_none 1ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_opt\_out\_default\_false 1ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_disabled\_by\_default 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_max\_chars\_default

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_failed\_is\_xfailed

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_passed\_is\_xpassed

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestTestCollector::test\_create\_collector 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestTestCollector::test\_get\_results\_sorted 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_collector.py::TestTestCollector::test\_handle\_collection\_finish 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

tests/test\_collector\_maximal.py

14 tests

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_disabled\_via\_handle\_report 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_stderr 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_stdout 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_truncated

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_create\_result\_with\_item\_markers

2ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_error\_repr\_crash

2ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_error\_string

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_fallback

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_string

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_tuple

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_collection\_report\_failure

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runttest\_rerun

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_setup\_failure

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_teardown\_failure

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

tests/test\_coverage\_boosters.py

3 tests

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_model\_parsing\_edge\_cases 1ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	17 lines (ranges: 134, 136-139, 141-142, 391, 393, 423-430)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_rate\_limiter\_edge\_math 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_models\_to\_dict\_variants 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	46 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map.py::TestCoverageMapper::test\_create\_mapper 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map.py::TestCoverageMapper::test\_get\_warnings 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map.py::TestCoverageMapper::test\_map\_coverage\_no\_coverage\_file 1ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_all\_phases 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_empty\_context 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_filters\_setup 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_with\_run\_phase

1ms

4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_coverage\_map\_coverage.py

17 tests

PASSED

tests/test\_coverage\_map\_coverage.py::TestExtractContexts::test\_contexts\_by\_lineno\_exception

1ms

5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	29 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152, 156, 160-162, 167-170, 199, 202)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestExtractContexts::test\_no\_me  
asured\_files

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	7 lines (ranges: 44-45, 118, 121-122, 127-128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestExtractContexts::test\_skip\_  
non\_python\_files

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144- 146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestLoadCoverageData::test\_cove  
rage\_not\_installed

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestLoadCoverageData::test\_no\_c  
overage\_file

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72- 73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_an  
alysis\_exception\_handling

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243- 244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299- 300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_employee\_statements

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	18 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259-261, 273-274, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_include\_test\_files\_when\_not\_configured

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_skip\_non\_python\_files

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	10 lines (ranges: 44-45, 243-244, 246-249, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_skip\_test\_files\_when\_configured

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 243-244, 246-248, 250, 252-255, 257, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_all\_phase\_config

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
---------------------------------------	---

src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
---------------------------------	---

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_empty\_string

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
---------------------------------------	----------------------------------

src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
---------------------------------	---

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_none

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
---------------------------------------	----------------------------------

src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
---------------------------------	---

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_run\_phase\_default

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_setup\_phase\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_teardown\_phase\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233-234, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_without\_pipe

1ms

4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	6 lines (ranges: 44-45, 216, 220, 224, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_coverage\_map\_maximal.py

9 tests

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_full\_logic

2ms

6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_no\_contexts 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_nodeid\_variants 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_no\_files 1ms 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_read\_error 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_with\_parallel\_files 3ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_coverage\_no\_data

15ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_analysis\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_comprehensive 2ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

## tests/test\_errors.py

3 tests

PASSED

tests/test\_errors.py::test\_make\_warning

1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors.py::test\_warning\_code\_values

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors.py::test\_warning\_to\_dict

1ms  3

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

6 lines (ranges: 70-72, 74-76)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_errors\_maximal.py

6 tests

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_know\_code

1ms  3

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

4 lines (ranges: 139-142)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_unknown\_code

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

4 lines (ranges: 139-142)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_with\_detail

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

4 lines (ranges: 139-142)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors\_maximal.py::TestWarningCodes::test\_codes\_are\_strings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors\_maximal.py::TestWarningDataClass::test\_warning\_to\_dict\_no\_detail

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

5 lines (ranges: 70-72, 74, 76)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_errors\_maximal.py::TestWarningDataClass::test\_warning\_to\_dict\_with\_detail

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

6 lines (ranges: 70-72, 74, 76)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_fs.py

12 tests

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_non\_python\_file

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

src/pytest\_llm\_report/util/fs.py

1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_python\_file

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_makes\_path\_relative

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_returns\_normalized\_with\_no\_base

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_already\_normalized

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_forward\_slashes

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_strips\_trailing\_slash

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test\_fs.py::TestShouldSkipPath::test\_custom\_exclude\_patterns 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED tests/test\_fs.py::TestShouldSkipPath::test\_normal\_path 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED tests/test\_fs.py::TestShouldSkipPath::test\_skips\_git 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_pycache

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_venv

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

## tests/test\_fs\_coverage.py

15 tests

PASSED

tests/test\_fs\_coverage.py::TestIsPythonFile::test\_is\_python\_file\_false

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs\_coverage.py::TestIsPythonFile::test\_is\_python\_file\_true 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs\_coverage.py::TestMakeRelative::test\_make\_relative\_path\_not\_under\_base 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	12 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63, 65, 67)

PASSED

tests/test\_fs\_coverage.py::TestMakeRelative::test\_make\_relative\_success 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test\_fs\_coverage.py::TestMakeRelative::test\_make\_relative\_with\_none\_base

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

src/pytest\_llm\_report/util/fs.py

7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test\_fs\_coverage.py::TestNormalizePath::test\_normalize\_path\_ba ckslashes

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

src/pytest\_llm\_report/util/fs.py

5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs\_coverage.py::TestNormalizePath::test\_normalize\_path\_pa th\_object

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

src/pytest\_llm\_report/util/fs.py

5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs\_coverage.py::TestNormalizePath::test\_normalize\_path\_trailing\_slash

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_not\_skip\_regular\_path

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_git

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_path\_starting\_with\_skip\_dir

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_pycache

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_site\_packages

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_venv 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_with\_exclude\_patterns 2ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

## tests/test\_gemini\_advanced.py

4 tests

PASSED tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_pruning 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_rpm\_limit 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_tpm\_limit 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_wait\_for\_slot 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_limiter\_record\_zero\_to\_kens 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_limiter\_requests\_per\_day\_exhaustion 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_limiter\_tpm\_fallback\_wait 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 39-42, 66, 68-70, 81-82, 84, 87-88, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_gemini\_coverage\_v2.py::test\_gemini\_provider\_rpm\_coldown 544ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 52-53, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	117 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-223, 225-226, 235, 237-238, 242-244, 246-247, 280-283, 286, 288-296, 298-301, 303-304, 306-307, 352, 354-356, 358-359, 387-388, 391-392)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

tests/test\_gemini\_provider.py

5 tests

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_rate\_limit\_retry 5ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-222, 225-226, 235, 237-238, 242-244, 246-247, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336-339, 341-347, 349, 352, 354-356, 358-361, 366-369, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_success 4ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	173 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-226, 235, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-349, 352, 354-356, 358-361, 366-369, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_availability 3ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 134, 136-139, 141-142, 272-273, 275)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_rpd\_limit 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_rpm\_limit 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_hashing.py

13 tests

PASSED tests/test\_hashing.py::TestComputeConfigHash::test\_different\_config 1ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test\_hashing.py::TestComputeConfigHash::test\_returns\_short\_hash

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test\_hashing.py::TestComputeFileSha256::test\_consistent\_with\_bytes

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED

tests/test\_hashing.py::TestComputeFileSha256::test\_hashes\_file

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED

tests/test\_hashing.py::TestComputeHmac::test\_different\_key

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test\_hashing.py::TestComputeHmac::test\_with\_key

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test\_hashing.py::TestComputeSha256::test\_consistent

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestComputeSha256::test\_length

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_includes\_pytest

80ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_returns\_dict

81ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_loads\_key

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED tests/test\_hashing.py::TestLoadHmacKey::test\_missing\_key\_file 1ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED tests/test\_hashing.py::TestLoadHmacKey::test\_no\_key\_file 1ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

## tests/test\_integration\_gate.py

16 tests

PASSED tests/test\_integration\_gate.py::TestConfigDefaults::test\_aggregation\_defaults 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_capture\_failed\_output\_default\_false

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_context\_mode\_default\_minimal

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_llm\_not\_enabled\_by\_default

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 123, 163, 252, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_omit\_tests\_default\_true

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_provider\_default\_none

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_secret\_exclude\_globs

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_deterministic \_output 7ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_empty\_test\_suite 6ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_html\_report\_generation 34ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	113 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_json\_report\_ 58ms 7  
generation

## COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	133 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_report\_root\_has\_required\_fields

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_me\_ta\_has\_aggregation\_fields

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_me\_ta\_has\_status\_fields

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_schema\_version\_defined

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_test\_case\_has\_required\_fields

1ms  3

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

 tests/test\_litllm\_retry\_coverage.py

4 tests

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_all\_retries\_exhausted

2.00s  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	37 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110-111, 114, 129, 133, 135-136, 138-139, 164-168, 170-171, 175, 179-180, 183)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_non\_401\_error\_no\_force\_refresh

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	36 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110-111, 114, 129, 133, 135, 138-139, 164-168, 170-171, 175, 179-180, 183)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_retry\_succeeds\_after\_transient\_error

6.00s 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110-111, 114, 129, 133, 135-136, 164-168, 170-171, 175, 179-180, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_token\_refresh\_on\_401

6.07s  7

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	46 lines (ranges: 37-38, 41-42, 44-48, 60-61, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110-111, 114, 129, 133, 135-136, 164-168, 170-171, 175, 179-181, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

 tests/test\_llm.py

9 tests

PASSED tests/test\_llm.py::TestGetProvider::test\_gemini\_returns\_provider 1ms ⚡ 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_llm.py::TestGetProvider::test\_litellm\_returns\_provider 1ms ⚡ 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestGetProvider::test\_none\_returns\_noop

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestGetProvider::test\_ollama\_returns\_provider

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestGetProvider::test\_unknown\_raises

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestLlmProviderContract::test\_noop\_implements\_interface

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_annotate\_returns\_empty

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_get\_model\_name\_empty

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_is\_available

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

 tests/test\_llm\_annotator.py

6 tests

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_emits\_summary

1ms  6

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_reports\_progress

1ms



## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

`tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit` 1ms ⚡ 6

## COVERAGE

<code>src/pytest_llm_report/cache.py</code>	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
<code>src/pytest_llm_report/collector.py</code>	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
<code>src/pytest_llm_report/llm/annotator.py</code>	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
<code>src/pytest_llm_report/options.py</code>	3 lines (ranges: 123, 163, 252)
<code>src/pytest_llm_report/plugin.py</code>	6 lines (ranges: 341-342, 345, 349-351)
<code>src/pytest_llm_report/prompts.py</code>	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED tests/test\_llm\_annotator.py::test\_annotate\_tests\_respects\_rate\_limit 1ms ⚡ 6

#### COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-173, 176, 178, 180-183, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED tests/test\_llm\_annotator.py::test\_annotate\_tests\_skips\_unavailable\_provider 1ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_uses\_cache

1ms  6

## COVERAGE

src/pytest_llm_report/cache.py	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 127, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

 tests/test\_llm\_contract.py

13 tests

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_required\_fields

1ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_from\_dict 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handles\_empty 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handles\_partial 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_has\_required\_fields

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_to\_dict

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/schemas.py

7 lines (ranges: 90-92, 94-96, 98)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_from\_factory

1ms  5

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/base.py

6 lines (ranges: 52-53, 245, 247, 249-250)

src/pytest\_llm\_report/llm/noop.py

1 lines (ranges: 32)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_is\_llm\_provider

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_returns\_empty\_annotation

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_annotate\_returns\_annotation

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_empty\_code

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_none\_context

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_has\_annotate\_method 1ms ⚡ 7

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 52-53, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

📄 tests/test\_llm\_providers.py

35 tests

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_handles\_context\_too\_large

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/gemini.py	153 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 237, 249-250, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 352, 354-356, 358-361, 366-369, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423-424, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_dependency

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-164)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_token 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_records\_tokens

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	183 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-226, 235, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-349, 352, 354-356, 358-361, 366-372, 374, 376-377, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

`tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit` 1ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-226, 235, 237-238, 242-244, 246-247, 280-283, 286-289, 292, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336-339, 341-347, 349, 352, 354-356, 358-361, 366-372, 374-375, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate rotates\_models\_on\_daily\_limit

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	177 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210, 213-214, 217-222, 225-226, 235, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374, 376, 378-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425-426, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_skips\_on\_daily\_limit

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	184 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210-211, 213-214, 217-222, 225-226, 235, 258-260, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374, 376, 378-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_success\_with\_mock\_response

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	177 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-226, 235, 280-283, 286-289, 292, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

`tests/test_llm_providers.py::TestGeminiProvider::test_exhausted_mode  
l_recovers_after_24h`

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	190 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-188, 190-191, 193-194, 196, 200-208, 210-211, 213-214, 217-222, 225-226, 235, 258-260, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374, 376, 378-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_fetch\_available\_models\_error 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	65 lines (ranges: 134, 136-139, 141-142, 286, 288-289, 292-296, 298-301, 303-304, 306-307, 352, 354-356, 358-361, 366-369, 380-383, 391, 393, 397-398, 402-408, 411, 414-416, 418-420, 423-424, 434, 436-438, 441-442)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_model\_list\_ref  
resses\_after\_interval 1ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	169 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-226, 235, 280-283, 286-289, 292, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374-375, 380-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_401\_retry\_with\_token\_refresh

1ms



7

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	47 lines (ranges: 37-38, 41-42, 44-48, 60-61, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110-111, 114, 116, 118-121, 164-168, 170-171, 175, 179-181, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_handles\_completion\_error

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	32 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110, 114, 129, 131, 164-168, 170-171, 175, 179-180, 183)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_invaid\_key\_assertions

1ms  6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/litellm_provider.py	32 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 164-168, 170-171, 175, 179-180, 183, 185-186, 188, 190, 195)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_missing\_dependency

2ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/litellm_provider.py	8 lines (ranges: 37-38, 41, 80-84)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_success\_with\_mock\_response

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	31 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 164-168, 170-171, 175, 179-180, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_api\_base\_pass through

1ms

6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	32 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 164-168, 170-171, 175-176, 179-180, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_api\_key\_passes through

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	32 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 164-168, 170-171, 175, 179-181, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_is\_available\_with\_module

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/litellm_provider.py	6 lines (ranges: 37-38, 41, 205-206, 208)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_token\_refresh\_integration

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	38 lines (ranges: 37-38, 41-42, 44-48, 60-61, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 164-168, 170-171, 175, 179-181, 183, 185-186, 188, 197)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_fallbacks\_on\_context\_length\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	33 lines (ranges: 52-53, 72, 75-76, 78, 165, 167-173, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62, 64-65, 71)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_handles\_call\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-59, 73, 76-77, 79-80, 82-83)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_missing\_httpx

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 40-44)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_success\_full\_flow

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	29 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62, 71, 119, 121-128, 132-135, 137, 139-140)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_call\_ollama\_success 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 119, 121-128, 132-135, 137, 139-140)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_call\_ollama\_use\_default\_model 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 119, 121-128, 132-135, 137, 139-140)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_failure

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 92-93, 95-96, 98-99)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_non\_200

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 92-93, 95-97)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 92-93, 95-97)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_is\_local\_returns\_true

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 107)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_json

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 52-53, 186-187, 190-192)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_key\_assertions

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_code\_fence

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_plain\_fence

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response \_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_models.py

29 tests

PASSED

tests/test\_models.py::TestArtifactEntry::test\_to\_dict

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 260-263)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestCollectionError::test\_to\_dict

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 213-215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestCoverageEntry::test\_to\_dict

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 40-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_empty\_annotation

1ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_minimal

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_with\_all\_field

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestReportRoot::test\_default\_report

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_collection\_errors

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 213-215, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_models.py::TestReportRoot::test\_report\_with\_warnings 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	60 lines (ranges: 235-237, 239, 241, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_models.py::TestReportRoot::test\_tests\_sorted\_by\_nodeid 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	73 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_models.py::TestReportWarning::test\_to\_dict\_with\_detail 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 235-237, 239-241)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_models.py::TestReportWarning::test\_to\_dict\_without\_detail 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 235-237, 239, 241)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_models.py::TestRunMeta::test\_aggregation\_fields\_present 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 283-285, 287-289, 370-386, 388, 391, 393, 396, 399, 401, 403, 405-411, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_models.py::TestRunMeta::test\_llm\_fields\_excluded\_when\_disabled 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestRunMeta::test\_llm\_traceability\_fields

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	40 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413-425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestRunMeta::test\_non\_aggregated\_excludes\_source\_reports

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_meta\_to\_dict\_full

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 283-285, 287-289, 370-386, 388-411, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_status\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_format

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_in\_repo\_rt\_root

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestSourceCoverageEntry::test\_to\_dict

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 71-78)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_minimal

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 283-285, 287, 289)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_with\_run\_id

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 283-285, 287-289)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestSummary::test\_to\_dict

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 455-463, 465, 467)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_minimal\_result

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_coverage

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	24 lines (ranges: 40-43, 162, 166-171, 173, 175, 177, 179, 182-184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_llm\_opt\_out 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186-188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_rerun 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	21 lines (ranges: 162, 166-171, 173, 175, 177, 179-182, 184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_without\_rerun\_excludes\_fields 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)



PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_all\_optional\_fields

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	81 lines (ranges: 71-78, 213-215, 235-237, 239, 241, 260-263, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_artifacts

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	59 lines (ranges: 260-263, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518-520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_collection\_errors

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 213-215, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_custom\_metadata

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522-524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_hmac\_signature

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526-528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_sha256

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524-526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_source\_coverage 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	63 lines (ranges: 71-78, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520-522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_warnings 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	60 lines (ranges: 235-237, 239, 241, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestSummaryToDict::test\_to\_dict\_with\_coverage\_total\_percent 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	12 lines (ranges: 455-463, 465-467)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestSummaryToDict::test\_to\_dict\_without\_coverage\_total\_percent

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 455-463, 465, 467)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_all\_optional\_fields

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	41 lines (ranges: 40-43, 104-107, 109, 111, 113, 115, 162, 166-171, 173-179, 182-196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_captured\_stderr

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192-194, 196)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_captured\_stdout

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190-192, 194, 196)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_param\_summary

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

21 lines (ranges: 162, 166-171, 173, 175-179, 182, 184, 186, 188, 190, 192, 194, 196)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_requirements

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194-196)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestConfig::test\_default\_values

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestConfig::test\_get\_default\_config

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestConfig::test\_is\_llm\_enabled

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_aggregate\_policy

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

23 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-213, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_context\_mode

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

23 lines (ranges: 123, 163, 191, 194-195, 201-205, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_include\_phase

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

23 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-221, 225-226, 233, 237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestConfig::test\_validate\_invalid\_provider 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 163, 191, 194-197, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestConfig::test\_validate\_numeric\_ranges 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	25 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237-246, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestConfig::test\_validate\_valid\_config 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_aggregation\_options 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424-432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_config\_missing\_pyproject 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_coverage\_source 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432-433, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_defaults

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	22 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_overrides\_pyproject

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	64 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408-410, 412, 414, 416, 418-420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_retries 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 421, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_from\_pyproject 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	66 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-304, 308, 310, 312, 316, 320, 324, 328-330, 332, 334, 336, 340, 342, 346, 348, 350-352, 354-356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

tests/test\_options\_coverage.py

38 tests

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_dependency\_snapshot

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414, 416-418, 420, 424, 426, 428, 430, 432, 436, 438)
----------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
---------------------------------	---

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_evidence\_bundle

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412, 414-416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
----------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
---------------------------------	---

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_report\_js\_on

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
----------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
---------------------------------	---

PASSED tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_report\_pd 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 276, 279-280, 288-290, 408, 410, 412-414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options\_coverage.py::TestConfigValidationCoverage::test\_validate\_invalid\_token\_output\_format 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-229, 233, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_options\_coverage.py::TestConfigValidationCoverage::test\_validate\_token\_refresh\_interval\_too\_short 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	21 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233-234, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestConfigValidationCoverage::test\_validate\_valid\_llm\_config 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_aggregate\_include\_history 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392-394, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_aggregate\_policy\_from\_pyproject

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390-392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_all\_config\_keys\_combined

2ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	103 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-305, 308-314, 316-318, 320-322, 324-325, 328-337, 340-343, 346-359, 362-364, 366-367, 370-376, 380-382, 384-386, 390-394, 398-401, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_cache\_dir 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358-359, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_cache\_ttl\_seconds 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356-358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_capture\_failed\_output 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372-374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_capture\_output\_max\_chars 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374-376, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_bytes 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330-332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_exclude\_globs 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336-337, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_file\_limit 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332-334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_include\_globs 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334-336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_hmac\_key\_file 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400-401, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_include\_param\_values 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340-342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_include\_phase

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366-367, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_include\_pytest\_invocation

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380-382, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_invocation\_redact\_patterns 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384-386, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_api\_base 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308-310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_api\_key 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310-312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_token\_json\_key 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310, 312, 316, 320, 324-325, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_token\_output\_format 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	64 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310, 312, 316, 320-322, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_token\_refresh\_command 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	64 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310, 312-314, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_llm\_token\_refresh\_interval 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	64 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310, 312, 316-318, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load malformed\_pyproject 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 163, 276, 279-280, 288-293, 403, 405, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_max\_concurrency 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348-350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_max\_tests 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346-348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_metadata\_file 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398-400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_ollama\_host 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-302, 304-305, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load OMIT\_TESTS\_FROM\_COVERAGE 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	63 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362-364, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_param\_value\_max\_chars 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342-343, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_report\_collect\_only

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370-372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_timeout\_seconds

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	62 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300, 302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352-354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_aggregation\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_all\_output\_paths

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_capture\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_compliance\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_coverage\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_custom\_exclude\_globs

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

1 lines (ranges: 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_include\_globs

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_invocation\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

1 lines (ranges: 123)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_execution\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_params\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_settings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_repo\_root\_path

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_valid\_ph  
ase\_values

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/options.py

20 lines (ranges: 123, 163,  
191, 194-195, 201-202, 209-  
210, 217-218, 225-226, 233,  
237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

## tests/test\_options\_maximal.py

10 tests

PASSED

tests/test\_options\_maximal.py::TestConfigDefaultsMaximal::test\_defau  
lt\_exclude\_globs

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigDefaultsMaximal::test\_defau  
lt\_redact\_patterns

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 163)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigDefaultsMaximal::test\_default\_values

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 261)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigHelpersMaximal::test\_is\_llm\_enabled

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_aggregate\_policy

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	23 lines (ranges: 123, 163, 191, 194-195, 201-202, 209, 213, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_context\_mode

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

23 lines (ranges: 123, 163, 191, 194-195, 201-205, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_include\_phase

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

23 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-221, 225-226, 233, 237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_invalid\_provider

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

22 lines (ranges: 123, 163, 191, 194-197, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_numeric\_bounds

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	24 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237-245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_options\_maximal.py::TestConfigValidationMaximal::test\_validate\_valid\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

tests/test\_plugin\_integration.py

13 tests

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_config\_defaults

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	73 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-305, 308, 310, 312, 316, 320, 324, 328-330, 332, 334, 336, 340, 342, 346-348, 350, 352-354, 356, 358, 362-364, 366-367, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410-414, 416, 418, 420, 424, 426, 428-430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_markers\_exist\_in\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

`tests/test_plugin_integration.py::TestPluginHooksWithPytester::test_both_json_and_html_outputs` 88ms 8

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	75 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	43 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223,

226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_collection\_finish\_counts\_items 60ms 7

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	75 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317-318, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_creates\_nested\_directory 56ms 7

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	81 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 235-237, 239, 241, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,  
317-318, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-477, 495, 497, 499-  
501, 503, 506)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_fixture\_error\_captured 61ms ⚡ 7

## COVERAGE

src/pytest_llm_report/collector.py	50 lines (ranges: 78-79, 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,  
317, 319, 321, 323, 325, 327-  
328, 330, 340, 343-345, 348-  
349, 352-354, 357, 360-364,  
470-471, 495, 497, 499-501,  
503, 506)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_makereport\_captures\_all\_outcomes 172ms 7

## COVERAGE

src/pytest_llm_report/collector.py	55 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	109 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-

278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_no\_report\_when\_disabled 53ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	41 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	98 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203-204, 341-342, 345-346, 349-351, 362, 366, 385-386, 402-403)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_session\_start\_records\_time 59ms 7

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	75 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317-318, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_content\_marker

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_output\_out\_marker

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_requirement\_marker

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

PASSED

tests/test\_plugin\_integration.py::TestReportGeneration::test\_report\_writer\_integration 36ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	81 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	131 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

tests/test\_plugin\_maximal.py

26 tests

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_disabled

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

10 lines (ranges: 341-342, 345, 349-351, 362-363, 369-370)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_enabled

3ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

12 lines (ranges: 341-342, 345, 349-351, 362-363, 369-373-375)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_no\_session

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

8 lines (ranges: 341-342, 345, 349-351, 362, 366)

PASSED

tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_session\_none

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

8 lines (ranges: 341-342, 345, 349-351, 362, 366)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_llm\_enabled\_warning 3ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	83 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-293, 295-296, 300-304, 308, 310, 312, 316, 320, 324, 328-330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	29 lines (ranges: 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164-166, 168-169, 173-174, 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_validation\_errors 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	82 lines (ranges: 123, 163, 191, 194-197, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 276, 279-280, 288-293, 295-296, 300-302, 304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	25 lines (ranges: 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-160, 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_worker\_skip 1ms 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 130-132, 134-136, 138-140, 144-145, 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigureFallback::test\_pyte  
st\_configure\_fallback\_load

3ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

29 lines (ranges: 130-132,  
134-136, 138-140, 144, 148-  
149, 151, 153, 156-157, 164-  
166, 168-169, 173-174, 341-  
342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginLoadConfig::test\_load\_config  
\_cli\_overrides\_pyproject

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/options.py

72 lines (ranges: 123, 163,  
276, 279-280, 288-293, 295-  
296, 300-302, 304, 308, 310,  
312, 316, 320, 324, 328, 330,  
332, 334, 336, 340, 342, 346,  
348, 350, 352, 354, 356, 358,  
362, 366, 370, 372, 374, 380,  
384, 390, 392, 398, 400, 408-  
420, 424-432, 436, 438)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342,  
345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginLoadConfig::test\_load\_config  
\_from\_pyproject

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	65 lines (ranges: 123, 163, 276, 279-280, 288-293, 295-296, 300-304, 308, 310, 312, 316, 320, 324, 328-330, 332, 334, 336, 340, 342, 346, 348, 350-352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_disabled

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 199, 203-204, 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_worker\_skip

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 199-200, 341-342, 345, 349-351)

PASSED tests/test\_plugin\_maximal.py::TestPluginMaximal::testload\_config 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	24 lines (ranges: 123, 163, 276, 279-280, 288-290, 408-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_plugin\_maximal.py::TestPluginRuntest::test\_runtest\_makereport\_disabled 2ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	7 lines (ranges: 341-342, 345-346, 349-351)

PASSED tests/test\_plugin\_maximal.py::TestPluginRuntest::test\_runtest\_makereport\_enabled 2ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_collection\_finish\_disabled 1ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 341-342, 345, 349-351, 385-386)

PASSED tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_collection\_finish\_enabled 2ms 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	10 lines (ranges: 341-342, 345, 349-351, 385, 389-391)
---------------------------------	--

PASSED tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_sessionstart\_disabled 1ms 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	8 lines (ranges: 341-342, 345, 349-351, 402-403)
---------------------------------	--

PASSED tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_sessionstart\_enabled 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	11 lines (ranges: 341-342, 345, 349-351, 402, 406, 409, 411-412)
---------------------------------	--

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_pytest\_addoption 2ms 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	69 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 341-342, 345, 349-351)
---------------------------------	--

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_pytest\_addoption\_no\_ini 2ms 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	69 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 341-342, 345, 349-351)
---------------------------------	--

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_coverage\_calculation 3ms 3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
------------------------------------	---

src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
----------------------------------	---------------------------------

src/pytest_llm_report/plugin.py	53 lines (ranges: 199, 203, 207, 210, 229-230, 232, 234, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-266, 268, 270-273, 285-286, 291-292, 319-329, 341-342, 345, 349-351)
---------------------------------	--

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_termin  
al\_summary\_llm\_enabled

3ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	59 lines (ranges: 199, 203, 207, 210, 229-230, 232, 234, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285-286, 291-294, 297, 299, 302-304, 311-316, 319-329, 341-342, 345, 349- 351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_termin  
al\_summary\_no\_collector

2ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	45 lines (ranges: 199, 203, 207, 210, 229-230, 232, 234, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319- 329, 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_with\_aggregation 2ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	21 lines (ranges: 199, 203, 207, 210-211, 213-214, 217-218, 220, 222-226, 341-342, 345, 349-351)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummaryErrors::test\_terminal\_summary\_coverage\_error 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 163, 252)
src/pytest_llm_report/plugin.py	52 lines (ranges: 199, 203, 207, 210, 229-230, 232, 234, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-266, 276-279, 285-286, 291-292, 319-329, 341-342, 345, 349-351)



tests/test\_prompts.py

6 tests

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_balanced\_context 7ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	51 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_complete\_context 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132-133, 180)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_minimal\_context

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_balanced\_context\_limits

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_get\_test\_source\_ed  
ge\_cases

1ms

4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98- 101, 103-112, 116)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_should\_exclude

1ms

4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 191-194)

 tests/test\_prompts\_coverage.py

12 tests

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_assemble\_minimal\_mode 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_assemble\_with\_context\_override 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	50 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_excludes\_patterns 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	16 lines (ranges: 33, 132, 135-138, 140-141, 144-145, 148-149, 163, 191-193)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_file\_not\_exists 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 132, 135-138, 140-141, 144-146, 163)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_max\_bytes\_limit 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	22 lines (ranges: 33, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_no\_coverage 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 132-133)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_reaches\_max\_bytes\_before\_file 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 132, 135-138, 140-142, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_complete\_context\_delegates\_to\_balanced 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	22 lines (ranges: 33, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 180, 191-192, 194)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_empty\_nodeid

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	9 lines (ranges: 33, 78-79, 82-83, 86-89)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_extraction\_stops\_at\_next\_def

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_file\_not\_exists

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	6 lines (ranges: 33, 78-79, 82-84)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_with\_class 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

## tests/test\_ranges.py

13 tests

PASSED tests/test\_ranges.py::TestCompressRanges::test\_consecutive\_lines 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED tests/test\_ranges.py::TestCompressRanges::test\_duplicates 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_empty\_list

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_mixed\_ranges

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_non\_consecutive\_lines

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_single\_line

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_two\_consecutive

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_unsorted\_input

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_empty\_string

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_mixed

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_range

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_roundtrip

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_single\_number

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

## tests/test\_render.py

9 tests

PASSED

tests/test\_render.py::TestFormatDuration::test\_milliseconds

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test\_render.py::TestFormatDuration::test\_seconds

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_all\_outcomes

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_unknown\_outcome

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_basic\_report

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_coverage

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_llm\_annotation

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_source\_coverage

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_xpass\_summary

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

tests/test\_report\_writer.py

19 tests

PASSED tests/test\_report\_writer.py::TestComputeSha256::test\_different\_content 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test\_report\_writer.py::TestComputeSha256::test\_empty\_bytes 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_build\_run\_meta 5ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_all\_outcomes 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 312, 314-315, 317-328, 330)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_counts 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 312, 314-315, 317-322, 330)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_create\_writer 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_ass  
embles\_tests

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_incl  
udes\_coverage\_percent

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_includes\_source\_coverage 5ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_messages\_coverage 5ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	94 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_atomic\_write\_fallback 6ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	67 lines (ranges: 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506-507, 509-512, 515-516)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::testCreates  
\_directory\_if\_missing

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	86 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-477, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::testEnsure  
dir\_failure

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 470-473, 480-484)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_git\_info\_failure

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_htmlCreatesFile

34ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_html\_includes\_xfail\_summary 34ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317, 319, 321, 323-326, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_jsonCreatesFile 6ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

`tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdfCreatesFile` 128ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412, 414-423, 434-435, 437-443, 448, 453, 455, 458-462, 470-471)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_p 6ms ⚡ 4  
df\_missing\_playwright.warns

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401-405, 408)

## tests/test\_report\_writer\_coverage.py

10 tests

PASSED

tests/test\_report\_writer\_coverage.py::TestGetGitInfo::test\_git\_info\_from\_nonexistent\_path 2ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test\_report\_writer\_coverage.py::TestGetGitInfo::test\_git\_info\_from\_valid\_repo 5ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	16 lines (ranges: 67-74, 76-81, 83-84)

PASSED

tests/test\_report\_writer\_coverage.py::TestGetPluginGitInfo::test\_plugin\_git\_info\_fallback 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test\_report\_writer\_coverage.py::TestGetPluginGitInfo::test\_plugin\_git\_info\_returns\_values 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterAtomicWrite::test\_atomic\_write\_fallback 7ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_pdf\_playwright\_exception

234ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	28 lines (ranges: 156-158, 401, 410, 412, 414-416, 424-429, 432, 434-435, 448, 453, 455, 458-462, 470-471)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_pdf\_playwright\_not\_installed

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 156-158, 401-405, 408)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_resolve\_html\_sourceCreatesTemp

29ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 448, 453, 455, 458-462)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_resolve\_html\_sourceMissingHtmlFile

29ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 448-450, 453, 455, 458-462)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_reso  
lve\_html\_source\_uses\_existing

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	7 lines (ranges: 156-158, 448-451)

## tests/test\_report\_writer\_coverage\_v2.py

2 tests

PASSED

tests/test\_report\_writer\_coverage\_v2.py::test\_report\_writer\_ensure\_d  
ir\_creation

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 470-477)

PASSED

tests/test\_report\_writer\_coverage\_v2.py::test\_report\_writer\_metadata\_skips

10ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	36 lines (ranges: 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 163)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/report_writer.py	67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300)

## tests/test\_schemas.py

2 tests

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_from\_dict\_full

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_to\_dict\_full

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

 tests/test\_smoke\_pytester.py

15 tests

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_html\_report\_created 86ms 8

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408-410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-



PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_html\_summary\_counts\_all\_statuses

124ms



8

## COVERAGE

src/pytest_llm_report/collector.py	65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408-410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-328, 330, 376, 378-379,

382, 385, 388, 391-395, 470-  
471, 495, 497, 499-501, 503,  
506)

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_json\_report\_created 66ms 7

## COVERAGE

src/pytest_llm_report/collector.py	51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,  
317-320, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_llm\_annotations\_in\_report 61ms 13

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	39 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 164-168, 170-171, 175, 179-180, 183, 185-186, 188, 197, 205-206, 208)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	96 lines (ranges: 104-107, 109-111, 113, 115, 162, 166-171, 173, 175, 177, 179, 182, 184-186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413-425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	83 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-

210, 217-218, 225-226, 233,  
237, 239, 241, 243, 245, 248,  
252, 276, 279-280, 288-293,  
295-296, 300-304, 308, 310,  
312, 316, 320, 324, 328, 330,  
332, 334, 336, 340, 342, 346,  
348, 350, 352, 354, 356, 358,  
362, 366, 370, 372, 374, 380,  
384, 390, 392, 398, 400, 408,  
410-412, 414, 416, 418, 420,  
424, 426, 428, 430, 432, 436,  
438)

src/pytest\_llm\_report/plugin.py

156 lines (ranges: 40, 43-47,  
49-53, 55-59, 61-65, 67-71,  
73-78, 80-85, 89-93, 95-99,  
101-105, 107-111, 113-117,  
130-132, 134-136, 138-140,  
144, 148-149, 151, 153, 156-  
157, 164-166, 168-169, 173-  
174, 199, 203, 207, 210, 229-  
230, 237-238, 241-242, 244-  
245, 248-252, 254, 257-258,  
260, 263-264, 285, 291-294,  
297, 299, 302-306, 309, 311-  
316, 319-329, 341-342, 345,  
349-351, 362, 366, 385, 389-  
391, 402, 406, 409, 411-412)

src/pytest\_llm\_report/prompts.py

29 lines (ranges: 33, 49, 52,  
55, 58-59, 65, 78-79, 82-83,  
86-87, 92, 94, 98-101, 103-  
109, 111-112, 116)

src/pytest\_llm\_report/report\_writer.py

110 lines (ranges: 55, 67-73,  
85-86, 98-99, 102, 105-108,  
113, 127-128, 130, 156-158,  
186, 192-193, 197-198, 202,  
211-218, 222-223, 226, 230,  
233, 254, 256-259, 262-264,  
266, 268-275, 277-278, 280-  
289, 291-296, 298-299, 312,  
314-315, 317-318, 330, 340,  
343-345, 348-349, 352-354,  
357, 360-364, 470-471, 495,  
497, 499-501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_llm\_error\_is\_reported 89ms 13

## COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137-139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	21 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	36 lines (ranges: 37-38, 41, 60, 62, 80-81, 87, 89, 92, 94-95, 98, 100-101, 106, 108, 110-111, 114, 129, 131, 164-168, 170-171, 175, 179-180, 183, 205-206, 208)
src/pytest_llm_report/models.py	1 lines (ranges: 162)
src/pytest_llm_report/options.py	83 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-293, 295-296, 300-304, 308, 310, 312, 316, 320, 324, 328, 330, 332, 334, 336, 340, 342, 346, 348, 350, 352, 354, 356, 358, 362, 366, 370, 372, 374, 380, 384, 390, 392, 398, 400, 408-410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)

src/pytest_llm_report/plugin.py	156 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164-166, 168-169, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-294, 297, 299, 302-307, 311-316, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	106 lines (ranges: 55, 67-73, 85-86, 98-99, 102, 105-108, 113, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186-188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345,

348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194-196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345,

348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestOutcomes::test\_multiple\_xfail\_out  
comes 68ms 7

## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-

297, 299-300, 312, 314-315,  
317, 319, 321, 323-324, 330,  
340, 343-345, 348-349, 352-  
354, 357, 360-364, 470-471,  
495, 497, 499-501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestOutcomes::test\_skip\_outcome

57ms  7

## COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317, 319, 321-322, 330, 340,  
343-345, 348-349, 352-354,  
357, 360-364, 470-471, 495,  
497, 499-501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestOutcomes::test\_xfail\_outcome

60ms  7

## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317, 319, 321, 323-324, 330,  
340, 343-345, 348-349, 352-  
354, 357, 360-364, 470-471,  
495, 497, 499-501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestParametrization::test\_parametrize\_d\_tests 60ms 7

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	76 lines (ranges: 162, 166-171, 173, 175-177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)
src/pytest_llm_report/options.py	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410-412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
src/pytest_llm_report/report_writer.py	105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315,

317-318, 330, 340, 343-345,  
348-349, 352-354, 357, 360-  
364, 470-471, 495, 497, 499-  
501, 503, 506)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_help\_contains\_examples 49ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	41 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	88 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 341-342, 345, 349-351)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_markers\_registered 44ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	41 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	88 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 341-342, 345, 349-351)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_plugin\_registered 51ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	41 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408, 410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
src/pytest_llm_report/plugin.py	88 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 341-342, 345, 349-351)

PASSED

`tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_characters_in_nodeid` 87ms 8

## COVERAGE

<code>src/pytest_llm_report/collector.py</code>	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
<code>src/pytest_llm_report/coverage_map.py</code>	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
<code>src/pytest_llm_report/errors.py</code>	4 lines (ranges: 139-142)
<code>src/pytest_llm_report/models.py</code>	1 lines (ranges: 162)
<code>src/pytest_llm_report/options.py</code>	42 lines (ranges: 123, 163, 191, 194-195, 201-202, 209-210, 217-218, 225-226, 233, 237, 239, 241, 243, 245, 248, 252, 276, 279-280, 288-290, 408-410, 412, 414, 416, 418, 420, 424, 426, 428, 430, 432, 436, 438)
<code>src/pytest_llm_report/plugin.py</code>	136 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 130-132, 134-136, 138-140, 144, 148-149, 151, 153, 156-157, 164, 173-174, 199, 203, 207, 210, 229-230, 237-238, 241-242, 244-245, 248-252, 254, 257-258, 260, 263-264, 285, 291-292, 319-329, 341-342, 345, 349-351, 362, 366, 385, 389-391, 402, 406, 409, 411-412)
<code>src/pytest_llm_report/render.py</code>	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
<code>src/pytest_llm_report/report_writer.py</code>	101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-

 tests/test\_time.py

15 tests

PASSED

tests/test\_time.py::TestFormatDuration::test\_boundary\_one\_minute

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_microseconds\_format

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test\_time.py::TestFormatDuration::test\_milliseconds\_format

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test\_time.py::TestFormatDuration::test\_minutes\_format

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_multiple\_minutes

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_one\_second

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED tests/test\_time.py::TestFormatDuration::test\_seconds\_format 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED tests/test\_time.py::TestFormatDuration::test\_small\_milliseconds 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test\_time.py::TestFormatDuration::test\_very\_small\_microseconds 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED tests/test\_time.py::TestIsoFormat::test\_formats\_datetime\_with\_utc 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test\_time.py::TestIsoFormat::test\_formats\_naive\_datetime 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test\_time.py::TestIsoFormat::test\_formats\_with\_microseconds 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test\_time.py::TestUtcNow::test\_has\_utc\_timezone 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED tests/test\_time.py::TestUtcNow::test\_is\_current\_time 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_returns\_datetime

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

 tests/test\_token\_refresh.py

12 tests

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_command\_failure

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_empty\_output

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-109, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_force\_refresh 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_get\_token\_json \_custom\_key 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	29 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132-135, 139, 143-144, 148)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_get\_token\_json \_format 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	29 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132-135, 139, 143-144, 148)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_get\_token\_text\_format

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_invalid\_json

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

25 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-134, 149-150)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_invalidate

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_missing\_json\_key 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139-141, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_thread\_safety 52ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_timeout\_handling 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	16 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_token\_caching 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

## tests/test\_token\_refresh\_coverage.py

9 tests

PASSED tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_command\_failure\_no\_stderr 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_empty\_command\_string 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_invalid\_command\_string

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-88, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_json\_not\_dict

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	27 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-137, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_json\_token\_empty\_string

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_json\_token\_not\_string

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_oserror\_on\_execution

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	19 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113, 115-118)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_text\_only\_whitespace\_lines

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	4 lines (ranges: 132, 153-155)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_whitespace\_only\_command 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 341-342, 345, 349-351)