

Test Report

90.52%

Run ID: 21100660583-py3.12 • Generated: 2026-01-17 20:50:06 • Duration: 16.62s

Total Coverage

Plugin: v0.1.0 (b7a157f6cb9189cc50a17c846484c8454deeac61) [dirty]

Repo: v0.1.1 (bbd230383a2a826c96463a6e1f918090e21a5eb9)

387

TOTAL TESTS

387

PASSED

0

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

[Source Coverage](#) [Per Test Details](#) [Failures Only](#)

Source Coverage

| FILE | STMTS | MISS | COVER | % | COVERED LINES | MISSSED LINES |
|--------------------------------------|-------|------|-------|--------|---|------------------------|
| src/pytest_llm_report/_git_info.py | 2 | 0 | 2 | 100.0% | 2-3 | - |
| src/pytest_llm_report/aggregation.py | 116 | 5 | 111 | 95.69% | 13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 84, 87-89, 93, 103, 109-111, 113-117, 119-120, 125, 127-128, 130-131, 134-135, 141-144, 146, 148, 162, 164, 168, 170, 172, 182, 184-188, 190-191, 194, 196, 205, 217, 219-233, 235, 237, 245-246, 248-249, 251, 253-255, 259, 262-263, 265-266, 269, 271-272, 274, 276-277, 281 | 66, 90-91, 192, 203 |

| | | | | | |
|---------------------------------------|-----|----|-----|--------|--|
| src/pytest_llm_report/cache.py | 47 | 3 | 44 | 93.62% | 13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153 |
| src/pytest_llm_report/collector.py | 111 | 2 | 109 | 98.2% | 19, 21-22, 24, 26-27, 33-34, 45- 50, 52, 58, 60- 62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106- 107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140, 143, 155, 163- 164, 167-169, 141, 239 171, 173, 181- 182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-252, 254, 261, 264- 265, 268-269, 271, 277, 279, 285 |
| src/pytest_llm_report/coverage_map.py | 135 | 10 | 125 | 92.59% | 13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106- 108, 114, 116, 118, 121-122, 127, 131-135, 137-140, 144-146, 148, 150, 152- 153, 156, 160- 162, 165, 167- 168, 173, 176, 178-184, 187-189, 191, 196, 199- 200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 62, 123, 125, 128, 157, 221, 249, 251, 257, 274 |

243-244, 246-248,
250, 252-254,
259-260, 263-264,
271, 273, 276-
279, 281-283,
285, 299-300,
302, 308

src/pytest_llm_report/errors.py 35 0 35 100.0% -
8-9, 12, 25-28,
31-36, 39-42, 45-
46, 49-51, 54-55,
64-66, 68, 70,
74-76, 80, 129,
139

src/pytest_llm_report/llm/__init__.py 3 0 3 100.0% 4-5, 7 -

src/pytest_llm_report/llm/annotator.py 110 0 110 100.0% -
4, 6-10, 12-15,
21-22, 25-28, 31,
45-46, 48-50, 54,
56-57, 59, 61-62,
64, 66-68, 71-72,
74-82, 87, 97-98,
100, 102, 104-
105, 115, 127,
129-132, 137-139,
142, 165-168,
170-171, 176,
178, 180-183,
185-190, 192-193,
198-201, 203,
206, 229-232,
234, 236-237,
239-240, 245-246,
248-253, 255-256,
261-264, 266

src/pytest_llm_report/llm/base.py 78 0 78 100.0% -
13, 15-18, 26,
40, 46, 52-53,
55, 72, 75-76,
78, 80, 101, 107-
108, 110-111,
122, 128, 130,
136, 138, 147,
149, 165, 167-
173, 175, 177,
186-187, 190-192,
194-195, 198-200,
203-208, 212,
214, 220-221,
224-225, 228-230,
233, 245, 247,
249-250, 252-253,
255, 257-258,

260, 262-263,
265, 267

| | | | | | |
|-------------------------------------|-----|----|-----|--------|--|
| src/pytest_llm_report/llm/gemini.py | 278 | 23 | 255 | 91.73% | 7, 9-13, 15-16, 23-27, 30-34, 37- 42, 44-46, 48-50, 52, 57-63, 65-70, 72-73, 75-78, 80- 85, 87-88, 91-97, 99-103, 105, 107- 114, 121-122, 125, 128, 134, 136-139, 141-142, 144, 160-161, 167-169, 171-172, 174, 176-184, 186-188, 190-191, 193, 196, 200- 208, 210-211, 213-215, 217-223, 225-226, 235, 237-238, 242-243, 246-247, 249-250, 258-259, 266, 272-273, 275, 279-283, 285-289, 292-293, 298-299, 306-307, 309, 321, 323-324, 328, 333, 336- 338, 341-349, 351-352, 354, 358-361, 363, 366-372, 374-380, 386-388, 390-393, 395, 397-398, 402-408, 411, 414-416, 418-420, 422-427, 433-434, 436-440, 443-446, 448-449, 451-453 |
|-------------------------------------|-----|----|-----|--------|--|

| | | | | | | |
|---|----|---|----|--------|--|-------------------------|
| src/pytest_llm_report/llm/litellm_provider.py | 34 | 6 | 28 | 82.35% | 7, 9, 11-12, 18, 21, 37-38, 44, 46, 49, 51-52, 54-56, 66-67, 69, 71, 76, 78, 80, 82, 93, 99-100, 102 | 72, 83-84, 86-87, 89 |
|---|----|---|----|--------|--|-------------------------|

| | | | | | | |
|-----------------------------------|----|---|----|--------|--|---|
| src/pytest_llm_report/llm/noop.py | 13 | 0 | 13 | 100.0% | 8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66 | - |
|-----------------------------------|----|---|----|--------|--|---|

src/pytest_llm_report/llm/ollama.py 45 2 43 95.56% 7, 9, 11-12, 18, 24, 40-41, 47, 50, 52, 54-55, 57-60, 62, 64-65, 71, 73, 76-77, 79-80, 82, 86, 92-93, 95-97, 101, 107, 109, 119, 121-122, 132, 137, 139-140

src/pytest_llm_report/llm/schemas.py 36 1 35 97.22% 8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130

src/pytest_llm_report/models.py 243 10 233 95.88% 17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-115, 118-119, 141-157, 159-160, 162, 164, 166, 173-177, 179-188, 190, 192, 194-196, 199-200, 208-209, 211, 213, 219-220, 229-231, 233, 235, 239-241, 244-245, 254-256, 258, 260, 267-268, 277-279, 281, 283, 287-289, 292-293, 330-359, 361-366, 368, 370, 388-411, 413-425, 428-429, 443-451, 453, 455, 465, 467, 470-471, 488-498, 500, 506, 508, 514-518, 520, 522, 524, 526, 528

src/pytest_llm_report/options.py 117 45 72 61.54% 106, 146, 175, 178-180, 185-187, 193-195, 201-203, 209-218, 220, 224, 233, 248, 251-267, 270-283, 286-295, 298, 300 13-15, 21-22, 90-94, 97-99, 102-105, 122-123, 126-132, 135-137, 140-142, 145, 156-160, 163-164, 167, 169, 222, 227, 236

src/pytest_llm_report/plugin.py 151 24 127 84.11% 40, 43, 49, 55, 61, 67, 73, 80, 89, 95, 101, 107, 113, 121, 126, 131, 136, 142, 147, 153, 169, 173, 177, 183-184, 187-188, 190, 192, 195-197, 203-204, 212-213, 238-239, 242-243, 246, 249-250, 252-253, 256-257, 259, 261-265, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 307, 309-312, 315-316, 324-325, 330-333, 336, 338, 341-346, 348, 350, 358-359, 380-381, 384-385, 388-390, 401-402, 405, 408-409, 412-414, 424-425, 428-430, 441-442, 445, 448, 450-451 13, 15-17, 19-20, 22, 28-31, 34, 160, 216, 320-321, 326-327, 372-373, 393, 417, 433-434

src/pytest_llm_report/prompts.py 75 5 70 93.33% 13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116, 118, 132-133, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 165, 180, 182, 191-194 80, 114, 142, 146, 149

| | | | | | | |
|--|-----|----|-----|--------|---|---|
| src/pytest_llm_report/renderer.py | 50 | 0 | 50 | 100.0% | 13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196 | - |
| src/pytest_llm_report/report_writer.py | 167 | 10 | 157 | 94.01% | 13, 15-25, 27-29, 46, 55, 58, 67- 68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 116, 127-128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256-259, 262-264, 266, 268, 303, 312, 314-315, 317-328, 330, 332, 340, 343- 345, 348-349, 352-354, 357, 360, 368, 376, 378-379, 382, 385, 388, 391, 399, 401-402, 408, 410, 412, 414-423, 434-435, 437-439, 447-448, 453, 455, 458, 461-462, 464, 470-474, 480-481, 488, 495, 497, 499-501, 503, 506-507, 509, 515-516 | 113, 135-137, 424-425, 432, 449-451 |
| src/pytest_llm_report/utils/fs.py | 34 | 3 | 31 | 91.18% | 11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 40, 65, 67 79, 82, 100, 103, 111-113, 116-117, 119-121, 123 | |

src/pytest_llm_report/ut
il/hashing.py 36 0 36 100.0% 12, 14-17, 23,
32, 35, 44-48,
51, 61, 64, 73-
74, 76-78, 80-81, -
86, 96, 103-104,
107, 113-114,
116-121

src/pytest_llm_report/ut
il/ranges.py 33 0 33 100.0% 12, 15, 29-30,
33, 35-37, 39-40,
42, 45-47, 50,
52, 55, 65-67,
70, 81-82, 84-91,
93, 95

src/pytest_llm_report/ut
il/time.py 16 0 16 100.0% 4, 6, 9, 15, 18,
27, 30, 39-44, -
46-48

tests/test_aggregation.py

10 tests

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy 2ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/aggregation.py | 69 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113- 117, 119, 125, 127-128, 130- 131, 134, 141, 146, 148-153, 155, 157-159, 170, 217, 219- 223, 235, 245, 248-249, 251, 253, 276-279, 281) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists 4ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/aggregation.py | 7 lines (ranges: 52, 55-57, 109-111) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy 3ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/aggregation.py | 77 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134, 141, 146, 148-153, 155, 157-159, 170, 182, 184-188, 190-191, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 276-279, 281) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_configured 1ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/aggregation.py | 3 lines (ranges: 44, 52-53) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports 1ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/aggregation.py | 9 lines (ranges: 52, 55-57, 109-110, 113-114, 170) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations 2ms ⚡ 4

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/aggregation.py | 81 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 130-131, 134-137, 141-144, 146, 148-153, 155, 157-159, 170, 182, 184-188, 194, 217, 219-223, 235, 245, 248-249, 251, 253, 276-279, 281) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 34 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 162, 166-171, 173, 175, 177, 179, 182-186, 188, 190, 192, 194, 196) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage

2ms



COVERAGE

src/pytest_llm_report/aggregation.py

66 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119, 125, 127-128, 148-155, 157-159, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 276-279, 281)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_aggregation.py::TestAggregator::test_load_coverage_from_source

3ms



COVERAGE

src/pytest_llm_report/aggregation.py

19 lines (ranges: 245-246, 248-249, 251, 253-257, 259, 262-263, 265-266, 269, 271-272, 274)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_aggregation.py::TestAggregator::test_recalculate_summary

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

17 lines (ranges: 217, 219-233, 235)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED tests/test_aggregation.py::TestAggregator::test_skips_invalid_json 3ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/aggregation.py | 71 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109-110, 113-117, 119-120, 125, 127-128, 148-153, 155, 157-159, 162, 164-166, 168, 170, 182, 184-186, 194, 217, 219-220, 235, 245, 248-249, 251, 253, 276-279, 281) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_aggregation_maximal.py

1 tests

PASSED tests/test_aggregation_maximal.py::TestAggregationMaximal::test_recalculate_summary_coverage 1ms ⚡ 4

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/aggregation.py | 10 lines (ranges: 44, 217, 219-225, 235) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_annotator.py

7 tests

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped

2ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation

3ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 64 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137, 139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261, 266) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotation_handles_failures

2ms



5

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104-112, 129-135, 137-139, 229-232, 234, 236-237, 239, 245-246, 248-253, 255, 261-264, 266) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator.py::TestAnnotateTests::test_progress_reporting

2ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation

12.00s



COVERAGE

src/pytest_llm_report/cache.py

1 lines (ranges: 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203)

src/pytest_llm_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/annotator.py

2 lines (ranges: 45-46)

src/pytest_llm_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable 1ms 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 7 lines (ranges: 45, 48-52, 54) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_annotator_maximal.py

4 tests

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_concurrent_with_progress_and_errors 2ms 4

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 28 lines (ranges: 229-232, 234, 236-237, 239-242, 245-246, 248-253, 255-258, 261-264, 266) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_sequential_rate_limit_wait

2ms



4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 23 lines (ranges: 165-168, 170-171, 173-174, 176, 178, 180-183, 185-190, 192, 198, 203) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_tests_cached_progress

2ms



5

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 37 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-98, 100, 127, 129-135, 137, 139) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_annotator_maximal.py::TestAnnotatorAdvanced::test_annotation_provider_unavailable

1ms

4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 7 lines (ranges: 45, 48-52, 54) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_base_coverage_v2.py

2 tests

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_malformed_json_after_extract

1ms

5

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 10 lines (ranges: 52-53, 186-187, 190-191, 194-195, 220-221) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_non_string_fields 1ms 5

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 22 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203-207, 212, 214-218) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_base_maximal.py

9 tests

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_gemini_provider 1ms 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265) |
| src/pytest_llm_report/llm/gemini.py | 7 lines (ranges: 134, 136-139, 141-142) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_base_maximal.py::TestGetProvider::test_get_invalid_provider 2ms 4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 7 lines (ranges: 245, 247, 249, 252, 257, 262, 267) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_base_maximal.py::TestGetProvider::test_get_litellm_provider 1ms 4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_base_maximal.py::TestGetProvider::test_get_noop_provider 1ms 5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 6 lines (ranges: 52-53, 245, 247, 249-250) |
| src/pytest_llm_report/llm/noop.py | 1 lines (ranges: 32) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_ollama_provider

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_available_caches_result

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 6 lines (ranges: 52-53, 107-108, 110-111) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_model_name_defaults_to_config

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 3 lines (ranges: 52-53, 136) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_rate_limits_defaults_to_none 1ms 4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 3 lines (ranges: 52-53, 128) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_is_local_defaults_to_false 1ms 4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 3 lines (ranges: 52-53, 147) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_cache.py

7 tests

PASSED

tests/test_cache.py::TestHashSource::test_consistent_hash 1ms 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/cache.py | 1 lines (ranges: 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_cache.py::TestHashSource::test_different_source_different_hash

1ms  3

COVERAGE

src/pytest_llm_report/cache.py

1 lines (ranges: 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_cache.py::TestHashSource::test_hash_length

1ms  3

COVERAGE

src/pytest_llm_report/cache.py

1 lines (ranges: 153)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_cache.py::TestLlmCache::test_clear

1ms  4

COVERAGE

src/pytest_llm_report/cache.py

26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_cache.py::TestLlmCache::test_does_not_cache_errors

1ms  4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/cache.py | 11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_cache.py::TestLlmCache::test_get_missing

1ms  4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/cache.py | 9 lines (ranges: 39-41, 53, 55-56, 118-119, 121) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_cache.py::TestLlmCache::test_set_and_get

1ms  4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/cache.py | 28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_opt_out_default_false

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_disabled_by_default

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed

1ms



COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector.py::TestTestCollector::test_create_collector

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector.py::TestTestCollector::test_get_results_sorted

1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector.py::TestTestCollector::test_handle_collection_finish 1ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_collector_maximal.py

14 tests

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_disabled_via_handle_report 2ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stderr 1ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stdout

1ms



COVERAGE

src/pytest_llm_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_truncated

1ms



COVERAGE

src/pytest_llm_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_create_result_with_item_markers

3ms



COVERAGE

src/pytest_llm_report/collector.py

35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_repr_crash

1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_error_string

1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_fallback

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_string

1ms



COVERAGE

src/pytest_llm_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_tuple

1ms



COVERAGE

src/pytest_llm_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_collection_report_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtест_rerun

1ms



COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtест_setup_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtест_teardown_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py

38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_model_parsing_edge_cases 1ms ⚡ 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/gemini.py | 17 lines (ranges: 134, 136-139, 141-142, 391, 393, 423-430) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_rate_limiter_edge_math 1ms ⚡ 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_models_to_dict_variants 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 46 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper 1ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 2 lines (ranges: 44-45) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings 1ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 3 lines (ranges: 44-45, 308) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file 1ms ⚡ 5

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases 1ms 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context 1ms 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 4 lines (ranges: 44-45, 216-217) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup 1ms 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 9 lines (ranges: 44-45, 216, 220, 224-225, 228-230) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase

1ms



4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------------|---|
| src/pytest_llm_report/coverage_map.py | 11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236) |
|---------------------------------------|---|

| | |
|----------------------------------|----------------------------|
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
|----------------------------------|----------------------------|

| | |
|---------------------------------|---|
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
|---------------------------------|---|

tests/test_coverage_map_maximal.py

9 tests

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_full_logic

2ms



6

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------------|--|
| src/pytest_llm_report/coverage_map.py | 57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236) |
|---------------------------------------|--|

| | |
|----------------------------------|----------------------------|
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
|----------------------------------|----------------------------|

| | |
|---------------------------------|---|
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
|---------------------------------|---|

| | |
|----------------------------------|--|
| src/pytest_llm_report/util/fs.py | 17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123) |
|----------------------------------|--|

| | |
|--------------------------------------|--|
| src/pytest_llm_report/util/ranges.py | 13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67) |
|--------------------------------------|--|

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_no_contexts 1ms 5

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_nodeid_variants 1ms 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_no_files 1ms ⚡ 5

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 9 lines (ranges: 44-45, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_read_error 2ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_with_parallel_files 3ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_coverage_no_data 1ms 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 5 lines (ranges: 44-45, 58-60) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_analysis_error 1ms 5

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123) |

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_comprehensive 2ms ⚡ 6

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/coverage_map.py | 32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123) |
| src/pytest_llm_report/util/ranges.py | 14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66) |

tests/test_errors.py

3 tests

PASSED

tests/test_errors.py::test_make_warning

1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_errors.py::test_warning_code_values

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381,
384, 388-390)

PASSED

tests/test_errors.py::test_warning_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/errors.py

6 lines (ranges: 70-72, 74-
76)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381,
384, 388-390)

tests/test_errors_maximal.py

6 tests

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_kno
wn_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 139-142)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381,
384, 388-390)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_unknown_code

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 139-142)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_with_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

4 lines (ranges: 139-142)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_errors_maximal.py::TestWarningCodes::test_codes_are_strings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_no_detail

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

5 lines (ranges: 70-72, 74, 76)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_with_detail

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/errors.py

6 lines (ranges: 70-72, 74, 76)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

tests/test_fs.py

12 tests

PASSED

tests/test_fs.py::TestIsPythonFile::test_non_python_file

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

src/pytest_llm_report/util/fs.py

1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestIsPythonFile::test_python_file

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 1 lines (ranges: 79) |

PASSED

tests/test_fs.py::TestMakeRelative::test_makes_path_relative

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64) |

PASSED

tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 7 lines (ranges: 30, 33, 36, 39, 42, 55-56) |

PASSED

tests/test_fs.py::TestNormalizePath::test_already_normalized

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 5 lines (ranges: 30, 33, 36, 39, 42) |

PASSED

tests/test_fs.py::TestNormalizePath::test_forward_slashes

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 5 lines (ranges: 30, 33, 36, 39, 42) |

PASSED

tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 5 lines (ranges: 30, 33, 36, 39, 42) |

PASSED tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123) |

PASSED tests/test_fs.py::TestShouldSkipPath::test_normal_path 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123) |

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_git 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113) |

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_pycache

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113) |

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_venv

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/fs.py | 10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113) |

tests/test_gemini_advanced.py

4 tests

PASSED

tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_pruning

1ms  3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 11 lines (ranges: 39-42, 81-85, 87-88) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_rpm_limit 1ms 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_tpm_limit 1ms 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_gemini_advanced.py::TestGeminiRateLimiter::test_wait_for_slot 1ms 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_record_zero_to_kens 1ms 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 6 lines (ranges: 39-42, 66-67) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_requests_per_day_exhaustion 1ms 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_limiter_tpm_fallback_wait 1ms 3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 24 lines (ranges: 39-42, 66-68-70, 81-82, 84, 87-88, 100-101, 103, 105, 107-108, 110-114) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_gemini_coverage_v2.py::test_gemini_provider_rpm_coldown 592ms ⚡ 6

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 23 lines (ranges: 52-53, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 117 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-223, 225-226, 235, 237-238, 242-244, 246-247, 280-283, 286, 288-296, 298-301, 303-304, 306-307, 352, 354-356, 358-359, 387-388, 391-392) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_gemini_provider.py

5 tests

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_rate_limit_retry 4ms 4

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/gemini.py | 181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-215, 217-222, 225-226, 235, 237-238, 242-244, 246-247, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336-339, 341-347, 349, 352, 354-356, 358-361, 366-369, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_success 4ms 4

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/gemini.py | 173 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-226, 235, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-349, 352, 354-356, 358-361, 366-369, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_availability 3ms 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/gemini.py | 10 lines (ranges: 134, 136-139, 141-142, 272-273, 275) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpd_limit 1ms  3

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpm_limit 1ms  3

COVERAGE

| | |
|-------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/gemini.py | 27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_hashing.py

13 tests

PASSED tests/test_hashing.py::TestComputeConfigHash::test_different_config 1ms  4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 8 lines (ranges: 96-101, 103-104) |

PASSED

tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash

1ms



COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 8 lines (ranges: 96-101, 103-104) |

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes

1ms



COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 6 lines (ranges: 32, 44-48) |

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_hashes_file

1ms



COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 5 lines (ranges: 44-48) |

PASSED tests/test_hashing.py::TestComputeHmac::test_different_key 1ms ⚡ 3

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 61) |

PASSED tests/test_hashing.py::TestComputeHmac::test_with_key 1ms ⚡ 3

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 61) |

PASSED tests/test_hashing.py::TestComputeSha256::test_consistent 1ms ⚡ 3

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 32) |

PASSED tests/test_hashing.py::TestComputeSha256::test_length 1ms ⚡ 3

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 1 lines (ranges: 32) |

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest 81ms ⚡ 3

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 8 lines (ranges: 113-114, 116-121) |

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict 83ms ⚡ 3

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 8 lines (ranges: 113-114, 116-121) |

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_loads_key 1ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 5 lines (ranges: 73, 76-77, 80-81) |

PASSED tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file 1ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 4 lines (ranges: 73, 76-78) |

PASSED tests/test_hashing.py::TestLoadHmacKey::test_no_key_file 1ms ⚡ 4

COVERAGE

| | |
|---------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/hashing.py | 2 lines (ranges: 73-74) |

tests/test_integration_gate.py

16 tests

PASSED tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_false

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 4 lines (ranges: 107, 147, 224, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_secret_exclude_globs

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_deterministic_output 14ms ⚡ 5

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_empty_test_suite 7ms 5

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 67 lines (ranges: 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_html_report_ 39ms 6
generation

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 113 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_json_report_ 58ms 7
generation

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/_git_info.py | 2 lines (ranges: 2-3) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 133 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-322, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_me_ta_has_aggregation_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_me_ta_has_status_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

tests/test_llm.py

9 tests

PASSED

tests/test_llm.py::TestGetProvider::test_gemini_returns_provider

1ms  5

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/base.py

10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)

src/pytest_llm_report/llm/gemini.py

7 lines (ranges: 134, 136-139, 141-142)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED tests/test_llm.py::TestGetProvider::test_litellm_returns_provider 1ms ⚡ 4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_llm.py::TestGetProvider::test_none_returns_noop 1ms ⚡ 5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 6 lines (ranges: 52-53, 245, 247, 249-250) |
| src/pytest_llm_report/llm/noop.py | 1 lines (ranges: 32) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_llm.py::TestGetProvider::test_ollama_returns_provider 1ms ⚡ 4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm.py::TestGetProvider::test_unknown_raises

1ms  4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 7 lines (ranges: 245, 247, 249, 252, 257, 262, 267) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface

1ms  5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/noop.py | 1 lines (ranges: 32) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm.py::TestNoopProvider::test_annotation_returns_empty

1ms  5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 50) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm.py::TestNoopProvider::test_get_model_name_empty

1ms  5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 66) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm.py::TestNoopProvider::test_is_available

1ms  5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 107, 110-111) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 58) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |



tests/test_llm_annotator.py

6 tests

PASSED

tests/test_llm_annotator.py::test_annotate_tests_emits_summary

1ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/cache.py | 20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84) |

PASSED

tests/test_llm_annotator.py::test_annotate_tests_reports_progress

1ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/cache.py | 20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84) |

PASSED

`tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit` 1ms ⚡ 6

COVERAGE

| | |
|---|--|
| <code>src/pytest_llm_report/cache.py</code> | 20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153) |
| <code>src/pytest_llm_report/collector.py</code> | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| <code>src/pytest_llm_report/llm/annotator.py</code> | 65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203) |
| <code>src/pytest_llm_report/options.py</code> | 3 lines (ranges: 107, 147, 224) |
| <code>src/pytest_llm_report/plugin.py</code> | 6 lines (ranges: 380-381, 384, 388-390) |
| <code>src/pytest_llm_report/prompts.py</code> | 12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84) |

PASSED tests/test_llm_annotator.py::test_annotate_tests_respects_rate_limit 1ms 6

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/cache.py | 20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-173, 176, 178, 180-183, 185-190, 192, 198, 203) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84) |

PASSED tests/test_llm_annotator.py::test_annotate_tests_skips_unavailable_provider 1ms 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 7 lines (ranges: 45, 48-52, 54) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_annotator.py::test_annotate_tests_uses_cache

1ms  6

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/cache.py | 30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153) |
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/annotator.py | 69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-98, 100, 102, 104, 115-122, 127, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192, 198, 203) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84) |

 tests/test_llm_contract.py

13 tests

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields

1ms  2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict 1ms 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/schemas.py | 5 lines (ranges: 77-81) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_empty 1ms 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/schemas.py | 5 lines (ranges: 77-81) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_partial 1ms 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/schemas.py | 5 lines (ranges: 77-81) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields

1ms



2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict

1ms



3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/schemas.py

7 lines (ranges: 90-92, 94-96, 98)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory

1ms



5

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/base.py

6 lines (ranges: 52-53, 245, 247, 249-250)

src/pytest_llm_report/llm/noop.py

1 lines (ranges: 32)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider

1ms



5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/noop.py | 1 lines (ranges: 32) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation

1ms



5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 50) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation

1ms



5

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 50) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 50) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/noop.py | 2 lines (ranges: 32, 50) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method 1ms 6

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 15 lines (ranges: 52-53, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265) |
| src/pytest_llm_report/llm/gemini.py | 7 lines (ranges: 134, 136-139, 141-142) |
| src/pytest_llm_report/llm/noop.py | 1 lines (ranges: 32) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

 tests/test_llm_providers.py

31 tests

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_handles_context_too_large

1ms



COVERAGE

| | |
|-------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175) |
| src/pytest_llm_report/llm/gemini.py | 153 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 237, 249-250, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 352, 354-356, 358-361, 366-369, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423-424, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency

1ms



COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/gemini.py | 12 lines (ranges: 134, 136-139, 141-142, 160-164) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token 1ms 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/gemini.py | 12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_records_tokens 1ms 6

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 183 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-223, 225-226, 235, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-349, 352, 354-356, 358-361, 366-372, 374, 376-377, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

`tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit` 1ms 6

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 181 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-226, 235, 237-238, 242-244, 246-247, 280-283, 286-289, 292, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336-339, 341-347, 349, 352, 354-356, 358-361, 366-372, 374-375, 380-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate rotates_models_on_daily_limit

1ms



COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 177 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210, 213-214, 217-222, 225-226, 235, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374, 376, 378-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425-426, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_skips_on_daily_limit

1ms



6

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 184 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210-211, 213-214, 217-222, 225-226, 235, 258-260, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374, 376, 378-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_success_with_mock_response

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 177 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-226, 235, 280-283, 286-289, 292, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374-383, 387-388, 391-393, 397-398, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

`tests/test_llm_providers.py::TestGeminiProvider::test_exhausted_mode
l_recovers_after_24h`

1ms



6

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 190 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-188, 190-191, 193-194, 196, 200-208, 210-211, 213-214, 217-222, 225-226, 235, 258-260, 280-283, 286-289, 292-296, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374, 376, 378-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_fetch_available_models_error 1ms 5

COVERAGE

| | |
|-------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/gemini.py | 65 lines (ranges: 134, 136-139, 141-142, 286, 288-289, 292-296, 298-301, 303-304, 306-307, 352, 354-356, 358-361, 366-369, 380-383, 391, 393, 397-398, 402-408, 411, 414-416, 418-420, 423-424, 434, 436-438, 441-442) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_model_list_ref
resses_after_interval 1ms 6

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/gemini.py | 169 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-222, 225-226, 235, 280-283, 286-289, 292, 298-301, 303-304, 306-307, 321, 323-326, 328-331, 333-334, 336, 341-347, 349, 352, 354-356, 358-361, 366-372, 374-375, 380-383, 387-388, 391-393, 397-399, 402-405, 407-408, 411, 414-416, 418-420, 423, 425, 427-430, 434, 436-440, 443-446, 448-449, 451-453) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error

1ms



5

COVERAGE

| | |
|---|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175) |
| src/pytest_llm_report/llm/litellm_provider.py | 18 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 80, 82) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_invaid_key_assertions

1ms



6

COVERAGE

| | |
|---|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 22 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209) |
| src/pytest_llm_report/llm/litellm_provider.py | 21 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69, 71, 76) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_missing_dependency

1ms



COVERAGE

| | |
|---|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/litellm_provider.py | 5 lines (ranges: 37-41) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response

1ms



COVERAGE

| | |
|---|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/litellm_provider.py | 20 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69, 78) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_with_module

1ms



5

COVERAGE

| | |
|---|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 107, 110-111) |
| src/pytest_llm_report/llm/litellm_provider.py | 3 lines (ranges: 99-100, 102) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallbacks_on_context_length_error

1ms



6

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 33 lines (ranges: 52-53, 72, 75-76, 78, 165, 167-173, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/ollama.py | 15 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62, 64-65, 71) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handles_call_error

1ms



COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175) |
| src/pytest_llm_report/llm/ollama.py | 17 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-59, 73, 76-77, 79-80, 82-83) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx

1ms



COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 5 lines (ranges: 52-53, 72, 75, 80) |
| src/pytest_llm_report/llm/ollama.py | 5 lines (ranges: 40-44) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_success_full_flow

1ms



COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/ollama.py | 29 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62, 71, 119, 121-128, 132-135, 137, 139-140) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_success

1ms



COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/ollama.py | 16 lines (ranges: 119, 121-128, 132-135, 137, 139-140) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_uses_default_model

1ms



COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/ollama.py | 16 lines (ranges: 119, 121-128, 132-135, 137, 139-140) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_failure

1ms



COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/ollama.py | 6 lines (ranges: 92-93, 95-96, 98-99) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_non_200 1ms 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/ollama.py | 5 lines (ranges: 92-93, 95-97) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_success 1ms 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/ollama.py | 5 lines (ranges: 92-93, 95-97) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_llm_providers.py::TestOllamaProvider::test_is_local_returns_true 1ms 5

COVERAGE

| | |
|-------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 2 lines (ranges: 52-53) |
| src/pytest_llm_report/llm/ollama.py | 1 lines (ranges: 107) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_json

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 7 lines (ranges: 52-53, 186-187, 190-192) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-52, 55) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_key_assertions

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 16 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_code_fence

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/schemas.py | 6 lines (ranges: 38, 42-44, 46-47) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_plain_fence

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/schemas.py | 6 lines (ranges: 38, 42-44, 46-47) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response _success

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/base.py | 20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_models.py

29 tests

PASSED

tests/test_models.py::TestArtifactEntry::test_to_dict

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 4 lines (ranges: 260-263) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestCollectionError::test_to_dict

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 3 lines (ranges: 213-215) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestCoverageEntry::test_to_dict

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 4 lines (ranges: 40-43) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestLlmAnnotation::test_empty_annotation

1ms  2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 8 lines (ranges: 104-107, 109, 111, 113, 115) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_field

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 10 lines (ranges: 104-107, 109-111, 113-115) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestReportRoot::test_default_report

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestReportRoot::test_report_with_collection_errors

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 58 lines (ranges: 213-215, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514-516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_models.py::TestReportRoot::test_report_with_warnings 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 60 lines (ranges: 235-237, 239, 241, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 73 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_models.py::TestReportWarning::test_to_dict_with_detail 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 6 lines (ranges: 235-237, 239-241) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_models.py::TestReportWarning::test_to_dict_without_detail 1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 5 lines (ranges: 235-237, 239, 241) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_models.py::TestRunMeta::test_aggregation_fields_present 1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 39 lines (ranges: 283-285, 287-289, 370-386, 388, 391, 393, 396, 399, 401, 403, 405-411, 413, 425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_models.py::TestRunMeta::test_llm_fields_excluded_when_disabled 1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestRunMeta::test_llm_traceability_fields

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 40 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413-425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports

1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 49 lines (ranges: 283-285, 287-289, 370-386, 388-411, 413, 425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestRunMeta::test_run_status_fields

1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 29 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_format

1ms  2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_in_repo_rt_root

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 54 lines (ranges: 370-386, 388, 391, 393, 396, 399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestSourceCoverageEntry::test_to_dict

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 8 lines (ranges: 71-78) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_minimal

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 5 lines (ranges: 283-285, 287, 289) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_with_run_id

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 6 lines (ranges: 283-285, 287-289) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestSummary::test_to_dict

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 11 lines (ranges: 455-463, 465, 467) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestTestCaseResult::test_minimal_result

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_coverage

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 24 lines (ranges: 40-43, 162, 166-171, 173, 175, 177, 179, 182-184, 186, 188, 190, 192, 194, 196) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out 1ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 20 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186-188, 190, 192, 194, 196) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_rerun 1ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 21 lines (ranges: 162, 166-171, 173, 175, 177, 179-182, 184, 186, 188, 190, 192, 194, 196) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields 1ms 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 19 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestConfig::test_default_values

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestConfig::test_get_default_config

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 233) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestConfig::test_is_llm_enabled

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_aggregate_policy

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-197, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_context_mode

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

20 lines (ranges: 107, 147, 175, 178-179, 185-189, 193-194, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_include_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-205, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED tests/test_options.py::TestConfig::test_validate_invalid_provider 1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 19 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_options.py::TestConfig::test_validate_numeric_ranges 1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 22 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209-218, 220) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_options.py::TestConfig::test_validate_valid_config 1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_options.py::TestLoadConfig::test_load_aggregation_options 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 28 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286-294, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_options.py::TestLoadConfig::test_load_config_invalid_int_ini 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 28 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263-267, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_options.py::TestLoadConfig::test_load_coverage_source 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 25 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestLoadConfig::test_load_defaults

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 24 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_overrides_ini

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 27 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270-272, 274, 276, 278, 280-282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_retries

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 25 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282-283, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_ini

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 32 lines (ranges: 107, 147, 248, 251-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

tests/test_options_extended.py

13 tests

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_aggregation_settings

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_all_output_paths

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_capture_settings 1ms 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_compliance_settings 1ms 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_coverage_settings 1ms 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_custom_exclude_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

1 lines (ranges: 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_include_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_invocation_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

1 lines (ranges: 107)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_execution_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_params_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_llm_settings

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_repo_root_path

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_extended.py::TestConfigAnnotations::test_valid_phase_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)



tests/test_options_maximal.py

10 tests

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_exclude_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_redact_patterns

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 107, 147)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigDefaultsMaximal::test_default_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

3 lines (ranges: 107, 147, 233)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigHelpersMaximal::test_is_llm_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

3 lines (ranges: 107, 147, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_aggregate_policy

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-197, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_context_mode

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

20 lines (ranges: 107, 147, 175, 178-179, 185-189, 193-194, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_include_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

20 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-205, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_invalid_provider

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

19 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_numeric_bounds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

21 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209-217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_options_maximal.py::TestConfigValidationMaximal::test_validate_valid_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

17 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

33 lines (ranges: 107, 147, 248, 251-259, 261, 263-265, 270, 272-276, 278, 280, 282, 286, 288, 290-292, 294, 298, 300)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_context_marker

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_op
t_out_marker 1ms 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------|--|
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
|---------------------------------|--|

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_requir
ement_marker 1ms 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------|--|
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
|---------------------------------|--|

PASSED

tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration 36ms ⚡ 6

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 81 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 131 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506) |

tests/test_plugin_maximal.py

26 tests

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

10 lines (ranges: 380-381, 384, 388-390, 401-402, 408-409)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

12 lines (ranges: 380-381, 384, 388-390, 401-402, 408-412-414)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_no_session

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 380-381, 384, 388-390, 401, 405)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_session_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 380-381, 384, 388-390, 401, 405)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_llm_enabled_warning

3ms



3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 44 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300) |
| src/pytest_llm_report/plugin.py | 29 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 380-381, 384, 388-390) |

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_validation_errors

3ms



3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 43 lines (ranges: 107, 147, 175, 178-181, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 248, 251-253, 255, 257, 259, 261, 263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300) |
| src/pytest_llm_report/plugin.py | 25 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-199, 380-381, 384, 388-390) |

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_worker_skip

1ms

2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

17 lines (ranges: 169-171, 173-175, 177-179, 183-184, 380-381, 384, 388-390)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigureFallback::test_pytest_configure_fallback_load

3ms

2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

29 lines (ranges: 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 380-381, 384, 388-390)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_all_ini_options

2ms

3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

31 lines (ranges: 107, 147, 248, 251-263, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294-295, 298, 300)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381, 384, 388-390)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config
_cli_overrides_ini

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

38 lines (ranges: 107, 147,
248, 251, 253, 255, 257, 259-
263, 270-283, 286-295, 298,
300)

src/pytest_llm_report/plugin.py

6 lines (ranges: 380-381,
384, 388-390)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

9 lines (ranges: 238, 242-
243, 380-381, 384, 388-390)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_worker_skip

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/plugin.py

8 lines (ranges: 238-239,
380-381, 384, 388-390)

PASSED tests/test_plugin_maximal.py::TestPluginMaximal::testload_config 3ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 36 lines (ranges: 107, 147, 248, 251, 253, 255, 257, 259, 261, 263, 270-283, 286-295, 298, 300) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_disabled 2ms ⚡ 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 7 lines (ranges: 380-381, 384-385, 388-390) |

PASSED tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_makereport_enabled 2ms ⚡ 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_disabled 1ms ⚡ 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 8 lines (ranges: 380-381, 384, 388-390, 424-425) |

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_collection_finish_enabled 2ms ⚡ 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------|--|
| src/pytest_llm_report/plugin.py | 10 lines (ranges: 380-381, 384, 388-390, 424, 428-430) |
|---------------------------------|--|

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_disabled 1ms ⚡ 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------|--|
| src/pytest_llm_report/plugin.py | 8 lines (ranges: 380-381, 384, 388-390, 441-442) |
|---------------------------------|--|

PASSED tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_enabled 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|----------------------------------|----------------------------|
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
|----------------------------------|----------------------------|

| | |
|---------------------------------|--|
| src/pytest_llm_report/plugin.py | 11 lines (ranges: 380-381, 384, 388-390, 441, 445, 448, 450-451) |
|---------------------------------|--|

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest _addoption 2ms 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------|---|
| src/pytest_llm_report/plugin.py | 99 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 380-381, 384, 388-390) |
|---------------------------------|---|

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest _addoption_ini 2ms 2

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
|------------------------------------|---|

| | |
|---------------------------------|---|
| src/pytest_llm_report/plugin.py | 99 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 380-381, 384, 388-390) |
|---------------------------------|---|

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_coverage_calculation

4ms



COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 53 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 307, 309-312, 324-325, 330-331, 358-368, 380-381, 384, 388-390) |

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_llm_enabled

3ms



COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 59 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324-325, 330-333, 336, 338, 341-343, 350-355, 358-368, 380-381, 384, 388-390) |

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_no_collector 2ms ⚡ 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 45 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390) |

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_with_aggregation 2ms ⚡ 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 21 lines (ranges: 238, 242, 246, 249-250, 252-253, 256-257, 259, 261-265, 380-381, 384, 388-390) |

PASSED tests/test_plugin_maximal.py::TestPluginTerminalSummaryErrors::test_terminal_summary_coverage_error 4ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285) |
| src/pytest_llm_report/options.py | 3 lines (ranges: 107, 147, 224) |
| src/pytest_llm_report/plugin.py | 52 lines (ranges: 238, 242, 246, 249, 268-269, 271, 273, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-305, 315-318, 324-325, 330-331, 358-368, 380-381, 384, 388-390) |

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_balanced_context 7ms ⚡ 4

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 51 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194) |

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_complete_context 1ms ⚡ 4

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 34 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 132-133, 180) |

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_minimal_context

1ms



4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116) |

PASSED

tests/test_prompts.py::TestContextAssembler::test_balanced_context_limits

1ms



4

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 34 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-156, 158-159, 163, 191-192, 194) |

PASSED

tests/test_prompts.py::TestContextAssembler::test_get_test_source_ed
ge_cases

1ms



COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98- 101, 103-112, 116) |

PASSED

tests/test_prompts.py::TestContextAssembler::test_should_exclude

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 1 lines (ranges: 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/prompts.py | 5 lines (ranges: 33, 191-194) |

tests/test_ranges.py

13 tests

PASSED

tests/test_ranges.py::TestCompressRanges::test_consecutive_lines

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 12 lines (ranges: 29, 33, 35- 37, 39-40, 42, 50, 52, 65, 67) |

PASSED

tests/test_ranges.py::TestCompressRanges::test_duplicates

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67) |

PASSED

tests/test_ranges.py::TestCompressRanges::test_empty_list

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 2 lines (ranges: 29-30) |

PASSED

tests/test_ranges.py::TestCompressRanges::test_mixed_ranges

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67) |

PASSED tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines 1ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66) |

PASSED tests/test_ranges.py::TestCompressRanges::test_single_line 1ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66) |

PASSED tests/test_ranges.py::TestCompressRanges::test_two_consecutive 1ms ⚡ 3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67) |

PASSED

tests/test_ranges.py::TestCompressRanges::test_unsorted_input

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67) |

PASSED

tests/test_ranges.py::TestExpandRanges::test_empty_string

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 2 lines (ranges: 81-82) |

PASSED

tests/test_ranges.py::TestExpandRanges::test_mixed

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 11 lines (ranges: 81, 84-91, 93, 95) |

PASSED

tests/test_ranges.py::TestExpandRanges::test_range

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 10 lines (ranges: 81, 84-91, 95) |

PASSED

tests/test_ranges.py::TestExpandRanges::test_roundtrip

1ms  3

COVERAGE

| | |
|--------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95) |

PASSED

tests/test_ranges.py::TestExpandRanges::test_single_number

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/ranges.py | 7 lines (ranges: 81, 84-87, 93, 95) |

 tests/test_render.py

9 tests

PASSED

tests/test_render.py::TestFormatDuration::test_milliseconds

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 2 lines (ranges: 65, 67) |

PASSED

tests/test_render.py::TestFormatDuration::test_seconds

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 2 lines (ranges: 65-66) |

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 8 lines (ranges: 79-85, 87) |

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 8 lines (ranges: 79-85, 87) |

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249) |

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage

1ms



COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249) |

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation

1ms



COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249) |

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249) |

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary

1ms  3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249) |



tests/test_report_writer.py

19 tests

PASSED tests/test_report_writer.py::TestComputeSha256::test_different_content 1ms ⚡ 3

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 1 lines (ranges: 55) |

PASSED tests/test_report_writer.py::TestComputeSha256::test_empty_bytes 1ms ⚡ 3

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 1 lines (ranges: 55) |

PASSED tests/test_report_writer.py::TestReportWriter::test_build_run_meta 5ms ⚡ 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300) |

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_all_outcomes 1ms 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 19 lines (ranges: 156-158, 312, 314-315, 317-328, 330) |

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_counts 1ms 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 13 lines (ranges: 156-158, 312, 314-315, 317-322, 330) |

PASSED tests/test_report_writer.py::TestReportWriter::test_create_writer 1ms 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 3 lines (ranges: 156-158) |

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_ass
embles_tests

5ms



COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330) |

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_incl
udes_coverage_percent

6ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 93 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330) |

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage

5ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 92 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330) |

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_messages_coverage

5ms



COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 94 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback 6ms ⚡ 5

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 67 lines (ranges: 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506-507, 509-512, 515-516) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::testCreates_directory_if_missing

7ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 86 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 235-237, 239, 241, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516-518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-477, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::testEnsure_dir_failure

1ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 12 lines (ranges: 156-158, 470-473, 480-484) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure

1ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 9 lines (ranges: 67-73, 85-86) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_htmlCreatesFile

34ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 115 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-320, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary 36ms ⚡ 6

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317, 319, 321, 323-326, 330, 376, 378-379, 382, 385, 388, 391-395, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_jsonCreatesFile 6ms ⚡ 5

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 80 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 117 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdfCreatesFile 37ms ⚡ 6

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 125 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401, 410, 412, 414-423, 434-435, 437-443, 448, 453, 455, 458-462, 470-471) |

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_p 6ms ⚡ 4
df_missing_playwright_warns

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 401-405, 408) |

tests/test_report_writer_coverage_v2.py

PASSED

tests/test_report_writer_coverage_v2.py::test_report_writer_ensure_dir_creation 1ms ⚡ 4

COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 11 lines (ranges: 156-158, 470-477) |

PASSED

tests/test_report_writer_coverage_v2.py::test_report_writer_metadata_skips

10ms



COVERAGE

| | |
|--|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/models.py | 36 lines (ranges: 370-386, 388-399, 401, 403, 405, 407, 409, 413, 425) |
| src/pytest_llm_report/options.py | 2 lines (ranges: 107, 147) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/report_writer.py | 67 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300) |

tests/test_schemas.py

2 tests

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full

1ms



COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/schemas.py | 5 lines (ranges: 77-81) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full

1ms  3

COVERAGE

| | |
|--------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/llm/schemas.py | 8 lines (ranges: 90-92, 94-98) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |

 tests/test_smoke_pytester.py

15 tests

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_report_created 89ms 8

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, |

382, 385, 388, 391-395, 470-
471, 495, 497, 499-501, 503,
506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html
_summary_counts_all_statuses 127ms 8

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 111 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296- |

297, 299-300, 312, 314-315,
317-328, 330, 376, 378-379,
382, 385, 388, 391-395, 470-
471, 495, 497, 499-501, 503,
506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_json_report_created 74ms 7

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, |

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317-320, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_annotations_in_report 81ms 13

COVERAGE

| | |
|---|--|
| src/pytest_llm_report/cache.py | 20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153) |
| src/pytest_llm_report/collector.py | 39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/llm/annotator.py | 69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137, 139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198, 203) |
| src/pytest_llm_report/llm/base.py | 39 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218, 245, 247, 249, 252, 257-258, 260) |
| src/pytest_llm_report/llm/litellm_provider.py | 23 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 66-67, 69, 78, 99-100, 102) |
| src/pytest_llm_report/llm/schemas.py | 7 lines (ranges: 38, 42-43, 50-53) |
| src/pytest_llm_report/models.py | 96 lines (ranges: 104-107, 109-111, 113, 115, 162, 166-171, 173, 175, 177, 179, 182, 184-186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413-425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 47 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-259, 261, 263-265, 270, 272- |

274, 276, 278, 280, 282, 286,
288, 290, 292, 294, 298, 300)

src/pytest_llm_report/plugin.py

186 lines (ranges: 40, 43-47,
49-53, 55-59, 61-65, 67-71,
73-78, 80-85, 89-93, 95-99,
101-105, 107-111, 113-117,
121-124, 126-129, 131-134,
136-140, 142-145, 147-151,
153-156, 169-171, 173-175,
177-179, 183, 187-188, 190,
192, 195-196, 203-205, 207-
208, 212-213, 238, 242, 246,
249, 268-269, 276-277, 280-
281, 283-284, 287-291, 293,
296-297, 299, 302-303, 324,
330-333, 336, 338, 341-345,
348, 350-355, 358-368, 380-
381, 384, 388-390, 401, 405,
424, 428-430, 441, 445, 448,
450-451)

src/pytest_llm_report/prompts.py

29 lines (ranges: 33, 49, 52,
55, 58-59, 65, 78-79, 82-83,
86-87, 92, 94, 98-101, 103-
109, 111-112, 116)

src/pytest_llm_report/report_writer.py

105 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-296, 298-
299, 312, 314-315, 317-318,
330, 340, 343-345, 348-349,
352-354, 357, 360-364, 470-
471, 495, 497, 499-501, 503,
506)

PASSED

tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported 91ms 13

COVERAGE

| | |
|---|---|
| src/pytest_llm_report/cache.py | 12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153) |
| src/pytest_llm_report/collector.py | 39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/llm/annotator.py | 73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-98, 100, 102, 104, 115-122, 129-135, 137-139, 165-168, 170-171, 173-174, 176, 178, 180, 185-190, 192-195, 198-201, 203) |
| src/pytest_llm_report/llm/base.py | 21 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 136, 147, 165, 167, 175, 245, 247, 249, 252, 257-258, 260) |
| src/pytest_llm_report/llm/litellm_provider.py | 21 lines (ranges: 37-38, 44, 46, 49, 51-52, 54-60, 62-63, 80, 82, 99-100, 102) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 47 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 186 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203-205, 207-208, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280- |

281, 283-284, 287-291, 293,
296-297, 299, 302-303, 324,
330-333, 336, 338, 341-346,
350-355, 358-368, 380-381,
384, 388-390, 401, 405, 424,
428-430, 441, 445, 448, 450-
451)

src/pytest_llm_report/prompts.py

29 lines (ranges: 33, 49, 52,
55, 58-59, 65, 78-79, 82-83,
86-87, 92, 94, 98-101, 103-
109, 111-112, 116)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40,
42-46, 50-51, 53, 65, 67, 79-
85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

101 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222, 226-
227, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-296, 298-
299, 312, 314-315, 317-318,
330, 376, 378-379, 382, 385,
388, 391-395, 470-471, 495,
497, 499-501, 503, 506)

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186-188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296- |

297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173, 175, 177, 179, 182, 184, 186, 188, 190, 192, 194-196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296- |

297, 299-300, 312, 314-315,
317-318, 330, 340, 343-345,
348-349, 352-354, 357, 360-
364, 470-471, 495, 497, 499-
501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_multiple_xfail_out
comes 65ms 7

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, |

262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_skip_outcome

58ms  7

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 107 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277- |

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321-322, 330, 340,
343-345, 348-349, 352-354,
357, 360-364, 470-471, 495,
497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestOutcomes::test_xfail_outcome

60ms  7

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 47 lines (ranges: 78-79, 90-93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173-175, 177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 108 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277- |

278, 280-289, 291-294, 296-
297, 299-300, 312, 314-315,
317, 319, 321, 323-324, 330,
340, 343-345, 348-349, 352-
354, 357, 360-364, 470-471,
495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestParametrization::test_parametrize_d_tests 62ms 7

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 76 lines (ranges: 162, 166-171, 173, 175-177, 179, 182, 184, 186, 188, 190, 192, 194, 196, 370-386, 388, 391, 393, 396-399, 401, 403, 405, 407, 409, 413, 425, 455-463, 465, 467, 506, 508-512, 514, 516, 518, 520, 522, 524, 526, 528) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272-274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/report_writer.py | 105 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277- |

278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 340, 343-345, 348-349, 352-354, 357, 360-364, 470-471, 495, 497, 499-501, 503, 506)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_help_contains_examples 51ms ⚡ 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 380-381, 384, 388-390) |

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered 46ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 380-381, 384, 388-390) |

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered 53ms 3

COVERAGE

| | |
|------------------------------------|--|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/options.py | 45 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270, 272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 118 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 380-381, 384, 388-390) |

PASSED

tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_characters_in_nodeid 92ms ⚡ 8

COVERAGE

| | |
|--|--|
| src/pytest_llm_report/collector.py | 40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285) |
| src/pytest_llm_report/coverage_map.py | 12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90) |
| src/pytest_llm_report/errors.py | 4 lines (ranges: 139-142) |
| src/pytest_llm_report/models.py | 1 lines (ranges: 162) |
| src/pytest_llm_report/options.py | 46 lines (ranges: 107, 147, 175, 178-179, 185-186, 193-194, 201-202, 209, 211, 213, 215, 217, 220, 224, 248, 251-253, 255-259, 261, 263-265, 270-272, 274, 276, 278, 280, 282, 286, 288, 290, 292, 294, 298, 300) |
| src/pytest_llm_report/plugin.py | 166 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 80-85, 89-93, 95-99, 101-105, 107-111, 113-117, 121-124, 126-129, 131-134, 136-140, 142-145, 147-151, 153-156, 169-171, 173-175, 177-179, 183, 187-188, 190, 192, 195-196, 203, 212-213, 238, 242, 246, 249, 268-269, 276-277, 280-281, 283-284, 287-291, 293, 296-297, 299, 302-303, 324, 330-331, 358-368, 380-381, 384, 388-390, 401, 405, 424, 428-430, 441, 445, 448, 450-451) |
| src/pytest_llm_report/render.py | 25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107) |
| src/pytest_llm_report/report_writer.py | 101 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 312, 314-315, 317-318, 330, 376, 378-379, |

tests/test_time.py

15 tests

PASSED tests/test_time.py::TestFormatDuration::test_boundary_one_minute 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 6 lines (ranges: 39, 41, 43, 46-48) |

PASSED tests/test_time.py::TestFormatDuration::test_microseconds_format 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 2 lines (ranges: 39-40) |

PASSED tests/test_time.py::TestFormatDuration::test_milliseconds_format 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 3 lines (ranges: 39, 41-42) |

PASSED

tests/test_time.py::TestFormatDuration::test_minutes_format

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 6 lines (ranges: 39, 41, 43, 46-48) |

PASSED

tests/test_time.py::TestFormatDuration::test_multiple_minutes

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 6 lines (ranges: 39, 41, 43, 46-48) |

PASSED

tests/test_time.py::TestFormatDuration::test_one_second

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 4 lines (ranges: 39, 41, 43-44) |

PASSED tests/test_time.py::TestFormatDuration::test_seconds_format 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 4 lines (ranges: 39, 41, 43-44) |

PASSED tests/test_time.py::TestFormatDuration::test_small_milliseconds 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 3 lines (ranges: 39, 41-42) |

PASSED tests/test_time.py::TestFormatDuration::test_very_small_microseconds 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 2 lines (ranges: 39-40) |

PASSED tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

PASSED tests/test_time.py::TestIsoFormat::test_formats_naive_datetime 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

PASSED tests/test_time.py::TestIsoFormat::test_formats_with_microseconds 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

PASSED tests/test_time.py::TestUtcNow::test_has_utc_timezone 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

PASSED tests/test_time.py::TestUtcNow::test_is_current_time 1ms ⚡ 3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

PASSED

tests/test_time.py::TestUtcNow::test_returns_datetime

1ms  3

COVERAGE

| | |
|------------------------------------|---|
| src/pytest_llm_report/collector.py | 14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210) |
| src/pytest_llm_report/plugin.py | 6 lines (ranges: 380-381, 384, 388-390) |
| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |