

# Test Report

93.2%

Run ID: 21185014668-py3.12 • Generated: 2026-01-20 19:50:36 • Duration: 119.74s

Plugin: v0.2.0 (a03dbe622cdc018f89b74731aed91adf1a582867) [dirty]

Repo: v0.2.0 (3750eb0fb037182d25905d3c3e49b3d0ae48c8aa)

Total Coverage

617

TOTAL TESTS

616

PASSED

1

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

[Source Coverage](#)   [Per Test Details](#)   [Failures Only](#)

## Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest\_llm\_report/aggregation.py 119 6 113 94.96% 13, 15-19, 21,  
35, 38, 44, 46,  
52-53, 55-57, 59,  
61-64, 69, 73-74,  
77-80, 84, 87-89,  
93, 103, 109,  
112-114, 116-120,  
122-123, 128,  
130-131, 133-134,  
137-138, 144-147,  
150, 152, 154, 66, 90-91, 110,  
168, 170, 174, 198, 209  
176, 178, 188,  
190-194, 196-197,  
200, 202, 211,  
223, 225-239,  
241, 243, 251-  
252, 254-255,  
257, 259-261,  
265, 268-269,  
271-272, 275,  
277-278, 280,  
282-283, 287

src/pytest\_llm\_report/calculator.py 47 3 44 93.62% 13, 15-19, 21,  
27, 33, 39-41,  
43, 53, 55-56,  
58, 60-62, 68-69,  
78, 86, 88, 90, 64-65, 130  
92, 94, 97, 103,  
107, 118-119,  
121, 123, 129,  
132-136, 141,  
144, 153

src/pytest\_llm\_report/collector.py 111 1 110 99.1% 19, 21-22, 24,  
26-27, 33-34, 45-  
50, 52, 58, 60-  
62, 69, 78-79,  
81, 90, 93-94,  
96, 99-104, 106-  
107, 109-112,  
114-119, 121-122,  
124, 127-128,  
130, 132-133,  
135-137, 140-141,  
143, 155, 163-  
164, 167-169, 239  
171, 173, 181-  
182, 185-189,  
191, 198-200,  
202, 209-210,  
212-214, 216,  
218, 227-228,  
230-236, 238,  
241, 250-252,  
254, 261, 264-

265, 268-269,  
271, 277, 279,  
285

src/pytest_llm_report/context_util.py	53	3	50	94.34%	13-15, 18, 27, 29-31, 33, 35-36, 38-41, 47-49, 51- 52, 55-59, 61-62, 64, 66-69, 72, 53, 83-84 81-82, 86, 88-90, 93, 96, 108, 111, 124, 126-127, 129-130, 133, 135
---------------------------------------	----	---	----	--------	---

src/pytest_llm_report/coverage_map.py	135	6	129	95.56%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106- 108, 114, 116, 118, 121-122, 127-128, 131-135, 137-140, 144-146, 148, 150, 152- 153, 156, 160- 162, 165, 167- 168, 173, 176, 62, 123, 125, 178-184, 187-189, 157, 221, 251 191, 196, 199- 200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-250, 252-254, 257, 259-260, 263-264, 271, 273-274, 276-279, 281-283, 285, 299-300, 302, 308
---------------------------------------	-----	---	-----	--------	---

src/pytest_llm_report/errors.py	36	0	36	100.0%	8-9, 12, 25-28, 31-36, 39-42, 45- 46, 49-51, 54-55, 64-66, 68, 70, 73, 77-79, 83, 132, 142
---------------------------------	----	---	----	--------	---

src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7
---------------------------------------	---	---	---	--------	--------

src/pytest_llm_report/llm/annotator.py	154	21	133	86.36%	4, 6-10, 12-15, 21-22, 25-30, 33, 47-48, 50-52, 56, 58-59, 65, 67-68, 70, 73-74, 76, 84, 86-90, 95-96, 98-99, 106-107, 112-113, 116, 121-126, 130, 132, 134, 137, 139, 151, 176- 177, 179, 181, 183-184, 194, 206, 208-211, 216-218, 221, 244-247, 249-250, 255, 257, 259- 262, 264-265, 272-274, 276, 278-279, 284-285, 287-288, 293-296, 298, 301, 324- 327, 329, 331, 337, 339, 345- 346, 348-349, 351-354, 356-357, 362-363, 365, 371-374, 376	77-81, 155-163, 168, 281-282, 340, 359-360, 366
src/pytest_llm_report/llm/base.py	152	7	145	95.39%	13, 15-18, 20, 30, 33, 47, 50, 53, 59, 65-66, 68, 87-88, 96, 101, 103, 105, 128, 134-135, 137-138, 149, 155, 157, 163, 165, 174, 176, 185-186, 188, 191-198, 200, 202, 212, 214- 217, 219-222, 224, 232, 243, 245, 262, 264- 265, 268-270, 272-273, 275, 279-280, 287-289, 291-292, 304, 308-309, 311, 313, 315, 317, 319, 321, 323- 324, 329, 332- 333, 335, 341- 343, 346-347, 349-350, 354-355, 358-359, 362, 364, 366, 368, 377-378, 381-383,	91-92, 230, 281, 316, 344, 360

385-386, 389-391,  
394-399, 403,  
405, 411-412,  
415-416, 419-421,  
424, 436, 438,  
440-441, 443-444,  
446, 448-449,  
451, 453-454,  
456, 458

8, 10-13, 20, 23-  
24, 27-29, 31-32,  
34, 36-37, 39,  
44, 53-55, 58,  
67-68, 70, 73,  
92-93, 95, 97,  
103-106, 108-110, 156  
112, 122-123,  
126-128, 136,  
139, 154-155,  
158, 160, 162-  
165, 168-174,  
179-183, 185-191,  
193

7, 9-13, 15-16,  
23-27, 30-34, 37-  
42, 44-46, 48-50,  
52, 57-63, 65-70,  
72-73, 75-78, 80-  
85, 87-89, 91-97,  
99-114, 121-122,  
125, 128, 134-  
135, 137-141,  
143-144, 146,  
164-166, 173-175,  
178, 181-182,  
184, 186-189,  
191-192, 198-206,  
208-210, 212-213,  
215, 218, 221-  
230, 232-233,  
235-237, 239-243,  
246-247, 249-252,  
254-255, 259,  
261, 263, 268,  
272-276, 279-281,  
283, 288-293,  
295, 299-305,  
308-309, 311-312,  
318-319, 322,  
326, 332-333,  
335, 339-343,  
345-349, 352-353,  
358-359, 366-367,  
369, 383, 385-  
386, 390, 410,

src/pytest\_llm\_report/llm/batching.py 74 1 73 98.65%

src/pytest\_llm\_report/llm/gemini.py 325 7 318 97.85%

413-415, 418-422,  
424-427, 432,  
434-435, 437,  
441-444, 446,  
449-463, 469,  
471-473, 475-478,  
480, 486, 488-  
491, 493, 495,  
497-498, 502-508,  
511, 514-516,  
518-521, 523-528,  
534, 537, 539-  
543, 547-548,  
550-559, 562-564,  
567-570, 574

src/pytest_llm_report/llm/litellm_provider.py	77	1	76	98.7%	8, 10, 12-13, 21, 31, 37-38, 41-42, 44, 51, 60-62, 64, 82-83, 89, 92, 95-96, 98, 100-101, 104, 106-107, 112, 114, 116, 120, 122, 124-126, 129-130, 132, 135, 137, 139, 141-142, 144, 148, 170, 182- 183, 186-188, 190, 192-193, 196-198, 204, 206, 211, 213, 215, 221-222, 224, 227-231, 234, 236, 242- 243, 245	207
---	----	---	----	-------	--	-----

src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 51, - 53, 59, 61, 67	-
-----------------------------------	----	---	----	--------	--	---

src/pytest_llm_report/llm/ollama.py	72	1	71	98.61%	7, 9, 11-12, 18, 24, 42-43, 49, 52-53, 55, 58, 60-61, 63-67, 70, 74-77, 83, 85-86, 92, 94, 96-98, 100-101, 103, 107, 113-114, 116-118, 122, 128, 130, 138, 140, 142-144, 149-150, 156, 158, 160-162, 165-167, 172-173, 178, 180, 190,	90
-------------------------------------	----	---	----	--------	---	----

192-193, 204,  
209, 211-212

src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130	39
--------------------------------------	----	---	----	--------	--	----

src/pytest_llm_report/llm/token_refresh.py	71	0	71	100.0%	7, 9-14, 17, 20, 23-24, 36-39, 41- 43, 47, 59-60, 63-66, 69-72, 74, 83, 85-88, 90-91, 93, 101-103, 107- 109, 111, 113- 116, 120, 132- 136, 139-140, 143-145, 148-150, 153-156, 158, 160-162	-
--	----	---	----	--------	--	---

src/pytest_llm_report/models.py	253	2	251	99.21%	17-18, 20, 23, 26-27, 36-38, 40, 49-50, 59-61, 63, 65, 72-73, 86-92, 94, 96, 107-108, 120-126, 128, 130, 135-141, 143, 146-147, 169-185, 187-188, 190, 192, 194, 201-224, 227-228, 236-237, 239, 241, 247-248, 257-259, 261, 263, 270-271, 280-282, 284, 286, 290-292, 295-296, 333-362, 364-372, 374, 376, 394-417, 419-437, 440-441, 455-463, 465, 467, 477-479, 482-483, 500-510, 512, 518, 520, 526-540	42, 142
---------------------------------	-----	---	-----	--------	--	---------

src/pytest_llm_report/options.py	268	57	211	78.73%	<p>122, 170, 199,      202-204, 209-211,      217-219, 225-227,      233-235, 241-242,      245-254, 257-259,      265-267, 271-274,      276, 284, 293,      308, 311-312,      320-325, 327,      332-337, 340-345,      348-349, 352-353,      356-357, 360-369,      372-375, 378-393,      396-397, 400-405,      408-409, 412-413,      416-421, 426-427,      430-431, 436-439,      444-447, 449,      451, 453, 460-      461, 463-464,      466-467, 470-475,      479, 482-495,      498, 502-503,      507, 510, 514-      515, 519-520,      524, 527, 531,      534-536, 540-541,      545-546, 550,      553, 557, 560,      564-565, 569,      572-574, 578,      581-584, 587,      591-592, 596,      599-608, 611, 613</p>
src/pytest_llm_report/plugin.py	182	24	158	86.81%	<p>41, 44, 50, 56,      62, 68, 74, 81,      90, 96, 102, 108,      114, 122, 128,      134, 142, 148,      155, 161, 169,      176, 185, 192,      199, 208, 215,      223, 229, 235,      241, 247, 254,      260, 268, 274,      283, 289, 297,      304, 311, 328,      332, 336, 342-      343, 346-347,      349, 351, 354-      356, 362-363,      371-372, 399-400, 13, 15-18, 20-21,      403-404, 407, 23, 29-32, 35,      410-411, 413-414, 319, 377, 481-      417-418, 420, 482, 488, 548-      422-426, 429-430, 549, 571, 595,      432, 434, 437- 611-612</p>

438, 441-442,  
444-445, 448-452,  
454, 457-458,  
460, 463-466,  
468, 470-473,  
476-477, 485-487,  
491-494, 497,  
499, 502-507,  
509, 512-514,  
516-521, 523,  
534-535, 558-559,  
562-563, 566-568,  
579-580, 583,  
586-587, 590-592,  
602-603, 606-608,  
619-620, 623,  
626, 628-629

src/pytest\_llm\_report/pr  
ompts.py 110 3 107 97.27%  
13, 15-17, 24,  
27, 33, 35, 49,  
52, 55, 58-61,  
63, 65, 67, 78-  
79, 82-84, 86-87,  
92, 94-95, 98-  
101, 103-112,  
114, 116, 118,  
139-140, 142-144,  
147, 152-153,  
155-157, 159-161, 80, 185, 233  
163-164, 166-167,  
170-171, 173,  
177, 180, 189,  
192-194, 196-197,  
201, 203, 216-  
217, 219-220,  
223-228, 231-232,  
235-237, 239-240,  
242-247, 249,  
251, 268, 275,  
284-287

src/pytest\_llm\_report/re  
nder.py 65 6 59 90.77%  
13, 15-16, 18,  
24, 30-31, 34,  
40, 42, 50-51,  
53, 56, 65-67,  
70, 79, 87, 90,  
99, 101-102, 107,  
110, 121-124,  
126-129, 131-134,  
140-142, 147,  
155-157, 159,  
172-177, 191,  
210-211, 224,  
267, 269, 285  
148-149, 212,  
217-218, 222

src/pytest_llm_report/report_writer.py	167	3	164	98.2%	13, 15-25, 27-29, 46, 55, 58, 67- 68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 113, 116, 127- 128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256- 259, 262-264, 266, 268, 310, 319, 321-322, 324-335, 337, 339, 347, 350- 352, 355-356, 359-361, 364, 367, 375, 383, 385-386, 389, 392, 395, 398, 406, 408-409, 415, 417, 419, 421-432, 439, 441-442, 444-446, 454-458, 460, 462, 465, 468- 469, 471, 477- 481, 487-488, 495, 502, 504, 506-508, 510, 513-514, 516, 522-523	135-137
src/pytest_llm_report/utils/fs.py	34	1	33	97.06%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-65, 67, 40 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	
src/pytest_llm_report/utils/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121	

src/pytest_llm_report/ut il/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
--	----	---	----	--------	--	---

src/pytest_llm_report/ut il/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-
--	----	---	----	--------	---	---

## Per Test Details

### tests/test\_adaptive\_prompts.py 9 tests

PASSED tests/test\_adaptive\_prompts.py::TestComplexityEstimation::test\_compl  
ex\_test\_high\_complexity 1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	17 lines (ranges: 65-66, 185, 188, 191-198, 200, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_adaptive\_prompts.py::TestComplexityEstimation::test\_empty  
\_source\_zero\_complexity 1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 185- 186, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestComplexityEstimation::test\_simple\_test\_low\_complexity 2ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	17 lines (ranges: 65-66, 185, 188, 191-198, 200, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestConfigValidation::test\_invalid\_prompt\_tier 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-261, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestConfigValidation::test\_valid\_prompt\_tiers

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestPromptTierSelection::test\_auto\_tier\_complex\_test

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-220, 222, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestPromptTierSelection::test\_auto\_tier\_simple\_test

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestPromptTierSelection::test\_minimal\_tier\_override

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 212, 214-215, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_adaptive\_prompts.py::TestPromptTierSelection::test\_standar\_d\_tier\_override

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 212, 214, 216-217, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_aggregation.py

10 tests

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_all\_policy 2ms



3

## COVERAGE

src/pytest_llm_report/aggregation.py	71 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 133-134, 137, 144, 150, 152, 154-159, 161, 163-165, 176, 223, 225-229, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_aggregation.py::TestAggregator::test\_aggregate\_dir\_not\_exists 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/aggregation.py	8 lines (ranges: 52, 55-57, 109, 112-114)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_aggregation.py::TestAggregator::test\_aggregate\_latest\_policy 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/aggregation.py	79 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 133-134, 137, 144, 150, 152, 154-159, 161, 163-165, 176, 188, 190-194, 196-197, 200, 223, 225-229, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_dir\_configured 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/aggregation.py	3 lines (ranges: 44, 52-53)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_reports 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/aggregation.py	10 lines (ranges: 52, 55-57, 109, 112-113, 116-117, 176)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_coverage\_and\_llm\_annotations 2ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/aggregation.py	83 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 133-134, 137-140, 144-147, 150, 152, 154-159, 161, 163-165, 176, 188, 190-194, 200, 223, 225-229, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	35 lines (ranges: 65-68, 130-133, 135-137, 139, 141, 143, 190, 194-199, 201, 203, 205, 207, 210-214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_source\_coverage

2ms



3

## COVERAGE

src/pytest\_llm\_report/aggregation.py

67 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122, 128, 130-131, 154-161, 163-165, 176, 188, 190-192, 200, 223, 225-226, 241, 251, 254-255, 257, 259, 282-285, 287)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_load\_coverage\_from\_source

3ms



## COVERAGE

src/pytest\_llm\_report/aggregation.py

19 lines (ranges: 251-252, 254-255, 257, 259-263, 265, 268-269, 271-272, 275, 277-278, 280)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_recalculate\_summary

1ms



## COVERAGE

src/pytest\_llm\_report/aggregation.py

17 lines (ranges: 223, 225-239, 241)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_aggregation.py::TestAggregator::test\_skips\_invalid\_json 3ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/aggregation.py	72 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 84, 87-89, 93-100, 109, 112-113, 116-120, 122-123, 128, 130-131, 154-159, 161, 163-165, 168, 170-172, 174, 176, 188, 190-192, 200, 223, 225-226, 241, 251, 254-255, 257, 259, 282-285, 287)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_aggregation\_maximal.py

1 tests

PASSED tests/test\_aggregation\_maximal.py::TestAggregationMaximal::test\_recalculate\_summary\_coverage 1ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/aggregation.py	10 lines (ranges: 44, 223, 225-231, 241)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_annotator.py

13 tests

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_batch\_optimization\_message 1ms 5

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-91, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287-290, 293, 298)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_cached\_progress\_reporting 1ms 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	50 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-128, 130, 134, 151, 176-177, 179, 206, 208-214, 216, 218)
src/pytest_llm_report/llm/batching.py	18 lines (ranges: 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_cached\_tests\_are\_skipped 2ms ⚡ 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	91 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-124, 130, 132, 134, 137, 139-146, 151, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287, 293, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation 3ms ⚡ 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	86 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183-191, 208-214, 216, 218, 324-327, 329, 331-335, 337, 339, 345-346, 348-349, 351-354, 356-357, 362-363, 365, 371, 376)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation\_handles\_failures 2ms ⚡ 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	90 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183-191, 208-214, 216-218, 324-327, 329, 331-335, 337, 339, 345-346, 348-349, 351-354, 356-357, 362-363, 365, 371-374, 376)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_annotator.py::TestAnnotateTests::test\_progress\_reporting 2ms ⚡ 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	92 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287-290, 293, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_reports\_progress\_messages

1ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	92 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287-290, 293, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

`tests/test_annotator.py::TestAnnotateTests::test_respects_opt_out_and_limit` 1ms 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	87 lines (ranges: 47, 50-51, 58-59, 65, 67-68, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287, 293, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_annotator.py::TestAnnotateTests::test\_respects\_rate\_limit 1ms ⚡ 6

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	90 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-252, 255, 257, 259-262, 264-269, 272-274, 276, 278-279, 284-285, 287, 293, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_sequential\_annotation

12.00s



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	90 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259-262, 264-269, 272-274, 276, 278-279, 284-285, 287, 293, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_sequential\_annotation\_error\_tracking

24.00s



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216-218, 244-247, 249-250, 252-253, 255, 257, 259-262, 264-269, 272-274, 276, 278-279, 284-285, 287, 293-296, 298)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_disabled

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 47-48)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_provider\_unavailable 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 47, 50-54, 56)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_base\_coverage\_v2.py

2 tests

PASSED

tests/test\_base\_coverage\_v2.py::test\_base\_parse\_response\_malformed\_json\_after\_extract 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 377-378, 381-382, 385-386, 411-412)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_coverage\_v2.py::test\_base\_parse\_response\_non\_string\_fields 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 377-378, 381-382, 385-386, 389-391, 394-398, 403, 405-409)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_base\_maximal.py

9 tests

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_gemini\_provider 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 436, 438, 440, 443, 448, 453-454, 456)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_invalid\_provider

2ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 436, 438, 440, 443, 448, 453, 458)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_litellm\_provider

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 436, 438, 440, 443, 448-449, 451)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_noop\_provider

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestGetProvider::test\_get\_ollama\_provider

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 436, 438, 440, 443-444, 446)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_available\_caches\_result

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 134-135, 137-138)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_get\_model\_name\_defaults\_to\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 163)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_get\_rate\_limits\_defaults\_to\_none

1ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 155)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_base\_maximal.py::TestLlmProviderDefaults::test\_is\_local\_defaults\_to\_false

1ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 174)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_batching.py

17 tests

PASSED

tests/test\_batching.py::TestBuildBatchPrompt::test\_context\_files\_included

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	19 lines (ranges: 34, 39, 154-155, 158, 160, 179-183, 185-191, 193)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestBuildBatchPrompt::test\_parametrized\_batch\_prompt

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/batching.py

22 lines (ranges: 34, 39-40, 154-155, 158, 160, 162-166, 168-175, 185, 193)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestBuildBatchPrompt::test\_single\_test\_prompt

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/batching.py

13 lines (ranges: 34, 39, 154-155, 158, 160, 179-183, 185, 193)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestComputeSourceHash::test\_consistent\_hash

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/batching.py

2 lines (ranges: 67, 70)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestComputeSourceHash::test\_different\_source  
\_different\_hash

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 67, 70)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestComputeSourceHash::test\_empty\_source

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 67-68)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestConfigValidation::test\_batch\_max\_tests\_m  
inimum

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271-273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestConfigValidation::test\_context\_line\_padding\_non\_negative

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestConfigValidation::test\_invalid\_context\_compression

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestConfigValidation::test\_valid\_context\_compression

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGetBaseNodeid::test\_nested\_params

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53-54)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGetBaseNodeid::test\_parametrized\_nodeid

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53-54)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGetBaseNodeid::test\_simple\_nodeid

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGroupTestsForBatching::test\_batch\_max\_size\_respected

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	24 lines (ranges: 53-54, 67-68, 92-93, 95, 103-106, 108-110, 122-123, 126-132, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGroupTestsForBatching::test\_batching\_disabled

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	6 lines (ranges: 92-93, 95, 97-99)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGroupTestsForBatching::test\_parametrized\_tests\_grouped

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	27 lines (ranges: 34, 39-40, 53-54, 67, 70, 92-93, 95, 103-106, 108-110, 122-123, 126-132, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_batching.py::TestGroupTestsForBatching::test\_single\_tests\_no\_grouping

1ms

4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/llm/batching.py	18 lines (ranges: 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136)
---------------------------------------	--

src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
----------------------------------	----------------------------

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

## tests/test\_cache.py

7 tests

PASSED

tests/test\_cache.py::TestHashSource::test\_consistent\_hash

1ms

3

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
--------------------------------	-----------------------

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test\_cache.py::TestHashSource::test\_different\_source\_different\_hash

1ms

3

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
--------------------------------	-----------------------

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test\_cache.py::TestHashSource::test\_hash\_length

1ms  3

#### COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_cache.py::TestLlmCache::test\_clear

1ms  4

#### COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_cache.py::TestLlmCache::test\_does\_not\_cache\_errors

1ms  4

#### COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_cache.py::TestLlmCache::test\_get\_missing

1ms  4

## COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_cache.py::TestLlmCache::test\_set\_and\_get

1ms  4

## COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_collector.py

11 tests

PASSED

tests/test\_collector.py::TestCollectorCollectionErrors::test\_collection\_error\_structure

1ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestCollectorCollectionErrors::test\_get\_collection\_errors\_initially\_empty 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_context\_override\_default\_none 1ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_opt\_out\_default\_false 1ms ⚡ 2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_enabled\_by\_default 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_max\_chars\_default

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_failed\_is\_xfailed

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_passed\_is\_xpassed

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestTestCollector::test\_create\_collector 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestTestCollector::test\_get\_results\_sorted 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_collector.py::TestTestCollector::test\_handle\_collection\_finish 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_collector\_maximal.py

14 tests

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_disabled\_via\_handle\_report 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_stderr 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_stdout 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_capture\_output\_truncated

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_create\_result\_with\_item\_markers

2ms



## COVERAGE

src/pytest\_llm\_report/collector.py

35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_error\_repr\_crash

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_error\_string

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_fallback

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_string

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorInternals::test\_extract\_skip\_reason\_tuple

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_collection\_report\_failure

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runttest\_rerun

2ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

42 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140-141, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238, 261, 264-265, 268-269)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_setup\_failure

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_collector\_maximal.py::TestCollectorReportHandling::test\_handle\_runtest\_teardown\_failure

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

tests/test\_context\_compression.py

12 tests

PASSED

tests/test\_context\_compression.py::TestConfigValidation::test\_invalid\_compression\_mode 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
----------------------------------	--

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test\_context\_compression.py::TestConfigValidation::test\_negative\_padding\_invalid 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
----------------------------------	--

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test\_context\_compression.py::TestConfigValidation::test\_valid\_compression\_modes 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
----------------------------------	--

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

PASSED

tests/test\_context\_compression.py::TestConfigValidation::test\_zero\_p  
adding\_valid

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_compression.py::TestContextCompression::test\_compression\_enabled\_by\_default

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_compression.py::TestContextCompression::test\_compression\_mode\_lines

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_compression.py::TestContextCompression::test\_line\_padding\_default

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_compression.py::TestExtractCoveredLines::test\_contiguous\_lines\_no\_gap

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

PASSED

tests/test\_context\_compression.py::TestExtractCoveredLines::test\_empty\_coverage

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 216-217)

PASSED

tests/test\_context\_compression.py::TestExtractCoveredLines::test\_extract\_multiple\_ranges

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	24 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242-247, 249)

PASSED

tests/test\_context\_compression.py::TestExtractCoveredLines::test\_extract\_single\_line

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

PASSED

tests/test\_context\_compression.py::TestExtractCoveredLines::test\_pading\_boundary

1ms

4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

## tests/test\_context\_limits.py

4 tests

PASSED

tests/test\_context\_limits.py::test\_no\_truncation\_needed

1ms

3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	45 lines (ranges: 243, 262, 264, 268-270, 272, 275, 279-280, 287-289, 291-298, 304-305, 308-309, 311, 313, 315, 317, 319, 321, 323-324, 335, 341-343, 346-347, 349-350, 354-355, 364, 366)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_limits.py::test\_smart\_distribution

2ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	52 lines (ranges: 243, 262, 264, 268-270, 272, 275, 279-280, 287-289, 291-298, 304-305, 308-309, 311, 313, 315, 317, 319, 321, 323-324, 329-330, 332-333, 335, 341-343, 346-347, 349-350, 354-355, 358-359, 362, 364, 366)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_limits.py::test\_splitting\_logic

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	49 lines (ranges: 243, 262, 264, 268-270, 272, 275, 279-280, 287-289, 291-298, 304-305, 308-309, 311, 313, 315, 317, 319, 321, 329-330, 332-333, 335, 341-343, 346-347, 349-350, 354, 358-359, 362, 364, 366)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_limits.py::test\_truncation\_logic

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 243, 262, 264, 268-270, 272-273)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestCollapseEmptyLines::test\_collapse\_three\_empty\_lines

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

1 lines (ranges: 108)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestCollapseEmptyLines::test\_many\_empty\_lines

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

1 lines (ranges: 108)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestCollapseEmptyLines::test\_preserve\_two\_empty\_lines

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

1 lines (ranges: 108)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestCollapseEmptyLines::test\_single\_newline

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

1 lines (ranges: 108)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestOptimizeContext::test\_always\_collapses\_empty\_lines

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

6 lines (ranges: 108, 124, 126, 129, 133, 135)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestOptimizeContext::test\_combined\_optimization

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

45 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-59, 61-62, 64, 66-69, 81-82, 86, 88-90, 93, 108, 124, 126-127, 129-130, 133, 135)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestOptimizeContext::test\_default\_strips \_docs\_only

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	36 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestOptimizeContext::test\_empty\_source

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestOptimizeContext::test\_source\_with\_only\_whitespace

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_context\_util.py::TestOptimizeContext::test\_strip\_both 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	44 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69, 81-82, 86, 88-90, 93, 108, 124, 126-127, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_context\_util.py::TestOptimizeContext::test\_strip\_comments\_only 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	14 lines (ranges: 81-82, 86, 88-90, 93, 108, 124, 126, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_context\_util.py::TestOptimizeContext::test\_strip\_neither 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	6 lines (ranges: 108, 124, 126, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_comment\_after\_string\_with\_hash

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_escaped\_quotes

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_mixed\_quotes

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_no\_comments

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_preserve\_hash\_in\_double\_quoted\_string

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_preserve\_hash\_in\_single\_quoted\_string

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_strip\_simple\_comment

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripComments::test\_strip\_standalone\_comment

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_handles\_syntax\_error\_gracefully

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	4 lines (ranges: 27, 29-31)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_multiple\_docstrings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

30 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-59, 61-62, 64, 66-69)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_preserves\_multiline\_data\_strings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_preserves\_regular\_strings

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

25 lines (ranges: 27, 29, 33, 35-36, 38-45, 49, 51-52, 55-56, 58, 61, 64, 66-69)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_preserves\_strings\_in\_structures

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

27 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58, 61, 64, 66-69)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_strip\_multiline\_docstring

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_strip\_triple\_double\_quoted\_docstring

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/context\_util.py

29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_context\_util.py::TestStripDocstrings::test\_strip\_triple\_s  
ingle\_quoted\_docstring 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_coverage\_boosters.py

3 tests

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_m  
odel\_parsing\_edge\_cases 1ms 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	19 lines (ranges: 134-135, 137-141, 143-144, 476, 478, 524-531)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_rate\_limiter\_edge\_math 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_models\_to\_dict\_variants 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	47 lines (ranges: 96-103, 130-133, 135, 137-139, 141, 143, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_coverage\_map.py

7 tests

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_create\_mapper 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map.py::TestCoverageMapper::test\_get\_warnings 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map.py::TestCoverageMapper::test\_map\_coverage\_no\_coverage\_file 1ms 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_all\_phases 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_empty\_context 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_filters\_setup 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_with\_run\_phase 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_coverage.py::TestExtractContexts::test\_contexts\_by\_lineno\_exception

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	29 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152, 156, 160-162, 167-170, 199, 202)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestExtractContexts::test\_no\_measured\_files

1ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	7 lines (ranges: 44-45, 118, 121-122, 127-128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_coverage.py::TestExtractContexts::test\_skip\_non\_python\_files 2ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_coverage.py::TestLoadCoverageData::test\_coverage\_not\_installed 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_coverage.py::TestLoadCoverageData::test\_no\_coverage\_file 1ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_analysis\_exception\_handling

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_employment\_statements

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	18 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259-261, 273-274, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_include\_test\_files\_when\_not\_configured

2ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_skip\_non\_python\_files

1ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	10 lines (ranges: 44-45, 243-244, 246-249, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_coverage.py::TestMapSourceCoverage::test\_skip\_test\_files\_when\_configured

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 243-244, 246-248, 250, 252-255, 257, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_all\_phase\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_empty\_string

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_none

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_run\_phase\_default

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_setup\_phase\_config 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_teardown\_phase\_config 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233-234, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_coverage.py::TestPhaseFiltering::test\_extract\_nodeid\_without\_pipe 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	6 lines (ranges: 44-45, 216, 220, 224, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_full\_logic 2ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_no\_contexts 1ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_nodeid\_variants

1ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_no\_files

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_read\_error

2ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_with\_parallel\_files 3ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_coverage\_no\_data 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_analysis\_error 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_comprehensive 2ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test\_errors.py::test\_make\_warning

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors.py::test\_warning\_code\_values

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors.py::test\_warning\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	8 lines (ranges: 70-71, 73-75, 77-79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_errors\_maximal.py

6 tests

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_know\_code

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_unknown\_code

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors\_maximal.py::TestMakeWarning::test\_make\_warning\_with\_detail

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors\_maximal.py::TestWarningCodes::test\_codes\_are\_strings

1ms



2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors\_maximal.py::TestWarningDataClass::test\_warning\_to\_dict\_no\_detail

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

7 lines (ranges: 70-71, 73-75, 77, 79)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_errors\_maximal.py::TestWarningDataClass::test\_warning\_to\_dict\_with\_detail

1ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/errors.py

8 lines (ranges: 70-71, 73-75, 77-79)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

tests/test\_fs.py

12 tests

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_non\_python\_file

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_python\_file

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_makes\_path\_relative

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_returns\_normalized\_with\_no\_base

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_already\_normalized

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_forward\_slashes

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test\_fs.py::TestNormalizePath::test\_strips\_trailing\_slash 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED tests/test\_fs.py::TestShouldSkipPath::test\_custom\_exclude\_patterns 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED tests/test\_fs.py::TestShouldSkipPath::test\_normal\_path 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_git

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_pycache

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_venv

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

 tests/test\_fs\_coverage.py

15 tests

PASSED

tests/test\_fs\_coverage.py::TestIsPythonFile::test\_is\_python\_file\_false 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs\_coverage.py::TestIsPythonFile::test\_is\_python\_file\_true 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs\_coverage.py::TestMakeRelative::test\_make\_relative\_path\_not\_under\_base 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	12 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63, 65, 67)

PASSED

tests/test\_fs\_coverage.py::TestMakeRelative::test\_make\_relative\_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test\_fs\_coverage.py::TestMakeRelative::test\_make\_relative\_with\_none\_base

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test\_fs\_coverage.py::TestNormalizePath::test\_normalize\_path\_ba ckslashes

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs\_coverage.py::TestNormalizePath::test\_normalize\_path\_path\_object

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/util/fs.py

5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs\_coverage.py::TestNormalizePath::test\_normalize\_path\_trailing\_slash

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/util/fs.py

5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_not\_skip\_regular\_path

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/util/fs.py

11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_git 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_path\_starting\_with\_skip\_dir 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_pycache 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_site\_packages

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/util/fs.py

10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_venv

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/util/fs.py

10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs\_coverage.py::TestShouldSkipPath::test\_should\_skip\_with\_exclude\_patterns

2ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/util/fs.py

15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

 tests/test\_gemini\_provider.py

25 tests

PASSED

tests/test\_gemini\_provider.py::TestGeminiCoverageGaps::test\_annotate\_loop\_daily\_limit\_hit

3ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	50 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-227, 232-233, 318-320, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiCoverageGaps::test\_annotation\_exceptions\_coverage

3ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	100 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 221-224, 228-230, 232-233, 235-236, 239-244, 263-265, 268, 293, 295, 299-303, 318-320, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiCoverageGaps::test\_coverage\_gaps 167ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	27 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-383)
src/pytest_llm_report/llm/gemini.py	173 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181-182, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 254-255, 259, 340, 343, 346, 348-356, 358-361, 363-364, 366-367, 435, 437-439, 441-442, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-498, 502-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-564, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiCoverageGaps::test\_parse\_p  
referred\_models\_coverage 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	13 lines (ranges: 134-135, 137-141, 143-144, 524-527)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiCoverageGaps::test\_prune\_da  
ily\_requests 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 39-42, 81- 82, 84, 87-89)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiCoverageGaps::test\_tpm\_avai  
lable\_fallback 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	4 lines (ranges: 39-42)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_import\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	14 lines (ranges: 134-135, 137-141, 143-144, 164-165, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_no\_token

3ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	21 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-188)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_rate\_limit\_retry 4ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	19 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221)
src/pytest_llm_report/llm/gemini.py	214 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-237, 239-244, 246, 249-250, 252, 261, 263-265, 299-300, 304-306, 308-309, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413-416, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569, 574)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProvider::test\_annotate\_success 394ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	19 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221)
src/pytest_llm_report/llm/gemini.py	208 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-430, 432, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567-568, 574)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_gemini\_provider.py::TestGeminiProvider::test\_availability 3ms ⚡ 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134-135, 137-141, 143-144, 332-333, 335)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test\_annotation\_retry\_exceptions 60.00s ⚡ 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	111 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 221-224, 228-230, 232-233, 235-237, 239-244, 263-265, 268, 272-276, 279-281, 283-286, 288-292, 318-320, 322-323, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test\_annotation\_retry\_loop\_coverage 3ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	27 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-383)
src/pytest_llm_report/llm/gemini.py	97 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-94, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 212-213, 215-216, 218, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 254, 259, 340, 343, 471-473)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test.ensure\_rate\_limits\_error 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 134-135, 137-141, 143-144, 346, 348-356, 358-361, 363-364, 366-367)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test\_fetc  
h\_available\_models\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	15 lines (ranges: 134-135, 137-141, 143-144, 537, 539-541, 544-545)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test\_fetc  
h\_available\_models\_invalid\_json

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	34 lines (ranges: 134-135, 137-141, 143-144, 476-477, 537, 539-543, 547-548, 550-559, 562-563, 567, 569, 574)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test\_get\_max\_context\_tokens\_calls\_ensure 2ms ⚡ 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 163)
src/pytest_llm_report/llm/gemini.py	15 lines (ranges: 134-135, 137-141, 143-144, 486, 488-491, 493)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_gemini\_provider.py::TestGeminiProviderDetailed::test\_parse\_rate\_limits\_types 1ms ⚡ 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 134-135, 137-141, 143-144, 449-457, 459-460, 463-466)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_prune\_logic 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_record\_to\_kens\_invalid

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_rpd\_limit 1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_rpm\_limit 1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

FAILED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_seconds\_until\_tpm\_available\_branches

1ms



3

## ERROR

```
assert 60.000000000000014 <= 60.0
```

## COVERAGE

src/pytest_llm_report/collector.py	29 lines (ranges: 90, 93, 96, 99, 110-112, 114, 116-118, 124, 127, 140-141, 209-210, 227-228, 230-236, 261, 264, 268)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 100-101, 103-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_wait\_for\_slot\_daily\_limit\_exceeded

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_gemini\_provider.py::TestGeminiRateLimiter::test\_wait\_for\_slot\_sleeps

2ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_hashing.py::TestComputeConfigHash::test\_different\_config 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test\_hashing.py::TestComputeConfigHash::test\_returns\_short\_has 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test\_hashing.py::TestComputeFileSha256::test\_consistent\_with\_bytes 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED tests/test\_hashing.py::TestComputeFileSha256::test\_hashes\_file 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED tests/test\_hashing.py::TestComputeHmac::test\_different\_key 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED tests/test\_hashing.py::TestComputeHmac::test\_with\_key 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED tests/test\_hashing.py::TestComputeSha256::test\_consistent 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestComputeSha256::test\_length

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_includes\_pytest

79ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_returns\_dict

82ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED tests/test\_hashing.py::TestLoadHmacKey::test\_loads\_key 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED tests/test\_hashing.py::TestLoadHmacKey::test\_missing\_key\_file 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED tests/test\_hashing.py::TestLoadHmacKey::test\_no\_key\_file 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

tests/test\_integration\_gate.py

16 tests

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_aggregation\_defaults

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_capture\_failed\_output\_default\_true

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_context\_mode\_default\_minimal

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_llm\_not\_enabled\_by\_default

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 123, 171, 284, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_omit\_tests\_default\_true

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_provider\_default\_none

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_secret\_excluded\_globs

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_deterministic\_output

6ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_empty\_test\_suite 6ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	62 lines (ranges: 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_html\_report\_ 39ms 6  
generation

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_json\_report\_generation 63ms 7

## COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	138 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-329, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_report\_root\_has\_required\_fields

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_me\_ta\_has\_aggregation\_fields

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_me\_ta\_has\_status\_fields

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_schema\_version\_defined

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_test\_case\_has\_required\_fields

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_litllm\_retry\_coverage.py

4 tests

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_all\_retries\_exhausted

2.00s  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 144-145, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_non\_401\_error\_no\_force\_refresh

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/litellm_provider.py	38 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141, 144-145, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_litellm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry::test\_retry\_succeeds\_after\_transient\_error

6.00s 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	47 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-187, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_retry\_coverage.py::TestLiteLLMTokenRefreshRetry:: test\_token\_refresh\_on\_401 6.11s 7

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	54 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-188, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_llm.py

9 tests

PASSED tests/test\_llm.py::TestGetProvider::test\_gemini\_returns\_provider 1ms ⚡ 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 436, 438, 440, 443, 448, 453-454, 456)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_llm.py::TestGetProvider::test\_litellm\_returns\_provider 1ms ⚡ 5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 436, 438, 440, 443, 448-449, 451)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestGetProvider::test\_none\_returns\_noop

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestGetProvider::test\_ollama\_returns\_provider

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 436, 438, 440, 443-444, 446)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestGetProvider::test\_unknown\_raises

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 436, 438, 440, 443, 448, 453, 458)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestLlmProviderContract::test\_noop\_implements\_interface

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_annotate\_returns\_empty

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_get\_model\_name\_empty

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 67)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_is\_available

1ms 

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 65-66, 134, 137-138)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 59)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_llm\_contract.py

13 tests

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_required\_fields

1ms 

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_from\_dict

1ms 

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handles\_empty

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/schemas.py

5 lines (ranges: 77-81)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handles\_partial

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/schemas.py

5 lines (ranges: 77-81)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_has\_required\_fields

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_to\_dict

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_from\_factory

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 436, 438, 440-441)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_is\_llm\_provider

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_returns\_empty\_annotation

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_annotate\_returns\_annotation

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_empty\_code

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_none\_context

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_has\_annotate\_method 1ms ⚡ 7

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 65-66, 436, 438, 440-441, 443-444, 446, 448-449, 451, 453-454, 456)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

📄 tests/test\_llm\_providers.py

52 tests

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_handles\_context\_too\_large

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	187 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 263-265, 299, 311-312, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524-525, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_dependency

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	34 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-195, 471-473, 497-498, 502-503, 537)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_token

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/gemini.py	21 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-188)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_records\_tokens 1ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	220 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-430, 432, 435, 437-439, 441-444, 449-455, 457, 459-460, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_retries\_on\_rate\_limit

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	216 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 263-265, 299-300, 304-306, 308-309, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413-416, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-458, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate rotates\_models\_on\_daily\_limit

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	210 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526-527, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_skips\_on\_daily\_limit

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	47 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	216 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-230, 232-233, 235-236, 239-244, 246, 249-250, 252, 261, 318-320, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_successes\_with\_mock\_response

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	209 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_exhausted\_mode  
l\_recovers\_after\_24h

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	47 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	222 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 212-213, 215-216, 218, 222-230, 232-233, 235-236, 239-244, 246, 249-250, 252, 261, 318-320, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_fetch\_available\_models\_error 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	68 lines (ranges: 134-135, 137-141, 143-144, 346, 348-349, 352-356, 358-361, 363-364, 366-367, 435, 437-439, 441-444, 449-452, 463-466, 476, 478, 497-498, 502-508, 511, 514-516, 518-521, 524-525, 537, 539-541, 544-545)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_model\_list\_ref  
reshes\_after\_interval

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/gemini.py	201 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-458, 463-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_401\_retry\_with\_token\_refresh

1ms



7

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	50 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 124-127, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_handles\_completion\_error

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116, 120, 135, 137, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_invaid\_key\_assertions

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	43 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398-400)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 206, 211)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_missing\_dependency

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 87-89, 97-99, 105)
src/pytest_llm_report/llm/litellm_provider.py	8 lines (ranges: 37-38, 41, 82-86)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_success\_with\_mock\_response

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_with \_prompt\_override

1ms

6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_with\_token\_usage

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_api\_base\_pass through

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182-183, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_api\_key\_passes through

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_auth\_error without\_refresher 1ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/litellm_provider.py	36 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 132-133, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_auth\_retry\_fails\_on\_second\_attempt 2.00s 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/litellm_provider.py	51 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 124-127, 129-130, 132-133, 141-142, 170-174, 176-178, 182, 186-188, 190)
src/pytest_llm_report/llm/token_refresh.py	31 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_context\_too\_long\_error 1ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 65-66, 377-378, 381-382, 385-386, 389-391, 394, 396, 398-400)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_get\_max\_content\_tokens\_dict\_format

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	10 lines (ranges: 37-38, 41, 221-222, 224, 227-228, 230-231)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_get\_max\_content\_tokens\_fallback\_on\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	10 lines (ranges: 37-38, 41, 221-222, 224, 227, 232-234)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_get\_max\_content\_tokens\_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	9 lines (ranges: 37-38, 41, 221-222, 224, 227-229)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_is\_available\_with\_module

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 65-66, 134, 137-138)
src/pytest_llm_report/llm/litellm_provider.py	6 lines (ranges: 37-38, 41, 242-243, 245)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_token\_refresh\_integration

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	41 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_transient\_err or\_retry 1ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/litellm_provider.py	42 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_fallbacks\_on\_context\_length\_error

1ms



6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	91 lines (ranges: 65-66, 87-89, 97-99, 101, 103, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 243, 262, 264-265, 268-270, 272, 275, 279-280, 287-289, 291-298, 304-305, 308-309, 311, 313, 315, 317, 319, 321, 323-324, 335, 341-343, 346-347, 349-350, 354-355, 364, 366, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/ollama.py	27 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71-72, 83, 85-86, 92, 138, 140, 142-144, 175-176, 178)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_handles\_call\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/ollama.py	18 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-65, 94, 97-98, 100-101, 103-104)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_missing\_httpx

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 87-89, 97-99, 105)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 42-46)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_runti  
me\_error\_immediate\_fail

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265)
src/pytest_llm_report/llm/ollama.py	13 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-65, 94, 96)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_succe  
ss\_full\_flow

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/ollama.py	34 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71-72, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_with\_prompt\_override 1ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/ollama.py	34 lines (ranges: 42-43, 49, 52-53, 58, 60-61, 63-67, 71-72, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_with\_token\_usage 1ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 262, 264-265, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/ollama.py	40 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71, 74-80, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_call\_ollama\_success 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_call\_ollama\_uses\_default\_model

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_failure

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 113-114, 116-117, 119-120)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_non\_200

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 113-114, 116-118)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_check\_availability\_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 113-114, 116-118)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_get\_max\_context\_tokens\_context\_length\_key

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 138, 140, 142-147, 149-150, 156, 165-167, 172-173)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_get\_max\_context\_tokens\_fallback\_on\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	11 lines (ranges: 138, 140, 142-147, 175-176, 178)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_get\_max\_context\_tokens\_from\_model\_info

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 138, 140, 142-147, 149-150, 156, 165-167, 172-173)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_get\_max\_context\_tokens\_from\_parameters

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 138, 140, 142-147, 149-150, 156, 158, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_get\_max\_context\_tokens\_non\_200\_status

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	10 lines (ranges: 138, 140, 142-147, 149, 178)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_is\_local\_returns\_true

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_json

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 65-66, 377-378, 381-383)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_key\_assertions

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 65-66, 377-378, 381-382, 385-386, 389-391, 394, 396, 398-400)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_code\_fence

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_plain\_fence

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response \_success

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_models.py

29 tests

PASSED

tests/test\_models.py::TestArtifactEntry::test\_to\_dict

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 263-266)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestCollectionError::test\_to\_dict

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 241-243)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestCoverageEntry::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 65-68)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_empty\_annotation

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_minimal

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	9 lines (ranges: 130-133, 135, 137, 139, 141, 143)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_with\_all\_field

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 130-133, 135-137, 139-141, 143)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestReportRoot::test\_default\_report

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_collection\_errors

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 241-243, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_warnings

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestReportRoot::test\_tests\_sorted\_by\_nodeid

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	73 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestReportWarning::test\_to\_dict\_with\_detail 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	8 lines (ranges: 70-71, 73-75, 77-79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestReportWarning::test\_to\_dict\_without\_detail 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestRunMeta::test\_aggregation\_fields\_present 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 286-288, 290-292, 376-392, 394, 397, 399, 402, 405, 407, 409, 411-417, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestRunMeta::test\_llm\_fields\_excluded\_when\_disabled

1ms

3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestRunMeta::test\_llm\_traceability\_fields

1ms

3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	43 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419-431, 433, 435, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestRunMeta::test\_non\_aggregated\_excludes\_source\_reports

1ms

3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_meta\_to\_dict\_full

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 286-288, 290-292, 376-392, 394-417, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_status\_fields

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_format

1ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_in\_repo  
rt\_root

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestSourceCoverageEntry::test\_to\_dict

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 96-103)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_minimal

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 286-288, 290, 292)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestSourceReport::test\_to\_dict\_with\_run\_id 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 286-288, 290-292)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestSummary::test\_to\_dict 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 467-475, 477, 479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestTestCaseResult::test\_minimal\_result 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestTestCaseResult::test\_result\_with\_coverage 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	24 lines (ranges: 65-68, 190, 194-199, 201, 203, 205, 207, 210-212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestTestCaseResult::test\_result\_with\_llm\_opt\_out 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214-216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_models.py::TestTestCaseResult::test\_result\_with\_rerun 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	21 lines (ranges: 190, 194-199, 201, 203, 205, 207-210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_without\_rerun\_excludes\_fields 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_models\_coverage.py

15 tests

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_all\_optional\_fields 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	76 lines (ranges: 96-103, 241-243, 263-266, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_artifacts 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	59 lines (ranges: 263-266, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530-532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_collection\_errors 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 241-243, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_custom\_metadata 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534-536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_hmac\_signature 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534-536, 538-540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_sha256 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536-538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_source\_coverage 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	63 lines (ranges: 96-103, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532-534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestReportRootToDict::test\_to\_dict\_with\_warnings 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestSummaryToDict::test\_to\_dict\_with\_coverage\_total\_percent 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	12 lines (ranges: 467-475, 477-479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestSummaryToDict::test\_to\_dict\_without\_coverage\_total\_percent 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 467-475, 477, 479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_all\_optional\_fields

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

42 lines (ranges: 65-68, 130-133, 135, 137, 139, 141, 143, 190, 194-199, 201-207, 210-224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_captured\_stderr

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220-222, 224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_captured\_stdout

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218-220, 222, 224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_param\_summary

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

21 lines (ranges: 190, 194-199, 201, 203-207, 210, 212, 214, 216, 218, 220, 222, 224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_models\_coverage.py::TestTestCaseResultToDict::test\_to\_dict\_with\_requirements

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222-224)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_options.py

21 tests

PASSED

tests/test\_options.py::TestConfig::test\_default\_exclude\_globs

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestConfig::test\_default\_redact\_patterns 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestConfig::test\_default\_values 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestConfig::test\_get\_default\_config 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_is\_llm\_enabled

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_aggregate\_policy

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-221, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_context\_mode

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-213, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_include\_phase

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-229, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_invalid\_provider

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 123, 171, 199, 202-205, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_numeric\_ranges

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	31 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245-254, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestConfig::test\_validate\_valid\_config

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_aggregation\_options 4ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599-607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_batch\_flag\_conflict 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_config\_missing\_pypr object 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_coverage\_source 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607-608, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_defaults 5ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_overrides\_pyproject 5ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	132 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492-494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_provider\_override 4ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	133 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463-464, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_options.py::TestLoadConfig::test\_load\_from\_cli\_retries 4ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494-495, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_from\_pyproject

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	134 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382-384, 386-388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options.py::TestLoadConfig::test\_load\_token\_optimization\_options 4ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	88 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470-474, 476-477, 479, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test\_options\_coverage.py

47 tests

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_dependenc  
y\_snapshot

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486, 488, 490-492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_evidence\_ bundle

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486, 488-490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_report\_js 5ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484-486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestCliOverrides::test\_cli\_report\_pd\_f 5ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486-488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestConfigValidationCoverage::test\_validate\_invalid\_token\_output\_format

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-237, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestConfigValidationCoverage::test\_validate\_token\_refresh\_interval\_too\_short

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241-242, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestConfigValidationCoverage::test\_validate\_valid\_litellm\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_aggregate\_include\_history 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438-440, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_aggregate\_policy\_from\_pyproject 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436-438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_all\_config\_keys\_combined 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	150 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-337, 340-346, 348-350, 352-354, 356-357, 360-369, 372-375, 378-392, 396, 400, 402, 404, 408-410, 412-413, 416-422, 426-428, 430-432, 436-440, 444-447, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_cache\_dir 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390-392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_cache\_ttl\_seconds 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388-390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_capture\_failed\_output 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418-420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_capture\_output\_max\_chars 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420-422, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_bytes 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362-364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_exclude\_globs 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368-369, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_file\_limit 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364-366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_context\_include\_globs 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366-368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_hmac\_key\_file 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446-447, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_include\_param\_values 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372-374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_include\_phase 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412-413, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_include\_pytest\_invocation 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426-428, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_invocation\_redact\_patterns 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430-432, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_api\_base 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340-342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_litellm\_api\_key 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342-344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_llm\_token\_json\_key 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356-357, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_llm\_token\_output\_format 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352-354, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_llm\_token\_refresh\_command 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344-346, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_llm\_token\_refresh\_interval 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348-350, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_malformed\_pyproject 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	73 lines (ranges: 123, 171, 308, 311-312, 320-325, 449, 451, 453-456, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_max\_concurrency 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380-382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_max\_tests 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378-380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_metadata\_file 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444-446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_ollama\_host 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336-337, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load OMIT\_TESTS\_FROM\_COVERAGE 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408-410, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_param\_value\_max\_chars 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374-375, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_report\_collect\_only 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416-418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectLoadingCoverage::test\_load\_timeout\_seconds 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384-386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectTokenOptimization::test\_load\_batch\_max\_tests 4ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400-402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectTokenOptimization::test\_load\_batch\_parametrized\_tests 4ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	131 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396-398, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectTokenOptimization::test\_load\_context\_compression 5ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402-404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectTokenOptimization::test\_load\_context\_line\_padding 4ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404-405, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestPyprojectTokenOptimization::test\_load\_prompt\_tier 5ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392-393, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestValidationCoverageExtended::test\_validate\_batch\_max\_tests\_too\_small 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271-273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestValidationCoverageExtended::test\_validate\_context\_line\_padding\_negative

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestValidationCoverageExtended::test\_validate\_invalid\_context\_compression

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_options\_coverage.py::TestValidationCoverageExtended::test\_validate\_invalid\_prompt\_tier

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-261, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_config\_defaults

3ms

3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	122 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-337, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378-380, 382, 384-386, 388, 390, 392, 396, 400, 402, 404, 408-410, 412-413, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463, 466, 470, 472-473, 476-477, 482-488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603-605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_markers\_exist\_in\_config

1ms

2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_both\_json\_and\_html\_outputs 95ms 8

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	91 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40,  
42-46, 50-51, 53, 65, 67, 79-  
85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

122 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226-227, 230, 233, 254, 256-  
259, 262-264, 266, 268-275,  
277-278, 280-289, 291-294,  
296-297, 299-300, 302-303,  
305-307, 319, 321-322, 324-  
325, 337, 347, 350-352, 355-  
356, 359-361, 364, 367-371,  
383, 385-386, 389, 392, 395,  
398-402, 477-478, 502, 504,  
506-508, 510, 513)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_collection\_finish\_counts\_items 60ms ⚡ 7

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

110 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_creates\_nested\_directory 57ms 7

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	11 lines (ranges: 70-71, 73-75, 77, 79, 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349,  
351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

116 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
484, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_fixture\_error\_captured 64ms ⚡ 7

## COVERAGE

src/pytest_llm_report/collector.py	50 lines (ranges: 78-79, 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

115 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330, 332, 334-335, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_makereport\_captures\_all\_outcomes 166ms 7

## COVERAGE

src/pytest_llm_report/collector.py	59 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-118, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 250-251, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309,

311-315, 328-330, 332-334,  
336-338, 342, 346-347, 349,  
351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

114 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-329,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_no\_report\_when\_disabled 54ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	250 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403-404, 558-559, 562-563, 566-568, 579, 583, 602-603, 619-620)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test\_pdf\_option\_enables\_plugin 591ms 8

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486-488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79- 85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	110 lines (ranges: 67-73, 85- 86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197- 198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277- 278, 280-289, 291-294, 296- 297, 299-300, 302-303, 305- 307, 319, 321-322, 324-325, 337, 408, 417, 419, 421-423, 431-436, 439, 441-442, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test\_plugin\_integration.py::TestPluginHooksWithPytester::test \_session\_start\_records\_time 59ms 7

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

110 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_content\_marker

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_output\_out\_marker

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_requirement\_marker

1ms



2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_integration.py::TestReportGeneration::test\_report\_writer\_integration

41ms



6

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

81 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)

src/pytest\_llm\_report/options.py

2 lines (ranges: 123, 171)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

136 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_disabled 1ms ⚡ 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 558-559, 562, 566-568, 579-580, 586-587)

PASSED tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_enabled 2ms ⚡ 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	12 lines (ranges: 558-559, 562, 566-568, 579-580, 586, 590-592)

PASSED tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_no\_session 1ms ⚡ 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 579, 583)

PASSED tests/test\_plugin\_maximal.py::TestPluginCollectReport::test\_pytest\_collectreport\_session\_none 1ms ⚡ 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 579, 583)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_llm\_enabled\_warning 3ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	30 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_validation\_errors 3ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	135 lines (ranges: 123, 171, 199, 202-205, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	25 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-358, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigure::test\_pytest\_configure\_worker\_skip 1ms 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 328-330, 332-334, 336-338, 342-343, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginConfigureFallback::test\_pyte  
st\_configure\_fallback\_load

3ms



2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

30 lines (ranges: 328-330,  
332-334, 336-338, 342, 346-  
347, 349, 351, 354-355, 362-  
364, 366-367, 371-373, 558-  
559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginLoadConfig::test\_load\_config  
\_cli\_overrides\_pyproject

2ms



3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/options.py

122 lines (ranges: 123, 171,  
308, 311-312, 320-325, 327-  
328, 332-334, 336, 340, 342,  
344, 348, 352, 356, 360, 362,  
364, 366, 368, 372, 374, 378,  
380, 382, 384, 386, 388, 390,  
392, 396, 400, 402, 404, 408,  
412, 416, 418, 420, 426, 430,  
436, 438, 444, 446, 460-461,  
463-464, 466-467, 470, 472-  
473, 476-477, 482-494, 499-  
500, 504-505, 511-512, 516-  
517, 521-522, 528-529, 534,  
537-538, 542-543, 547-548,  
554-555, 561-562, 566-567,  
572, 575-576, 581, 583, 588-  
589, 593-594, 599-607, 611,  
613)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginLoadConfig::test\_load\_config \_from\_pyproject 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	112 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382-384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_disabled 1ms 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 399, 403-404, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_worker\_skip

1ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

8 lines (ranges: 399-400, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::testload\_config

2ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

69 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470, 472-473, 476-477, 482-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginRuntest::test\_runtest\_makereport\_disabled

2ms  2

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

7 lines (ranges: 558-559, 562-563, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginRuntest::test\_runtest\_makereport\_enabled

2ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_collection\_finish\_disabled

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

8 lines (ranges: 558-559, 562, 566-568, 602-603)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_collection\_finish\_enabled

2ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

10 lines (ranges: 558-559, 562, 566-568, 602, 606-608)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_sessionstart\_disabled

1ms  2

#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

8 lines (ranges: 558-559, 562, 566-568, 619-620)

PASSED

tests/test\_plugin\_maximal.py::TestPluginSessionHooks::test\_pytest\_sessionstart\_enabled

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	11 lines (ranges: 558-559, 562, 566-568, 619, 623, 626, 628-629)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_pytest\_addoption

3ms



2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	220 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_pytest \_addoption\_no\_ini 2ms 2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	220 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_termin al\_summary\_coverage\_calculation 3ms 3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	53 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 468, 470-473, 485-486, 491-492, 534-544, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_termin  
al\_summary\_llm\_enabled

3ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	66 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485-486, 491-494, 497, 499, 502-504, 512-514, 516, 523-531, 534-544, 558- 559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_termin  
al\_summary\_no\_collector

2ms  3

## COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	45 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534- 544, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummary::test\_terminal\_summary\_with\_aggregation 2ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	21 lines (ranges: 399, 403, 407, 410-411, 413-414, 417-418, 420, 422-426, 558-559, 562, 566-568)

PASSED

tests/test\_plugin\_maximal.py::TestPluginTerminalSummaryErrors::test\_terminal\_summary\_coverage\_error 4ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	52 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 476-479, 485-486, 491-492, 534-544, 558-559, 562, 566-568)



tests/test\_prompts.py

7 tests

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_balanced\_context 7ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	63 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 284-285, 287)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_complete\_context 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	38 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 139-140, 268-272)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_assemble\_minimal\_context

1ms



4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_balanced\_context\_limits

1ms



5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	46 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_complete\_context\_limits\_override

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	50 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-84, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 268-272, 284-285, 287)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_get\_test\_source\_ed ge\_cases

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_should\_exclude

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 284-287)

 tests/test\_prompts\_coverage.py

12 tests

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_assemble\_minimal\_mode

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_assemble\_with\_context\_override 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	62 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 284-285, 287)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_excludes\_patterns 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	20 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163-164, 201, 284-286)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_file\_not\_exists

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	16 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-161, 201)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::tes\_t\_balanced\_context\_max\_bytes\_limit

103ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_no\_coverage 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 139-140)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_balanced\_context\_reaches\_max\_bytes\_before\_file 1ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	35 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-157, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_complete\_context\_delegates\_to\_balanced 1ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	38 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 268-272, 284-285, 287)

PASSED

tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_empty\_nodeid 1ms ⚡ 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	9 lines (ranges: 33, 78-79, 82-83, 86-89)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_extraction\_stops\_at\_next\_def 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_file\_not\_exists 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	6 lines (ranges: 33, 78-79, 82-84)

PASSED tests/test\_prompts\_coverage.py::TestContextAssemblerEdgeCases::test\_get\_test\_source\_with\_class 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED tests/test\_ranges.py::TestCompressRanges::test\_consecutive\_lines 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)
--------------------------------------	---

PASSED tests/test\_ranges.py::TestCompressRanges::test\_duplicates 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)
--------------------------------------	---

PASSED tests/test\_ranges.py::TestCompressRanges::test\_empty\_list 1ms ⚡ 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
------------------------------------	---

src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
---------------------------------	---

src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)
--------------------------------------	-------------------------

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_mixed\_ranges

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_non\_consecutive\_lines

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_single\_line

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED tests/test\_ranges.py::TestCompressRanges::test\_two\_consecutive 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED tests/test\_ranges.py::TestCompressRanges::test\_unsorted\_input 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED tests/test\_ranges.py::TestExpandRanges::test\_empty\_string 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_mixed

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_range

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_roundtrip

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_single\_number

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

## tests/test\_render.py

9 tests

PASSED

tests/test\_render.py::TestFormatDuration::test\_milliseconds

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test\_render.py::TestFormatDuration::test\_seconds

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_all\_outcomes

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_unknown\_outcome

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_basic\_report

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	57 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 155-157, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_coverage 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	57 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_llm\_annotation 1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	64 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 140-142, 144, 147, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_source\_coverage

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/render.py

68 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 155-156, 159-167, 172-178, 180-186, 191, 206, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_xpass\_summary

1ms



## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest\_llm\_report/render.py

55 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

tests/test\_report\_writer.py

19 tests

PASSED tests/test\_report\_writer.py::TestComputeSha256::test\_different\_content 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test\_report\_writer.py::TestComputeSha256::test\_empty\_bytes 1ms 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_build\_run\_meta 5ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	72 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_all\_outcomes 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 319, 321-322, 324-335, 337)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_counts 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 319, 321-322, 324-329, 337)

PASSED tests/test\_report\_writer.py::TestReportWriter::test\_create\_writer 1ms 4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_ass  
embles\_tests

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_incl  
udes\_coverage\_percent

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_includes\_source\_coverage

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	97 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_messages\_coverage

5ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	99 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_atomic\_write\_fallback 6ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	62 lines (ranges: 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	130 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513-514, 516-519, 522-523)

PASSED

`tests/test_report_writer.py::TestReportWriterWithFiles::testCreatesDirectoryIfMissing` 6ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	81 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	128 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-484, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_ensure\_dir\_failure 1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 477-480, 487-491)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_git\_info\_failure 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

`tests/test_report_writer.py::TestReportWriterWithFiles::test_write_htmlCreatesFile` 40ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	120 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_html\_includes\_xfail\_summary 39ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330-333, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_jsonCreatesFile 6ms ⚡ 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_pdfCreatesFile 42ms ⚡ 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	130 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408, 417, 419, 421-430, 441-442, 444-450, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_p  
df\_missing\_playwright\_warns 5ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	103 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408-412, 415)

## tests/test\_report\_writer\_coverage.py

10 tests

PASSED

tests/test\_report\_writer\_coverage.py::TestGetGitInfo::test\_git\_info\_from\_nonexistent\_path 2ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test\_report\_writer\_coverage.py::TestGetGitInfo::test\_git\_info\_from\_valid\_repo 5ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	16 lines (ranges: 67-74, 76-81, 83-84)

PASSED

tests/test\_report\_writer\_coverage.py::TestGetPluginGitInfo::test\_plugin\_git\_info\_fallback 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test\_report\_writer\_coverage.py::TestGetPluginGitInfo::test\_plugin\_git\_info\_returns\_values 1ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterAtomicWrite::test\_atomic\_write\_fallback 7ms 5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_pdf\_playwright\_exception

117ms 6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	28 lines (ranges: 156-158, 408, 417, 419, 421-423, 431-436, 439, 441-442, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_pdf\_playwright\_not\_installed

1ms 4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 156-158, 408-412, 415)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_resolve\_html\_sourceCreatesTemp

34ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 455, 460, 462, 465-469)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_resolve\_html\_sourceMissingHtmlFile

34ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 455-457, 460, 462, 465-469)

PASSED

tests/test\_report\_writer\_coverage.py::TestReportWriterPDF::test\_resolves\_html\_source\_uses\_existing

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	7 lines (ranges: 156-158, 455-458)

## tests/test\_schemas.py

2 tests

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_from\_dict\_full

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_to\_dict\_full

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

## tests/test\_smoke\_pytester.py

15 tests

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_html\_report\_created 94ms 8

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79- 85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	106 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197- 198, 202, 211-218, 222, 226- 227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277- 278, 280-289, 291-294, 296- 297, 299-300, 302-303, 305- 307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_html\_summary\_counts\_all\_statuses 132ms ⚡ 8

## COVERAGE

src/pytest_llm_report/collector.py	69 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460,

463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

116 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-335, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_json\_report\_created 67ms 7

## COVERAGE

src/pytest_llm_report/collector.py	55 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309,

311-315, 328-330, 332-334,  
336-338, 342, 346-347, 349,  
351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

---

src/pytest\_llm\_report/report\_writer.py

112 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-327,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_smoke\_pytester.py::TestBasicReportGeneration::test\_llm\_ annotations\_in\_report 58ms 14

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/llm/annotator.py	92 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216, 218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287-290, 293, 298)
src/pytest_llm_report/llm/base.py	55 lines (ranges: 65-66, 87-89, 97, 105, 134, 137-138, 155, 163, 174, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 377-378, 381-382, 385-386, 389-391, 394, 396, 398, 403, 405-409, 436, 438, 440, 443, 448-449, 451)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/llm/litellm_provider.py	37 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213, 242-243, 245)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	103 lines (ranges: 130-133, 135-137, 139, 141, 143, 190,

194-199, 201, 203, 205, 207,  
210, 212-214, 216, 218, 220,  
222, 224, 376-392, 394, 397,  
399, 402-405, 407, 409, 411,  
413, 415, 419-437, 467-475,  
477, 479, 518, 520-524, 526,  
528, 530, 532, 534, 536, 538,  
540)

src/pytest\_llm\_report/options.py

136 lines (ranges: 123, 171,  
199, 202-203, 209-210, 217-  
218, 225-226, 233-234, 241,  
245, 247, 249, 251, 253, 257-  
258, 265-266, 271, 273, 276,  
284, 308, 311-312, 320-325,  
327-328, 332-336, 340, 342,  
344, 348, 352, 356, 360, 362,  
364, 366, 368, 372, 374, 378,  
380, 382, 384, 386, 388, 390,  
392, 396, 400, 402, 404, 408,  
412, 416, 418, 420, 426, 430,  
436, 438, 444, 446, 460, 463,  
466, 470, 472-473, 476-477,  
482, 484-486, 488, 490, 492,  
494, 499-500, 504-505, 511-  
512, 516-517, 521-522, 528-  
529, 534, 537-538, 542-543,  
547-548, 554-555, 561-562,  
566-567, 572, 575-576, 581,  
583, 588-589, 593-594, 599,  
601, 603, 605, 607, 611, 613)

src/pytest\_llm\_report/plugin.py

316 lines (ranges: 41, 44-48,  
50-54, 56-60, 62-66, 68-72,  
74-79, 81-86, 90-94, 96-100,  
102-106, 108-112, 114-118,  
122-126, 128-132, 134-138,  
142-146, 148-153, 155-159,  
161-165, 169-174, 176-181,  
185-190, 192-197, 199-204,  
208-213, 215-219, 223-227,  
229-233, 235-239, 241-245,  
247-252, 254-258, 260-264,  
268-272, 274-279, 283-287,  
289-293, 297-302, 304-309,  
311-315, 328-330, 332-334,  
336-338, 342, 346-347, 349,  
351, 354-355, 362-364, 366-  
367, 371-373, 399, 403, 407,  
410, 429-430, 437-438, 441-  
442, 444-445, 448-452, 454,  
457-458, 460, 463-464, 485,  
491-494, 497, 499, 502-506,  
509, 512-514, 516-517, 523-  
531, 534-544, 558-559, 562,  
566-568, 579, 583, 602, 606-  
608, 619, 623, 626, 628-629)

src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-73, 85-86, 98-99, 102, 105-108, 113, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 301-302, 304-305, 307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

`tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported` 95ms 14

## COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137, 139-146, 176-177, 179, 181, 183, 194-201, 208-214, 216-218, 244-247, 249-250, 252-253, 255, 257, 259, 264-269, 272-274, 276, 278-279, 284-285, 287-290, 293-296, 298)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 87-89, 97, 105, 134, 137-138, 155, 163, 174, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 436, 438, 440, 443, 448-449, 451)
src/pytest_llm_report/llm/batching.py	31 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 154-155, 158, 160, 179-183, 185, 193)
src/pytest_llm_report/llm/litellm_provider.py	38 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 137, 170-174, 176-178, 182, 186-187, 190, 242-243, 245)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276,

284, 308, 311-312, 320-325,  
327-328, 332-336, 340, 342,  
344, 348, 352, 356, 360, 362,  
364, 366, 368, 372, 374, 378,  
380, 382, 384, 386, 388, 390,  
392, 396, 400, 402, 404, 408,  
412, 416, 418, 420, 426, 430,  
436, 438, 444, 446, 460, 463,  
466, 470, 472-473, 476-477,  
482-484, 486, 488, 490, 492,  
494, 499-500, 504-505, 511-  
512, 516-517, 521-522, 528-  
529, 534, 537-538, 542-543,  
547-548, 554-555, 561-562,  
566-567, 572, 575-576, 581,  
583, 588-589, 593-594, 599,  
601, 603, 605, 607, 611, 613)

src/pytest\_llm\_report/plugin.py

316 lines (ranges: 41, 44-48,  
50-54, 56-60, 62-66, 68-72,  
74-79, 81-86, 90-94, 96-100,  
102-106, 108-112, 114-118,  
122-126, 128-132, 134-138,  
142-146, 148-153, 155-159,  
161-165, 169-174, 176-181,  
185-190, 192-197, 199-204,  
208-213, 215-219, 223-227,  
229-233, 235-239, 241-245,  
247-252, 254-258, 260-264,  
268-272, 274-279, 283-287,  
289-293, 297-302, 304-309,  
311-315, 328-330, 332-334,  
336-338, 342, 346-347, 349,  
351, 354-355, 362-364, 366-  
367, 371-373, 399, 403, 407,  
410, 429-430, 437-438, 441-  
442, 444-445, 448-452, 454,  
457-458, 460, 463-464, 485,  
491-494, 497, 499, 502-507,  
512-514, 516-517, 523-531,  
534-544, 558-559, 562, 566-  
568, 579, 583, 602, 606-608,  
619, 623, 626, 628-629)

src/pytest\_llm\_report/prompts.py

29 lines (ranges: 33, 49, 52,  
55, 58-59, 65, 78-79, 82-83,  
86-87, 92, 94, 98-101, 103-  
109, 111-112, 116)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40,  
42-46, 50-51, 53, 65, 67, 79-  
85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

111 lines (ranges: 55, 67-73,  
85-86, 98-99, 102, 105-108,  
113, 127-128, 130, 156-158,  
186, 192-193, 197-198, 202,  
211-218, 222, 226-227, 230,  
233, 254, 256-259, 262-264,

266, 268-275, 277-278, 280-  
289, 291-296, 298-299, 301-  
302, 304-305, 307, 319, 321-  
322, 324-325, 337, 383, 385-  
386, 389, 392, 395, 398-402,  
477-478, 502, 504, 506-508,  
510, 513)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214-216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373,

399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

---

src/pytest\_llm\_report/report\_writer.py

110 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222-224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373,

399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

110 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_smoke\_pytester.py::TestOutcomes::test\_multiple\_xfail\_out  
comes 63ms 7

## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349,  
351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

113 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324, 326,  
328, 330-331, 337, 347, 350-  
352, 355-356, 359-361, 364,  
367-371, 477-478, 502, 504,  
506-508, 510, 513)

PASSED

tests/test\_smoke\_pytester.py::TestOutcomes::test\_skip\_outcome

58ms  7

## COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

112 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324, 326,  
328-329, 337, 347, 350-352,  
355-356, 359-361, 364, 367-  
371, 477-478, 502, 504, 506-  
508, 510, 513)

PASSED

tests/test\_smoke\_pytester.py::TestOutcomes::test\_xfail\_outcome

62ms  7

## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

113 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324, 326,  
328, 330-331, 337, 347, 350-  
352, 355-356, 359-361, 364,  
367-371, 477-478, 502, 504,  
506-508, 510, 513)

PASSED

tests/test\_smoke\_pytester.py::TestParametrization::test\_parametrize\_d\_tests 61ms 7

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203-205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373,  
399, 403, 407, 410, 429-430,  
437-438, 441-442, 444-445,  
448-452, 454, 457-458, 460,  
463-464, 485, 491-492, 534-  
544, 558-559, 562, 566-568,  
579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/report\_writer.py

110 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222-223,  
226, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 347, 350-352, 355-356,  
359-361, 364, 367-371, 477-  
478, 502, 504, 506-508, 510,  
513)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_help\_contains\_examples

51ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_markers\_registered 49ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_plugin\_registered 52ms 3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test\_smoke\_pytester.py::TestSpecialCharacters::test\_special\_characters\_in\_nodeid 94ms ⚡ 8

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

579, 583, 602, 606-608, 619,  
623, 626, 628-629)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40,  
42-46, 50-51, 53, 65, 67, 79-  
85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

106 lines (ranges: 55, 67-73,  
85-86, 98-100, 127-128, 130,  
156-158, 186, 192-193, 197-  
198, 202, 211-218, 222, 226-  
227, 230, 233, 254, 256-259,  
262-264, 266, 268-275, 277-  
278, 280-289, 291-294, 296-  
297, 299-300, 302-303, 305-  
307, 319, 321-322, 324-325,  
337, 383, 385-386, 389, 392,  
395, 398-402, 477-478, 502,  
504, 506-508, 510, 513)

## tests/test\_time.py

15 tests

PASSED

tests/test\_time.py::TestFormatDuration::test\_boundary\_one\_minute

1ms  3

### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

src/pytest\_llm\_report/util/time.py

6 lines (ranges: 39, 41, 43,  
46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_microseconds\_format

1ms  3

### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

src/pytest\_llm\_report/util/time.py

2 lines (ranges: 39-40)

PASSED tests/test\_time.py::TestFormatDuration::test\_milliseconds\_format 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test\_time.py::TestFormatDuration::test\_minutes\_format 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED tests/test\_time.py::TestFormatDuration::test\_multiple\_minutes 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_one\_second

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test\_time.py::TestFormatDuration::test\_seconds\_format

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test\_time.py::TestFormatDuration::test\_small\_milliseconds

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test\_time.py::TestFormatDuration::test\_very\_small\_microseconds 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED tests/test\_time.py::TestIsoFormat::test\_formats\_datetime\_with\_utc 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test\_time.py::TestIsoFormat::test\_formats\_naive\_datetime 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED tests/test\_time.py::TestIsoFormat::test\_formats\_with\_microseconds 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestUtcNow::test\_has\_utc\_timezone

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_is\_current\_time

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_returns\_datetime

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)



tests/test\_token\_refresh.py

12 tests

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_command\_failure

1ms



3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_empty\_output

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-109, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_force\_refresh

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_get\_token\_json  
\_custom\_key

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

29 lines (ranges: 59-60, 63,  
69-72, 83, 85-86, 90, 93-98,  
101, 107-108, 111, 132-135,  
139, 143-144, 148)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_get\_token\_json  
\_format

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

29 lines (ranges: 59-60, 63,  
69-72, 83, 85-86, 90, 93-98,  
101, 107-108, 111, 132-135,  
139, 143-144, 148)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

PASSED

tests/test\_token\_refresh.py::TestTokenRefresher::test\_get\_token\_text  
\_format

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96,  
99, 110-112, 114-115, 124,  
127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

25 lines (ranges: 59-60, 63,  
69-72, 83, 85-86, 90, 93-98,  
101, 107-108, 111, 132, 153-  
154, 156)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559,  
562, 566-568)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_invalid\_json 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-134, 149-150)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_invalidate 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_missing\_json\_key 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139-141, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_thread\_safety 52ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_timeout\_handling 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	16 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED tests/test\_token\_refresh.py::TestTokenRefresher::test\_token\_caching 1ms ⚡ 3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_command\_failure\_no\_stderr

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_empty\_command\_string

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_invalid\_command\_string

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-88, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_json\_not\_dict

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

27 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-137, 149)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_json\_token\_empty\_string

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_json\_token\_not\_string

1ms  3

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/token\_refresh.py

30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_oserror\_on\_execution

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	19 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113, 115-118)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_text\_only\_whitespace\_lines

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	4 lines (ranges: 132, 153-155)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_refresh\_coverage.py::TestTokenRefresherEdgeCases::test\_whitespace\_only\_command

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test\_token\_usage.py::test\_token\_usage\_aggregation

5ms  2

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	73 lines (ranges: 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485-487, 491-494, 497, 499, 502-506, 509, 512-514, 516-521, 523-531, 534-544, 558-559, 562, 566-568)