Test Report

Run ID: 20910667648-py3.12 • Generated: 2026-01-12 06:58:29 • Duration: 2.67s

95.97%
Total Coverage

273	273	0	0
TOTAL TESTS	PASSED	FAILED	SKIPPED

0	0	0
XFAILED	XPASSED	ERRORS

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy   2ms 🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py

56 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126, 133, 138, 140-145, 147, 149-151, 162, 209, 211-215, 227)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists   4ms 🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py

7 lines (ranges: 52, 55-57, 101-103)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy   3ms 🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py

64 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126, 133, 138, 140-145, 147, 149-151, 162, 174, 176-180, 182-183, 186, 209, 211-215, 227)

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_con
figured   0ms   🛡 1

COVERAGE

| src/pytest_llm_report/aggregation.py | 3 lines (ranges: 44, 52-53) |

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports   1ms   🛡 1

COVERAGE

| src/pytest_llm_report/aggregation.py | 9 lines (ranges: 52, 55-57, 101-102, 105-106, 162) |

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_with_cover
age_and_llm_annotations   2ms   🛡 2

COVERAGE

| src/pytest_llm_report/aggregation.py | 68 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126-129, 133-136, 138, 140-145, 147, 149-151, 162, 174, 176-180, 186, 209, 211-215, 227) |
| src/pytest_llm_report/models.py | 32 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176-180, 182, 184, 186, 188, 190) |

PASSED tests/test_aggregation.py::TestAggregator::test_aggregate_with_source
_coverage   1ms   🛡 1

COVERAGE

| src/pytest_llm_report/aggregation.py | 53 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 140-147, 149-151, 162, 174, 176-178, 186, 209, 211-212, 227) |

PASSED tests/test_aggregation.py::TestAggregator::test_recalculate_summary 1ms 🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py	17 lines (ranges: 209, 211-225, 227)

PASSED tests/test_aggregation.py::TestAggregator::test_skips_invalid_json 3ms 🛡 1

COVERAGE

src/pytest_llm_report/aggregation.py	58 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111-112, 117, 119-120, 140-145, 147, 149-151, 154, 156-158, 160, 162, 174, 176-178, 186, 209, 211-212, 227)

PASSED tests/test_cache.py::TestHashSource::test_consistent_hash 0ms 🛡 1

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)

PASSED tests/test_cache.py::TestHashSource::test_different_source_different_hash 0ms 🛡 1

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)

PASSED tests/test_cache.py::TestHashSource::test_hash_length 0ms 🛡 1

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)

PASSED   tests/test_cache.py::TestLlmCache::test_clear   1ms   🛡 1

COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)

PASSED   tests/test_cache.py::TestLlmCache::test_does_not_cache_errors   0ms   🛡 1

COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)

PASSED   tests/test_cache.py::TestLlmCache::test_get_missing   0ms   🛡 1

COVERAGE

src/pytest_llm_report/cache.py	9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)

PASSED   tests/test_cache.py::TestLlmCache::test_set_and_get   1ms   🛡 1

COVERAGE

src/pytest_llm_report/cache.py	28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)

PASSED   tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure   0ms

PASSED   tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty   0ms

PASSED   tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none   0ms

PASSED `tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_opt_out_default_false` 0ms

PASSED `tests/test_collector.py::TestCollectorOutputCapture::test_capture_disabled_by_default` 0ms

PASSED `tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default` 0ms

PASSED `tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed` 0ms

PASSED `tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed` 0ms

PASSED `tests/test_collector.py::TestTestCollector::test_create_collector` 0ms

PASSED `tests/test_collector.py::TestTestCollector::test_get_results_sorted` 0ms

PASSED `tests/test_collector.py::TestTestCollector::test_handle_collection_finish` 0ms

PASSED `tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper` 0ms

PASSED `tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings` 0ms

PASSED `tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file` 1ms 🛡 1

COVERAGE

`src/pytest_llm_report/errors.py`	9 lines (ranges: 70-72, 74, 76, 139-142)

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases 0ms

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context 0ms

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup 0ms

PASSED tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase 0ms

PASSED tests/test_fs.py::TestIsPythonFile::test_non_python_file 0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED tests/test_fs.py::TestIsPythonFile::test_python_file 0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED tests/test_fs.py::TestMakeRelative::test_makes_path_relative 1ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base 0ms 🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED   tests/test_fs.py::TestNormalizePath::test_already_normalized   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED   tests/test_fs.py::TestNormalizePath::test_forward_slashes   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED   tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED   tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED   tests/test_fs.py::TestShouldSkipPath::test_normal_path   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED   tests/test_fs.py::TestShouldSkipPath::test_skips_git   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_pycache   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_fs.py::TestShouldSkipPath::test_skips_venv   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_different_config   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED tests/test_hashing.py::TestComputeFileSha256::test_hashes_file   0ms 🛡1

COVERAGE

src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED   tests/test_hashing.py::TestComputeHmac::test_different_key   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED   tests/test_hashing.py::TestComputeHmac::test_with_key   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED   tests/test_hashing.py::TestComputeSha256::test_consistent   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED   tests/test_hashing.py::TestComputeSha256::test_length   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED   tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest   70ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED   tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict   77ms   🛡 1

COVERAGE

src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED `tests/test_hashing.py::TestLoadHmacKey::test_loads_key` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/util/hashing.py`	5 lines (ranges: 73, 76-77, 80-81)

PASSED `tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/util/hashing.py`	4 lines (ranges: 73, 76-78)

PASSED `tests/test_hashing.py::TestLoadHmacKey::test_no_key_file` 0ms 🛡 1

COVERAGE

`src/pytest_llm_report/util/hashing.py`	2 lines (ranges: 73-74)

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults` 0ms

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_false` 0ms

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_context_mode_default_minimal` 0ms

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default` 0ms

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true` 0ms

PASSED `tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none` 0ms

PASSED   tests/test_integration_gate.py::TestConfigDefaults::test_secret_exclude_g   0ms
lobs

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_deterministic   6ms 🛡 2
_output

COVERAGE

src/pytest_llm_report/models.py	69 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	87 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED   tests/test_integration_gate.py::TestFullPipeline::test_empty_test_su   5ms 🛡 2
ite

COVERAGE

src/pytest_llm_report/models.py	58 lines (ranges: 229-231, 233, 235, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471-473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	88 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143-147, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation 26ms 🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	83 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation 49ms 🛡 3

COVERAGE

src/pytest_llm_report/models.py	69 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	103 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-239, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	50 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_aggregation_fields   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	25 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_status_fields   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	25 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380)

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined   0ms

PASSED tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

PASSED   `tests/test_llm.py::TestGetProvider::test_gemini_returns_provider`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	9 lines (ranges: 36, 104, 106, 108, 111, 116, 121-122, 124)

PASSED   `tests/test_llm.py::TestGetProvider::test_litellm_returns_provider`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	8 lines (ranges: 36, 104, 106, 108, 111, 116-117, 119)

PASSED   `tests/test_llm.py::TestGetProvider::test_none_returns_noop`   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	5 lines (ranges: 36, 104, 106, 108-109)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED   `tests/test_llm.py::TestGetProvider::test_ollama_returns_provider`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	7 lines (ranges: 36, 104, 106, 108, 111-112, 114)

PASSED   `tests/test_llm.py::TestGetProvider::test_unknown_raises`   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	7 lines (ranges: 104, 106, 108, 111, 116, 121, 126)

PASSED   tests/test_llm.py::TestLlmProviderContract::test_noop_implements_int erface   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED   tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED   tests/test_llm.py::TestNoopProvider::test_get_model_name_empty   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)

PASSED   tests/test_llm.py::TestNoopProvider::test_is_available   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)

PASSED   tests/test_llm_annotator.py::test_annotate_tests_emits_summary   1ms   🛡 2

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/llm/annotator.py	39 lines (ranges: 30, 33-34, 40-41, 43-44, 46-51, 53-54, 56-58, 61-65, 75, 80-85, 90, 95-100, 102, 104)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_reports_progress`   0ms   🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
`src/pytest_llm_report/llm/annotator.py`	43 lines (ranges: 30, 33-34, 40-41, 43-44, 46-51, 53-54, 56-59, 61-65, 75, 80-88, 90, 95-100, 102, 104)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_respects_opt_out_and_limit`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
`src/pytest_llm_report/llm/annotator.py`	39 lines (ranges: 30, 33-34, 40-41, 43-44, 46-51, 53-54, 56-58, 61-65, 75, 80-85, 90, 95-100, 102, 104)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_respects_rate_limit`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
`src/pytest_llm_report/llm/annotator.py`	42 lines (ranges: 30, 33-34, 40-41, 43-44, 46-53, 56-58, 61-65, 75-78, 80-85, 90, 95-100, 102, 104)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_skips_unavailable_provider`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/llm/annotator.py`	7 lines (ranges: 30, 33-37, 39)

PASSED   `tests/test_llm_annotator.py::test_annotate_tests_uses_cache`   1ms   🛡 2

COVERAGE

`src/pytest_llm_report/cache.py`	30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
`src/pytest_llm_report/llm/annotator.py`	43 lines (ranges: 30, 33-34, 40-41, 43-44, 46-51, 53-54, 56-58, 61-68, 73, 75, 80-85, 90, 95-100, 102, 104)

PASSED   `tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields`   0ms

PASSED   `tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/llm/schemas.py`	5 lines (ranges: 77-81)

PASSED   `tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_empty`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/llm/schemas.py`	5 lines (ranges: 77-81)

PASSED   `tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handles_partial`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/llm/schemas.py`	5 lines (ranges: 77-81)

PASSED   `tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_required_fields`   0ms

PASSED tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict `0ms` 🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory `0ms` 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	5 lines (ranges: 36, 104, 106, 108-109)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider `0ms` 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation `0ms` 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation `0ms` 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)

PASSED tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	14 lines (ranges: 36, 104, 106, 108-109, 111-112, 114, 116-117, 119, 121-122, 124)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_retries_on_rate_limit | 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_rotates_models_on_daily_limit | 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_skips_on_daily_limit | 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestGeminiProvider::test_annotate_success_with_mock_response | 0ms 🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error | 0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED   tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_inva lid_key_assertions   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED   tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_miss ing_dependency   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED   tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_succ ess_with_mock_response   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED   tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_ with_module   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handl es_call_error   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx   0ms   🛡 1

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_invalid_json   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_invalid_key_assertions   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_json_in_code_fence   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_json_in_plain_fence   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)

PASSED   tests/test_llm_providers.py::TestOllamaProvider::test_parse_response_success   0ms   🛡 2

COVERAGE

src/pytest_llm_report/llm/base.py	1 lines (ranges: 36)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

PASSED   tests/test_models.py::TestArtifactEntry::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	4 lines (ranges: 254-257)

PASSED   tests/test_models.py::TestCollectionError::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	3 lines (ranges: 207-209)

PASSED   tests/test_models.py::TestCoverageEntry::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	4 lines (ranges: 40-43)

PASSED   tests/test_models.py::TestLlmAnnotation::test_empty_annotation   0ms

PASSED   tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)

PASSED tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_fields `0ms` 🛡 1

COVERAGE

src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)

PASSED tests/test_models.py::TestReportRoot::test_default_report `0ms` 🛡 1

COVERAGE

src/pytest_llm_report/models.py	50 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)

PASSED tests/test_models.py::TestReportRoot::test_report_with_collection_errors `0ms` 🛡 1

COVERAGE

src/pytest_llm_report/models.py	54 lines (ranges: 207-209, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469-471, 473, 475, 477, 479, 481, 483)

PASSED tests/test_models.py::TestReportRoot::test_report_with_warnings `0ms` 🛡 1

COVERAGE

src/pytest_llm_report/models.py	56 lines (ranges: 229-231, 233, 235, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471-473, 475, 477, 479, 481, 483)

PASSED   tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	67 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)

PASSED   tests/test_models.py::TestReportWarning::test_to_dict_with_detail   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	6 lines (ranges: 229-231, 233-235)

PASSED   tests/test_models.py::TestReportWarning::test_to_dict_without_detail   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	5 lines (ranges: 229-231, 233, 235)

PASSED   tests/test_models.py::TestRunMeta::test_aggregation_fields_present   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	35 lines (ranges: 277-279, 281-283, 346-362, 364, 367, 369, 371, 373-380)

PASSED   tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	25 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380)

PASSED   tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	40 lines (ranges: 277-279, 281-283, 346-362, 364-380)

PASSED   tests/test_models.py::TestRunMeta::test_run_status_fields   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	25 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380)

PASSED   tests/test_models.py::TestSchemaVersion::test_schema_version_format   0ms

---

PASSED   tests/test_models.py::TestSchemaVersion::test_schema_version_in_report_root   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	50 lines (ranges: 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)

PASSED   tests/test_models.py::TestSourceCoverageEntry::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	8 lines (ranges: 71-78)

PASSED   tests/test_models.py::TestSourceReport::test_to_dict_minimal   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	5 lines (ranges: 277-279, 281, 283)

PASSED tests/test_models.py::TestSourceReport::test_to_dict_with_run_id   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	6 lines (ranges: 277-279, 281-283)

PASSED tests/test_models.py::TestSummary::test_to_dict   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	11 lines (ranges: 410-418, 420, 422)

PASSED tests/test_models.py::TestTestCaseResult::test_minimal_result   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_coverage   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	22 lines (ranges: 40-43, 161-165, 167, 169, 171, 173, 176-178, 180, 182, 184, 186, 188, 190)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out   0ms   🛡 1

COVERAGE

src/pytest_llm_report/models.py	18 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190)

PASSED tests/test_models.py::TestTestCaseResult::test_result_with_rerun 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	19 lines (ranges: 161-165, 167, 169, 171, 173-176, 178, 180, 182, 184, 186, 188, 190)

PASSED tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields 0ms 🛡 1

COVERAGE

src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_dir_defaults_to_none 0ms

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_group_id_defaults_to_none 0ms

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_include_history_defaults_to_false 0ms

PASSED tests/test_options.py::TestConfigAggregationFields::test_aggregate_run_id_defaults_to_none 0ms

PASSED tests/test_options.py::TestConfigDefaults::test_aggregate_policy_defaults_to_latest 0ms

PASSED tests/test_options.py::TestConfigDefaults::test_capture_failed_output_defaults_to_false 0ms

PASSED tests/test_options.py::TestConfigDefaults::test_context_mode_defaults_to_minimal 0ms

| PASSED | tests/test_options.py::TestConfigDefaults::test_default_exclude_globs_include_secrets | 0ms |

| PASSED | tests/test_options.py::TestConfigDefaults::test_llm_include_param_values_defaults_to_false | 0ms |

| PASSED | tests/test_options.py::TestConfigDefaults::test_llm_requests_per_minute_defaults_to_five | 0ms |

| PASSED | tests/test_options.py::TestConfigDefaults::test_omit_tests_from_coverage_defaults_to_true | 0ms |

| PASSED | tests/test_options.py::TestConfigDefaults::test_provider_defaults_to_none | 0ms |

| PASSED | tests/test_options.py::TestConfigIsLlmEnabled::test_gemini_provider_is_enabled | 0ms |

| PASSED | tests/test_options.py::TestConfigIsLlmEnabled::test_litellm_provider_is_enabled | 0ms |

| PASSED | tests/test_options.py::TestConfigIsLlmEnabled::test_none_provider_not_enabled | 0ms |

| PASSED | tests/test_options.py::TestConfigIsLlmEnabled::test_ollama_provider_is_enabled | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_context_bytes_too_small_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_invalid_aggregate_policy_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_invalid_context_mode_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_invalid_include_phase_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_invalid_provider_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_max_tests_too_small_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_multiple_errors_reported | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_requests_per_minute_too_small_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_timeout_too_small_produces_error | 0ms |

| PASSED | tests/test_options.py::TestConfigValidation::test_valid_config_has_no_errors | 0ms |

| PASSED | tests/test_options.py::TestGetDefaultConfig::test_returns_config_instance | 0ms |

| PASSED | tests/test_options.py::TestGetDefaultConfig::test_returns_defaults | 0ms |

| PASSED | tests/test_options_extended.py::TestConfigAnnotations::test_aggregation_settings | 0ms |

PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_all_output_paths	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_capture_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_compliance_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_coverage_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_custom_exclude_globs	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_include_globs	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_invocation_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_llm_execution_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_llm_param_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_llm_settings	0ms
PASSED	tests/test_options_extended.py::TestConfigAnnotations::test_repo_root_path	0ms

PASSED   tests/test_options_extended.py::TestConfigAnnotations::test_valid_phase_values   0ms

PASSED   tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults   0ms

PASSED   tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config   0ms

PASSED   tests/test_plugin_integration.py::TestPluginIntegration::test_llm_context_marker   0ms

PASSED   tests/test_plugin_integration.py::TestPluginIntegration::test_llm_opt_out_marker   0ms

PASSED   tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker   0ms

PASSED   tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration   27ms   🛡 3

COVERAGE

src/pytest_llm_report/models.py	70 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	101 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-237, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED   tests/test_prompts.py::TestContextAssembler::test_balanced_mode_includes_coverage   7ms

PASSED   tests/test_prompts.py::TestContextAssembler::test_context_override_from_marker   0ms

PASSED   tests/test_prompts.py::TestContextAssembler::test_create_assembler   0ms

PASSED   tests/test_prompts.py::TestContextAssembler::test_minimal_mode_returns_empty_context   0ms

PASSED   tests/test_prompts.py::TestContextAssemblerExcludes::test_excludes_secret_files   0ms

PASSED   `tests/test_ranges.py::TestCompressRanges::test_consecutive_lines`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	`12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)`

PASSED   `tests/test_ranges.py::TestCompressRanges::test_duplicates`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	`12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)`

PASSED   `tests/test_ranges.py::TestCompressRanges::test_empty_list`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	`2 lines (ranges: 29-30)`

PASSED   `tests/test_ranges.py::TestCompressRanges::test_mixed_ranges`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	`16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)`

PASSED   `tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	`14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)`

PASSED   `tests/test_ranges.py::TestCompressRanges::test_single_line`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	`10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)`

PASSED   `tests/test_ranges.py::TestCompressRanges::test_two_consecutive`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED   `tests/test_ranges.py::TestCompressRanges::test_unsorted_input`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_empty_string`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	2 lines (ranges: 81-82)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_mixed`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	11 lines (ranges: 81, 84-91, 93, 95)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_range`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	10 lines (ranges: 81, 84-91, 95)

PASSED   `tests/test_ranges.py::TestExpandRanges::test_roundtrip`   0ms   🛡 1

COVERAGE

`src/pytest_llm_report/util/ranges.py`	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED   tests/test_ranges.py::TestExpandRanges::test_single_number   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)

PASSED   tests/test_render.py::TestFormatDuration::test_milliseconds   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED   tests/test_render.py::TestFormatDuration::test_seconds   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED   tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED   tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	46 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-230, 233-239, 242-243)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	46 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-230, 233-239, 242-243)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	48 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-230, 233-239, 242-243)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	57 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-230, 233-239, 242-243)

PASSED   tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary   0ms   🛡 1

COVERAGE

src/pytest_llm_report/render.py	44 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-230, 233-239, 242-243)

PASSED tests/test_report_writer.py::TestComputeSha256::test_different_conte
nt   0ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test_report_writer.py::TestComputeSha256::test_empty_bytes   0ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_run_meta 5ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	38 lines (ranges: 64-70, 73-77, 79, 81, 100-102, 194, 196-199, 201, 203-217)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_al
l_outcomes   0ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	19 lines (ranges: 100-102, 229, 231-232, 234-245, 247)

PASSED tests/test_report_writer.py::TestReportWriter::test_build_summary_co
unts   0ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	13 lines (ranges: 100-102, 229, 231-232, 234-239, 247)

PASSED tests/test_report_writer.py::TestReportWriter::test_create_writer   0ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	3 lines (ranges: 100-102)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_assembles_tests   5ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	63 lines (ranges: 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-237, 247)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_includes_coverage_percent   5ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	63 lines (ranges: 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-140, 143-147, 152-159, 163, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231, 247)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage   4ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	62 lines (ranges: 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143-147, 152-159, 163, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231, 247)

PASSED tests/test_report_writer.py::TestReportWriter::test_write_report_merges_coverage   4ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	64 lines (ranges: 64-70, 73-77, 79, 81, 100-102, 129-132, 135, 138-139, 143, 152-159, 163, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247)

PASSED `tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_write_fallback` 6ms 🛡 2

COVERAGE

src/pytest_llm_report/models.py	58 lines (ranges: 229-231, 233, 235, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471-473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	95 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143-147, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422-423, 425-428, 431-432)

PASSED `tests/test_report_writer.py::TestReportWriterWithFiles::test_creates_directory_if_missing` 6ms 🛡 2

COVERAGE

src/pytest_llm_report/models.py	75 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 229-231, 233, 235, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471-473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	93 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-393, 411, 413, 415-417, 419, 422)

PASSED   tests/test_report_writer.py::TestReportWriterWithFiles::test_ensure_dir_failure   1ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	12 lines (ranges: 100-102, 386-389, 396-400)

PASSED   tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure   0ms   🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	8 lines (ranges: 64-69, 82-83)

PASSED   tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_creates_file   26ms   🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	85 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-237, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_includes_xfail_summary   25ms   🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	88 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234, 236, 238, 240-243, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_json_creates_file   5ms   🛡 2

COVERAGE

src/pytest_llm_report/models.py	69 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364-367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	87 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_creates_file   27ms 🛡 2

COVERAGE

src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	95 lines (ranges: 55, 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167, 171-172, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 318, 327, 329, 331-340, 351-352, 354-360, 365, 370, 372-375, 377-378, 386-387)

PASSED tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_missing_playwright_warns   5ms 🛡 1

COVERAGE

src/pytest_llm_report/report_writer.py	68 lines (ranges: 64-70, 73-77, 79, 81, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167, 171-172, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 318-322, 325)

PASSED tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)

PASSED tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full   0ms 🛡 1

COVERAGE

src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_report_created 78ms 🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	77 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_html_summary_counts_all_statuses 116ms 🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	87 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-245, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_json_report_created 67ms 🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	68 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	83 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-237, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_annotations_in_report 58ms 🛡 7

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/llm/annotator.py	43 lines (ranges: 30, 33-34, 40-41, 43-44, 46-51, 53-54, 56-59, 61-65, 75, 80-88, 90, 95-100, 102, 104)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 36, 72, 104, 106, 108, 111, 116-117, 119)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	77 lines (ranges: 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176, 178-180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	81 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_smoke_pytester.py::TestBasicReportGeneration::test_llm_error_is_reported   80ms 🛡 6

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/llm/annotator.py	47 lines (ranges: 30, 33-34, 40-41, 43-44, 46-51, 53-54, 56-59, 61-65, 75, 80-88, 90-93, 95-100, 102-104)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 36, 72, 104, 106, 108, 111, 116-117, 119)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	77 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED   tests/test_smoke_pytester.py::TestMarkers::test_llm_opt_out_marker   83ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	68 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	81 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED   tests/test_smoke_pytester.py::TestMarkers::test_requirement_marker   57ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	68 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188-190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	81 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED `tests/test_smoke_pytester.py::TestOutcomes::test_multiple_xfail_outcomes` 67ms 🛡 3

COVERAGE

`src/pytest_llm_report/errors.py`	9 lines (ranges: 70-72, 74, 76, 139-142)
`src/pytest_llm_report/models.py`	68 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
`src/pytest_llm_report/report_writer.py`	84 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234, 236, 238, 240-241, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED `tests/test_smoke_pytester.py::TestOutcomes::test_skip_outcome` 59ms 🛡 3

COVERAGE

`src/pytest_llm_report/errors.py`	9 lines (ranges: 70-72, 74, 76, 139-142)
`src/pytest_llm_report/models.py`	68 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
`src/pytest_llm_report/report_writer.py`	83 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234, 236, 238-239, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED   tests/test_smoke_pytester.py::TestOutcomes::test_xfail_outcome   61ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	68 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	84 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234, 236, 238, 240-241, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED   tests/test_smoke_pytester.py::TestParametrization::test_parametrized_tests   63ms   🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/models.py	68 lines (ranges: 161-165, 167, 169-171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 346-362, 364, 367, 369, 371, 373, 375, 377, 380, 410-418, 420, 422, 461, 463-467, 469, 471, 473, 475, 477, 479, 481, 483)
src/pytest_llm_report/report_writer.py	81 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163-164, 167, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 257, 260-262, 265-266, 269-271, 274, 277-281, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_smoke_pytester.py::TestPluginRegistration::test_help_contains _examples   49ms

PASSED tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_regis tered   43ms

PASSED tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_regist ered   52ms

PASSED tests/test_smoke_pytester.py::TestSpecialCharacters::test_special_c hars_in_nodeid   81ms 🛡 3

COVERAGE

src/pytest_llm_report/errors.py	9 lines (ranges: 70-72, 74, 76, 139-142)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	77 lines (ranges: 55, 64-69, 82-83, 100-102, 129, 135, 138-139, 143, 152-159, 163, 167-168, 171, 174, 194, 196-199, 201, 203-217, 229, 231-232, 234-235, 247, 293, 295-296, 299, 302, 305, 308-312, 386-387, 411, 413, 415-417, 419, 422)

PASSED tests/test_time.py::TestFormatDuration::test_boundary_one_minute   0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 6 lines (ranges: 39, 41, 43, 46-48) |

PASSED tests/test_time.py::TestFormatDuration::test_microseconds_format   0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 2 lines (ranges: 39-40) |

PASSED   tests/test_time.py::TestFormatDuration::test_milliseconds_format   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED   tests/test_time.py::TestFormatDuration::test_minutes_format   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED   tests/test_time.py::TestFormatDuration::test_multiple_minutes   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED   tests/test_time.py::TestFormatDuration::test_one_second   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED   tests/test_time.py::TestFormatDuration::test_seconds_format   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED   tests/test_time.py::TestFormatDuration::test_small_milliseconds   0ms   🛡 1

COVERAGE

src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED tests/test_time.py::TestFormatDuration::test_very_small_microseconds 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 2 lines (ranges: 39-40) |

PASSED tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

PASSED tests/test_time.py::TestIsoFormat::test_formats_naive_datetime 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

PASSED tests/test_time.py::TestIsoFormat::test_formats_with_microseconds 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 27) |

PASSED tests/test_time.py::TestUtcNow::test_has_utc_timezone 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

PASSED tests/test_time.py::TestUtcNow::test_is_current_time 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

PASSED tests/test_time.py::TestUtcNow::test_returns_datetime 0ms 🛡 1

COVERAGE

| src/pytest_llm_report/util/time.py | 1 lines (ranges: 15) |

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES
src/pytest_llm_report/__about__.py	1	1	0	0.0%	-	4
src/pytest_llm_report/__init__.py	2	2	0	0.0%	-	4, 6
src/pytest_llm_report/aggregation.py	90	3	87	96.67%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 83, 85, 95, 101-103, 105-109, 111-112, 117, 119-120, 122-123, 126-127, 133-136, 138, 140, 154, 156, 160, 162, 164, 174, 176-180, 182-183, 186, 188, 197, 209, 211-225, 227	66, 184, 195
src/pytest_llm_report/cache.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153	64-65, 130
src/pytest_llm_report/errors.py	35	1	34	97.14%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 70, 74, 76, 80, 129, 139	75
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-
src/pytest_llm_report/llm/annotator.py	60	2	58	96.67%	4, 6-8, 10-13, 19, 30, 33-35, 39-41, 43-44, 46-51, 56-59, 61-68, 73, 75-78, 80-86,	31, 69

					90-93, 95-97, 102-104	
src/pytest_llm_report/llm/base.py	31	1	30	96.77%	13, 15-17, 24, 30, 36, 66, 72, 74, 83-84, 87-89, 92, 104, 106, 108-109, 111-112, 114, 116-117, 119, 121-122, 124, 126	80
src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66	-
src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130	39
src/pytest_llm_report/models.py	209	11	198	94.74%	17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-111, 113-115, 118-119, 141-157, 159, 161, 167-171, 173-182, 184, 186, 188-190, 193-194, 202-203, 205, 207, 213-214, 223-225, 227, 229, 233-235, 238-239, 248-250, 252, 254, 261-262, 271-273, 275, 277, 281-283, 286-287, 318-342, 344, 346, 364-380, 383-384, 398-406, 408, 410, 420, 422, 425-426, 443-453, 455, 461, 463, 469-473, 475, 477, 479, 481, 483	112, 172, 183, 185, 187, 421, 474, 476, 478, 480, 482

File	Statements	Missing	Covered	Coverage	Missing Lines	
src/pytest_llm_report/render.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 141-143, 145, 158-163, 177, 196	-
src/pytest_llm_report/report_writer.py	148	6	142	95.95%	13, 15-25, 27-29, 46, 55, 58, 64-65, 73, 79, 81, 86, 94, 100-102, 104, 129-132, 135, 138-140, 143-144, 152, 163-164, 167-168, 171-172, 174, 176, 194, 196-199, 201, 203, 220, 229, 231-232, 234-245, 247, 249, 257, 260-262, 265-266, 269-271, 274, 277, 285, 293, 295-296, 299, 302, 305, 308, 316, 318-319, 325, 327, 329, 331-340, 351-352, 354-356, 364-365, 370, 372-375, 377-378, 380, 386-390, 396-397, 404, 411, 413, 415-417, 419, 422-423, 425, 431-432	341-342, 349, 366-368
src/pytest_llm_report/util/fs.py	34	3	31	91.18%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	40, 65, 67

src/pytest_llm_report/util/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73-74, 76-78, 80-81, 86, 96, 103-104, 107, 113-114, 116-121	-
src/pytest_llm_report/util/ranges.py	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
src/pytest_llm_report/util/time.py	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-