

321

TOTAL TESTS

321

PASSED

0

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_all\_policy2ms

3

COVERAGE

src/pytest_llm_report/aggregation.py	56 lines (ranges: 52, 55-56, 59, 61-63, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126, 133, 138, 140-145, 147, 149-151, 162, 209, 211-215, 227)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_dir\_not\_exists4ms

3

COVERAGE

src/pytest_llm_report/aggregation.py	7 lines (ranges: 52, 55-57, 101-103)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_latest\_policy

3ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	64 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126, 133, 138, 140-145, 147, 149-151, 162, 174, 176-180, 182-183, 186, 209, 211-215, 227)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_dir\_configured

1ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	3 lines (ranges: 44, 52-53)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_no\_reports

1ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	9 lines (ranges: 52, 55-57, 101-102, 105-106, 162)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_coverage\_and\_llm\_annotations

2ms



## COVERAGE

src/pytest\_llm\_report/aggregation.py

68 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 122-123, 126-129, 133-136, 138, 140-145, 147, 149-151, 162, 174, 176-180, 186, 209, 211-215, 227)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

32 lines (ranges: 40-43, 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176-180, 182, 184, 186, 188, 190)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_aggregate\_with\_source\_coverage

2ms



## COVERAGE

src/pytest\_llm\_report/aggregation.py

53 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111, 117, 119-120, 140-147, 149-151, 162, 174, 176-178, 186, 209, 211-212, 227)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_recalculate\_summary

1ms



COVERAGE

src/pytest\_llm\_report/aggregation.py

17 lines (ranges: 209, 211-225, 227)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation.py::TestAggregator::test\_skips\_invalid\_json

3ms



COVERAGE

src/pytest\_llm\_report/aggregation.py

58 lines (ranges: 52, 55-56, 59, 64, 69, 73-74, 77-80, 83, 85-92, 101-102, 105-109, 111-112, 117, 119-120, 140-145, 147, 149-151, 154, 156-158, 160, 162, 174, 176-178, 186, 209, 211-212, 227)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_aggregation\_maximal.py::TestAggregationMaximal::test\_recalculate\_summary\_coverage

1ms



COVERAGE

src/pytest\_llm\_report/aggregation.py

10 lines (ranges: 44, 209, 211-217, 227)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 102, 140)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_cached\_tests\_are\_skipped

1ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation

3ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105-114, 128-133, 135, 137, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263, 268)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_concurrent\_annotation\_handles\_failures

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105-114, 128-133, 135-137, 231-233, 235, 237-238, 240, 246-248, 250-255, 257, 263-266, 268)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_progress\_reporting

2ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_sequential\_annotation

12.00s  5

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181-184, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_disabled

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 45-46)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator.py::TestAnnotateTests::test\_skips\_if\_provider\_unavailable

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotate\_concurrent\_with\_progress\_and\_errors

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	28 lines (ranges: 231-233, 235, 237-238, 240-243, 246-248, 250-255, 257-260, 263-266, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotat  
e\_sequential\_rate\_limit\_wait

3ms  4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	22 lines (ranges: 165-167, 169-170, 172-173, 175, 177-178, 181-184, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotat  
e\_tests\_cached\_progress

2ms  5

#### COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	36 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-84, 97-99, 101, 128-133, 135, 137)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_annotator\_maximal.py::TestAnnotatorAdvanced::test\_annotat  
e\_tests\_provider\_unavailable

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 45, 48-52, 54)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestHashSource::test\_consistent\_hash

1ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestHashSource::test\_different\_source\_different  
\_hash

1ms



## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestHashSource::test\_hash\_length

1ms  3

## COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestLlmCache::test\_clear

1ms  4

## COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestLlmCache::test\_does\_not\_cache\_errors

1ms  4

## COVERAGE

src/pytest_llm_report/cache.py	11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestLlmCache::test\_get\_missing

1ms



#### COVERAGE

src/pytest\_llm\_report/cache.py

9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 102, 140)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_cache.py::TestLlmCache::test\_set\_and\_get

1ms



#### COVERAGE

src/pytest\_llm\_report/cache.py

28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/options.py

2 lines (ranges: 102, 140)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorCollectionErrors::test\_collection\_error\_structure

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorCollectionErrors::test\_get\_col  
lection\_errors\_initially\_empty

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_con  
text\_override\_default\_none

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorMarkerExtraction::test\_llm\_opt  
\_out\_default\_false

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_disabled\_by\_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorOutputCapture::test\_capture\_max\_chars\_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_failed\_is\_xfailed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestCollectorXfailHandling::test\_xfail\_passed\_is\_xpassed

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestTestCollector::test\_create\_collector

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestTestCollector::test\_get\_results\_sorted

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector.py::TestTestCollector::test\_handle\_collection\_finish

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector\_maximal.py::TestCollectorMaximal::test\_capture\_output\_on\_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	42 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140-141, 155-159, 163, 167, 171, 209-210, 227-228, 230-233, 235-236, 261, 264-265, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector\_maximal.py::TestCollectorMaximal::test\_extract\_error\_loop\_coverage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	24 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-236, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_collector\_maximal.py::TestCollectorMaximal::test\_handle\_collection\_report\_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector\_maximal.py::TestCollectorMaximal::test\_handle\_runtest\_skipped\_in\_call

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	31 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-116, 119, 121-122, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector\_maximal.py::TestCollectorMaximal::test\_handle\_teardown\_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-233, 235-236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_collector\_maximal.py::TestCollectorMaximal::test\_rerun\_collector\_maximal\_coverage

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_model\_parsing\_edge\_cases

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/gemini.py	17 lines (ranges: 134, 136-139, 141-142, 377, 379, 409-416)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_gemini\_rate\_limiter\_edge\_math

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_boosters.py::TestCoverageBoosters::test\_models\_t  
o\_dict\_variants

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	45 lines (ranges: 71-78, 104-107, 109, 111-113, 115, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_create\_mapper

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_get\_warnings

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapper::test\_map\_coverage\_no\_coverage\_file

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_all\_phases

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_empty\_context

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_filters\_setup

1ms  4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map.py::TestCoverageMapperContextExtraction::test\_extract\_nodeid\_with\_run\_phase

1ms  4

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_full\_logic

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_contexts\_no\_contexts

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_extract\_nodeid\_variants

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_no\_files

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_read\_error

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_load\_coverage\_data\_with\_parallel\_files

3ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_coverage\_no\_data

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_analysis\_error

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_coverage\_map\_maximal.py::TestCoverageMapperMaximal::test\_map\_source\_coverage\_comprehensive

2ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_non\_python\_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestIsPythonFile::test\_python\_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_makes\_path\_relative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test\_fs.py::TestMakeRelative::test\_returns\_normalized\_with\_no\_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_already\_normalized

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_forward\_slashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestNormalizePath::test\_strips\_trailing\_slash

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_custom\_exclude\_patterns

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_normal\_path

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_git

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_fs.py::TestShouldSkipPath::test\_skips\_venv

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_pruning

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_rpm\_limit

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	26 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_tpm\_limit

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	33 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-94, 100-101, 103, 105, 107-108, 110-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_gemini\_advanced.py::TestGeminiRateLimiter::test\_wait\_for\_slot

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	31 lines (ranges: 39-42, 45-46, 48, 52-54, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88, 92-93, 95, 97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_hashing.py::TestComputeConfigHash::test\_different\_config

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test\_hashing.py::TestComputeConfigHash::test\_returns\_short\_hash

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test\_hashing.py::TestComputeFileSha256::test\_consistent\_with\_bytes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED

tests/test\_hashing.py::TestComputeFileSha256::test\_hashes\_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED

tests/test\_hashing.py::TestComputeHmac::test\_different\_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)



PASSED

tests/test\_hashing.py::TestComputeHmac::test\_with\_key

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test\_hashing.py::TestComputeSha256::test\_consistent

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestComputeSha256::test\_length

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_includes\_pytest

70ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestGetDependencySnapshot::test\_returns\_dict

77ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_loads\_key

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_missing\_key\_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED

tests/test\_hashing.py::TestLoadHmacKey::test\_no\_key\_file

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_aggregation\_defaults

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_capture\_failed\_output\_default\_false

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_context\_mode\_default\_minimal

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_llm\_not\_enabled\_by\_default

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 102, 140, 215, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_omit\_tests\_default\_true

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_provider\_default\_none

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestConfigDefaults::test\_secret\_exclude\_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_deterministic\_output

7ms

5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	77 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_empty\_test\_suite

6ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	66 lines (ranges: 229-231, 233, 235, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	109 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199-203, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_html\_report\_generation

30ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	104 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)



PASSED

tests/test\_integration\_gate.py::TestFullPipeline::test\_json\_report\_generation

55ms



## COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	77 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	124 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-307, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_report\_root\_has\_required\_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	53 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_meta\_has\_aggregation\_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_run\_meta\_has\_status\_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_schema\_version\_defined

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_integration\_gate.py::TestSchemaCompatibility::test\_test\_case\_has\_required\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestGetProvider::test\_gemini\_returns\_provider

1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 52-53, 245, 247, 249, 252, 257, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestGetProvider::test\_litellm\_returns\_provider

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 52-53, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestGetProvider::test\_none\_returns\_noop

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestGetProvider::test\_ollama\_returns\_provider

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 245, 247, 249, 252-253, 255)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestGetProvider::test\_unknown\_raises

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 245, 247, 249, 252, 257, 262, 267)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestLlmProviderContract::test\_noop\_implements\_interface

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_annotate\_returns\_empty

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_get\_model\_name\_empty

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 66)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm.py::TestNoopProvider::test\_is\_available

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 58)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)



PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_respects\_opt\_out\_and\_limit

1ms



COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	65 lines (ranges: 45, 48-49, 56-57, 59, 61-62, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_respects\_rate\_limit

1ms



COVERAGE

src/pytest\_llm\_report/cache.py

20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-172, 175, 177-178, 181-184, 186-190, 192, 198, 203)

src/pytest\_llm\_report/options.py

3 lines (ranges: 102, 140, 215)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/prompts.py

12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

PASSED

tests/test\_llm\_annotator.py::test\_annotate\_tests\_skips\_unavailable\_provider

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/annotator.py

7 lines (ranges: 45, 48-52, 54)

src/pytest\_llm\_report/options.py

3 lines (ranges: 102, 140, 215)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest\_llm\_report/cache.py

30 lines (ranges: 39-41, 53, 55-56, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/llm/annotator.py

68 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-67, 71-72, 74-81, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192, 198, 203)

src/pytest\_llm\_report/options.py

3 lines (ranges: 102, 140, 215)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/prompts.py

12 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-84)

## COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_from\_d  
ict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handle  
s\_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_handle  
s\_partial

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_has\_required\_fields

1ms  2

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestAnnotationSchema::test\_schema\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_from\_factory

1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 52-53, 245, 247, 249-250)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_is\_llm\_provider

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 52-53)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestNoopProvider::test\_noop\_returns\_empty\_annotation

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_annotate\_returns\_annotation

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_empty\_code

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_handles\_none\_context

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 50)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_contract.py::TestProviderContract::test\_provider\_has\_annotate\_method

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 52-53, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265)
src/pytest_llm_report/llm/gemini.py	7 lines (ranges: 134, 136-139, 141-142)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_dependency

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-164)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestGeminiProvider::test\_annotate\_missing\_token

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134, 136-139, 141-142, 160-161, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	178 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 223-225, 229-231, 233-234, 266-269, 272-275, 278, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322-325, 327-333, 335, 338, 340-342, 344-347, 352-358, 360-361, 366-369, 373-374, 377-379, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	174 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210, 213-214, 217-221, 223, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360, 362, 364-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411-412, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	181 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-208, 210-211, 213-214, 217-221, 223, 244-246, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360, 362, 364-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	174 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 223, 266-269, 272-275, 278, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360-369, 373-374, 377-379, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	187 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-188, 190-191, 193-194, 196, 200-208, 210-211, 213-214, 217-221, 223, 244-246, 266-269, 272-275, 278-282, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360, 362, 364-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/gemini.py	166 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134, 136-139, 141-142, 160-161, 167-168, 171-172, 174, 176-184, 186-187, 200-202, 206-208, 210, 213-214, 217-221, 223, 266-269, 272-275, 278, 284-287, 289-290, 292-293, 307, 309-312, 314-317, 319-320, 322, 327-333, 335, 338, 340-342, 344-347, 352-358, 360-361, 366-369, 373-374, 377-379, 383-385, 388-391, 393-394, 397, 400-402, 404-406, 409, 411, 413-416, 420, 422-426, 429-432, 434-435, 437-439)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_handles\_completion\_error

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/litellm_provider.py	16 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 63-64, 66, 69)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_invalid\_key\_assertions

1ms  6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/litellm_provider.py	14 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 61-62)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_missing\_dependency

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/litellm_provider.py	5 lines (ranges: 37-41)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_annotate\_success\_with\_mock\_response

1ms  6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	26 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/litellm_provider.py	14 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 61-62)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestLiteLLMProvider::test\_is\_available\_  
with\_module1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 107, 110-111)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 77-78, 80)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_fallb  
acks\_on\_context\_length\_error1ms  6

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	33 lines (ranges: 52-53, 72, 75-76, 78, 165, 167-173, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_handles\_call\_error

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 52-53, 72, 75, 80, 165, 167, 175)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 40-41, 47, 50, 52, 54-55, 57-59, 71-72, 74-75, 77-78)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_annotate\_missing\_httpx

1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 52-53, 72, 75, 80)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 40-44)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_json1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 52-53, 186-187, 190-192)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_invalid\_key\_assertions1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207-209)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_code\_fence1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_json\_in\_plain\_fence1ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_llm\_providers.py::TestOllamaProvider::test\_parse\_response  
\_success

1ms  5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestArtifactEntry::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 254-257)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestCollectionError::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 207-209)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestCoverageEntry::test\_to\_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 40-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_empty\_annotation

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 104-107, 109, 111, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestLlmAnnotation::test\_to\_dict\_with\_all\_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	10 lines (ranges: 104-107, 109-111, 113-115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestReportRoot::test\_default\_report

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	53 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_collection\_errors

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	57 lines (ranges: 207-209, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482-484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_models.py::TestReportRoot::test\_report\_with\_warnings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	59 lines (ranges: 229-231, 233, 235, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestReportRoot::test\_tests\_sorted\_by\_nodeid

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	70 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestReportWarning::test\_to\_dict\_with\_detail

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 229-231, 233-235)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestReportWarning::test\_to\_dict\_without\_detail

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 229-231, 233, 235)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestRunMeta::test\_aggregation\_fields\_present

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	38 lines (ranges: 277-279, 281-283, 351-367, 369, 372, 374, 377, 380, 382, 384, 386-393)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestRunMeta::test\_non\_aggregated\_excludes\_source\_reports

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_meta\_to\_dict\_full

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

48 lines (ranges: 277-279, 281-283, 351-367, 369-393)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestRunMeta::test\_run\_status\_fields

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/models.py

28 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_format

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestSchemaVersion::test\_schema\_version\_in\_repo  
rt\_root

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	53 lines (ranges: 351-367, 369, 372, 374, 377, 380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestSourceCoverageEntry::test\_to\_dict

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 71-78)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_minimal

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 277-279, 281, 283)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestSourceReport::test\_to\_dict\_with\_run\_id

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 277-279, 281-283)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestSummary::test\_to\_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 423-431, 433, 435)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_minimal\_result

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	22 lines (ranges: 40-43, 161-165, 167, 169, 171, 173, 176-178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_llm\_opt\_out

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	18 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_with\_rerun

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 161-165, 167, 169, 171, 173-176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_models.py::TestTestCaseResult::test\_result\_without\_rerun\_excludes\_fields

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	17 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigAggregationFields::test\_aggregate\_d  
ir\_defaults\_to\_none

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigAggregationFields::test\_aggregate\_g  
roup\_id\_defaults\_to\_none

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigAggregationFields::test\_aggregate\_include\_history\_defaults\_to\_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigAggregationFields::test\_aggregate\_report\_un\_id\_defaults\_to\_none

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_aggregate\_policy\_defaults\_to\_latest

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_options.py::TestConfigDefaults::test\_capture\_failed\_output\_defaults\_to\_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_context\_mode\_defaults\_to\_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_default\_exclude\_globals\_include\_secrets

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_llm\_include\_param\_values\_defaults\_to\_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_llm\_requests\_per\_minute\_defaults\_to\_five

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_omit\_tests\_from\_coverage\_defaults\_to\_true

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigDefaults::test\_provider\_defaults\_to\_none

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigIsLlmEnabled::test\_gemini\_provider\_is\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigIsLlmEnabled::test\_litellm\_provider\_is\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigIsLlmEnabled::test\_none\_provider\_no\_t\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigIsLlmEnabled::test\_ollama\_provider\_is\_enabled

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_context\_bytes\_too\_small\_produces\_error

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202-204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_invalid\_aggregate\_policy\_produces\_error

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-190, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_invalid\_context\_model\_produces\_error

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 140, 168, 171-172, 178-182, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_invalid\_include\_plugin\_produces\_error

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-198, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_invalid\_provider\_produces\_error

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	18 lines (ranges: 102, 140, 168, 171-174, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_max\_tests\_negative\_produces\_error

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204-206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_multiple\_errors\_reported

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	21 lines (ranges: 102, 140, 168, 171-174, 178-182, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_requests\_per\_minute\_too\_small\_produces\_error

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206-208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_timeout\_too\_small\_produces\_error

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208-209, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestConfigValidation::test\_valid\_config\_has\_no\_errors

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	16 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestGetDefaultConfig::test\_returns\_config\_instance

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options.py::TestGetDefaultConfig::test\_returns\_defaults

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_aggregation\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_all\_output\_paths

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_capture\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_compliance\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_coverage\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_custom\_exclude\_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_include\_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_invocation\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_execution\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_parameters\_settings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_llm\_settings

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_repo\_root\_path

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_extended.py::TestConfigAnnotations::test\_valid\_phase\_values

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	16 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_all\_fields\_accessible

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_is\_llm\_enabled

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 215)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_validation\_invalid\_aggregate\_policy

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-190, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_validation\_invalid\_context\_mode

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 140, 168, 171-172, 178-182, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_validation\_invalid\_include\_phase

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	19 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-198, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_validation\_invalid\_provider

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	18 lines (ranges: 102, 140, 168, 171-174, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_config\_validation\_numeric\_bounds

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	20 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202-209, 211)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_options\_maximal.py::test\_get\_default\_config

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 102, 140, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_config\_defaults

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	33 lines (ranges: 153, 156-164, 166, 170-176, 178, 180, 184, 186, 188-190, 194, 196, 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_integration.py::TestPluginConfigLoading::test\_markers\_exist\_in\_config

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_content\_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_llm\_output\_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_integration.py::TestPluginIntegration::test\_requirement\_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	78 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_load\_config\_from\_pytest

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	35 lines (ranges: 153, 156, 158, 160, 162, 164, 166, 170-181, 184-191, 194, 196, 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 272, 276-277, 397-398, 401, 405-407)

PASSED

tests/test\_plugin\_maximal.py::TestPluginMaximal::test\_terminal\_summary\_worker\_skip

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 272-273, 397-398, 401, 405-407)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_balanced\_mode\_includes\_coverage

8ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	33 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148, 151-152, 154-155, 158-159, 163, 191-192, 194)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_context\_override\_from\_marker

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	15 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132-133)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_create\_assembler

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	1 lines (ranges: 33)

PASSED

tests/test\_prompts.py::TestContextAssembler::test\_minimal\_mode\_return\_empty\_context

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-107, 116)

PASSED

tests/test\_prompts.py::TestContextAssemblerExcludes::test\_excludes\_secret\_files

1ms  4

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/prompts.py	28 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 132, 135-138, 140-141, 144-145, 148-149, 163, 191-193)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_consecutive\_lines

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_duplicates

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_empty\_list

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_mixed\_ranges

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_non\_consecutive\_lines

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/util/ranges.py

14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_single\_line

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/util/ranges.py

10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_two\_consecutive

1ms



#### COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/util/ranges.py

12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test\_ranges.py::TestCompressRanges::test\_unsorted\_input

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_empty\_string

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_mixed

1ms  3

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_range

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_roundtrip

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test\_ranges.py::TestExpandRanges::test\_single\_number

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)



PASSED

tests/test\_render.py::TestFormatDuration::test\_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test\_render.py::TestFormatDuration::test\_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_all\_outcomes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestOutcomeToCssClass::test\_unknown\_outcome

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/render.py

8 lines (ranges: 79-85, 87)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_basic\_report

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/render.py

52 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 141-143, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_renders\_coverage

1ms



COVERAGE

src/pytest\_llm\_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest\_llm\_report/plugin.py

6 lines (ranges: 397-398, 401, 405-407)

src/pytest\_llm\_report/render.py

52 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_render\_annot  
ation

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	54 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_render\_source\_co  
verage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	63 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-164, 166-172, 177, 192, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_render.py::TestRenderFallbackHtml::test\_render\_summary

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	50 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 141-142, 145-153, 158-160, 196, 229-236, 239-245, 248-249)

PASSED

tests/test\_report\_writer.py::TestComputeSha256::test\_different\_content

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test\_report\_writer.py::TestComputeSha256::test\_empty\_bytes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_build\_run\_meta

5ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	59 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_all\_outcomes

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 297, 299-300, 302-313, 315)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_build\_summary\_counts

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 297, 299-300, 302-307, 315)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_create\_writer

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_ass  
embles\_tests

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	84 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_includes\_coverage\_percent

6ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	84 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-196, 199-203, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_includes\_source\_coverage

5ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	83 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199-203, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315)

PASSED

tests/test\_report\_writer.py::TestReportWriter::test\_write\_report\_mer  
ges\_coverage

5ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	85 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185-188, 191, 194-195, 199, 208-215, 219, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315)



PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_atomic\_write\_fallback

7ms

5

#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	66 lines (ranges: 229-231, 233, 235, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	116 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199-203, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491-492, 494-497, 500-501)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_creates\_directory\_if\_missing

7ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	83 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 229-231, 233, 235, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484-486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	114 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-462, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_ensure\_dir\_failure

1ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 455-458, 465-469)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_git\_info\_failure

1ms  3

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_html\_creates\_file

29ms  5

## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	106 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_html\_includes\_xfail\_summary

31ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	109 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306, 308-311, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_j  
son\_creates\_file

6ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	77 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	108 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_pdf\_creates\_file

33ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	116 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223, 227-228, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 386, 395, 397, 399-408, 419-420, 422-428, 433, 438, 440, 443-447, 455-456)

PASSED

tests/test\_report\_writer.py::TestReportWriterWithFiles::test\_write\_pdf\_missing\_playwright\_warns

6ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 102, 140)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/report_writer.py	89 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223, 227-228, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 386-390, 393)

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_from\_dict\_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

PASSED

tests/test\_schemas.py::TestAnnotationSchema::test\_to\_dict\_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170-172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)



## COVERAGE

src/pytest_llm_report/collector.py	65 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170-172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	102 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-313, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

## COVERAGE

src/pytest_llm_report/collector.py	51 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-305, 315, 325, 328-330, 333-

334, 337-339, 342, 345-349,  
455-456, 480, 482, 484-486,  
488, 491)

## COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	69 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135, 137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198, 203)
src/pytest_llm_report/llm/base.py	38 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 147, 165, 167, 175, 186-187, 190-191, 194-195, 198-200, 203, 205, 207, 212, 214-218, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	17 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 61-62, 77-78, 80)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/models.py	82 lines (ranges: 104-107, 109-111, 113, 115, 161-165, 167, 169, 171, 173, 176, 178-180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)

src/pytest_llm_report/plugin.py	175 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237-239, 241-242, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371-372, 374, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349, 455-456, 480, 482, 484-486, 488, 491)

## COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/llm/annotator.py	73 lines (ranges: 45, 48-49, 56-57, 59, 61, 64, 66-68, 71-72, 74-78, 87-92, 97-99, 101, 103, 105, 117-125, 128-133, 135-137, 165-167, 169-170, 172-173, 175, 177-178, 181, 186-190, 192-195, 198-201, 203)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 52-53, 72, 75, 80, 107, 110-111, 128, 147, 165, 167, 175, 245, 247, 249, 252, 257-258, 260)
src/pytest_llm_report/llm/litellm_provider.py	19 lines (ranges: 37-38, 44, 47, 50-55, 57-58, 63-64, 66, 69, 77-78, 80)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	175 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-164, 166, 170-172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237-239, 241-242, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337,

365, 371-372, 374, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)

src/pytest\_llm\_report/prompts.py

29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

src/pytest\_llm\_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest\_llm\_report/report\_writer.py

92 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180-182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349,





## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167, 169, 171, 173, 176, 178, 180, 182, 184, 186, 188-190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349,



## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	99 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306, 308-309, 315, 325,

328-330, 333-334, 337-339,  
342, 345-349, 455-456, 480,  
482, 484-486, 488, 491)

## COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306-307, 315, 325, 328-330, 333-334, 337-339, 342,



## COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167-169, 171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	99 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302, 304, 306, 308-309, 315, 325, 328-330, 333-334, 337-339,





## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/models.py	73 lines (ranges: 161-165, 167, 169-171, 173, 176, 178, 180, 182, 184, 186, 188, 190, 351-367, 369, 372, 374, 377-380, 382, 384, 386, 388, 390, 393, 423-431, 433, 435, 474, 476-480, 482, 484, 486, 488, 490, 492, 494, 496)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172-174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/report_writer.py	96 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219-220, 223, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 325, 328-330, 333-334, 337-339, 342, 345-349,

455-456, 480, 482, 484-486,  
488, 491)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_help\_con  
tains\_examples

51ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	121 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 397-398, 401, 405-407)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_markers\_registered

45ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	121 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 397-398, 401, 405-407)

PASSED

tests/test\_smoke\_pytester.py::TestPluginRegistration::test\_plugin\_registered

52ms



## COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	121 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170, 172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 397-398, 401, 405-407)

## COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 139-142)
src/pytest_llm_report/options.py	17 lines (ranges: 102, 140, 168, 171-172, 178-179, 186-187, 194-195, 202, 204, 206, 208, 211, 215)
src/pytest_llm_report/plugin.py	168 lines (ranges: 40, 43-47, 49-53, 55-59, 61-65, 67-71, 73-78, 82-86, 88-92, 94-98, 100-104, 108-111, 113-116, 118-121, 123-127, 129-132, 134-137, 153, 156-158, 160-164, 166, 170-172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 208-210, 212-214, 216-218, 222, 226, 229-230, 237, 246-247, 272, 276, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371, 376-385, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	92 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 185, 191, 194-195, 199, 208-215, 219, 223-224, 227, 230, 250, 252-255, 258-260, 262, 264-271, 273-274, 276-285, 297, 299-300, 302-303, 315, 361, 363-364, 367, 370, 373, 376-380, 455-456, 480, 482, 484-486, 488, 491)

PASSED

tests/test\_time.py::TestFormatDuration::test\_boundary\_one\_minute

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_microseconds\_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test\_time.py::TestFormatDuration::test\_milliseconds\_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test\_time.py::TestFormatDuration::test\_minutes\_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_multiple\_minutes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test\_time.py::TestFormatDuration::test\_one\_second

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test\_time.py::TestFormatDuration::test\_seconds\_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test\_time.py::TestFormatDuration::test\_small\_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test\_time.py::TestFormatDuration::test\_very\_small\_microseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)



PASSED

tests/test\_time.py::TestIsoFormat::test\_formats\_datetime\_with\_utc

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestIsoFormat::test\_formats\_naive\_datetime

1ms



#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestIsoFormat::test\_formats\_with\_microseconds

1ms




#### COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test\_time.py::TestUtcNow::test\_has\_utc\_timezone

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_is\_current\_time


1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test\_time.py::TestUtcNow::test\_returns\_datetime

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 397-398, 401, 405-407)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

## Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest_llm_report/aggregation.py	90	3	87	96.67%	13, 15-19, 21, 35, 38, 44, 46, 52-53, 55-57, 59, 61-64, 69, 73-74, 77-80, 83, 85, 95, 101-103, 105-109, 111-112, 117, 119-120, 122-123, 126-127, 133-136, 138, 140, 154, 156, 160, 162, 164, 174, 176-180, 182-183, 186, 188, 197, 209, 211-225, 227	66, 184, 195
--------------------------------------	----	---	----	--------	--	--------------

src/pytest_llm_report/cache.py	47	3	44	93.62%	13, 15-19, 21, 27, 33, 39-41, 43, 53, 55-56, 58, 60-62, 68-69, 78, 86, 88, 90, 92, 94, 97, 103, 107, 118-119, 121, 123, 129, 132-136, 141, 144, 153	64-65, 130
--------------------------------	----	---	----	--------	---	------------

src/pytest_llm_report/collector.py	111	2	109	98.2%	19, 21-22, 24, 26-27, 33-34, 45-50, 52, 58, 60-62, 69, 78-79, 81, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127-128, 130, 132-133, 135-137, 140-141, 143, 155, 163-164, 167-169, 171, 173, 181-182, 185-189, 191, 198-200, 202, 209-210, 212-214, 216, 218, 227-228, 230-236, 238, 241, 250-251, 254, 261, 264-265, 268-269, 271, 277, 279, 285	239, 252
------------------------------------	-----	---	-----	-------	---	----------

--	--	--	--	--	--	--

src/pytest_llm_report/coverage_map.py	135	10	125	92.59%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106-108, 114, 116, 118, 121-122, 127, 131-135, 137-140, 144-146, 148, 150, 152-153, 156, 160-162, 165, 167-168, 173, 176, 178-184, 187-189, 191, 196, 199-200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-248, 250, 252-254, 259-260, 263-264, 271, 273, 276-279, 281-283, 285, 299-300, 302, 308	62, 123, 125, 128, 157, 221, 249, 251, 257, 274
src/pytest_llm_report/errors.py	35	4	31	88.57%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 80, 129, 139	70, 74-76
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-
src/pytest_llm_report/llm/annotator.py	108	0	108	100.0%	4, 6-10, 12-15, 21-22, 25-28, 31, 45-46, 48-50, 54, 56-57, 59, 61-62, 64, 66-68, 71-72, 74-82, 87, 97-99, 101, 103, 105-106, 117, 128-130, 135-137, 140, 165-167, 169-170, 175, 177-178, 181-184, 186-190, 192-193, 198-201, 203, 206, 231-233, 235, 237-238, 240-241, 246-248, 250-255, 257-258, 263-266, 268	-

					13, 15-18, 26, 40, 46, 52-53, 55, 72, 75-76, 78, 80, 101, 107, 110-111, 122, 128, 130, 138, 147, 149, 165, 167-173, 175, 177, 186-187, 190-192, 194-195, 198-200, 203, 205, 207-208, 212, 214, 224- 225, 228-230, 233, 245, 247, 249-250, 252-253, 255, 257-258, 260, 262-263, 265, 267
src/pytest_llm_report/llm/base.py	78	6	72	92.31%	108, 136, 204, 206, 220-221

					7, 9-13, 15-16, 23-27, 30-34, 37- 42, 44-46, 48-50, 52, 57-59, 61-63, 65-66, 68-70, 72- 73, 75-78, 80-85, 87-88, 91-97, 99- 103, 105, 107- 114, 121-122, 125, 128, 134, 136-139, 141-142, 144, 160-161, 167-169, 171-172, 174, 176-184, 186-188, 190-191, 193, 196, 200- 208, 210-211, 213-214, 217-221, 223-225, 229-230, 233-234, 244-245, 252, 265-269, 271-275, 278-279, 284-285, 292-293, 295, 307, 309- 310, 314, 319, 322-324, 327-333, 335, 337-338, 340, 344-347, 349, 352-358, 360-366, 372-374, 376-379, 381, 383-384, 388-391, 393-394, 397, 400-402, 404-406, 408-413, 419-420, 422-426, 429-432, 434-435, 437-439
src/pytest_llm_report/llm/gemini.py	270	29	241	89.26%	60, 67, 89, 104, 106, 115-117, 199, 215, 222, 226-228, 235-236, 239-242, 248, 258-259, 261, 334, 359, 392, 433, 436

src/pytest_llm_report/llm/litellm_provider.py	23	1	22	95.65%	7, 9, 11-12, 18, 21, 37-38, 44, 47, 50-51, 61-64, 66, 69, 71, 77-78, 80	68
src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 50, 52, 58, 60, 66	-
src/pytest_llm_report/llm/ollama.py	43	14	29	67.44%	7, 9, 11-12, 18, 24, 40-41, 47, 50, 52, 54-55, 57-60, 62-63, 66-67, 71-72, 74-75, 77, 81, 96, 104	69, 87-88, 90-92, 102, 114, 116-117, 127, 132, 134-135
src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130	39
src/pytest_llm_report/models.py	222	10	212	95.5%	17-18, 21, 24-25, 34-36, 38, 40, 47-48, 61-67, 69, 71, 82-83, 95-100, 102, 104, 109-115, 118-119, 141-157, 159, 161, 167-171, 173-182, 184, 186, 188-190, 193-194, 202-203, 205, 207, 213-214, 223-225, 227, 229, 233-235, 238-239, 248-250, 252, 254, 261-262, 271-273, 275, 277, 281-283, 286-287, 318-347, 349, 351, 369-393, 396-397, 411-419, 421, 423, 433, 435, 438-439, 456-466, 468, 474, 476, 482-486, 488, 490, 492, 494, 496	172, 183, 185, 187, 434, 487, 489, 491, 493, 495

src/pytest_llm_report/operations.py	67	41	26	38.81%	101, 139, 168, 171-173, 178-180, 186-188, 194-196, 202-209, 211, 215, 224	13-14, 17-18, 85-89, 92-94, 97-100, 117-118, 121-126, 129-130, 133-135, 138, 149-153, 156-157, 160, 162, 213, 218
src/pytest_llm_report/plugin.py	175	66	109	62.29%	40, 43, 49, 55, 61, 67, 73, 82, 88, 94, 100, 108, 113, 118, 123, 129, 134, 153, 156-164, 166, 170-181, 184-191, 194, 196, 208, 212, 216, 222, 226, 229-230, 237-238, 246-247, 272-273, 276-277, 280, 283, 302-303, 310-311, 314-315, 317-318, 321-325, 327, 330-331, 333, 336-337, 365, 371-372, 374, 376-377, 397-398, 401, 405-407, 418, 422, 441, 445-447, 458, 462, 465, 467-468	13, 15-17, 19-20, 22, 28-31, 34, 141, 165, 167, 199, 223, 231, 250, 284, 286-287, 290-291, 293, 295-299, 305, 307, 338-339, 341, 343-348, 351-353, 356-357, 361-362, 366-368, 389-390, 402, 410, 419, 425-426, 429-431, 434, 442, 450-451, 459
src/pytest_llm_report/prompts.py	75	9	66	88.0%	13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 65, 67, 78-79, 82-84, 86-87, 92, 94, 98-101, 103-109, 111-112, 116, 118, 132-133, 135-138, 140-141, 144-145, 148-149, 151-152, 154-155, 158-159, 163, 165, 182, 191-194	63, 80, 95, 110, 114, 142, 146, 156, 180
src/pytest_llm_report/reader.py	50	0	50	100.0%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134,	-

					141-143, 145, 158-163, 177, 196
					13, 15-25, 27-29, 46, 55, 58, 67- 68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 116, 127-128, 130, 142, 150, 156-158, 160, 185-188, 191, 194-196, 199-200, 208, 219-220, 223-224, 227-228, 230, 232, 250, 252-255, 258-260, 262, 264, 288, 297, 299-300, 302-313, 315, 317, 325, 328- 330, 333-334, 337-339, 342, 345, 353, 361, 363-364, 367, 370, 373, 376, 384, 386-387, 393, 395, 397, 399-408, 419-420, 422-424, 432-433, 438, 440, 443, 446-447, 449, 455-459, 465-466, 473, 480, 482, 484-486, 488, 491-492, 494, 500-501
src/pytest_llm_report/report_writer.py	167	10	157	94.01%	113, 135-137, 409-410, 417, 434-436
					11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-64, 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123
src/pytest_llm_report/util/fs.py	34	3	31	91.18%	40, 65, 67
					12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73- 74, 76-78, 80-81, - 86, 96, 103-104, 107, 113-114, 116-121
src/pytest_llm_report/util/hashing.py	36	0	36	100.0%	



src/pytest_llm_report/ut	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
il/ranges.py						

src/pytest_llm_report/ut	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-
il/time.py						