

623

TOTAL TESTS

623

PASSED

0

FAILED

0

SKIPPED

0

XFAILED

0

XPASSED

0

ERRORS

[Source Coverage](#)[Per Test Details](#)[Failures Only](#)

Source Coverage

FILE	STMTS	MISS	COVER	%	COVERED LINES	MISSED LINES
src/pytest_llm_report/_git_info.py	2	0	2	100.0%	2-3	-

src/pytest_llm_report/aggregation.py	121	6	115	95.04%	13, 15-19, 21, 36, 39, 45, 47, 53-54, 56-58, 60, 62-65, 70, 74-75, 78-81, 85, 88-90, 94, 104, 110, 113-115, 117-121, 123-124, 129, 131-132, 134-135, 138-139, 145-147, 149, 152, 155, 158, 160, 162, 176, 178, 182, 184, 186, 196, 198-202, 204-205, 208, 210, 219, 231, 233-247, 249, 251, 259-260, 262-263, 265, 267-269, 273, 276-277, 279-280, 283,	67, 91-92, 111, 206, 217
--------------------------------------	-----	---	-----	--------	---	--------------------------

src/pytest_llm_report/coverage_map.py	135	6	129	95.56%	13, 15-17, 19-22, 30, 38, 44-45, 47, 58-60, 64, 72-73, 83, 86, 88-90, 92, 94-96, 98, 101-104, 106-108, 114, 116, 118, 121-122, 127-128, 131-135, 137-140, 144-146, 148, 150, 152-153, 156, 160-162, 165, 167-168, 173, 176, 178-184, 187-189, 191, 196, 199-200, 202, 204, 216-217, 220, 224-225, 228-234, 236, 239, 241, 243-244, 246-250, 252-254, 257, 259-260, 263-264, 271, 273-274, 276-279, 281-283, 285, 299-300, 302, 308	62, 123, 125, 157, 221, 251
src/pytest_llm_report/errors.py	36	0	36	100.0%	8-9, 12, 25-28, 31-36, 39-42, 45-46, 49-51, 54-55, 64-66, 68, 70, 73, 77-79, 83, 132, 142	-
src/pytest_llm_report/llm/__init__.py	3	0	3	100.0%	4-5, 7	-
src/pytest_llm_report/llm/annotator.py	154	21	133	86.36%	4, 6-10, 12-15, 21-22, 25-30, 33, 47-48, 50-52, 56, 58-59, 65, 67-68, 70, 73-74, 76, 84, 86-90, 95-96, 98-99, 106-107, 112-113, 116, 121-126, 130, 132, 134, 137, 144, 156, 181-182, 184, 186, 188-189, 199, 211, 213-216, 221-223, 226, 249-252, 254-255, 260, 262, 264-267, 269-270, 277-279, 281,	77-81, 160-168, 173, 286-287, 345, 364-365, 371

					283-284, 289-290, 292-293, 298-301, 303, 306, 329-332, 334, 336, 342, 344, 350-351, 353-354, 356-359, 361-362, 367-368, 370, 376-379, 381
--	--	--	--	--	---

					13, 15-18, 20, 30, 33, 47, 50, 53, 59, 65-66, 68, 87-88, 96, 101, 103, 105, 128, 134-135, 137-138, 149, 155, 157, 163, 165, 174, 176, 185-186, 188, 191-198, 200, 202, 212, 214-217, 219-222, 224, 232, 243, 245, 247, 264, 266-267, 270-272, 274-275, 277, 279, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 310, 312, 314, 316, 325-326, 329-331, 333-334, 337-339, 342-347, 351, 353, 359-360, 363-364, 367-369, 372, 384, 386, 388-389, 391-392, 394, 396-397, 399, 401-402, 404, 406
src/pytest_llm_report/llm/base.py	131	6	125	95.42%	91-92, 230, 284, 292, 296

					8, 10-13, 20, 23-24, 27-29, 31-32, 34, 36-37, 39, 44, 53-55, 58, 67-68, 70, 73, 92-93, 95, 97, 103-106, 108-110, 112, 122-123, 126-128, 136, 139, 156-157, 160, 162, 164-167, 170-176, 181-185, 187-188, 190, 192-194,
src/pytest_llm_report/llm/batching.py	90	4	86	95.56%	158, 207, 211, 220

196-197, 203-206,
209-210, 213-214,
216-218, 222, 224

7, 9-13, 15-16,
23-27, 30-34, 37-
42, 44-46, 48-50,
52, 57-63, 65-70,
72-73, 75-78, 80-
85, 87-89, 91-97,
99-114, 121-122,
125, 128, 134-
135, 137-141,
143-144, 146,
164-166, 173-175,
178, 181-182,
184, 186-189,
191-192, 198-206,
208-210, 212-213,
215, 218, 221-
230, 232-233,
235-237, 239-243,
246-247, 249-252,
254-255, 259,
261, 263, 268,
272-276, 279-281,
283, 288-293,
295, 299-305,
308-309, 311-312,
318-319, 322,
326, 332-333,
335, 339-343,
345-349, 352-353,
358-359, 366-367,
369, 383, 385-
386, 390, 410,
413-415, 418-422,
424-427, 432,
434-435, 437,
441-444, 446,
449-463, 469,
471-473, 475-478,
480, 486, 488-
491, 493, 495,
497-498, 502-508,
511, 514-516,
518-521, 523-528,
534, 537, 539-
543, 547-548,
550-559, 562-564,
567-570, 574

src/pytest_llm_report/ll
m/gemini.py

325

7

318

97.85%

115-117, 298,
310, 313-314

					8, 10, 12-13, 21, 31, 37-38, 41-42, 44, 51, 60-62, 64, 82-83, 89, 92, 95-96, 98, 100-101, 104, 106-107, 112, 114, 116, 120, 122, 124-126, 129-130, 132, 135, 137, 139, 141-142, 144, 148, 170, 182-183, 186-188, 190, 192-193, 196-198, 204, 206, 211, 213, 215, 221-222, 224, 227-231, 234, 236, 242-243, 245	
src/pytest_llm_report/llm/litellm_provider.py	77	1	76	98.7%	207	

src/pytest_llm_report/llm/noop.py	13	0	13	100.0%	8, 10, 12-13, 20, 26, 32, 34, 51, 53, 59, 61, 67	-
-----------------------------------	----	---	----	--------	--	---

src/pytest_llm_report/llm/ollama.py	72	1	71	98.61%	7, 9, 11-12, 18, 24, 42-43, 49, 52-53, 55, 58, 60-61, 63-67, 70, 74-77, 83, 85-86, 92, 94, 96-98, 100-101, 103, 107, 113-114, 116-118, 122, 128, 130, 138, 140, 142-144, 149-150, 156, 158, 160-162, 165-167, 172-173, 178, 180, 190, 192-193, 204, 209, 211-212	90
-------------------------------------	----	---	----	--------	--	----

src/pytest_llm_report/llm/schemas.py	36	1	35	97.22%	8, 10-12, 16, 22, 38, 42-44, 46-47, 50-53, 55, 58-59, 62-65, 67-68, 77, 84, 90, 94-98, 102, 130	39
--------------------------------------	----	---	----	--------	---	----

--	--	--	--	--	--	--

src/pytest_llm_report/llm/token_refresh.py	71	0	71	100.0%	7, 9-14, 17, 20, 23-24, 36-39, 41-43, 47, 59-60, 63-66, 69-72, 74, 83, 85-88, 90-91, 93, 101-103, 107-109, 111, 113-116, 120, 132-136, 139-140, 143-145, 148-150, 153-156, 158, 160-162	-
--	----	---	----	--------	---	---

src/pytest_llm_report/llm/utils.py	33	2	31	93.94%	4, 6, 9, 20, 23, 42-43, 46-47, 51-53, 55-56, 66, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 90, 93-94, 96, 98	48, 78
------------------------------------	----	---	----	--------	---	--------

src/pytest_llm_report/models.py	253	0	253	100.0%	17-18, 20, 23, 26-27, 36-38, 40, 42, 49-50, 59-61, 63, 65, 72-73, 86-92, 94, 96, 107-108, 120-126, 128, 130, 135-143, 146-147, 169-185, 187-188, 190, 192, 194, 201-224, 227-228, 236-237, 239, 241, 247-248, 257-259, 261, 263, 270-271, 280-282, 284, 286, 290-292, 295-296, 333-362, 364-372, 374, 376, 394-417, 419-437, 440-441, 455-463, 465, 467, 477-479, 482-483, 500-510, 512, 518, 520, 526-540	-
---------------------------------	-----	---	-----	--------	--	---

--	--	--	--	--	--	--

						122, 170, 199, 202-204, 209-211, 217-219, 225-227, 233-235, 241-242, 245-254, 257-259, 265-267, 271-274, 276, 284, 293, 308, 311-312, 320-325, 327, 332-337, 340-345, 348-349, 352-353, 356-357, 360-369, 372-375, 378-393, 396-397, 400-405, 408-409, 412-413, 416-421, 426-427, 430-431, 436-439, 444-447, 449, 451, 453, 460- 461, 463-464, 466-467, 470-475, 479, 482-495, 498, 502-503, 507, 510, 514- 515, 519-520, 524, 527, 531, 534-536, 540-541, 545-546, 550, 553, 557, 560, 564-565, 569, 572-574, 578, 581-584, 587, 591-592, 596, 599-608, 611, 613	
src/pytest_llm_report/op tions.py	268	57	211	78.73%	13-15, 21-22, 98- 102, 105-107, 110-115, 118-121, 138-139, 142-149, 152-155, 158-160, 163-166, 169, 180-184, 187-188, 191, 193, 278, 287, 296		

					41, 44, 50, 56, 62, 68, 74, 81, 90, 96, 102, 108, 114, 122, 128, 134, 142, 148, 155, 161, 169, 176, 185, 192, 199, 208, 215, 223, 229, 235, 241, 247, 254, 260, 268, 274, 283, 289, 297, 304, 311, 328, 332, 336, 342- 343, 346-347, 349, 351, 354- 356, 362-363, 371-372, 399-400, 13, 15-18, 20-21, 403-404, 407, 23, 29-32, 35, 410-411, 413-414, 319, 377, 481- 417-418, 420, 482, 488, 548- 422-426, 429-430, 549, 571, 595, 432, 434, 437- 611-612
src/pytest_llm_report/plugin.py	182	24	158	86.81%	

					438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 468, 470-473, 476-477, 485-487, 491-494, 497, 499, 502-507, 509, 512-514, 516-521, 523, 534-535, 558-559, 562-563, 566-568, 579-580, 583, 586-587, 590-592, 602-603, 606-608, 619-620, 623, 626, 628-629
--	--	--	--	--	--

src/pytest_llm_report/prompts.py	110	3	107	97.27%	13, 15-17, 24, 27, 33, 35, 49, 52, 55, 58-61, 63, 65, 67, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 114, 116, 118, 139-140, 142-144, 147, 152-153, 155-157, 159-161, 163-164, 166-167, 170-171, 173, 177, 180, 189, 192-194, 196-197, 201, 203, 216-217, 219-220, 223-228, 231-232, 235-237, 239-240, 242-247, 249, 251, 268, 275, 284-287	80, 185, 233
----------------------------------	-----	---	-----	--------	---	--------------

src/pytest_llm_report/reporter.py	65	6	59	90.77%	13, 15-16, 18, 24, 30-31, 34, 40, 42, 50-51, 53, 56, 65-67, 70, 79, 87, 90, 99, 101-102, 107, 110, 121-124, 126-129, 131-134, 140-142, 147, 155-157, 159, 172-177, 191, 210-211, 224, 267, 269, 285	148-149, 212, 217-218, 222
-----------------------------------	----	---	----	--------	---	----------------------------

--	--	--	--	--	--	--

src/pytest_llm_report/report_writer.py	167	3	164	98.2%	13, 15-25, 27-29, 46, 55, 58, 67-68, 76, 83-84, 89, 98-100, 102, 105-108, 110, 113, 116, 127-128, 130, 142, 150, 156-158, 160, 186-189, 192, 197-199, 202-203, 211, 222-223, 226-227, 230-231, 233, 235, 254, 256-259, 262-264, 266, 268, 310, 319, 321-322, 324-335, 337, 339, 347, 350-352, 355-356, 359-361, 364, 367, 375, 383, 385-386, 389, 392, 395, 398, 406, 408-409, 415, 417, 419, 421-432, 439, 441-442, 444-446, 454-458, 460, 462, 465, 468-469, 471, 477-481, 487-488, 495, 502, 504, 506-508, 510, 513-514, 516, 522-523	135-137
src/pytest_llm_report/util/fs.py	34	1	33	97.06%	11, 13-14, 17, 30, 33, 36, 39, 42, 45, 55-56, 58-60, 63-65, 67, 70, 79, 82, 100, 103, 111-113, 116-117, 119-121, 123	40
src/pytest_llm_report/util/hashing.py	36	0	36	100.0%	12, 14-17, 23, 32, 35, 44-48, 51, 61, 64, 73-74, 76-78, 80-81, 86, 96, 103-104, 107, 113-114, 116-121	-

src/pytest_llm_report/ut	33	0	33	100.0%	12, 15, 29-30, 33, 35-37, 39-40, 42, 45-47, 50, 52, 55, 65-67, 70, 81-82, 84-91, 93, 95	-
il/ranges.py						
src/pytest_llm_report/ut	16	0	16	100.0%	4, 6, 9, 15, 18, 27, 30, 39-44, 46-48	-
il/time.py						

Per Test Details

 tests/test_adaptive_prompts.py

9 tests

PASSED	tests/test_adaptive_prompts.py::TestComplexityEstimation::test_complex_test_high_complexity	1ms	 5
COVERAGE			
src/pytest_llm_report/collector.py		14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)	
src/pytest_llm_report/llm/base.py		17 lines (ranges: 65-66, 185, 188, 191-198, 200, 384, 386, 388-389)	
src/pytest_llm_report/llm/noop.py		1 lines (ranges: 32)	
src/pytest_llm_report/options.py		2 lines (ranges: 123, 171)	
src/pytest_llm_report/plugin.py		6 lines (ranges: 558-559, 562, 566-568)	
PASSED	tests/test_adaptive_prompts.py::TestComplexityEstimation::test_empty_source_zero_complexity	1ms	 5
COVERAGE			
src/pytest_llm_report/collector.py		14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)	
src/pytest_llm_report/llm/base.py		8 lines (ranges: 65-66, 185-186, 384, 386, 388-389)	
src/pytest_llm_report/llm/noop.py		1 lines (ranges: 32)	
src/pytest_llm_report/options.py		2 lines (ranges: 123, 171)	
src/pytest_llm_report/plugin.py		6 lines (ranges: 558-559, 562, 566-568)	

PASSED

tests/test_adaptive_prompts.py::TestComplexityEstimation::test_simpl
e_test_low_complexity

2ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	17 lines (ranges: 65-66, 185, 188, 191-198, 200, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestConfigValidation::test_invalid_p
rompt_tier

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-261, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestConfigValidation::test_valid_prompt_tiers

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_auto_tier_complex_test

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-220, 222, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_auto_tier_simple_test

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	23 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_minimal_tier_override

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 212, 214-215, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_adaptive_prompts.py::TestPromptTierSelection::test_standard_tier_override

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 212, 214, 216-217, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_aggregation.py

10 tests

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_all_policy

2ms



COVERAGE

src/pytest_llm_report/aggregation.py	71 lines (ranges: 53, 56-57, 60, 62-64, 74-75, 78-81, 85, 88-90, 94-101, 110, 113-114, 117-121, 123, 129, 131-132, 134-135, 138, 145, 158, 160, 162-167, 169, 171-173, 184, 231, 233-237, 249, 259, 262-263, 265, 267, 290-293, 295)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_dir_not_exists

4ms



COVERAGE

src/pytest_llm_report/aggregation.py

8 lines (ranges: 53, 56-58, 110, 113-115)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_latest_policy

4ms



COVERAGE

src/pytest_llm_report/aggregation.py

79 lines (ranges: 53, 56-57, 60, 65, 70, 74-75, 78-81, 85, 88-90, 94-101, 110, 113-114, 117-121, 123, 129, 131-132, 134-135, 138, 145, 158, 160, 162-167, 169, 171-173, 184, 196, 198-202, 204-205, 208, 231, 233-237, 249, 259, 262-263, 265, 267, 290-293, 295)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_dir_configured

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

3 lines (ranges: 45, 53-54)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_no_reports

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

10 lines (ranges: 53, 56-58, 110, 113-114, 117-118, 184)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_coverage_and_llm_annotations

2ms



COVERAGE

src/pytest_llm_report/aggregation.py

87 lines (ranges: 53, 56-57, 60, 65, 70, 74-75, 78-81, 85, 88-90, 94-101, 110, 113-114, 117-121, 123, 129, 131-132, 134-135, 138-141, 145-147, 149-150, 152-153, 155, 158, 160, 162-167, 169, 171-173, 184, 196, 198-202, 208, 231, 233-237, 249, 259, 262-263, 265, 267, 290-293, 295)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

40 lines (ranges: 42-45, 65-68, 130-133, 135-137, 139, 141-143, 190, 194-199, 201, 203, 205, 207, 210-214, 216, 218, 220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_aggregate_with_source_coverage

2ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	67 lines (ranges: 53, 56-57, 60, 65, 70, 74-75, 78-81, 85, 88-90, 94-101, 110, 113-114, 117-121, 123, 129, 131-132, 162-169, 171-173, 184, 196, 198-200, 208, 231, 233-234, 249, 259, 262-263, 265, 267, 290-293, 295)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_load_coverage_from_source

3ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	19 lines (ranges: 259-260, 262-263, 265, 267-271, 273, 276-277, 279-280, 283, 285-286, 288)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_recalculate_summary

1ms  3

COVERAGE

src/pytest_llm_report/aggregation.py	17 lines (ranges: 231, 233-247, 249)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_aggregation.py::TestAggregator::test_skips_invalid_json

3ms



COVERAGE

src/pytest_llm_report/aggregation.py

72 lines (ranges: 53, 56-57, 60, 65, 70, 74-75, 78-81, 85, 88-90, 94-101, 110, 113-114, 117-121, 123-124, 129, 131-132, 162-167, 169, 171-173, 176, 178-180, 182, 184, 196, 198-200, 208, 231, 233-234, 249, 259, 262-263, 265, 267, 290-293, 295)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)



tests/test_aggregation_maximal.py

1 tests

PASSED

tests/test_aggregation_maximal.py::TestAggregationMaximal::test_recalculate_summary_coverage

1ms



COVERAGE

src/pytest_llm_report/aggregation.py

10 lines (ranges: 45, 231, 233-239, 249)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)



tests/test_annotator.py

13 tests

PASSED

tests/test_annotator.py::TestAnnotateTests::test_batch_optimization_
message

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	98 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-91, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_progress_rep
orting

1ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	50 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-128, 130, 134, 156, 181-182, 184, 211, 213-219, 221, 223)
src/pytest_llm_report/llm/batching.py	18 lines (ranges: 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_cached_tests_are_skipped

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	95 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-124, 130, 132, 134, 137-141, 144-151, 156, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotati
on

3ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	90 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188-196, 213-219, 221, 223, 329-332, 334, 336-340, 342, 344, 350-351, 353-354, 356-359, 361-362, 367-368, 370, 376, 381)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_concurrent_annotati
on_handles_failures

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188-196, 213-219, 221-223, 329-332, 334, 336-340, 342, 344, 350-351, 353-354, 356-359, 361-362, 367-368, 370, 376-379, 381)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_reports_progress_messages

1ms  6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_respects_opt_out_and_limit

2ms



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	91 lines (ranges: 47, 50-51, 58-59, 65, 67-68, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-257, 260, 262, 264-267, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation

12.00s  6

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	94 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264-267, 269-274, 277-279, 281, 283-284, 289-290, 292, 298, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_sequential_annotation_error_tracking

24.00s



COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	98 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-87, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221-223, 249-252, 254-255, 257-258, 260, 262, 264-267, 269-274, 277-279, 281, 283-284, 289-290, 292, 298-301, 303)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	2 lines (ranges: 47-48)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_annotator.py::TestAnnotateTests::test_skips_if_provider_unavailable

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/annotator.py	7 lines (ranges: 47, 50-54, 56)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_base_coverage_v2.py

2 tests

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_malformed_json_after_extract

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 325-326, 329-330, 333-334, 359-360)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_coverage_v2.py::test_base_parse_response_non_string_fields

1ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342-346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_base_maximal.py

9 tests

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_gemini_provider

1ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 384, 386, 388, 391, 396, 401-402, 404)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_invalid_provider

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 384, 386, 388, 391, 396, 401, 406)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_litellm_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_noop_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestGetProvider::test_get_ollama_provider

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 384, 386, 388, 391-392, 394)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_available_caches_result

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 134-135, 137-138)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_model_name_defaults_to_config

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 163)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_get_rate_limits_defaults_to_none

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 155)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_base_maximal.py::TestLlmProviderDefaults::test_is_local_defaults_to_false

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 174)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_batching.py

17 tests

PASSED

tests/test_batching.py::TestBuildBatchPrompt::test_context_files_included

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	35 lines (ranges: 34, 39, 156-157, 160, 162, 181-185, 187-188, 190, 192-194, 196-200, 203-206, 209-210, 213-214, 216-218, 222, 224)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestBuildBatchPrompt::test_parametrized_batch_prompt

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	24 lines (ranges: 34, 39-40, 156-157, 160, 162, 164-168, 170-177, 187-188, 190, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestBuildBatchPrompt::test_single_test_prompt

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	15 lines (ranges: 34, 39, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestComputeSourceHash::test_consistent_hash

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/batching.py

2 lines (ranges: 67, 70)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestComputeSourceHash::test_different_source_different_hash

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/batching.py

2 lines (ranges: 67, 70)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestComputeSourceHash::test_empty_source

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/batching.py

2 lines (ranges: 67-68)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestConfigValidation::test_batch_max_tests_minimum

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271-273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestConfigValidation::test_context_line_padding_non_negative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestConfigValidation::test_invalid_context_compression

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestConfigValidation::test_valid_context_compression

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGetBaseNodeid::test_nested_params

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53-54)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGetBaseNodeid::test_parametrized_nodeid

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53-54)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGetBaseNodeid::test_simple_nodeid

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	2 lines (ranges: 53, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGroupTestsForBatching::test_batch_max_size_respected

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	24 lines (ranges: 53-54, 67-68, 92-93, 95, 103-106, 108-110, 122-123, 126-132, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGroupTestsForBatching::test_batching_disabled

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	6 lines (ranges: 92-93, 95, 97-99)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGroupTestsForBatching::test_parametrized_tests_grouped

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	27 lines (ranges: 34, 39-40, 53-54, 67, 70, 92-93, 95, 103-106, 108-110, 122-123, 126-132, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_batching.py::TestGroupTestsForBatching::test_single_tests_no_grouping

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/batching.py	18 lines (ranges: 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_cache.py

7 tests

PASSED

tests/test_cache.py::TestHashSource::test_consistent_hash

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestHashSource::test_different_source_different_hash

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestHashSource::test_hash_length

1ms  3

COVERAGE

src/pytest_llm_report/cache.py	1 lines (ranges: 153)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_clear

1ms  4

COVERAGE

src/pytest_llm_report/cache.py	26 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 129, 132-136, 141)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_does_not_cache_errors

1ms

4

COVERAGE

src/pytest_llm_report/cache.py

11 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_get_missing

1ms

4

COVERAGE

src/pytest_llm_report/cache.py

9 lines (ranges: 39-41, 53, 55-56, 118-119, 121)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_cache.py::TestLlmCache::test_set_and_get

1ms

4

COVERAGE

src/pytest_llm_report/cache.py

28 lines (ranges: 39-41, 53, 55, 58, 60-62, 68-73, 86, 90, 92, 94, 97-101, 103, 118-119, 121)

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

2 lines (ranges: 123, 171)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)



PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_collection_error_structure

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorCollectionErrors::test_get_collection_errors_initially_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 285)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_context_override_default_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorMarkerExtraction::test_llm_output_default_false

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_enabled_by_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorOutputCapture::test_capture_max_chars_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_failed_is_xfailed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212, 216, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestCollectorXfailHandling::test_xfail_passed_is_xpassed

1ms



COVERAGE

src/pytest_llm_report/collector.py	26 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 212-214)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestTestCollector::test_create_collector

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestTestCollector::test_get_results_sorted

1ms



COVERAGE

src/pytest_llm_report/collector.py	15 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector.py::TestTestCollector::test_handle_collection_finish

1ms



COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 78-79, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_collector_maximal.py

14 tests

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_disabled_via_handle_report

1ms



COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stderr

1ms



COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_stdout

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_capture_output_truncated

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	18 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 261, 264-265, 268)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_create_result_with_item_markers

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	35 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 155-159, 163-164, 167-169, 171, 181-182, 185-189, 198-200, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extrac
t_error_repr_crash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extrac
t_error_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	22 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extrac
t_skip_reason_fallback

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250, 252)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorInternals::test_extract_skip_reason_tuple

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 250-251)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_collection_report_failure

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	21 lines (ranges: 58, 60-65, 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_rerun

2ms



COVERAGE

src/pytest_llm_report/collector.py	42 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-118, 124, 127-128, 130, 140-141, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238, 261, 264-265, 268-269)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_setup_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py	36 lines (ranges: 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_collector_maximal.py::TestCollectorReportHandling::test_handle_runtest_teardown_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py	38 lines (ranges: 90, 93-94, 96, 99, 110-112, 114-115, 124, 127-128, 130, 132-133, 135-137, 140, 155-159, 163, 167, 171, 209-210, 227-228, 230-234, 238)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



PASSED

tests/test_context_compression.py::TestConfigValidation::test_invalid_compression_mode

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_negative_padding_invalid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_valid_compression_modes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestConfigValidation::test_zero_p
adding_valid

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestContextCompression::test_comp
ression_enabled_by_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestContextCompression::test_comp
ression_mode_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestContextCompression::test_line_padding_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_contiguous_lines_no_gap

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_empty_coverage

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 216-217)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_extract_multiple_ranges

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	24 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242-247, 249)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_extract_single_line

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)

PASSED

tests/test_context_compression.py::TestExtractCoveredLines::test_padding_boundary

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	23 lines (ranges: 33, 216, 219-220, 223-228, 231-232, 235-237, 239-240, 242, 244-247, 249)



tests/test_context_limits.py

4 tests

PASSED

tests/test_context_limits.py::test_no_truncation_needed

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 243, 245, 264, 266, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 312, 314)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_limits.py::test_smart_distribution

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	25 lines (ranges: 243, 245, 264, 266, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 310, 312, 314)
src/pytest_llm_report/llm/utils.py	32 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_limits.py::test_splitting_logic

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	24 lines (ranges: 243, 245, 264, 266, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307, 310, 312, 314)
src/pytest_llm_report/llm/utils.py	30 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_limits.py::test_truncation_logic

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 243, 245, 264, 266, 270-272, 274-275)
src/pytest_llm_report/llm/utils.py	1 lines (ranges: 20)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

tests/test_context_util.py

28 tests

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_collapse_three_empty_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	1 lines (ranges: 108)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_many_empty_lines

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	1 lines (ranges: 108)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_preserve_two_empty_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	1 lines (ranges: 108)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestCollapseEmptyLines::test_single_newline

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	1 lines (ranges: 108)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_always_collapses_empty_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	6 lines (ranges: 108, 124, 126, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_combined_optimization

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	45 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-59, 61-62, 64, 66-69, 81-82, 86, 88-90, 93, 108, 124, 126-127, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_default_strips_docs_only

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	36 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_empty_source

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_source_with_only_whitespace

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_strip_both

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	44 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69, 81-82, 86, 88-90, 93, 108, 124, 126-127, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_strip_comments_only

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	14 lines (ranges: 81-82, 86, 88-90, 93, 108, 124, 126, 129-130, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestOptimizeContext::test_strip_neither

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	6 lines (ranges: 108, 124, 126, 129, 133, 135)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_comment_after_string_with_hash

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_escaped_quotes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_mixed_quotes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_no_comments

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_preserve_hash_in_double_quoted_string

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_preserve_hash_in_single_quoted_string

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_strip_simple_comment

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripComments::test_strip_standalone_comment

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	7 lines (ranges: 81-82, 86, 88-90, 93)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_handles_syntax_error_gracefully

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	4 lines (ranges: 27, 29-31)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_multiple_docstrings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	30 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-59, 61-62, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_preserves_multiline_data_strings

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_preserves_regu
lar_strings

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	25 lines (ranges: 27, 29, 33, 35-36, 38-45, 49, 51-52, 55-56, 58, 61, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_preserves_stri
ngs_in_structures

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	27 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58, 61, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_strip_multilin
e_docstring

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_strip_triple_double_quoted_docstring

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_context_util.py::TestStripDocstrings::test_strip_triple_single_quoted_docstring

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	29 lines (ranges: 27, 29, 33, 35-36, 38-45, 47-49, 51-52, 55-56, 58-59, 61-62, 64, 66-69)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_model_parsing_edge_cases

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	19 lines (ranges: 134-135, 137-141, 143-144, 476, 478, 524-531)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_gemini_rate_limiter_edge_math

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	35 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_boosters.py::TestCoverageBoosters::test_models_to_dict_variants

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	47 lines (ranges: 96-103, 130-133, 135, 137-139, 141, 143, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapper::test_create_mapper

1ms

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapper::test_get_warnings

1ms

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	3 lines (ranges: 44-45, 308)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapper::test_map_coverage_no_coverage_file

2ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_all_phases

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_empty_context

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_filters_setup

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 216, 220, 224-225, 228-230)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map.py::TestCoverageMapperContextExtraction::test_extract_nodeid_with_run_phase

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_coverage_map_coverage.py

17 tests

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_contexts_by_lineno_exception

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	29 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152, 156, 160-162, 167-170, 199, 202)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_no_me
asured_files1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	7 lines (ranges: 44-45, 118, 121-122, 127-128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestExtractContexts::test_skip_
non_python_files1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestLoadCoverageData::test_cove
rage_not_installed1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	2 lines (ranges: 44-45)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestLoadCoverageData::test_no_coverage_file

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_analysis_exception_handling

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_empty_statements

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	18 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259-261, 273-274, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_include_test_files_when_not_configured

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_skip_non_python_files

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	10 lines (ranges: 44-45, 243-244, 246-249, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestMapSourceCoverage::test_skip_test_files_when_configured

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 243-244, 246-248, 250, 252-255, 257, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_all_phase_config

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	11 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_empty_string

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_none

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	4 lines (ranges: 44-45, 216-217)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extrac
t_nodeid_run_phase_default

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extrac
t_nodeid_setup_phase_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extrac
t_nodeid_teardown_phase_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231, 233-234, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_coverage.py::TestPhaseFiltering::test_extract_nodeid_without_pipe

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	6 lines (ranges: 44-45, 216, 220, 224, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test_coverage_map_maximal.py

9 tests

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_full_logic

2ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	57 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 137-140, 144, 148, 150, 152-153, 156, 160-163, 165, 167-168, 173, 176, 178-184, 187-189, 191-194, 196, 199-200, 202, 216, 220, 224-225, 228-229, 231, 233, 236)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	13 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65-67)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_contexts_no_contexts

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 118, 121-122, 127, 131-135, 144-146)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_extract_nodeid_variants

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	14 lines (ranges: 44-45, 216, 220, 224-225, 228-229, 231-234, 236, 239)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_no_files

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	9 lines (ranges: 44-45, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_read_error

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	17 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94-96, 107-111, 114)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_load_coverage_data_with_parallel_files

3ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	15 lines (ranges: 44-45, 72-73, 83, 86, 88, 92, 94, 98, 101-104, 106)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_coverage_no_data

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	5 lines (ranges: 44-45, 58-60)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_analysis_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	22 lines (ranges: 44-45, 243-244, 246-248, 250, 252-254, 259, 261, 263-268, 271, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_coverage_map_maximal.py::TestCoverageMapperMaximal::test_map_source_coverage_comprehensive

2ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/coverage_map.py	32 lines (ranges: 44-45, 243-244, 246-248, 250, 252, 259-261, 273, 276-279, 281-283, 285-293, 295, 299-300)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	17 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64, 100, 103, 111-112, 116, 123)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)



tests/test_errors.py

3 tests

PASSED

tests/test_errors.py::test_make_warning

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors.py::test_warning_code_values

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors.py::test_warning_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	8 lines (ranges: 70-71, 73-75, 77-79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_errors_maximal.py

6 tests

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_know_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_unk
nown_code

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestMakeWarning::test_make_warning_wit
h_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestWarningCodes::test_codes_are_strin
gs

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_no_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_errors_maximal.py::TestWarningDataClass::test_warning_to_dict_with_detail

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	8 lines (ranges: 70-71, 73-75, 77-79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_fs.py

12 tests

PASSED

tests/test_fs.py::TestIsPythonFile::test_non_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestIsPythonFile::test_python_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs.py::TestMakeRelative::test_makes_path_relative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs.py::TestMakeRelative::test_returns_normalized_with_no_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs.py::TestNormalizePath::test_already_normalized

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_forward_slashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestNormalizePath::test_strips_trailing_slash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_custom_exclude_patterns

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_normal_path

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_git

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs.py::TestShouldSkipPath::test_skips_venv

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)



tests/test_fs_coverage.py

15 tests

PASSED

tests/test_fs_coverage.py::TestIsPythonFile::test_is_python_file_false

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs_coverage.py::TestIsPythonFile::test_is_python_file_true

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	1 lines (ranges: 79)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_path_not_under_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	12 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63, 65, 67)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_success

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 55, 58-60, 63-64)

PASSED

tests/test_fs_coverage.py::TestMakeRelative::test_make_relative_with
_none_base

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	7 lines (ranges: 30, 33, 36, 39, 42, 55-56)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_ba
ckslashes

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_pa
th_object

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestNormalizePath::test_normalize_path_trailing_slash

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	5 lines (ranges: 30, 33, 36, 39, 42)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_not_skip_regular_path

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	11 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116, 123)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_git

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_path_starting_with_skip_dir

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_pycache

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_site_packages

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_venv

1ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	10 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-113)

PASSED

tests/test_fs_coverage.py::TestShouldSkipPath::test_should_skip_with_exclude_patterns

2ms

3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/fs.py	15 lines (ranges: 30, 33, 36, 39, 42, 100, 103, 111-112, 116-117, 119-121, 123)



tests/test_gemini_provider.py

25 tests

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_annotate
_loop_daily_limit_hit

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	50 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-227, 232-233, 318-320, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_annotati
on_exceptions_coverage

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	100 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 221-224, 228-230, 232-233, 235-236, 239-244, 263-265, 268, 293, 295, 299-303, 318-320, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	27 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-331)
src/pytest_llm_report/llm/gemini.py	173 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181-182, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 254-255, 259, 340, 343, 346, 348-356, 358-361, 363-364, 366-367, 435, 437-439, 441-442, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-498, 502-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-564, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_parse_preferred_models_coverage

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	13 lines (ranges: 134-135, 137-141, 143-144, 524-527)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_prune_daisy_requests

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	10 lines (ranges: 39-42, 81-82, 84, 87-89)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiCoverageGaps::test_tpm_available_fallback

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	4 lines (ranges: 39-42)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_import_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	14 lines (ranges: 134-135, 137-141, 143-144, 164-165, 167-169)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_no_token

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	21 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-188)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	19 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221)
src/pytest_llm_report/llm/gemini.py	214 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-237, 239-244, 246, 249-250, 252, 261, 263-265, 299-300, 304-306, 308-309, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413-416, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569, 574)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_annotate_s
uccess

392ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	19 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221)
src/pytest_llm_report/llm/gemini.py	208 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-430, 432, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567-568, 574)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProvider::test_availability

3ms

5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	12 lines (ranges: 134-135, 137-141, 143-144, 332-333, 335)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_an
notate_retry_exceptions

60.00s

4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	111 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 221-224, 228-230, 232-233, 235-237, 239-244, 263-265, 268, 272-276, 279-281, 283-286, 288-292, 318-320, 322-323, 340, 343, 471-473)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_annotate_retry_loop_coverage

3ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	27 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-331)
src/pytest_llm_report/llm/gemini.py	97 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-94, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 212-213, 215-216, 218, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 254, 259, 340, 343, 471-473)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_ensure_rate_limits_error

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 134-135, 137-141, 143-144, 346, 348-356, 358-361, 363-364, 366-367)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_fetch_available_models_error

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	15 lines (ranges: 134-135, 137-141, 143-144, 537, 539-541, 544-545)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_fetch_available_models_invalid_json

2ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	34 lines (ranges: 134-135, 137-141, 143-144, 476-477, 537, 539-543, 547-548, 550-559, 562-563, 567, 569, 574)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_get_max_context_tokens_calls_ensure

2ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	3 lines (ranges: 65-66, 163)
src/pytest_llm_report/llm/gemini.py	15 lines (ranges: 134-135, 137-141, 143-144, 486, 488-491, 493)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiProviderDetailed::test_parse_rate_limits_types

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 134-135, 137-141, 143-144, 449-457, 459-460, 463-466)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_prune_logic

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	11 lines (ranges: 39-42, 81-85, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_record_to_kens_invalid

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	6 lines (ranges: 39-42, 66-67)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpd_limit

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 45-46, 48-50, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_rpm_limit

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	27 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-97, 100-102)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_seconds_u
ntil_tpm_available_branches

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 100-101, 103-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_wait_for_
slot_daily_limit_exceeded

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	24 lines (ranges: 32-34, 39-42, 45-46, 48-50, 58-60, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_gemini_provider.py::TestGeminiRateLimiter::test_wait_for_
slot_sleeps

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/gemini.py	18 lines (ranges: 39-42, 58-59, 61-63, 73, 76-78, 81-82, 84, 87-88)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_hashing.py

13 tests

PASSED

tests/test_hashing.py::TestComputeConfigHash::test_different_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test_hashing.py::TestComputeConfigHash::test_returns_short_hash

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 96-101, 103-104)

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_consistent_with_bytes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	6 lines (ranges: 32, 44-48)

PASSED

tests/test_hashing.py::TestComputeFileSha256::test_hashes_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 44-48)

PASSED

tests/test_hashing.py::TestComputeHmac::test_different_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test_hashing.py::TestComputeHmac::test_with_key

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 61)

PASSED

tests/test_hashing.py::TestComputeSha256::test_consistent

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestComputeSha256::test_length

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	1 lines (ranges: 32)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_includes_pytest

84ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestGetDependencySnapshot::test_returns_dict

87ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	8 lines (ranges: 113-114, 116-121)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_loads_key

1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	5 lines (ranges: 73, 76-77, 80-81)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_missing_key_file

1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	4 lines (ranges: 73, 76-78)

PASSED

tests/test_hashing.py::TestLoadHmacKey::test_no_key_file

1ms 4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/hashing.py	2 lines (ranges: 73-74)



tests/test_integration_gate.py

16 tests

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_aggregation_defaults

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_capture_failed_output_default_true

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_context_model_default_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_llm_not_enabled_by_default

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	4 lines (ranges: 123, 171, 284, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_omit_tests_default_true

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_provider_default_none

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestConfigDefaults::test_secret_excl
ude_globs

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_deterministic
_output

7ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	62 lines (ranges: 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_html_report_generation

42ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	118 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestFullPipeline::test_json_report_generation

66ms



COVERAGE

src/pytest_llm_report/_git_info.py	2 lines (ranges: 2-3)
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	138 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-329, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_report_root_has_required_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_aggregation_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_run_meta_has_status_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_schema_version_defined

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_integration_gate.py::TestSchemaCompatibility::test_test_case_has_required_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_litellm_retry_coverage.py

4 tests

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetr
y::test_all_retries_exhausted2.00s  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 144-145, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetry::
test_non_401_error_no_force_refresh1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	38 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141, 144-145, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetr
y::test_retry_succeeds_after_transient_error6.00s  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	47 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-187, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_litellm_retry_coverage.py::TestLiteLLMTokenRefreshRetr
y::test_token_refresh_on_401

6.28s  7

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	54 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-188, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_llm.py

9 tests

PASSED

tests/test_llm.py::TestGetProvider::test_gemini_returns_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	10 lines (ranges: 65-66, 384, 386, 388, 391, 396, 401-402, 404)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_litellm_returns_provider

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_none_returns_noop

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_ollama_returns_provider

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 384, 386, 388, 391-392, 394)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestGetProvider::test_unknown_raises

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 384, 386, 388, 391, 396, 401, 406)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestLlmProviderContract::test_noop_implements_interface

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestNoopProvider::test_annotate_returns_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestNoopProvider::test_get_model_name_empty

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 67)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm.py::TestNoopProvider::test_is_available

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 65-66, 134, 137-138)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 59)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

 tests/test_llm_contract.py

13 tests

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_required_fields

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_from_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handle
s_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_handle
s_partial

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_has_re
quired_fields

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestAnnotationSchema::test_schema_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 90-92, 94-96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_from_factory

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	6 lines (ranges: 65-66, 384, 386, 388-389)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_is_llm_provider

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestNoopProvider::test_noop_returns_empty_annotation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_annotate_returns_annotation

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_empty_code

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_handles_none_context

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	8 lines (ranges: 65-66, 87-89, 97-98, 105)
src/pytest_llm_report/llm/noop.py	2 lines (ranges: 32, 51)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_contract.py::TestProviderContract::test_provider_has_annotate_method

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	15 lines (ranges: 65-66, 384, 386, 388-389, 391-392, 394, 396-397, 399, 401-402, 404)
src/pytest_llm_report/llm/gemini.py	9 lines (ranges: 134-135, 137-141, 143-144)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/noop.py	1 lines (ranges: 32)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_llm_providers.py

52 tests

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	187 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 263-265, 299, 311-312, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 435, 437-439, 441-444, 449-452, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524-525, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_dependency

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	34 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-195, 471-473, 497-498, 502-503, 537)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_annotate_missing_token

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/gemini.py	21 lines (ranges: 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-188)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	220 lines (ranges: 39-42, 45-46, 48, 52-54, 66, 68-70, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246-247, 249-252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-430, 432, 435, 437-439, 441-444, 449-455, 457, 459-460, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	216 lines (ranges: 32-34, 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 263-265, 299-300, 304-306, 308-309, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413-416, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-458, 463-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	210 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526-527, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	47 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	216 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-230, 232-233, 235-236, 239-244, 246, 249-250, 252, 261, 318-320, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	209 lines (ranges: 39-42, 45-46, 48-49, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-101, 103, 105, 107-109, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-466, 471-473, 476-478, 497-498, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	47 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	222 lines (ranges: 39-42, 45-46, 48-50, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-210, 212-213, 215-216, 218, 222-230, 232-233, 235-236, 239-244, 246, 249-250, 252, 261, 318-320, 340-343, 346-349, 352-356, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457, 459, 461-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestGeminiProvider::test_fetch_availabl
e_models_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/gemini.py	68 lines (ranges: 134-135, 137-141, 143-144, 346, 348-349, 352-356, 358-361, 363-364, 366-367, 435, 437-439, 441-444, 449-452, 463-466, 476, 478, 497-498, 502-508, 511, 514-516, 518-521, 524-525, 537, 539-541, 544-545)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/gemini.py	201 lines (ranges: 39-42, 45-46, 48, 52-54, 73, 76-78, 81-82, 84, 87-88, 92-93, 95-96, 100-102, 134-135, 137-141, 143-144, 164-166, 173-175, 178, 181, 184, 186-187, 189, 191-192, 198-206, 208-209, 222-224, 228-230, 232, 235-236, 239-244, 246, 249-250, 252, 261, 340-343, 346-349, 352, 358-361, 363-364, 366-367, 383, 385-388, 390-403, 406, 410-411, 413, 418-422, 424-425, 432, 435, 437-439, 441-444, 449-455, 457-458, 463-466, 471-473, 476-478, 497-499, 502-505, 507-508, 511, 514-516, 518-521, 524, 526, 528-531, 537, 539-543, 547-548, 550-552, 554-555, 557-559, 562-563, 567, 569-571, 574)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_401_retry_with_token_refresh

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	50 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 124-127, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_handles_completion_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116, 120, 135, 137, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_invalid_key_assertions

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	43 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346-348)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 206, 211)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_missing_dependency

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 87-89, 97-99, 105)
src/pytest_llm_report/llm/litellm_provider.py	8 lines (ranges: 37-38, 41, 82-86)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_success_with_mock_response

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_with_prompt_override

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	34 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_annotate_with_token_usage

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	39 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196-201, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_api_base_pass through

1ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182-183, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_api_key_passthrough

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	35 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_auth_error_without_refresher

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	36 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 132-133, 170-174, 176-178, 182, 186-187, 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_auth_retry_fails_on_second_attempt

2.00s



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/litellm_provider.py	51 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 122, 124-127, 129-130, 132-133, 141-142, 170-174, 176-178, 182, 186-188, 190)
src/pytest_llm_report/llm/token_refresh.py	31 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_context_too_long_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346-348)
src/pytest_llm_report/llm/litellm_provider.py	3 lines (ranges: 37-38, 41)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_get_max_content_tokens_dict_format

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	10 lines (ranges: 37-38, 41, 221-222, 224, 227-228, 230-231)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_get_max_content_tokens_fallback_on_error

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	10 lines (ranges: 37-38, 41, 221-222, 224, 227, 232-234)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_get_max_context_tokens_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/litellm_provider.py	9 lines (ranges: 37-38, 41, 221-222, 224, 227-229)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_is_available_with_module

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	5 lines (ranges: 65-66, 134, 137-138)
src/pytest_llm_report/llm/litellm_provider.py	6 lines (ranges: 37-38, 41, 242-243, 245)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_token_refresh_integration

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	41 lines (ranges: 37-38, 41-42, 44-48, 60-61, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-188, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestLiteLLMProvider::test_transient_err
or_retry

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/litellm_provider.py	42 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95, 98, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 139, 141-142, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_fallb
acks_on_context_length_error

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	70 lines (ranges: 65-66, 87-89, 97-99, 101, 103, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 243, 245, 264, 266-267, 270-272, 274, 277, 279-280, 283, 286, 290-291, 294-295, 298-299, 305, 307-308, 312, 314, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	27 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71-72, 83, 85-86, 92, 138, 140, 142-144, 175-176, 178)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_handles_call_error

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	29 lines (ranges: 65-66, 87-89, 97-99, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/ollama.py	18 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-65, 94, 97-98, 100-101, 103-104)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_missing_httpx

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	9 lines (ranges: 65-66, 87-89, 97-99, 105)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 42-46)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_runtime_error_immediate_fail

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	22 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267)
src/pytest_llm_report/llm/ollama.py	13 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-65, 94, 96)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_success_full_flow

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	34 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71-72, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_with_prompt_override

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	34 lines (ranges: 42-43, 49, 52-53, 58, 60-61, 63-67, 71-72, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_annotate_with_token_usage

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	46 lines (ranges: 65-66, 87-89, 97-98, 105, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 264, 266-267, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/ollama.py	40 lines (ranges: 42-43, 49, 52, 55, 58, 60-61, 63-67, 71, 74-80, 83, 92, 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_success

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_call_ollama_us
es_default_model

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	17 lines (ranges: 190, 192-200, 204-207, 209, 211-212)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availabi
lity_failure

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	6 lines (ranges: 113-114, 116-117, 119-120)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_non_200

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 113-114, 116-118)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_check_availability_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	5 lines (ranges: 113-114, 116-118)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_context_length_key

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 138, 140, 142-147, 149-150, 156, 165-167, 172-173)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_fallback_on_error

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	11 lines (ranges: 138, 140, 142-147, 175-176, 178)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_from_model_info

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	16 lines (ranges: 138, 140, 142-147, 149-150, 156, 165-167, 172-173)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_from_parameters

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	15 lines (ranges: 138, 140, 142-147, 149-150, 156, 158, 160-162)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_get_max_context_tokens_non_200_status

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	10 lines (ranges: 138, 140, 142-147, 149, 178)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_is_local_returns_true

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	2 lines (ranges: 65-66)
src/pytest_llm_report/llm/ollama.py	1 lines (ranges: 128)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_json1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	7 lines (ranges: 65-66, 325-326, 329-331)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-52, 55)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_invalid_key_assertions1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	16 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346-348)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_code_fence1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_json_in_plain_fence1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	6 lines (ranges: 38, 42-44, 46-47)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_providers.py::TestOllamaProvider::test_parse_response
_success

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/base.py	20 lines (ranges: 65-66, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_llm_utils.py

6 tests

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_constrained

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	32 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_empty

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	2 lines (ranges: 42-43)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_fair_share

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	30 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 90-91, 93-94, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_max_files

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_distribute_token_budget_sufficient

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	28 lines (ranges: 20, 42, 46-47, 51-53, 55-60, 66-67, 70-71, 73, 75, 77, 79, 81-82, 84, 86-87, 96, 98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_llm_utils.py::test_estimate_tokens

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/utils.py	1 lines (ranges: 20)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_models.py

29 tests

PASSED

tests/test_models.py::TestArtifactEntry::test_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 263-266)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestCollectionError::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	3 lines (ranges: 241-243)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestCoverageEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	4 lines (ranges: 65-68)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestLlmAnnotation::test_empty_annotation

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	9 lines (ranges: 130-133, 135, 137, 139, 141, 143)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestLlmAnnotation::test_to_dict_with_all_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 130-133, 135-137, 139-141, 143)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_default_report

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_collection_errors

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 241-243, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_report_with_warnings

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportRoot::test_tests_sorted_by_nodeid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	73 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportWarning::test_to_dict_with_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	8 lines (ranges: 70-71, 73-75, 77-79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestReportWarning::test_to_dict_without_detail

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_aggregation_fields_present

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	39 lines (ranges: 286-288, 290-292, 376-392, 394, 397, 399, 402, 405, 407, 409, 411-417, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_llm_fields_excluded_when_disabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_llm_traceability_fields

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	43 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419-431, 433, 435, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_non_aggregated_excludes_source_reports

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_run_meta_to_dict_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	49 lines (ranges: 286-288, 290-292, 376-392, 394-417, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestRunMeta::test_run_status_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	29 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_format

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSchemaVersion::test_schema_version_in_repo
rt_root

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	54 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSourceCoverageEntry::test_to_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	8 lines (ranges: 96-103)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_minimal

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	5 lines (ranges: 286-288, 290, 292)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSourceReport::test_to_dict_with_run_id

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	6 lines (ranges: 286-288, 290-292)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestSummary::test_to_dict

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 467-475, 477, 479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestTestCaseResult::test_minimal_result

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_coverage

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

24 lines (ranges: 65-68, 190, 194-199, 201, 203, 205, 207, 210-212, 214, 216, 218, 220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_llm_opt_out

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214-216, 218, 220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_with_rerun

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/models.py

21 lines (ranges: 190, 194-199, 201, 203, 205, 207-210, 212, 214, 216, 218, 220, 222, 224)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models.py::TestTestCaseResult::test_result_without_rerun_excludes_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	19 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_models_coverage.py

15 tests

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_all_optional_fields

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	76 lines (ranges: 96-103, 241-243, 263-266, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_artifacts

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	59 lines (ranges: 263-266, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530-532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_collection_errors

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	58 lines (ranges: 241-243, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526-528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_custom_metadata

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534-536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_hmac_signature

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538-540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_sha256

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536-538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_source_coverage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	63 lines (ranges: 96-103, 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532-534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestReportRootToDict::test_to_dict_with_warnings

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	55 lines (ranges: 376-392, 394, 397, 399, 402, 405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestSummaryToDict::test_to_dict_with_coverage_total_percent

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	12 lines (ranges: 467-475, 477-479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestSummaryToDict::test_to_dict_with_output_coverage_total_percent

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	11 lines (ranges: 467-475, 477, 479)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_all_optional_fields

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	42 lines (ranges: 65-68, 130-133, 135, 137, 139, 141, 143, 190, 194-199, 201-207, 210-224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_captured_stderr

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220-222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_captured_stdout

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218-220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_param_summary

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	21 lines (ranges: 190, 194-199, 201, 203-207, 210, 212, 214, 216, 218, 220, 222, 224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_models_coverage.py::TestTestCaseResultToDict::test_to_dict_with_requirements

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	20 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222-224)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_options.py

21tests

PASSED

tests/test_options.py::TestConfig::test_default_exclude_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_default_redact_patterns

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_default_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_get_default_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 293)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_is_llm_enabled

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

3 lines (ranges: 123, 171, 284)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_aggregate_policy

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-221, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_context_mode

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

29 lines (ranges: 123, 171, 199, 202-203, 209-213, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_include_phase

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-229, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_invalid_provider

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	28 lines (ranges: 123, 171, 199, 202-205, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_numeric_ranges

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	31 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245-254, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestConfig::test_validate_valid_config

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_aggregation_options

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599-607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_batch_flag_conflict

4ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_config_missing_pyproject

4ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_coverage_source

5ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607-608, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_defaults

4ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

85 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_overrides_
pyproject

5ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96,
99, 110-112, 114-115, 124,
127, 140, 209-210)

src/pytest_llm_report/options.py

132 lines (ranges: 123, 171,
308, 311-312, 320-325, 327-
328, 332-334, 336, 340, 342,
344, 348, 352, 356, 360, 362,
364, 366, 368, 372, 374, 378,
380, 382, 384, 386, 388, 390,
392, 396, 400, 402, 404, 408,
412, 416, 418, 420, 426, 430,
436, 438, 444, 446, 460, 463,
466, 470, 472-473, 476-477,
482-484, 486, 488, 490, 492-
494, 499-500, 502, 504-505,
507, 511-512, 514, 516-517,
519, 521-522, 524, 528-529,
531, 534-535, 537-538, 540,
542-543, 545, 547-548, 550-
551, 554-555, 557-558, 561-
562, 564, 566-567, 569, 572-
573, 575-576, 578, 581-584,
588-589, 591, 593-594, 596,
599, 601, 603, 605, 607, 611,
613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559,
562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_from_cli_provider_override

5ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

133 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463-464, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

86 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494-495, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

134 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382-384, 386-388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options.py::TestLoadConfig::test_load_token_optimization_options

4ms

3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

88 lines (ranges: 123, 171, 308, 311-312, 320-322, 460, 463, 466, 470-474, 476-477, 479, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)



tests/test_options_coverage.py

47 tests

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_dependency_snapshot

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486, 488, 490-492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestCliOverrides::test_cli_evidence_bundle

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486, 488-490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestCli0overrides::test_cli_report_js
on

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484-486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestCli0overrides::test_cli_report_pdf

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	92 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470-474, 476-477, 479, 482, 484, 486-488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_invalid_token_output_format

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-237, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_token_refresh_interval_too_short

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241-242, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestConfigValidationCoverage::test_validate_valid_litellm_config

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	26 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_aggregate_include_history

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438-440, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_aggregate_policy_from_pyproject

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436-438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_all_config_keys_combined

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

150 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-337, 340-346, 348-350, 352-354, 356-357, 360-369, 372-375, 378-392, 396, 400, 402, 404, 408-410, 412-413, 416-422, 426-428, 430-432, 436-440, 444-447, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_cache_dir

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390-392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_cache_ttl_seconds

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388-390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_capture_failed_output

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418-420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_capture_output_max_chars

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420-422, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_bytes

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362-364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_exclude_globs

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368-369, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_file_limit

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364-366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_context_include_globs

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366-368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_hmac_key_file

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446-447, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_param_values

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372-374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_phase

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412-413, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_include_pytest_invocation

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426-428, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_invocation_redact_patterns

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430-432, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_api_base

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340-342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_api_key

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342-344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_token_json_key

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356-357, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_token_output_format

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352-354, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_token_refresh_command

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344-346, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_litellm_token_refresh_interval

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

111 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348-350, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_malformed_pyproject

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	73 lines (ranges: 123, 171, 308, 311-312, 320-325, 449, 451, 453-456, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_max_concurrency

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380-382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_max_tests

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378-380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_metadata_file

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444-446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_ollama_host

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336-337, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_omit_tests_from_coverage

2ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

110 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408-410, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_param_value_max_chars

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374-375, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_report_collect_only

2ms

3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416-418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectLoadingCoverage::test_load_timeout_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	109 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384-386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_batch_max_tests

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400-402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_batch_parametrized_tests

5ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	131 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396-398, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_context_compression

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402-404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_context_line_padding

5ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404-405, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestPyprojectTokenOptimization::test_load_prompt_tier

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	130 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332, 334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392-393, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 502, 504-505, 507, 511-512, 514, 516-517, 519, 521-522, 524, 528-529, 531, 534-535, 537-538, 540, 542-543, 545, 547-548, 550-551, 554-555, 557-558, 561-562, 564, 566-567, 569, 572-573, 575-576, 578, 581-584, 588-589, 591, 593-594, 596, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_batch_max_tests_too_small

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271-273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_context_line_padding_negative

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	27 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273-274, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_invalid_context_compression

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-269, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_options_coverage.py::TestValidationCoverageExtended::test_validate_invalid_prompt_tier

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	29 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-261, 265-266, 271, 273, 276)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_config_defaults

3ms

 3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

122 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-337, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378-380, 382, 384-386, 388, 390, 392, 396, 400, 402, 404, 408-410, 412-413, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463, 466, 470, 472-473, 476-477, 482-488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603-605, 607, 611, 613)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginConfigLoading::test_markers_exist_in_config

1ms

 2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	91 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

122 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	11 lines (ranges: 70-71, 73-75, 77, 79, 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

116 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-484, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	50 lines (ranges: 78-79, 90, 93-94, 96, 99-103, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

115 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330, 332, 334-335, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	59 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-118, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 250-251, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309,

311-315, 328-330, 332-334,
336-338, 342, 346-347, 349,
351, 354-355, 362, 371-373,
399, 403, 407, 410, 429-430,
437-438, 441-442, 444-445,
448-452, 454, 457-458, 460,
463-464, 485, 491-492, 534-
544, 558-559, 562, 566-568,
579, 583, 602, 606-608, 619,
623, 626, 628-629)

src/pytest_llm_report/report_writer.py

114 lines (ranges: 55, 67-73,
85-86, 98-100, 127-128, 130,
156-158, 186, 192-193, 197-
198, 202, 211-218, 222-223,
226, 230, 233, 254, 256-259,
262-264, 266, 268-275, 277-
278, 280-289, 291-294, 296-
297, 299-300, 302-303, 305-
307, 319, 321-322, 324-329,
337, 347, 350-352, 355-356,
359-361, 364, 367-371, 477-
478, 502, 504, 506-508, 510,
513)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	250 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403-404, 558-559, 562-563, 566-568, 579, 583, 602-603, 619-620)

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486-488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408, 417, 419, 421-423, 431-436, 439, 441-442, 455, 460, 462, 465-469, 477-478)

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	75 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_cotext_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_llm_output_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestPluginIntegration::test_requirement_marker

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_integration.py::TestReportGeneration::test_report_writer_integration

42ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	81 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	136 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)



PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 558-559, 562, 566-568, 579-580, 586-587)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	12 lines (ranges: 558-559, 562, 566-568, 579-580, 586, 590-592)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_no_session

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 579, 583)

PASSED

tests/test_plugin_maximal.py::TestPluginCollectReport::test_pytest_collectreport_session_none

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 579, 583)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_llm_enabled_warning

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	30 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_validation_errors

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	135 lines (ranges: 123, 171, 199, 202-205, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	25 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-358, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigure::test_pytest_configure_worker_skip

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	17 lines (ranges: 328-330, 332-334, 336-338, 342-343, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginConfigureFallback::test_pytest_configure_fallback_load

3ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	30 lines (ranges: 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_cli_overrides_pyproject

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	122 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-334, 336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460-461, 463-464, 466-467, 470, 472-473, 476-477, 482-494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599-607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginLoadConfig::test_load_config_from_pyproject

100ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	112 lines (ranges: 123, 171, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360-362, 364, 366, 368, 372, 374, 378, 380, 382-384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	9 lines (ranges: 399, 403-404, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::test_terminal_summary_worker_skip

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 399-400, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginMaximal::testload_config

4ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	69 lines (ranges: 123, 171, 308, 311-312, 320-322, 460-461, 463-464, 466-467, 470, 472-473, 476-477, 482-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_maker_report_disabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	7 lines (ranges: 558-559, 562-563, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginRuntest::test_runtest_make
port_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_co
llection_finish_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 602-603)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_co
llection_finish_enabled

2ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	10 lines (ranges: 558-559, 562, 566-568, 602, 606-608)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_se
ssionstart_disabled

1ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	8 lines (ranges: 558-559, 562, 566-568, 619-620)

PASSED

tests/test_plugin_maximal.py::TestPluginSessionHooks::test_pytest_sessionstart_enabled

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	11 lines (ranges: 558-559, 562, 566-568, 619, 623, 626, 628-629)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption

3ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	220 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_pytest_addoption_no_ini

3ms  2

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	220 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_coverage_calculation

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	53 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 468, 470-473, 485-486, 491-492, 534-544, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_llm_enabled

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	66 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485-486, 491-494, 497, 499, 502-504, 512-514, 516, 523-531, 534-544, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_no_collector

2ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	45 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummary::test_terminal_summary_with_aggregation

3ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	21 lines (ranges: 399, 403, 407, 410-411, 413-414, 417-418, 420, 422-426, 558-559, 562, 566-568)

PASSED

tests/test_plugin_maximal.py::TestPluginTerminalSummaryErrors::test_terminal_summary_coverage_error

5ms  3

COVERAGE

src/pytest_llm_report/collector.py	16 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210, 277, 285)
src/pytest_llm_report/options.py	3 lines (ranges: 123, 171, 284)
src/pytest_llm_report/plugin.py	52 lines (ranges: 399, 403, 407, 410, 429-430, 432, 434, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-466, 476-479, 485-486, 491-492, 534-544, 558-559, 562, 566-568)



tests/test_prompts.py

7 tests

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_balanced_
context

7ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	63 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_complete_
context

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	38 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116, 139-140, 268-272)

PASSED

tests/test_prompts.py::TestContextAssembler::test_assemble_minimal_context

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	30 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_balanced_context_limits

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	46 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-84, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts.py::TestContextAssembler::test_complete_context_l
imits_override1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	50 lines (ranges: 33, 49, 52, 55, 58, 60, 63, 65, 78-79, 82-84, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 268-272, 284-285, 287)

PASSED

tests/test_prompts.py::TestContextAssembler::test_get_test_source_ed
ge_cases1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	26 lines (ranges: 33, 78-79, 82-84, 86-87, 92, 94-95, 98-101, 103-112, 116)

PASSED

tests/test_prompts.py::TestContextAssembler::test_should_exclude

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	5 lines (ranges: 33, 284-287)



tests/test_prompts_coverage.py

12 tests

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_assemble_minimal_mode

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_assemble_with_context_override

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	62 lines (ranges: 33, 49, 52, 55, 58, 60-61, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_excludes_patterns

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	1 lines (ranges: 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	20 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163-164, 201, 284-286)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_file_not_exists

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	16 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-161, 201)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_max_bytes_limit

14ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	34 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_no_coverage

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	3 lines (ranges: 33, 139-140)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_balanced_context_reaches_max_bytes_before_file

1ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	35 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-157, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-194, 196-197, 201, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_complete_context_delegates_to_balanced

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/context_util.py	17 lines (ranges: 27, 29, 33, 35-36, 64, 66-69, 108, 124, 126-127, 129, 133, 135)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	38 lines (ranges: 33, 139, 142-145, 147-148, 152-153, 155-156, 159-160, 163, 166-167, 170-171, 173-174, 177, 181-182, 189, 192-193, 196-197, 201, 268-272, 284-285, 287)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_empty_nodeid

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	9 lines (ranges: 33, 78-79, 82-83, 86-89)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_extraction_stops_at_next_def

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_file_not_exists

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	6 lines (ranges: 33, 78-79, 82-84)

PASSED

tests/test_prompts_coverage.py::TestContextAssemblerEdgeCases::test_get_test_source_with_class

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/prompts.py	25 lines (ranges: 33, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-112, 114, 116)



PASSED

tests/test_ranges.py::TestCompressRanges::test_consecutive_lines

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_duplicates

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_empty_list

1ms



3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 29-30)

PASSED

tests/test_ranges.py::TestCompressRanges::test_mixed_ranges

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_non_consecutive_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	14 lines (ranges: 29, 33, 35-37, 39-40, 45-47, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_single_line

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 29, 33, 35-37, 39, 50, 52, 65-66)

PASSED

tests/test_ranges.py::TestCompressRanges::test_two_consecutive

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	12 lines (ranges: 29, 33, 35-37, 39-40, 42, 50, 52, 65, 67)

PASSED

tests/test_ranges.py::TestCompressRanges::test_unsorted_input

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	16 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67)

PASSED

tests/test_ranges.py::TestExpandRanges::test_empty_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	2 lines (ranges: 81-82)

PASSED

tests/test_ranges.py::TestExpandRanges::test_mixed

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	11 lines (ranges: 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_range

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	10 lines (ranges: 81, 84-91, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_roundtrip

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	27 lines (ranges: 29, 33, 35-37, 39-40, 42, 45-47, 50, 52, 65-67, 81, 84-91, 93, 95)

PASSED

tests/test_ranges.py::TestExpandRanges::test_single_number

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/ranges.py	7 lines (ranges: 81, 84-87, 93, 95)



tests/test_render.py

9 tests

PASSED

tests/test_render.py::TestFormatDuration::test_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	2 lines (ranges: 65, 67)

PASSED

tests/test_render.py::TestFormatDuration::test_seconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	2 lines (ranges: 65-66)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_all_outcomes

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestOutcomeToCssClass::test_unknown_outcome

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

8 lines (ranges: 79-85, 87)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_basic_report

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

57 lines (ranges: 65-67, 79-85, 87, 121-124, 126-127, 131-132, 155-157, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_coverage

1ms

3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

57 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-129, 131-132, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_llm_annotation

1ms

3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

src/pytest_llm_report/render.py

64 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-134, 136-137, 140-142, 144, 147, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_source_coverage

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	68 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 155-156, 159-167, 172-178, 180-186, 191, 206, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)

PASSED

tests/test_render.py::TestRenderFallbackHtml::test_renders_xpass_summary

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	55 lines (ranges: 65, 67, 79-85, 87, 121-124, 126-127, 131-132, 155-156, 159-167, 172-174, 210-211, 224, 257-264, 267, 269, 271-277, 280-281, 285)



tests/test_report_writer.py

19 tests

PASSED

tests/test_report_writer.py::TestComputeSha256::test_different_content

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test_report_writer.py::TestComputeSha256::test_empty_bytes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	1 lines (ranges: 55)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_run_meta

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	72 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_summary_all_outcomes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	19 lines (ranges: 156-158, 319, 321-322, 324-335, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_build_summary_counts

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 319, 321-322, 324-329, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_create_writer

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 156-158)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_ass
embles_tests

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_inc
ludes_coverage_percent

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	98 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-199, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_includes_source_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	97 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337)

PASSED

tests/test_report_writer.py::TestReportWriter::test_write_report_merges_coverage

5ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	99 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186-189, 192-193, 197-198, 202, 211-218, 222, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_atomic_
write_fallback

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	62 lines (ranges: 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	130 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202-206, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513-514, 516-519, 522-523)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_creates_directory_if_missing

7ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/errors.py	7 lines (ranges: 70-71, 73-75, 77, 79)
src/pytest_llm_report/models.py	81 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528-530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	128 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-484, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_ensure_dir_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	12 lines (ranges: 156-158, 477-480, 487-491)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_git_info_failure

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_html_creates_file

41ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	120 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_
html_includes_xfail_summary

41ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	123 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330-333, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_j
son_creates_file

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_pdf_creates_file

44ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	130 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408, 417, 419, 421-430, 441-442, 444-450, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test_report_writer.py::TestReportWriterWithFiles::test_write_p
df_missing_playwright_warns

6ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	103 lines (ranges: 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226, 230-231, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 408-412, 415)



tests/test_report_writer_coverage.py

10 tests

PASSED

tests/test_report_writer_coverage.py::TestGetGitInfo::test_git_info_
from_nonexistent_path

2ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 67-73, 85-86)

PASSED

tests/test_report_writer_coverage.py::TestGetGitInfo::test_git_info_from_valid_repo

5ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	16 lines (ranges: 67-74, 76-81, 83-84)

PASSED

tests/test_report_writer_coverage.py::TestGetPluginGitInfo::test_plugin_git_info_fallback

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test_report_writer_coverage.py::TestGetPluginGitInfo::test_plugin_git_info_returns_values

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	3 lines (ranges: 127-128, 130)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterAtomicWrite::test_atomic_write_fallback

7ms  5

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	80 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	122 lines (ranges: 55, 67-74, 76-81, 83-84, 98-99, 102, 105-108, 110, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_pdf_playwright_exception

120ms  6

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	28 lines (ranges: 156-158, 408, 417, 419, 421-423, 431-436, 439, 441-442, 455, 460, 462, 465-469, 477-478)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_pdf_playwright_not_installed

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	9 lines (ranges: 156-158, 408-412, 415)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolve_html_source_creates_temp

35ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	11 lines (ranges: 156-158, 455, 460, 462, 465-469)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolve_html_source_missing_html_file

35ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/render.py	26 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65-67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	13 lines (ranges: 156-158, 455-457, 460, 462, 465-469)

PASSED

tests/test_report_writer_coverage.py::TestReportWriterPDF::test_resolved_html_source_uses_existing

1ms  4

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	2 lines (ranges: 123, 171)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/report_writer.py	7 lines (ranges: 156-158, 455-458)



tests/test_schemas.py

2 tests

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_from_dict_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	5 lines (ranges: 77-81)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_schemas.py::TestAnnotationSchema::test_to_dict_full

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/schemas.py	8 lines (ranges: 90-92, 94-98)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)



tests/test_smoke_pytester.py

15 tests

COVERAGE

src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

106 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	69 lines (ranges: 78-79, 90, 93-94, 96, 99-104, 106-107, 109-112, 114-119, 121-122, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212-214, 216, 227-228, 230-236, 250-251, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460,

463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/render.py

25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)

src/pytest_llm_report/report_writer.py

116 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-335, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	55 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-118, 124, 127, 132-133, 140-141, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 227-228, 230-236, 261, 264, 268, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309,

311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

112 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-327, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/cache.py	20 lines (ranges: 39-41, 53, 55-56, 86, 90, 92, 94, 97-101, 103, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/llm/annotator.py	96 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221, 223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298, 303)
src/pytest_llm_report/llm/base.py	55 lines (ranges: 65-66, 87-89, 97, 105, 134, 137-138, 155, 163, 174, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 325-326, 329-330, 333-334, 337-339, 342, 344, 346, 351, 353-357, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/llm/litellm_provider.py	43 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 170-174, 176-178, 182, 186-187, 190, 192-193, 196, 204, 213, 221-222, 224, 227-229, 242-243, 245)
src/pytest_llm_report/llm/schemas.py	7 lines (ranges: 38, 42-43, 50-53)

src/pytest_llm_report/models.py	103 lines (ranges: 130-133, 135-137, 139, 141, 143, 190, 194-199, 201, 203, 205, 207, 210, 212-214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419-437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py	316 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-494, 497, 499, 502-506, 509, 512-514, 516-517, 523-531, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/report_writer.py	115 lines (ranges: 55, 67-73, 85-86, 98-99, 102, 105-108, 113, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-296, 298-299, 301-302, 304-305, 307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/cache.py	12 lines (ranges: 39-41, 53, 55-56, 86, 88, 118-119, 121, 153)
src/pytest_llm_report/collector.py	39 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/llm/annotator.py	100 lines (ranges: 47, 50-51, 58-59, 65, 67, 70, 73-74, 76, 84, 86-89, 95-96, 98-99, 106-108, 112-113, 116, 121-122, 132, 134, 137-141, 144-151, 181-182, 184, 186, 188, 199-206, 213-219, 221-223, 249-252, 254-255, 257-258, 260, 262, 264, 269-274, 277-279, 281, 283-284, 289-290, 292-295, 298-301, 303)
src/pytest_llm_report/llm/base.py	37 lines (ranges: 65-66, 87-89, 97, 105, 134, 137-138, 155, 163, 174, 185, 188, 191-198, 200, 212, 214, 216, 219-221, 384, 386, 388, 391, 396-397, 399)
src/pytest_llm_report/llm/batching.py	33 lines (ranges: 34, 39, 53, 55, 92-93, 95, 103-106, 108-110, 112-116, 136, 156-157, 160, 162, 181-185, 187-188, 190, 224)
src/pytest_llm_report/llm/litellm_provider.py	44 lines (ranges: 37-38, 41, 60, 62, 82-83, 89, 92, 95-96, 100-101, 104, 106-107, 112, 114, 116-117, 120, 135, 137, 170-174, 176-178, 182, 186-187, 190, 221-222, 224, 227-229, 242-243, 245)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	136 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241,

	245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-325, 327-328, 332-336, 340, 342, 344, 348, 352, 356, 360, 362, 364, 366, 368, 372, 374, 378, 380, 382, 384, 386, 388, 390, 392, 396, 400, 402, 404, 408, 412, 416, 418, 420, 426, 430, 436, 438, 444, 446, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	316 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362-364, 366-367, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-494, 497, 499, 502-507, 512-514, 516-517, 523-531, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)
src/pytest_llm_report/prompts.py	29 lines (ranges: 33, 49, 52, 55, 58-59, 65, 78-79, 82-83, 86-87, 92, 94, 98-101, 103-109, 111-112, 116)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	111 lines (ranges: 55, 67-73, 85-86, 98-99, 102, 105-108, 113, 127-128, 130, 156-158, 186, 192-193, 197-198, 202,

211-218, 222, 226-227, 230,
233, 254, 256-259, 262-264,
266, 268-275, 277-278, 280-
289, 291-296, 298-299, 301-
302, 304-305, 307, 319, 321-
322, 324-325, 337, 383, 385-
386, 389, 392, 395, 398-402,
477-478, 502, 504, 506-508,
510, 513)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181-182, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214-216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373,

399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-200, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203, 205, 207, 210, 212, 214, 216, 218, 220, 222-224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373,

399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334,

336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

113 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330-331, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	43 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 106-107, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

112 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328-329, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	47 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-116, 119, 121-122, 124, 127, 132-133, 140, 155-159, 163, 167-169, 171, 181, 185-186, 198-199, 209-210, 212, 216, 250-251, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201-203, 205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

113 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324, 326, 328, 330-331, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	76 lines (ranges: 190, 194-199, 201, 203-205, 207, 210, 212, 214, 216, 218, 220, 222, 224, 376-392, 394, 397, 399, 402-405, 407, 409, 411, 413, 415, 419, 437, 467-475, 477, 479, 518, 520-524, 526, 528, 530, 532, 534, 536, 538, 540)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484-486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349,

351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568, 579, 583, 602, 606-608, 619, 623, 626, 628-629)

src/pytest_llm_report/report_writer.py

110 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222-223, 226, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 347, 350-352, 355-356, 359-361, 364, 367-371, 477-478, 502, 504, 506-508, 510, 513)

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/options.py	89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_markers_registered

46ms  3

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

PASSED

tests/test_smoke_pytester.py::TestPluginRegistration::test_plugin_registered

54ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/options.py

89 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482, 484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)

src/pytest_llm_report/plugin.py

240 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 558-559, 562, 566-568)

COVERAGE

src/pytest_llm_report/collector.py	40 lines (ranges: 78-79, 90, 93-94, 96, 99-100, 104, 109-112, 114-115, 124, 127, 132-133, 140, 155-159, 163-164, 167-169, 171, 181, 185-186, 198-199, 209-210, 277, 285)
src/pytest_llm_report/coverage_map.py	12 lines (ranges: 44-45, 58-60, 72-73, 83, 86, 88-90)
src/pytest_llm_report/errors.py	4 lines (ranges: 142-145)
src/pytest_llm_report/models.py	1 lines (ranges: 190)
src/pytest_llm_report/options.py	90 lines (ranges: 123, 171, 199, 202-203, 209-210, 217-218, 225-226, 233-234, 241, 245, 247, 249, 251, 253, 257-258, 265-266, 271, 273, 276, 284, 308, 311-312, 320-322, 460, 463, 466, 470, 472-473, 476-477, 482-484, 486, 488, 490, 492, 494, 499-500, 504-505, 511-512, 516-517, 521-522, 528-529, 534, 537-538, 542-543, 547-548, 554-555, 561-562, 566-567, 572, 575-576, 581, 583, 588-589, 593-594, 599, 601, 603, 605, 607, 611, 613)
src/pytest_llm_report/plugin.py	288 lines (ranges: 41, 44-48, 50-54, 56-60, 62-66, 68-72, 74-79, 81-86, 90-94, 96-100, 102-106, 108-112, 114-118, 122-126, 128-132, 134-138, 142-146, 148-153, 155-159, 161-165, 169-174, 176-181, 185-190, 192-197, 199-204, 208-213, 215-219, 223-227, 229-233, 235-239, 241-245, 247-252, 254-258, 260-264, 268-272, 274-279, 283-287, 289-293, 297-302, 304-309, 311-315, 328-330, 332-334, 336-338, 342, 346-347, 349, 351, 354-355, 362, 371-373, 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485, 491-492, 534-544, 558-559, 562, 566-568,

	579, 583, 602, 606-608, 619, 623, 626, 628-629)
src/pytest_llm_report/render.py	25 lines (ranges: 30-31, 40, 42-46, 50-51, 53, 65, 67, 79-85, 87, 99, 101-102, 107)
src/pytest_llm_report/report_writer.py	106 lines (ranges: 55, 67-73, 85-86, 98-100, 127-128, 130, 156-158, 186, 192-193, 197-198, 202, 211-218, 222, 226-227, 230, 233, 254, 256-259, 262-264, 266, 268-275, 277-278, 280-289, 291-294, 296-297, 299-300, 302-303, 305-307, 319, 321-322, 324-325, 337, 383, 385-386, 389, 392, 395, 398-402, 477-478, 502, 504, 506-508, 510, 513)

 tests/test_time.py

15 tests

PASSED

tests/test_time.py::TestFormatDuration::test_boundary_one_minute

1ms  3

COVERAGE	
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_microseconds_format

1ms  3

COVERAGE	
src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test_time.py::TestFormatDuration::test_milliseconds_format

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test_time.py::TestFormatDuration::test_minutes_format

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_multiple_minutes

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	6 lines (ranges: 39, 41, 43, 46-48)

PASSED

tests/test_time.py::TestFormatDuration::test_one_second

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test_time.py::TestFormatDuration::test_seconds_format

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	4 lines (ranges: 39, 41, 43-44)

PASSED

tests/test_time.py::TestFormatDuration::test_small_milliseconds

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	3 lines (ranges: 39, 41-42)

PASSED

tests/test_time.py::TestFormatDuration::test_very_small_microseconds

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	2 lines (ranges: 39-40)

PASSED

tests/test_time.py::TestIsoFormat::test_formats_datetime_with_utc

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestIsoFormat::test_formats_naive_datetime

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestIsoFormat::test_formats_with_microseconds

1ms



COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 27)

PASSED

tests/test_time.py::TestUtcNow::test_has_utc_timezone

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_is_current_time

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)

PASSED

tests/test_time.py::TestUtcNow::test_returns_datetime

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)
src/pytest_llm_report/util/time.py	1 lines (ranges: 15)



tests/test_token_refresh.py

12 tests

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_command_failur
e

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_empty_output

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-109, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_force_refresh

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_json
_custom_key1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	29 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132-135, 139, 143-144, 148)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_json
_format1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	29 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132-135, 139, 143-144, 148)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_get_token_text
_format1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	25 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_invalid_json

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

25 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-134, 149-150)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_invalidate

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

28 lines (ranges: 59-60, 63, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156, 160-162)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_missing_json_key

1ms



COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/llm/token_refresh.py

28 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139-141, 149)

src/pytest_llm_report/plugin.py

6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_thread_safety 52ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_timeout_handling 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	16 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113-114)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh.py::TestTokenRefresher::test_token_caching 1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	28 lines (ranges: 59-60, 63-66, 69-72, 83, 85-86, 90, 93-98, 101, 107-108, 111, 132, 153-154, 156)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_command_failure_no_stderr

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	20 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101-104, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_empty_command_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_invalid_command_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-88, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_not_dict

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	27 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-137, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_token_empty_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_json_token_not_string

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	30 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 101, 107-108, 111, 113, 115, 132-135, 139, 143-146, 149)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_oserror_on_execution

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	19 lines (ranges: 59-60, 63, 69, 83, 85-86, 90, 93-98, 113, 115-118)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_text_only_whitespace_lines

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	4 lines (ranges: 132, 153-155)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_refresh_coverage.py::TestTokenRefresherEdgeCases::test_whitespace_only_command

1ms  3

COVERAGE

src/pytest_llm_report/collector.py	14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)
src/pytest_llm_report/llm/token_refresh.py	11 lines (ranges: 59-60, 63, 69, 83, 85-86, 90-91, 113, 115)
src/pytest_llm_report/plugin.py	6 lines (ranges: 558-559, 562, 566-568)

PASSED

tests/test_token_usage.py::test_token_usage_aggregation

5ms  2

COVERAGE

src/pytest_llm_report/collector.py

14 lines (ranges: 90, 93, 96, 99, 110-112, 114-115, 124, 127, 140, 209-210)

src/pytest_llm_report/plugin.py

73 lines (ranges: 399, 403, 407, 410, 429-430, 437-438, 441-442, 444-445, 448-452, 454, 457-458, 460, 463-464, 485-487, 491-494, 497, 499, 502-506, 509, 512-514, 516-521, 523-531, 534-544, 558-559, 562, 566-568)