

### HTML QUICK REFERENCE FOR CAMP

HTML(Hyper Text Markup Language) HTTP( HyperText Transfer Protocol) WWW-World wide web

Basic Structure of HTML:<HTML>
<head>
-----</head>
<body>
-----</body>
</HTML>

<html></html>	This element starts the HTML document.
<head></head>	This tag contains general information about html
	document such as title.
<title>&lt;/th&gt;&lt;th&gt;This element contains the title of the document&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;which will appear on the title bar of the web&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;4&lt;/th&gt;&lt;th&gt;browser.&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;body&gt;&lt;/th&gt;&lt;th&gt;It contains the body of html document&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;body bgcolor="green"&gt;&lt;/th&gt;&lt;th&gt;To set background color.&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;H1&gt;&lt;H6&gt;&lt;/th&gt;&lt;th&gt;Different headings formats&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;&lt;/th&gt;&lt;th&gt;paragraph&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;br/&gt;br&gt;&lt;/th&gt;&lt;th&gt;This tag is used for line break&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;b&gt;&lt;&lt;/th&gt;&lt;th&gt;To make the text bold&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;To make the text italic&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;u&gt;&gt;&lt;/th&gt;&lt;th&gt;To make the underline for the text.&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;hr&gt;&lt;/th&gt;&lt;th&gt;To put horizontal line or ruler.&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;strike&gt;&lt;/th&gt;&lt;th&gt;a thin line through the text&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;sup&gt;&lt;/th&gt;&lt;th&gt;It is displayed a character above the other characters.&lt;/th&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title>	



<sub></sub>	It is displayed half a character's height beneath the other characters.
	other characters.
<mark></mark>	is displayed as marked with yellow ink.
<img/>	To insert the image
	Src="" the name of file to be inserted.
<img/>	To insert animated gif
	Src= "gif" the name of file to be inserted
<audio></audio>	<audio controls=""></audio>
	<pre><source src="abc.mp3" type="audio/mpeg"/></pre>
<video></video>	<video controls=""></video>
	<source src="abc.mp3" type="audio/mpeg"/>
	Can set height and width attribute
<ul><li><ul></ul></li></ul>	To create bulleted list By default it is a disc.
	Type="square"//"circle"
<ol> <li><ol></ol></li></ol>	To create numbered list
	<ol> <li>type="1"&gt;- Default case Numerals</li> </ol>
1	<ol> <li>type= "I"&gt;- Upper case Roman Numerals</li> </ol>
	<ol> <li>type= "i"&gt;- Lower case Roman Numerals</li> </ol>
	<pre><ol type="a">- Lower case Letters</ol></pre>
\ \ \ \	<ol> <li>type= "A"&gt;- Upper case Letters</li> </ol>
115	For list items
<li><li></li></li>	For list items To create link
<a></a>	Href= "" file to display after linking
	To create table
Statiles	
	Table heading Table rows
<	
	Table description  It is the space between the edges of the cell and cell
Cell padding-	It is the space between the edges of the cell and cell
	content.



Cell spacing-	It is the space between the cell borders.
border="3"	this attribute of table is used to add boarder
align="center"	this attribute of table is used to align table
1 1	left/right/center
bgcolor="red"	Sets table background red
Rowspan	this attribute of  is used to merge the rows.
Colspan	this attribute of  is used to merge the columns.
</th <th>To add comments</th>	To add comments
Marquee tag	this is used to scroll the text.
direction="up/down/	this attribute sets the direction of scrolling.
left/right''	
loop="2"	This attribute sets the no of scrolls of text.
Font tag	This is used to set the fonts property.
face="arial"	Will sets the font of text to arial
color="red"	Will sets the color of text to red
size="20"	Will sets the size of text to 20
<form></form>	form is a web page that contains form elements.
action="url"	Url defines where to send the data when submit
	button is clicked.
method = "get/post"	It defines the http method.
<input type="Text"/>	to insert text box
<textarea< th=""><th>This is used to insert multiline text box having rows</th></textarea<>	This is used to insert multiline text box having rows
name="topic"	5 and columns 20
rows=5 cols=20>	
<pre> <input checkbox''<="" pre="" type=""/></pre>	This control is used to add checkbox
<input type="radio"/>	This control is used to add radio button
<select< th=""><th>is used to select the option from list box.</th></select<>	is used to select the option from list box.
name="sub">	is used to select the option from list box.
name suv /	



<option></option>	To enter all the list items
<input< th=""><th>to enter the password. This field is like a text field</th></input<>	to enter the password. This field is like a text field
type="password"	but it hides the typed characters by displaying ****
<input< th=""><th>This creates a button that automatically submits a</th></input<>	This creates a button that automatically submits a
type="submit"	form.
<input <="" th="" type="reset"/> <th>This creates a button that automatically resets form</th>	This creates a button that automatically resets form
	controls
<input <="" th="" type="image"/> <th>This creates a clickable button but we can use an</th>	This creates a clickable button but we can use an
	image as background of the button.
src="logo.jpg"	set image as button