



FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect

Navigator

Files

My Schema

Tables

Search objects

- ACCOUNTS
- CUSTOMERS
- EMPLOYEES
- LOANS

[SQL Worksheet]*

```
1 BEGIN
2   UpdateEmployeeBonus('IT', 10);
3 END;
4 /
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Bonus updated for department: IT

PL/SQL procedure successfully completed.

Elapsed: 00:00:00.022

FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect

NavigatorFiles

My Schema

Tables

Search objects

ACCOUNTS

CUSTOMERS

EMPLOYEES

LOANS

[SQL Worksheet]*

1

2

3

4

5

6

7

8

9

10

11

12

13

CREATE TABLE Accounts (
 account_id NUMBER PRIMARY KEY,
 customer_id NUMBER,
 account_type VARCHAR2(20),
 balance NUMBER
);

CREATE TABLE Employees (
 emp_id NUMBER PRIMARY KEY,
 name VARCHAR2(50),
 department VARCHAR2(30),
 salary NUMBER
);

Query result

Script output

DBMS output

Explain Plan

SQL history

Table EMPLOYEES created.

Elapsed: 00:00:00.018

Navigator Files

My Schema

Tables

Search objects

- ACCOUNTS
- CUSTOMERS
- EMPLOYEES
- LOANS

[SQL Worksheet]*

```
1 BEGIN
2   TransferFunds(101, 102, 5000);
3 END;
4 /
```

Query result

Script output

DBMS output

Explain Plan

SQL history



PL/SQL procedure successfully completed.

Elapsed: 00:00:00.017



FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect to

Navigator

Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

```
1 BEGIN
2   FOR rec IN (
3     SELECT CustomerID
4     FROM Customers
5     WHERE Balance > 10000
6   )
7   LOOP
8     UPDATE Customers
9     SET IsVIP = 'TRUE'
10    WHERE CustomerID = rec.CustomerID;
11  END LOOP;
12
13  COMMIT;
14
15  DBMS_OUTPUT.PUT_LINE('VIP status updated.');
```

Query result

Script output

DBMS output

Explain Plan

SQL history

```
SQL> BEGIN
      FOR rec IN (
        SELECT CustomerID
        FROM Customers...
```

Show more...

VIP status updated.



FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect t

Navigator Files

My Schema

Tables

Search objects

- ACCOUNTS
- CUSTOMERS
- EMPLOYEES
- LOANS

[SQL Worksheet]*

```
1 CREATE OR REPLACE PROCEDURE TransferFunds(  
2   p_from_account IN NUMBER,  
3   p_to_account IN NUMBER,  
4   p_amount IN NUMBER  
5 )  
6 AS  
7   v_balance NUMBER;  
8 BEGIN  
9   -- Get balance of source account  
10  SELECT balance INTO v_balance  
11  FROM Accounts  
12  WHERE account_id = p_from_account  
13  FOR UPDATE;  
14  
15  -- Check sufficient funds  
16  IF v_balance < p_amount THEN  
17    DBMS_OUTPUT.PUT_LINE('Insufficient balance. Transfer failed.');18  ELSE  
19    -- Deduct from source  
20    UPDATE Accounts  
21    SET balance = balance - p_amount  
22    WHERE account_id = p_from_account;  
23  
24    -- Add to destination  
25    UPDATE Accounts  
26    SET balance = balance + p_amount  
27    WHERE account_id = p_to_account;  
28  
29    COMMIT;  
30  
31    DBMS_OUTPUT.PUT_LINE('Transfer successful: ' || p_amount || ' transferred');  
32  END IF;  
33  
34 EXCEPTION
```

FreeSQL

>_ Worksheet

SQL Tutorials

23ai

Connect

Navigator

Files

My Schema

Tables

Search objects

ACCOUNTS

CUSTOMERS

EMPLOYEES

LOANS

[SQL Worksheet]*

▶

≡

🔑

📄

≡

Aa

🗑️

1

2

3

4

5

6

7

8

9

10

11

12

```
CREATE OR REPLACE PROCEDURE ProcessMonthlyInterest
AS
BEGIN
    UPDATE Accounts
    SET balance = balance + (balance * 0.01)
    WHERE account_type = 'SAVINGS';

    COMMIT;

    DBMS_OUTPUT.PUT_LINE('Monthly interest of 1% applied to all savings accounts.
END;
/
```

Query result

Script output

DBMS output

Explain Plan

SQL history

🗑️

📄

Procedure PROCESSMONTHLYINTEREST compiled

Elapsed: 00:00:00.027

About Oracle

Contact Us

Legal Notices

Terms and Conditions

Your Privacy Rights

Delete Your FreeSQL Account

Cookie Preferences

26.5.2 - Copyright © 20



FreeSQL

>_ Worksheet

SQL Tutorials

23ai

Connect to

Navigator Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

```
1 BEGIN
2   FOR rec IN (
3     SELECT l.LoanID
4     FROM Loans l
5     JOIN Customers c
6     ON l.CustomerID = c.CustomerID
7     WHERE c.Age > 60
8   )
9   LOOP
10    UPDATE Loans
11    SET InterestRate = InterestRate - 1
12    WHERE LoanID = rec.LoanID;
13  END LOOP;
14
15  COMMIT;
16
17  DBMS_OUTPUT.PUT_LINE('Interest rates updated successfully.');
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Show more...

Interest rates updated successfully.

FreeSQL

>_ Worksheet

SQL Tutorials

23ai

Connect t

NavigatorFiles

My Schema

Tables

Search objects

ACCOUNTS

CUSTOMERS

EMPLOYEES

LOANS

[SQL Worksheet]*

1

SELECT * FROM Accounts;

Query result

Script output

DBMS output

Explain Plan

SQL history

Download

Execution time: 0.009 seconds

ACCOUNT_ID	CUSTOMER_ID	ACCOUNT_TYPE	BALANCE
No items to display.			



FreeSQL

>_ Worksheet



SQL Tutorials



23ai

Connect t

Navigator

Files

My Schema

Tables

Search objects



- ACCOUNTS
- CUSTOMERS
- EMPLOYEES
- LOANS

[SQL Worksheet]*



Aa



```
1 BEGIN
2   ProcessMonthlyInterest;
3 END;
4 /
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Monthly interest of 1% applied to all savings accounts.

PL/SQL procedure successfully completed.

Elapsed: 00:00:00.024

FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect to

NavigatorFiles

My Schema

Tables

Search objects

ACCOUNTS

CUSTOMERS

EMPLOYEES

LOANS

[SQL Worksheet]*

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

```
CREATE OR REPLACE PROCEDURE UpdateEmployeeBonus(  
  p_department IN VARCHAR2,  
  p_bonus_percent IN NUMBER  
)  
AS  
BEGIN  
  UPDATE Employees  
  SET salary = salary + (salary * p_bonus_percent / 100)  
  WHERE department = p_department;  
  
  COMMIT;  
  
  DBMS_OUTPUT.PUT_LINE('Bonus updated for department: ' || p_department);  
END;  
/
```

Query result

Script output

DBMS output

Explain Plan

SQL history

Procedure UPDATEEMPLOYEEBONUS compiled

Elapsed: 00:00:00.024

About Oracle

Contact Us

Legal Notices

Terms and Conditions

Your Privacy Rights

Delete Your FreeSQL Account

Cookie Preferences

26.5.2 - Copyright © 201

FreeSQL

>_ Worksheet

SQL Tutorials

23ai

Connect

NavigatorFiles

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

BEGIN

FOR rec IN (

SELECT c.Name, l.LoanID, l.DueDate

FROM Customers c

JOIN Loans l

ON c.CustomerID = l.CustomerID

WHERE l.DueDate BETWEEN SYSDATE AND SYSDATE + 30

)

LOOP

DBMS_OUTPUT.PUT_LINE(

'Reminder: Loan '

|| rec.LoanID

|| ' for '

|| rec.Name

|| ' is due on '

|| TO_CHAR(rec.DueDate, 'DD-MON-YYYY')

);

END LOOP;

END;

/

Query result

Script output

DBMS output

Explain Plan

SQL history

Reminder: Loan 101 for Rahul is due on 07-JUL-2026

Reminder: Loan 103 for Amit is due on 12-JUL-2026

PL/SQL procedure successfully completed.

Navigator Files

My Schema

Tables

Search objects

- ACCOUNTS
- CUSTOMERS
- EMPLOYEES
- LOANS

[SQL Worksheet]*

```
8 BEGIN
18 ELSE
21     SET balance = balance - p_amount
22     WHERE account_id = p_from_account;
23
24     -- Add to destination
25     UPDATE Accounts
26     SET balance = balance + p_amount
27     WHERE account_id = p_to_account;
28
29     COMMIT;
30
31     DBMS_OUTPUT.PUT_LINE('Transfer successful: ' || p_amount || ' transferred');
32 END IF;
33
34 EXCEPTION
35     WHEN NO_DATA_FOUND THEN
36         DBMS_OUTPUT.PUT_LINE('Account not found. ');
37 END;
38 /
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Procedure TRANSFERFUNDS compiled

Elapsed: 00:00:00.021

FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect

Navigator

Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

CREATE TABLE Customers (
... CustomerID NUMBER PRIMARY KEY,
... Name VARCHAR2 (50),
... Age NUMBER,
... Balance NUMBER,
... IsVIP VARCHAR2 (5)
);

CREATE TABLE Loans (
... LoanID NUMBER PRIMARY KEY,
... CustomerID NUMBER,
... InterestRate NUMBER,
... DueDate DATE,
... FOREIGN KEY (CustomerID) REFERENCES Customers (CustomerID)
);

Query result

Script output

DBMS output

Explain Plan

SQL history

SQL> CREATE TABLE Loans (
LoanID NUMBER PRIMARY KEY,
CustomerID NUMBER,
InterestRate NUMBER,...
Show more...

Table LOANS created.

Elapsed: 00:00:00.024

About Oracle

Contact Us

Legal Notices

Terms and Conditions

Your Privacy Rights

Delete Your FreeSQL Account

Cookie Preferences

26.5.2

Copyright © 201

FreeSQL

>_ Worksheet

SQL Tutorials

23ai

Connect t

NavigatorFiles

My Schema

Tables

Search objects

ACCOUNTS

CUSTOMERS

EMPLOYEES

LOANS

[SQL Worksheet]*

1

SELECT * FROM Accounts;

Query resultScript outputDBMS outputExplain PlanSQL history

DownloadExecution time: 0.014 seconds

	ACCOUNT_ID	CUSTOMER_ID	ACCOUNT_TYPE	BALANCE
1	101	1	SAVINGS	10000
2	102	2	SAVINGS	20000
3	103	3	CURRENT	15000



FreeSQL

> Worksheet



SQL Tutorials



23ai

Connect to

Navigator

Files

My Schema

Tables

Search objects



CUSTOMERS

LOANS

[SQL Worksheet]*



Aa



```
1 INSERT INTO Customers VALUES (1, 'Rahul', 65, 15000, 'FALSE');
2 INSERT INTO Customers VALUES (2, 'Priya', 45, 8000, 'FALSE');
3 INSERT INTO Customers VALUES (3, 'Amit', 70, 25000, 'FALSE');
4
5 INSERT INTO Loans VALUES (101, 1, 10, SYSDATE + 15);
6 INSERT INTO Loans VALUES (102, 2, 12, SYSDATE + 40);
7 INSERT INTO Loans VALUES (103, 3, 11, SYSDATE + 20);
8
9 COMMIT;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



<https://docs.oracle.com/error-help/db/ora-00001/>
Error at Line: 10 Column: 0

SQL> COMMIT

Commit complete.

Elapsed: 00:00:00.001

Navigator Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]* [Run] [Format] [Find] [Save] [Undo] [Redo] [Font]

1 SELECT * FROM Loans;

Query result Script output DBMS output Explain Plan SQL history

Download Execution time: 0.013 seconds

	LOANID	CUSTOMERID	INTERESTRATE	DUEDATE
1	101	1	10	7/7/2026, 3:47:11 P
2	102	2	12	8/1/2026, 3:47:11 P
3	103	3	11	7/12/2026, 3:47:11

PL/SQL Platforms Suggestions

Oracle FreeSQL

Ask Gemini

freessql.com/?utm_source=chatgpt.com

FreeSQL

Worksheet

SQL Tutorials

23ai

Connect to the Database

Help and Feedback

Navigator

Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

```
CREATE TABLE Customers (  
  CustomerID NUMBER PRIMARY KEY,  
  Name VARCHAR2(50),  
  Age NUMBER,  
  Balance NUMBER,  
  IsVIP VARCHAR2(5)  
);  
  
CREATE TABLE Loans (  
  LoanID NUMBER PRIMARY KEY,  
  CustomerID NUMBER,  
  InterestRate NUMBER,  
  DueDate DATE,  
  FOREIGN KEY (CustomerID) REFERENCES Customers (CustomerID)  
);
```

Query result

Script output

DBMS output

Explain Plan

SQL history

SQL> CREATE TABLE Loans (
 LoanID NUMBER PRIMARY KEY,
 CustomerID NUMBER,
 InterestRate NUMBER,...
Show more...

Table LOANS created.
Elapsed: 00:00:00.024

SQL Tutorials

Community

My Content

My Favorites

Rece...

Search

Tutorial

Creating Tables: Databases for...

An introduction to creating tables and the types of these available in Oracle Database.

Created 8 years ago

7 likes

13.3K executions

Tutorial

Joining Tables: Databases for...

An introduction to the join types available in Oracle Database.

FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect t

NavigatorFiles

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

1

SELECT * FROM Customers;

Query resultScript outputDBMS outputExplain PlanSQL history

DownloadExecution time: 0.008 seconds

	CUSTOMERID	NAME	AGE	BALANCE	ISVIP
1	1	Rahul	65	15000	TRUE
2	2	Priya	45	8000	FALSE
3	3	Amit	70	25000	TRUE

FreeSQL

Worksheet

SQL Tutorials

23ai

Connect to the Database

Help and Feedback

J

Navigator

Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

1

SELECT * FROM Customers;

Query result

Script output

DBMS output

Explain Plan

SQL history

Download

Execution time: 0.153 seconds

	CUSTOMERID	NAME	AGE	BALANCE	ISVIP
1	1	Rahul	65	15000	FALSE
2	2	Priya	45	8000	FALSE
3	3	Amit	70	25000	FALSE

SQL Tutorials

Community

My Content

My Favorites

Rece...

Search

Tutorial

Creating Tables: Databases for...

An introduction to creating tables and the types of these available in Oracle Database.

Created 8 years ago

7 likes

13.3K executions

Tutorial

Joining Tables: Databases for...

An introduction to the join types available in Oracle Database.

FreeSQL

> Worksheet

SQL Tutorials

23ai

Connect

NavigatorFiles

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

1

SELECT * FROM Loans;

Query resultScript outputDBMS outputExplain PlanSQL history

Download

Execution time: 0.006 seconds

	LOANID	CUSTOMERID	INTERESTRATE	DUEDATE
1	101	1	9	7/7/2026, 3:47:11 P
2	102	2	12	8/1/2026, 3:47:11 P
3	103	3	10	7/12/2026, 3:47:11

Navigator Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

```
1 CREATE TABLE Customers (
2     PRIMARY KEY,
3
4     Age NUMBER,
5     Balance NUMBER,
6     IsVIP VARCHAR2(5)
7 );
8
9 CREATE TABLE Loans (
10     LoanID NUMBER PRIMARY KEY,
11     CustomerID NUMBER,
12     InterestRate NUMBER,
13     DueDate DATE,
14     FOREIGN KEY (CustomerID) REFERENCES Customers (CustomerID)
15 );
```

Query result

Script output

DBMS output

Explain Plan

SQL history



```
SQL> CREATE TABLE Loans (
      LoanID NUMBER PRIMARY KEY,
      CustomerID NUMBER,
      InterestRate NUMBER,...
Show more...
```

Table LOANS created.

Elapsed: 00:00:00.024



FreeSQL

Worksheet

SQL Tutorials

23ai

Connect to

Navigator Files

My Schema

Tables

Search objects

CUSTOMERS

LOANS

[SQL Worksheet]*

```
1 SELECT * FROM Customers;
```

Query result

Script output

DBMS output

Explain Plan

SQL history



Download

Execution time: 0.002 seconds

	CUSTOMERID	NAME	AGE	BALANCE	ISVIP
1	1	Rahul	65	15000	FALSE
2	2	Priya	45	8000	FALSE
3	3	Amit	45	25000	FALSE