


2520090016

P.Rahul

## Practical-7


### VS-Code:



```
user-service > JS app.js > ...
1  const express = require("express");
2
3  const app = express();
4
5  require("dotenv").config();
6
7  require("./db");
8
9  app.use(express.json());
10
11 const activityRoutes = require("./routes/activityRoutes");
12
13 const userRoutes = require("./routes/userRoutes");
14
15 app.use("/", activityRoutes);
16
17 app.use("/", userRoutes);
18
19 app.listen(5001, () => {
20   | console.log("User service running on port 5001");
21   |});
```

```
PS C:\Users\palav\OneDrive\Desktop\nodememo> Invoke-WebRequest -Uri "http://localhost:5001/users" -Method POST
-ContentType "application/json" -Body '{"username":"Rahul","email":"rahul@gmail.com","profile":{"course":"B.Tec
h","year":3}}'
message          user
-----
User created successfully @({username=Rahul; email=rahul@gmail.com; profile=_id=6ab2147857f08fb2e0083a63; ...
```


### Retrieving User Details



A screenshot of a web browser window. The address bar shows 'localhost:5001/users/6ab2147857f08fb2e0083a63'. The browser's developer tools are open, showing a JSON response in the console. The JSON object contains user details: \_id, username, email, profile (with course and year), and \_\_v. A 'Pretty-print' button is visible next to the console output.

```
{
  "_id": "6ab2147857f08fb2e0083a63",
  "username": "Rahul",
  "email": "rahul@gmail.com",
  "profile": {
    "course": "B.Tech",
    "year": 3
  },
  "__v": 0
}
```

## VIEW\_BOOK and DOWNLOAD\_BOOK



A screenshot of a web browser window. The address bar shows 'localhost:5001/activities/6ab2147857f08fb2e0083a63'. The browser's developer tools are open, showing a JSON array of activities in the console. Each activity object contains \_id, user\_id, action, timestamp, and \_\_v. The actions are DOWNLOAD\_BOOK, VIEW\_BOOK, and SEARCH\_PYTHON. A 'Pretty-print' button is visible next to the console output.

```
[
  {
    "_id": "6ab218c457f08fb2e0083a66",
    "user_id": "6ab2147857f08fb2e0083a63",
    "action": "DOWNLOAD_BOOK",
    "timestamp": "2026-09-22T05:57:24.755Z",
    "__v": 0
  },
  {
    "_id": "6ab218a957f08fb2e0083a65",
    "user_id": "6ab2147857f08fb2e0083a63",
    "action": "VIEW_BOOK",
    "timestamp": "2026-09-22T05:56:57.598Z",
    "__v": 0
  },
  {
    "_id": "6ab217d957f08fb2e0083a64",
    "user_id": "6ab2147857f08fb2e0083a63",
    "action": "SEARCH_PYTHON",
    "timestamp": "2026-09-22T05:53:29.892Z",
    "__v": 0
  }
]
```

Mongodb:

Compass

My Queries

Data Modeling

CONNECTIONS (4)

Search connections

- 127.0.0.1:27017
  - BookFlow
  - Studentdb
  - admin
  - bankdb
  - config
  - digital\_library
    - activities
    - nodememo
    - users
  - local
- BookFlow\_2520090016
- DBMS
- Student

127.0.0.1:27017 > digital\_library > activities

Documents 3 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN RESET FIND OPTIONS

ADD DATA BULK EXPORT DATA EXPORT CODE

25 1-3 of 3

```
{ "_id": ObjectId("6ab217d957f88fb2e083a64"), "user_id": ObjectId("6ab2147857f88fb2e083a63"), "action": "SEARCH_PVTQW", "timestamp": ISODate("2026-09-22T05:53:29.892+06:00"), "September 22, 2026 at 5:53:29 AM UTC", "_v": 0 }
```

```
{ "_id": ObjectId("6ab218a957f88fb2e083a65"), "user_id": ObjectId("6ab2147857f88fb2e083a63"), "action": "VIEW_BOOK", "timestamp": ISODate("2026-09-22T05:56:57.598+06:00"), "September 22, 2026 at 5:56:57 AM UTC", "_v": 0 }
```

```
{ "_id": ObjectId("6ab218c457f88fb2e083a66"), "user_id": ObjectId("6ab2147857f88fb2e083a63"), "action": "DOWNLOAD_BOOK", "timestamp": ISODate("2026-09-22T05:57:24.755+06:00"), "September 22, 2026 at 5:57:24 AM UTC", "_v": 0 }
```

Compass

My Queries

Data Modeling

CONNECTIONS (4)

Search connections

- 127.0.0.1:27017
  - BookFlow
  - Studentdb
  - admin
  - bankdb
  - config
  - digital\_library
    - activities
    - nodememo
    - users
  - local
- BookFlow\_2520090016
- DBMS
- Student

127.0.0.1:27017 > digital\_library > users

Documents 1 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN RESET FIND OPTIONS

ADD DATA BULK EXPORT DATA EXPORT CODE

25 1-1 of 1

```
{ "_id": ObjectId("6ab2147857f88fb2e083a63"), "username": "Rahul", "email": "rahul@gmail.com", "profile": Object (2), "_v": 0 }
```