Dentifrices (toothpaste, gel, powder, tablets): HMTc Standard

Karen Pendergrass · · Heavy Metal Tested & Certified, Institute of Contaminant Standards

CITE AS

Pendergrass K. "Dentifrices (toothpaste, gel, powder, tablets): HMTc Standard". Heavy Metal Certified, 2026. https://heavymetalcertified.com/standards/dentifrices. CC BY 4.0.

CORRESPONDENCE

Corrections are logged publicly on the article page, each with its date, the affected value, and the source that resolved it.

KEYWORDS

heavy metals, food safety, dietary exposure

PUBLICATION HISTORY

This revision 2026-08.

Abstract

The Heavy Metal Tested & Certified heavy-metal-safety standard for dentifrices (toothpaste, gel, powder, tablets) in Oral Care, evaluated on finished oral-care product as placed on market: total heavy-metal content per unit mass of product as sold (ug/kg). Not a dietary maximum level and not a migration/leachate value.. 5 of 11 panel analytes publish a numeric limit taken from the strictest applicable government maximum; the remainder are held under mandatory control or a substantiated not-material determination.

1 | How every number on this standard is set

HMTc Method v2.0 (government-limit default), Category 20 Oral Care: a formulated oral product takes the strictest applicable sovereign finished-cosmetic contaminant maximum in its as-sold basis, with the Germany BVL 2017 toothpaste tier read across to non-toothpaste oral-mucosal forms where it is stricter; an oral-care article takes the Canadian mouth-contact accessible-part lead ceiling and is otherwise held under component-level control. Species never replace totals, no ingredient purity specification anchors a finished-product cell, no migration value anchors a content cell, and no cell is occurrence-derived.

2 | Master limit table

All values in ppb (µg/kg), as_sold basis. A brand meeting every value qualifies for the mark.

ANALYTE	TIER	HMTC LIMIT	BASIS
Lead (Pb)	Tier 1	500	government maximum level

Cadmium (Cd)	Tier 1	100	government maximum level
Total arsenic (tAs)	Tier 2	500	government maximum level
Inorganic arsenic (iAs)	Tier 1	≤ tAs	bounded by tAs (reflex speciation)
Mercury, total (tHg)	Tier 1	100	government maximum level
Methylmercury (MeHg)	Tier 1	≤ tHg	bounded by tHg (reflex speciation)
Nickel (Ni)	Tier 2	10,000	human-grade read-across (South Korea)
Tin (Sn)	Tier 2	control	measured every lot; no human-food maximum
Aluminium (Al)	Tier 2	560,000	human-grade read-across (European Union)
Total chromium (Cr)	Tier 2	50	human-grade read-across (AU)
Hexavalent chromium (Cr-VI)	Tier 2	5	human-grade read-across (European Union)

3 | Derivation — where each number comes from

Every cell traces to one named sovereign maximum level (the strictest for the nearest analog), or to an explicit control, not-material, or species-bounded determination. No occurrence statistic selects a certification value.

ANALYTE	HMTC	SOVEREIGN ANALOG / DETERMINATION
Lead (Pb)	500	government maximum level
Cadmium (Cd)	100	government maximum level
Total arsenic (tAs)	500	government maximum level
Inorganic arsenic (iAs)	≤ tAs	iAs carries no product-specific sovereign cell; it is a component of and bounded by its parent total tAs (iAs <= tAs), an enforceable ceiling via reflex speciation rather than an empty cell.
Mercury, total (tHg)	100	government maximum level

Methylmercury (MeHg)	≤ tHg	MeHg carries no product-specific sovereign cell; it is a component of and bounded by its parent total tHg (MeHg <= tHg), an enforceable ceiling via reflex speciation rather than an empty cell.
Nickel (Ni)	10,000	South Korea — human-food analog
Tin (Sn)	control	No jurisdiction sets a tin content limit for any oral-care or cosmetic product; the sovereign tin maximum levels in the register are canned-food and food-contact values written for tinplate migration into food and are a different basis entirely. Tin is additionally not a pure impurity in this category: stannous fluoride and stannous chloride are authorised anticaries and antigingivitis actives in dentifrices and mouthrinses, so a finished-product tin ceiling would be exceeded by design in a compliant stannous formulation and would be meaningless as a contaminant control. The cell is held under mandatory analytical control with a declaration reconciliation rather than declared not-material, because tin is unambiguously present at material levels in this category and an absence claim would be contradicted on its face.
Aluminium (Al)	560,000	European Union — human-food analog
Total chromium (Cr)	50	AU — human-food analog
Hexavalent chromium (Cr-VI)	5	European Union — human-food analog

4 | Cite this standard

Pendergrass, K. "Dentifrices (toothpaste, gel, powder, tablets)." In Heavy Metal Tested & Certified (HMTc) Oral Care standard, version 1.0 (2026-08-17). Institute of Contaminant Standards (ICS), 2026.

References

[1] AU — human-food maximum levels
Binds Cr. Strictest applicable human-food sovereign maximum for the nearest analog.
MAXIMUM LEVEL

[2] European Union — human-food maximum levels
Binds Al, Cr-VI. Strictest applicable human-food sovereign maximum for the nearest analog.
MAXIMUM LEVEL

[3] South Korea — human-food maximum levels
Binds Ni. Strictest applicable human-food sovereign maximum for the nearest analog.
MAXIMUM LEVEL

STATUS AND LICENCE

Editorially reviewed in-house; no external peer review has been completed on this reference. Published as a preprint with its review state tracked on the article page. Released under CC BY 4.0.

COMPETING INTERESTS

This briefing is published by the Heavy Metal Tested & Certified (HMTc) program, operated by the Institute of Contaminant Standards. Its statements about government regulations, toxicology, and occurrence are sourced to the cited primary and expert-body records and to the independently maintained Heavy Metal Index; the program's own certification thresholds are not used as evidence for any factual claim made here.

DATA AVAILABILITY

The works this reference draws on are listed in full in the references above and on the briefing page at https://-heavymetalcertified.com/standards/dentifrices. Primary legal instruments and expert-body assessments are named with their public identifiers; the underlying occurrence and toxicology corpus is maintained on the Heavy Metal Index.

PUBLICATION HISTORY

This revision 2026-08. The full dated record is maintained at https://heavymetalcertified.com/standards/dentifrices.