Menopausal Hot Flashes

Divine Aleru

Microbiome Signatures, Microbiome Medicine

Abstract. Menopausal hot flashes are a common yet disruptive symptom of menopause that can affect a woman's daily life, causing discomfort and sleep disturbances.

Published 2025-07-14 · https://microbiomemedicine.com/conditions/menopausal-hot-flashes · A Microbiome Signatures condition monograph

Overview

Menopausal hot flashes (HFs) are a common and disruptive symptom experienced by women transitioning through menopause, defined by sudden, intense sensations of heat, often accompanied by sweating, flushing, anxiety, and chills. It affects approximately 85% of menopausal women, with duration and severity varying widely by geography, genetics, and lifestyle.[1] These episodes usually last 1 to 5 minutes, and while estrogen depletion is a key factor in their onset, the exact mechanism remains elusive. The hypothalamus, responsible for regulating body temperature, becomes dysregulated during menopause, leading to an exaggerated response to small increases in core body temperature, causing excessive vasodilation and sweating.[2] Recent research has suggested that other factors, such as neurokinin B, serotonin, norepinephrine, and inflammation, may also contribute to the severity and frequency of hot flashes, further complicating their pathophysiology.[3] While these episodes are most common during perimenopause, they can persist for years after menopause, significantly impacting a woman's quality of life, leading to sleep disturbances, mood changes, and increased anxiety.

Associated Conditions

Hot flashes are often linked with a range of comorbid conditions, particularly sleep disturbances such as chronic insomnia, as hot flashes occurring at night, also known as night sweats, disrupt sleep patterns.[4][5] Studies show that women with severe hot flashes are more likely to experience insomnia, which worsens the overall health impact of these vasomotor symptoms. The presence of hot flashes has been associated with increased risks of cardiovascular disease, metabolic syndrome, and osteoporosis.[6] The vasomotor instability caused by hot flashes can lead to endothelial dysfunction, increasing susceptibility to heart disease and contributing to poor lipid profiles.[7] The comorbidities linked to hot flashes highlight the need for a comprehensive approach to managing menopausal symptoms, taking into account both physical and emotional health.

Causes

The exact cause of menopausal hot flashes is not fully understood. Still, estrogen deficiency is considered the primary factor, as the decrease in estrogen during menopause disrupts the hypothalamic regulation of

body temperature.[8] However, estrogen alone does not fully explain the onset or persistence of hot flashes, as the severity and frequency do not correlate directly with estrogen levels. Emerging theories suggest that neurovascular dysregulation plays a significant role, with the autonomic nervous system becoming overly sensitive to small increases in body temperature, triggering excessive vasodilation and sweating.[9] Additionally, neurotransmitter imbalances, particularly involving serotonin and norepinephrine, are believed to affect hypothalamic function and contribute to the thermoregulatory dysfunction seen in hot flashes. Inflammation, marked by elevated levels of pro-inflammatory cytokines like TNF-α and IL-8, has also been implicated in more severe hot flashes, suggesting that systemic inflammation may contribute to the severity of these symptoms.[10] However, these theories remain under investigation, with further research needed to confirm their exact role in the pathogenesis of hot flashes.

Diagnosis

Diagnosing hot flashes primarily relies on self-reports from patients, where they track the frequency and severity of episodes. In clinical settings, objective measures such as skin conductance, thermography, and skin temperature measurements are also used to validate self-reports.[11] These methods provide insight into the physiological changes that occur during a hot flash, such as increased sweating and blood flow to the skin. In recent years, biomarkers have been explored as potential diagnostic tools, with studies suggesting that elevated levels of inflammatory cytokines, such as TNF-α and IL-8, are associated with the severity of hot flashes.[12] While these objective markers hold promise for a more accurate diagnosis, further research is needed to establish reliable, non-invasive diagnostic methods for hot flashes. The inclusion of these biomarkers, along with improved patient tracking, could provide a more precise understanding of the condition's severity and contribute to more targeted treatment approaches.

Primer

Hot flashes are a prominent symptom during the menopausal transition, caused by a complex interplay of hormonal changes, neurovascular dysregulation, and, possibly, inflammation. The decrease in estrogen levels disrupts the hypothalamus's ability to regulate body temperature, leading to exaggerated thermoregulatory responses, such as vasodilation and sweating.[13] These episodes can vary in severity, duration, and frequency, affecting women differently based on various factors, including genetics, ethnicity, and lifestyle.[14][15] While estrogen deficiency remains the primary cause, the role of neurotransmitters like serotonin and norepinephrine, along with inflammatory markers such as TNF-α and IL-8, is increasingly recognized in the pathophysiology of hot flashes.[16] The impact of these symptoms on a woman's quality of life is profound, leading to sleep disturbances, anxiety, and long-term health risks, which underscores the importance of comprehensive management strategies that address both the physiological and psychological aspects of menopause.[17]

Metallomic Signature

Exposure to environmental contaminants, including heavy metals like cadmium, mercury, and lead, has been shown to influence hormonal regulation and may exacerbate menopausal symptoms, particularly hot flashes.[18] Studies have indicated that these metals, which are ubiquitous in the environment, can disrupt the hypothalamic-pituitary-ovarian axis, potentially leading to earlier onset menopause and more severe vasomotor symptoms. For example, higher urinary levels of lead and mercury have been associated with

lower estradiol (E2) levels and higher follicle-stimulating hormone (FSH) levels in midlife women. Such hormonal alterations suggest that exposure to heavy metals may accelerate ovarian aging, contributing to more pronounced hot flashes during the menopausal transition.[19] Moreover, smoking, both active and passive,, has been identified as a major contributor to heavy metal exposure, particularly cadmium, which is found in tobacco smoke. Smokers are more likely to have elevated levels of cadmium, and this metal has been linked to changes in reproductive hormones, including lower E2 and altered FSH levels.[20] Interestingly, even non-smokers exposed to secondhand smoke show increased metal exposure and worsened vasomotor symptoms, highlighting the broad impact of environmental contaminants on menopausal health. The interplay between smoking, metal exposure, and menopausal symptoms underscores the need for a more integrated approach to managing these factors, especially as women undergo menopause.

Metabolomic Signatures

Phthalates have been implicated in influencing menopausal symptoms, including hot flashes. Studies have shown that exposure to phthalate metabolites, particularly those from personal care products, correlates with an increased risk of experiencing hot flashes in midlife women. Phthalates, such as diethyl phthalate (DEP) and di(2-ethylhexyl) phthalate (DEHP), are metabolized into various compounds that have been associated with hormone disruption, particularly influencing estradiol levels.[21] This hormone imbalance is a known driver of hot flashes, as the drop in estradiol during menopause is thought to contribute to the vasomotor symptoms of the condition. In a study of midlife women, higher urinary concentrations of phthalate metabolites, particularly those associated with plasticizers, were found to increase the odds of experiencing hot flashes.[22] The associations between phthalate metabolites and hot flashes were particularly strong in women with lower body mass indexe (BMI) and those with depressive symptoms. These findings suggest that phthalate exposure, through its impact on reproductive hormones, might exacerbate menopausal symptoms, especially in susceptible populations.[23] The mechanism by which phthalates contribute to hot flashes likely involves hormonal disruptions, where phthalates, particularly DEHP and its metabolites, decrease estradiol and progesterone levels.

Interventions

In recent years, there has been increasing interest in microbiome-targeted interventions, as gut health has been shown to influence hormonal regulation and inflammation, which may contribute to the severity of hot flashes. Dietary changes, probiotics, and other microbiome-modulating interventions have been studied for their potential to reduce menopausal symptoms, with some promising results. For example, low-fat plant-based diets rich in phytoestrogens, particularly soybeans, have been associated with improvements in hot flash frequency, potentially through modulation of gut microbiota. Emerging evidence suggests that manipulating gut bacteria involved in estrogen metabolism, like Prevotella and Clostridium, can influence the severity of hot flashes. This area of research highlights the need for a holistic approach to managing menopause, incorporating both hormonal and non-hormonal therapies that target the gut-brain axis and hormonal pathways.

Interventions	Mechanisms of Action	MBTI Status
Phytoestrogens (e.g., Salvia Officinalis)	Probiotics modulate gut microbiota composition, influencing estrogen metabolism and inflammatory pathways.[24] Potentially reduces hot flash frequency by regulating gut health and improving hormonal balance.[25]	Promising Candidate
Probiotics	Probiotics modulates gut microbiota composition, influencing estrogen metabolism and inflammatory pathways.[26] Potentially reduces hot flash frequency by regulating gut health and improving hormonal balance.[27]	Experimental
Synbiotics	Modulates the gut-brain axis, influencing mood and vasomotor symptoms through a balance of beneficial bacteria and dietary fibers, potentially reducing hot flash frequency.[28]	Experimental
SSRIs	SSRIs modulates serotonin and norepinephrine reuptake, potentially reducing hot flash frequency and severity through mood regulation and thermoregulatory effects.[29]	Validated
Low-fat Vegan Diet	Reduces dietary advanced glycation end-products (AGEs), which are associated with inflammation and oxidative stress. Modulation of AGEs may alleviate hot flashes.[30][31]	Experimental
Herbal Tea (e.g., Lavender, Humulus Lupulus)	Utilizes compounds like phytoestrogens and antioxidants to modulate hormonal and thermoregulatory pathways, potentially reducing hot flash intensity.[32][33]	Promising Candidate
Metformin	Metformin reduces insulin resistance, stabilizes blood glucose levels, and may alleviate hot flashes by preventing glucose fluctuations, which can trigger thermoregulatory responses.[34]	Promising Candidate
Dietary Change (Low-fat, plant-based)	Modulates gut microbiota, enhancing estrogen metabolism and potentially reducing hot flash frequency by promoting the growth of gut bacteria that produce phytoestrogens and other metabolites involved in estrogenic activity.[35]	Under Investigation

References

1. Menopausal hot flashes: A concise review.. Bansal R, Aggarwal N.. (J Mid-life Health. 2019;10(1):6-13.)
2. Menopausal hot flashes: Mechanisms, endocrinology, treatment.. Freedman, R. R. (2014).. (Journal of Steroid Biochemistry and Molecular Biology, 142, 115–120.)
3. Menopausal hot flashes: A concise review.. Bansal R, Aggarwal N.. (J Mid-life Health. 2019;10(1):6-13.)
4. Severe hot flashes are associated with chronic insomnia in midlife women.. Ohayon, M. M. (2006).. (Archives of Internal Medicine, 166(12), 1262-1268.)
5. Menopausal hot flashes: A review of physiology and biosociocultural perspective on methods of assessment. Kronenberg, F. (2010).. (The Journal of Nutrition, 140(7), 1380S–1385S.)
6. What's in a name: are menopausal “hot flashes” a symptom of menopause or a manifestation of neurovascular dysregulation?. Miller, V. M., Kling, J. M., Files, J. A., Joyner, M. J., Kapoor, E., Moyer, A. M., Rocca, W. A., & Faubion, S. S. (2018).. (Menopause, 25(6), 700–703.)

7. Circulating interleukin-8 and tumor necrosis factor-α are associated with hot flashes in healthy postmenopausal women.. Huang, W.-Y., Hsin, I.-L., Chen, D.-R., Chang, C.-C., Kor, C.-T., Chen, T.-Y., & Wu, H.-M. (2017).. (PLOS ONE, 12(8), e0184011.)
8. Menopausal hot flashes: A review of physiology and biosociocultural perspective on methods of assessment. Kronenberg, F. (2010).. (The Journal of Nutrition, 140(7), 1380S–1385S.)
9. Menopausal hot flashes: Mechanisms, endocrinology, treatment.. Freedman, R. R. (2014).. (Journal of Steroid Biochemistry and Molecular Biology, 142, 115–120.)
10. Circulating interleukin-8 and tumor necrosis factor-α are associated with hot flashes in healthy postmenopausal women.. Huang, W.-Y., Hsin, I.-L., Chen, D.-R., Chang, C.-C., Kor, C.-T., Chen, T.-Y., & Wu, H.-M. (2017).. (PLOS ONE, 12(8), e0184011.)
11. Menopausal hot flashes: A review of physiology and biosociocultural perspective on methods of assessment. Kronenberg, F. (2010).. (The Journal of Nutrition, 140(7), 1380S–1385S.)
12. Circulating interleukin-8 and tumor necrosis factor-α are associated with hot flashes in healthy postmenopausal women.. Huang, W.-Y., Hsin, I.-L., Chen, D.-R., Chang, C.-C., Kor, C.-T., Chen, T.-Y., & Wu, H.-M. (2017).. (PLOS ONE, 12(8), e0184011.)
13. Menopausal hot flashes: Mechanisms, endocrinology, treatment.. Freedman, R. R. (2014).. (Journal of Steroid Biochemistry and Molecular Biology, 142, 115–120.)
14. What's in a name: are menopausal “hot flashes” a symptom of menopause or a manifestation of neurovascular dysregulation?. Miller, V. M., Kling, J. M., Files, J. A., Joyner, M. J., Kapoor, E., Moyer, A. M., Rocca, W. A., & Faubion, S. S. (2018).. (Menopause, 25(6), 700–703.)
15. Prevalence of hot flushes and night sweats around the world: A systematic review.. Freeman, E. W., & Sherif, K. (2007).. (Climacteric, 10(3), 197-214.)
16. Circulating interleukin-8 and tumor necrosis factor-α are associated with hot flashes in healthy postmenopausal women.. Huang, W.-Y., Hsin, I.-L., Chen, D.-R., Chang, C.-C., Kor, C.-T., Chen, T.-Y., & Wu, H.-M. (2017).. (PLOS ONE, 12(8), e0184011.)
17. Menopausal hot flashes: A concise review.. Bansal R, Aggarwal N.. (J Mid-life Health. 2019;10(1):6-13.)
18. Exposure to heavy metals and hormone levels in midlife women: The Study of Women’s Health Across the Nation (SWAN).. Wang X, Ding N, Harlow SD, Randolph JF Jr, Mukherjee B, Gold EB, Park SK.. (Environ Pollut. 2023 Jan 15;317:120740.)
19. Cadmium, Lead, and Mercury in Relation to Reproductive Hormones and Anovulation in Premenopausal Women.. Pollack, A. Z., Schisterman, E. F., Goldman, L. R., Mumford, S. L., Albert, P. S., Jones, R. L., & Wactawski-Wende, J. (2011).. (Environmental Health Perspectives, 119(8), 1156.)
20. The effects of environmental contaminant exposure on reproductive aging and the menopause transition.. Neff AM, Laws MJ, Warner GR, Flaws JA.. (Curr Environ Health Rep. 2022;9(1):53–79.)
21. Phthalate metabolite levels and menopausal hot flashes in midlife women.. Ziv-Gal, A., Gallicchio, L., Chiang, C., Thera, S. N., Miller, S. R., Zacur, H. A., Dills, R. L., & Flaws, J. A. (2016).. (Reproductive Toxicology, 60, 76–81.)
22. Phthalate metabolite levels and menopausal hot flashes in midlife women.. Ziv-Gal, A., Gallicchio, L., Chiang, C., Thera, S. N., Miller, S. R., Zacur, H. A., Dills, R. L., & Flaws, J. A. (2016).. (Reproductive Toxicology, 60, 76–81.)
23. Urinary phthalate metabolite concentrations and hot flashes in women from an urban convenience sample of midlife women.. Warner, G. R., Pacyga, D. C., Strakovsky, R. S., Smith, R., James-Todd, T., Williams, P. L., Hauser, R., Meling, D. D., Li, Z., & Flaws, J. A. (2021).. (Environmental Research, 197, 110891.)
24. Impact of Probiotics and Prebiotics on Gut Microbiome and Hormonal Regulation.. Basnet, J., Eissa, M. A., Yanes Cardozo, L. L., Romero, D. G., & Rezq, S. (2024).. (Gastrointestinal Disorders, 6(4), 801-815.)
25. Complement Ther Med. 2023;79:103002.. Kahleova H, Holtz DN, Strom N, et al.. (A dietary intervention for postmenopausal hot flashes: A potential role of gut microbiome.)
26. Impact of Probiotics and Prebiotics on Gut Microbiome and Hormonal Regulation.. Basnet, J., Eissa, M. A., Yanes Cardozo, L. L., Romero, D. G., & Rezq, S. (2024).. (Gastrointestinal Disorders, 6(4), 801-815.)
27. Complement Ther Med. 2023;79:103002.. Kahleova H, Holtz DN, Strom N, et al.. (A dietary intervention for postmenopausal hot flashes: A potential role of gut microbiome.)
28. Impact of Probiotics and Prebiotics on Gut Microbiome and Hormonal Regulation.. Basnet, J., Eissa, M. A., Yanes Cardozo, L. L., Romero, D. G., & Rezq, S. (2024).. (Gastrointestinal Disorders, 6(4), 801-815.)

29. SSRIs for hot flashes: a systematic review and meta-analysis of randomized trials.. Shams T, Firwana B, Habib F, Alshahrani A, Alnouh B, Murad MH, Ferwana M.. (J Gen Intern Med. 2014 Jan;29(1):204-13.)
30. Dietary advanced glycation end-products and postmenopausal hot flashes: A post-hoc analysis of a 12-week randomized clinical trial.. Kahleova, H., Znayenko-Miller, T., Uribarri, J., Schmidt, N., Kolipaka, S., Hata, E., Holtz, D. N., Sutton, M., Holubkov, R., & Barnard, N. D. (2023).. (Maturitas, 172, 32-38.)
31. Diet quality, body weight, and postmenopausal hot flashes: A secondary analysis of a randomized clinical trial.. Brennan, H., Znayenko-Miller, T., Sutton, M., Holubkov, R., & Kahleova, H. (2024).. (BMC Women's Health, 24(620).)
32. Protocol for systematic review and meta-analysis: Hop (Humulus lupulus L.) for menopausal vasomotor symptoms.. Abdi, F., Kazemi, F., Tehrani, F. R., & Roozbeh, N. (2016).. (BMJ Open, 6(4), e010734.)
33. Effect of Lavender on Sleep, Sexual Desire, Vasomotor, Psychological and Physical Symptom among Menopausal and Elderly Women: A Systematic Review.. Roozbeh, N., Ghazanfarpour, M., Khadivzadeh, T., Kargarfard, L., Dizavandi, F. R., & Shariati, K. (2019).. (Journal of Menopausal Medicine, 25(2), 88.)
34. Hot flashes and fatigue relieved by metformin.. Maudar V, Winters SJ, Villafuerte BC.. (Endocr Pract. 2009 Jan-Feb;15(1):30-4.)
35. Complement Ther Med. 2023;79:103002.. Kahleova H, Holtz DN, Strom N, et al.. (A dietary intervention for postmenopausal hot flashes: A potential role of gut microbiome.)

Generated from microbiomemedicine.com/conditions/menopausal-hot-flashes. © Microbiome Signatures.