Experiment - 15

Create a Snapshot of a Virtual Machine and Restore the Previous Version

Aim


To create a snapshot of a virtual machine using virtualization software and test it by restoring the virtual machine to its previous state.

Procedure

1. Start the computer and open Oracle VirtualBox or VMware Workstation.
2. Select an existing virtual machine.
3. Start the virtual machine and verify that the guest operating system is working properly.
4. Create a file or make a small configuration change inside the virtual machine to establish a test state.
5. Shut down the virtual machine if required by the virtualization software.
6. Open the snapshot management interface.
7. VirtualBox: Select the VM and open the Snapshots view.
8. VMware Workstation: Select the VM and use VM → Snapshot → Take Snapshot.
9. Create a snapshot and enter a name such as Before_Changes.
10. Start the virtual machine again.
11. Make a noticeable change, such as creating a test file or changing a setting.
12. Verify that the change is present.
13. Open the snapshot management interface and select the snapshot created earlier.
14. Choose the option to restore or revert to that snapshot.
15. Confirm the restoration when prompted.
16. Start the virtual machine if it is not already running.
17. Verify that the virtual machine has returned to the saved state and that the change made after the snapshot is no longer present.

Implementation

Output:



Result

Thus, a snapshot of a virtual machine was successfully created and restored, demonstrating how snapshots can preserve and recover a virtual machine's previous state.