

Selenium – Java Cheat Sheet

Driver Initialization

Chrome	WebDriver driver = new ChromeDriver();
Firefox	WebDriver driver = new FirefoxDriver();
Edge	WebDriver driver = new EdgeDriver();
Safari	WebDriver driver = new SafariDriver();

Locating Elements - By:

id:	driver.findElement(By.id("idValue"));
name:	driver.findElement(By.name("nameValue"));
className:	driver.findElement(By.className("classValue"));
tagName:	driver.findElement(By.tagName("html tagName"));
cssSelector:	driver.findElement(By.cssSelector("input[type='submit']"));
xPath:	driver.findElement(By.xpath("//input[@type='submit']"));
linkText:	driver.findElement(By.linkText("Sale"));
partialLinkText:	driver.findElement(By.partialLinkText("link text"));

Dynamic XPath:

//*[@type='submit']	→ any tag with type submit
//h2[contains(@id, 'ageCont')]	→ selects id that contains ageCont value
(//h2[starts-with(@id, 'u_')])[1]	→ the first input whose id starts with u_
//input[ends-with(@id, 'P7')]	→ selects id that ends with p7
//h2[@id='page-ent' or @class='nav-flex']	→ one or the other statement
//h2[@id='page-ent' and @class='nav-flex']	→ both statements
//*[@.='Sign in']	→ any tag & attribute just give me the text
//*[text()='Welcome']	→ selects only text
//*[contains(text(), 'Welcome to')]	→ selects only text that contains → Use index when there are multiple matches
CSS Selector:	
.classValue	→ By.cssSelector(".form-control")
#idValue	→ By.cssSelector("#ageCont")

Selenium Operations

Launch a Webpage:	driver.get("https://www.google.com"); OR driver.navigate().to("https://www.google.com");
Click a button:	WebElement searchBtn = driver.findElement(By.name("btnK")).click(); OR searchButton.click();
Accept an alert pop-up:	driver.switchTo().alert().accept();
Print the page title:	String title = driver.getTitle(); System.out.println(title);
Clear the input field text:	WebElement searchInput = driver.findElement(By.name("q")); searchInput.sendKeys("selenium"); searchInput.clear();
Disable a field (set the 'disabled' attribute):	JavascriptExecutor javascript = (JavascriptExecutor) driver; String toDisable = "document.getElementsByName('fname')[0] .setAttribute('disabled', '');"; javascript.executeScript(toDisable);
Enable a field (remove the 'disabled' attribute):	JavascriptExecutor javascript = (JavascriptExecutor) driver; String toEnable = "document.getElementsByName('fname')[0] .setAttribute('enabled', '');"; javascript.executeScript(toEnable);

Wait Operations

Selenium Dynamic Wait	
Implicit wait – global wait:	driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(10));
Explicit wait – local wait:	
1. Create WebDriverWait object	WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));
2. Use the object to add expected conditions	WebElement classABC = wait.until(ExpectedConditions.visibilityOfElementLocated(By.cssSelector(".classlocator")));
→ better than implicit wait when element is not visible / clickable / displayed	
FluentWait – local wait. Is like Explicit wait with more options:	Wait<WebDriver> fluentWait = new FluentWait<WebDriver>(driver) .withTimeout(Duration.ofSeconds(30)) .pollingEvery(Duration.ofSeconds(5))//will check every 5 sec .ignoring(NoSuchElementException.class); //ignores exception
Same as Explicit Wait:	WebElement classABC = wait.until(ExpectedConditions.visibilityOfElementLocated(By.cssSelector(".classlocator")));
ScriptTimeout & PageLoad Timeout:	driver.manage().timeouts().scriptTimeout(Duration.ofMinutes(2)); driver.manage().timeouts().pageLoadTimeout(Duration.ofSeconds(10));
Java hard wait ->	
Sleep:	Thread.sleep(Time in MilliSeconds);

TestNG Annotations

@Test	the main part of the automation script where we write the business logic we want to automate
@BeforeSuite	runs before executing all test methods in the suite
@BeforeTest	executes before executing all test methods of available classes belonging to that folder
@BeforeClass	executes before the first method of the current class is invoked
@BeforeMethod	executes before each test method runs
@AfterSuite	executes after executing all test methods in the suite
@AfterMethod	executes after executing each test method
@AfterTest	executes after executing all test methods of available classes belonging to that folder
@AfterClass	executes after executing all test methods of the current class

JUnit Annotations

@Test	Represents the method or class as a test block, also accepts parameters.
@Before	The method with this annotation gets executed before all other tests.
@BeforeClass	The method with this annotation gets executed once before class.
@After	The method with this annotation gets executed after all other tests are executed.
@AfterClass	The method with this annotation gets executed once after class.
@Ignore	It is used to ignore certain test statements during execution.
@Disabled	Used to disable the tests from execution, but the corresponding reports of the tests are still generated.

Alerts

Accept an alert: Same as clicking OK of an alert.
`driver.switchTo().alert().accept();`

Dismiss an alert: Same as clicking Cancel of an alert.
`driver.switchTo().alert().dismiss();`

Enter text in an alert box:
`driver.switchTo().alert().sendKeys("Selenium")`

Retrieve alert text: To get the alert message of the alert.
`driver.switchTo().alert().getText();`

Java Faker

Copy Faker dependency into pom.xml file

1. Create a Faker object
`Faker faker = new Faker();`

2. generate fake data
`driver`
`.findElement(By.name("firstname"))`
`.sendKeys(faker.name().firstName());`

OR

`String fName = faker.name().firstName();`
`fake data = mock data → fake ssn, fake name, fake address`

iFrame

A page within a page → we must first **switch()** to the iframe. 3 ways:

1. by index: → index start from 0
`driver.switchTo().frame(0)` will switch the first iframe

2. id/name:
`driver.switchTo().frame("id or name of the iframe");`

3. web element (locators):
`WebElement middleFrame =`
`driver.findElement(By.xpath("//frame[@name='left']"));`
`driver.switchTo().frame(middleFrame);`

→ Switching back to parent / default frame:

To parent frame goes only 1 level up:

- `driver.switchTo().parentFrame();`

To get back to the main frame:

- `driver.switchTo().defaultContent();`

Returns the total number of iframe on a page

- `driver.findElements(By.tagName("iframe"));`

Actions

Step 1: Create the action object:
`Actions actions=new Actions(driver);`

Step 2: Locate the WebElement you want to work on:
`WebElement element = driver.findElement(By.id("ID"));`

Step 3: Perform the action on the WebElement
Right click: `actions.contextClick(element).perform();`
Hover over: `actions.moveToElement(element).perform();`

`actions .sendKeys(Keys.ARROW_DOWN)`
`.sendKeys(Keys.ARROW_UP)`
`.sendKeys(Keys.PAGE_DOWN)`
`.sendKeys(Keys.PAGE_UP)`
`.build() //OPTIONAL : recommended with method chains`
`.perform(); //MANDATORY`

keysDown(); → to press and hold a key. Keys mean Shift, Ctrl, Alt keys.

keysUp(); → to release a pressed key after `keysDown()`, otherwise we may get `IllegalArgumentException`.

sendKeys(element,"text"); → to type into text box / text area

Selenium Navigators

Navigate to a URL
`driver.get("URL")`
OR `driver.navigate().to("URL");`

Refresh the page
`driver.navigate().refresh();`

Navigate forward in browser
`driver.navigate().forward();`

Navigate back in browser
`driver.navigate().back();`

Drop Down List

Step 1: Locate the dropdown element:
`WebElement month=driver.findElement(By.id("dropdown"));`

Step 2: Create Select object and pass the variable to that object:
`Select selectMonth=new Select(month);`

Step 3: Select from a dropdown using select object with 3 different ways:
`selectMonth.selectByIndex(0);`
`selectMonth.selectByValue("1");`
`selectMonth.selectByVisibleText("Jan");`

We can put all dropdown elements in a `List<WebElement>` using **getOptions();**
`Select selectOptions = new Select(states);`
`List<WebElement> options = selectOptions.getOptions();`

Working with Windows

1. Get the current window handle:
`String window1Handle = driver.getWindowHandle();`

2. Get all window handles:
`Set<String> allWindowHandles = driver.getWindowHandles();`

3. Switch to a specific window:
`for (String eachHandle : allWindowHandles){`
`if (!eachHandle.equals(window1Handle)){`
`driver.switchTo().window(eachHandle);`
`}`
`}`

OR

`String windowHandle = driver.getWindowHandle();`
`driver.switchTo().window(windowHandle);`

Switch to newly created window:
`driver.switchTo().newWindow(WindowType.TAB);`
`driver.switchTo().newWindow(WindowType.WINDOW);`

Close the current window:
`driver.close();`

Set window position:
`driver.manage().window().setPosition(new Point(0, 0));`

Maximize window:
`driver.manage().window().maximize();`

Minimize window:
`driver.manage().window().minimize();`

Fullscreen window:
`driver.manage().window().fullscreen();`

Take a Screenshot:
`import org.apache.commons.io.FileUtils;`
`File scrFile = ((TakesScreenshot)driver)`
`.getScreenshotAs(OutputType.FILE);`
`FileUtils.copyFile(scrFile, new File("./image.png"));`

Working with Files

Upload a file:

```
driver.findElement(By.id("upload")).sendKeys("path/to/the/file.txt");
driver.findElement(By.id("file-submit")).submit();
```

Read data from an Excel file:

<Apache dependency>

→ workbook > worksheet > row > cell

→ Index starts with 0 → e.g. row 1 cell 1 has the index of row 0 cell 0

1. Store file path in a string

```
String path = "resources/Capitals.xlsx";
```

OR File file = new File("resources/Capitals.xlsx");

2. Open the file

```
FileInputStream fileInputStream = new FileInputStream(path);
```

3. Open the workbook using fileinputstream

```
Workbook workbook = WorkbookFactory.create(fileInputStream);
```

4. Open the first worksheet

```
Sheet sheet1 = workbook.getSheet("Sheet1");
```

OR workbook.getSheetAt(0); //ALTERNATIVE

5. Go to first row

```
Row row1 = sheet1.getRow(0);
```

6. Go to first cell on that first row and print

```
Cell cell1 = row1.getCell(0);
```

Read data from a text file using BufferedReader:

```
FileReader reader = new FileReader("MyFile.txt");
```

```
BufferedReader bufferedReader = new BufferedReader(reader);
```

```
String line;
```

```
while ((line = bufferedReader.readLine()) != null)
```

```
{ System.out.println(line); }
```

```
reader.close();
```

Read data from a text file Using InputStream:

```
FileInputStream inputStream = new FileInputStream("MyFile.txt");
```

```
InputStreamReader reader = new InputStreamReader(inputStream,
"UTF-16");
```

```
int character;
```

```
while ((character = reader.read()) != -1)
```

```
{ System.out.print((char) character); }
```

```
reader.close();
```

Read data from a text file Using FileReader:

```
FileReader reader = new FileReader("MyFile.txt");
```

```
int character;
```

```
while ((character = reader.read()) != -1)
```

```
{ System.out.print((char) character); }
```

```
reader.close();
```

Read data from a CSV file:

```
import au.com.bytecode.opencsv.CSVReader;
```

```
String path = "C:\\Users\\Myuser\\Desktop\\csvtest.csv";
```

```
Reader reader = new FileReader(path);
```

```
CSVReader csvreader = new CSVReader(reader);
```

```
List<String[]> data = csvreader.readAll();
```

```
for(String[] d : data){
```

```
for(String c : d){
```

```
System.out.println(c); }
```

Working with Files

We can't test desktop applications with Selenium. But we can use JAVA

System.getProperty("user.dir"); => gives the path of the current folder

System.getProperty("user.home"); => gives you the user folder

Files.exists(Paths.get("path of the file"));

=> Checks if a file path exists on your computer or not

Javascript Executor

1. Creating a reference

```
JavascriptExecutor js = (JavascriptExecutor) driver;
```

2. Calling the method

```
js.executeScript(Script, Arguments);
```

```
js.executeScript(return something);
```

Example: Clicking on a button

```
WebElement button = driver.findElement(By.name("btnLogin"));
```

//Perform Click on LOGIN button using JavascriptExecutor

```
js.executeScript("arguments[0].click();", button);
```

//arguments[0] -> the first argument in executeScript method

Selenium Grid

Start the hub:

```
java -jar selenium-server-standalone-x.y.z.jar -role hub
```

Start a node:

```
java -jar selenium-server-standalone-x.y.z.jar -role node -hub
```

Server

```
http://localhost:4444/ui/index.html
```