TRAVEL BOOKING MANAGEMENT SYSTEM

1. Objective

The main objective of this exercise is to implement SQL queries in the Travel Booking Management System to retrieve, filter, sort, and analyze customer, travel package, booking, payment, and review information. It also aims to generate basic business reports that help manage package availability, customer details, bookings, payments, and package performance.

2. Scenario

The Travel Booking Management System allows customers to explore travel packages and make bookings through travel agencies. The database stores information about customers, travel packages, bookings, payments, and customer reviews.

The management team requires useful information from the database for daily operations and basic business analysis. SQL queries are used to retrieve the required details, apply filtering conditions, sort records, identify unique values, and generate reports.

3. Perform Basic SQL Queries

Basic SQL queries are used to retrieve information from the Travel Booking Management System. The SELECT statement helps display records stored in different tables.

Display all customer details:

```
SQL> SELECT * FROM CUSTOMER;

CUSTOMER_ID          FIRST_NAME           LAST_NAME
-------------------- -------------------- --------------------
EMAIL                               PHONE CREATED_A
------------------------------ ---------- ---------
C001                 Arun                 Kumar
arun@gmail.com                  9876543210 10-JAN-26

C002                 Priya                Sharma
priya@gmail.com                 9876543211 15-JAN-26

C003                 Rahul                Raj
rahul@gmail.com                 9876543212 05-FEB-26


CUSTOMER_ID          FIRST_NAME           LAST_NAME
-------------------- -------------------- --------------------
EMAIL                               PHONE CREATED_A
------------------------------ ---------- ---------
C004                 Divya                Suresh
divya@gmail.com                 9876543213 12-FEB-26

C005                 Karthik              Mohan
karthik@gmail.com               9123456780 01-MAR-26

C006                 Sneha                Ravi
sneha@gmail.com                 9876543215 08-MAR-26


CUSTOMER_ID          FIRST_NAME           LAST_NAME
-------------------- -------------------- --------------------
EMAIL                               PHONE CREATED_A
------------------------------ ---------- ---------
C007                 Vishnu               Kumar
vishnu@gmail.com                9876543216 20-MAR-26

C008                 Ananya               Krishnan
ananya@gmail.com                9876543217 02-APR-26

C009                 Naveen               Raj
naveen@gmail.com                9876543218 15-APR-26
```

```
CUSTOMER_ID          FIRST_NAME           LAST_NAME
-------------------- -------------------- --------------------
EMAIL                                PHONE CREATED_A
---------------------------------- ---------- ---------
C010                 Meena                Devi
meena@gmail.com                  9876543219 01-MAY-26
```

Retrieve all travel packages:

```
SQL> SELECT * FROM TRAVELPACKAGE;

PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- -----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------
       101        201           1
Ooty Holiday Package
     13000              20

       103        202           2
Dubai Holiday Package
     55000              10

PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- -----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------

       104        202           2
Singapore Tour Package
     65000              12

       105        203           3
Manali Adventure Trip

PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- -----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------
     25000              18

       106        203           3
Rishikesh Adventure Tour
     22000              14

       107        204           4
```

```
PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- ----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------
Goa Honeymoon Package
     30000              10

       108        204           4
Kashmir Honeymoon Package
     45000               8


PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- ----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------
       109        205           5
Mysore Family Package
     15000              20

       110        205           5
Rajasthan Family Tour
     28000              16

PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- ----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------

       111        206           6
Tirupati Pilgrimage Tour
      9000              25

       112        206           6
Varanasi Spiritual Tour
```

Display package names and prices:

```
PACKAGE_ID  AGENCY_ID CATEGORY_ID
---------- ---------- ----------
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE AVAILABLE_SLOTS
---------- ---------------
     14000              20


11 rows selected.
```

```
PACKAGE_NAME
--------------------------------------------------------------------------------
     PRICE
----------
Tirupati Pilgrimage Tour
      9000

Varanasi Spiritual Tour
     14000


11 rows selected.
```

Retrieve all bookings:

```
SQL> SELECT * FROM BOOKING;

BOOKING_ID CUSTOMER_ID          BOOKING_D TOTAL_AMOUNT BOOKING_STATUS
---------- -------------------- --------- ------------ --------------------
B1         C001                 10-SEP-26        24000 Confirmed
B2         C002                 11-SEP-26        36000 Confirmed
B3         C003                 12-SEP-26        55000 Processing
B4         C004                 13-SEP-26        65000 Confirmed
B5         C005                 14-SEP-26        25000 Completed
B6         C006                 15-SEP-26        30000 Processing
B7         C007                 16-SEP-26        45000 Completed
B8         C008                 17-SEP-26        55000 Confirmed

8 rows selected.
```

Display payment details:

```
SQL> SELECT * FROM PAYMENT;

PAYMENT_ID BOOKING_ID PAYMENT_D PAYMENT_MODE         PAYMENT_STATUS       TRANSACTION_AMOUNT
---------- ---------- --------- -------------------- -------------------- ------------------
P1         B1         10-SEP-26 UPI                  Success                         24000
P2         B2         11-SEP-26 Card                 Success                         36000
P3         B3         12-SEP-26 Net Banking          Pending                         55000
P4         B4         13-SEP-26 UPI                  Success                         65000
P5         B5         14-SEP-26 Card                 Success                         25000
P6         B6         15-SEP-26 Cash                 Pending                         30000
P7         B7         16-SEP-26 UPI                  Success                         45000
P8         B8         17-SEP-26 UPI                  Failed                          55000

8 rows selected.
```

These operations help verify the data stored in the database and understand the information available in each table.

4. Apply Filtering Conditions Using WHERE

The WHERE clause is used to retrieve records that satisfy specific conditions. It helps identify the required information without displaying unrelated records.

The following filtering operations are performed:

identify packages priced above ₹5,000:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE PRICE > 5000;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
       103        202           2 Dubai Holiday Package                                                                                        55000
   10
       104        202           2 Singapore Tour Package                                                                                       65000
   12
       105        203           3 Manali Adventure Trip                                                                                        25000
   18
       106        203           3 Rishikesh Adventure Tour                                                                                     22000
   14
       107        204           4 Goa Honeymoon Package                                                                                        30000
   10
       108        204           4 Kashmir Honeymoon Package                                                                                    45000          8
       109        205           5 Mysore Family Package                                                                                        15000
   20
       110        205           5 Rajasthan Family Tour                                                                                        28000
   16
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20

11 rows selected.
```

Retrieve packages with available slots:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE AVAILABLE_SLOTS > 0;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILAB
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- -------
-----
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
       103        202           2 Dubai Holiday Package                                                                                        55000
   10
       104        202           2 Singapore Tour Package                                                                                       65000
   12
       105        203           3 Manali Adventure Trip                                                                                        25000
   18
       106        203           3 Rishikesh Adventure Tour                                                                                     22000
   14
       107        204           4 Goa Honeymoon Package                                                                                        30000
   10
       108        204           4 Kashmir Honeymoon Package                                                                                    45000
       109        205           5 Mysore Family Package                                                                                        15000
   20
       110        205           5 Rajasthan Family Tour                                                                                        28000
   16
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20
```

Display bookings using a recorded booking status (replace the value with one returned by SELECT DISTINCT BOOKING_STATUS FROM BOOKING):

```
SQL> SELECT *
  2  FROM BOOKING
  3  WHERE BOOKING_STATUS = 'Confirmed';

BOOKING_ID CUSTOMER_ID          BOOKING_D TOTAL_AMOUNT BOOKING_STATUS
---------- -------------------- --------- ------------ --------------------
B1         C001                 10-SEP-26        24000 Confirmed
B2         C002                 11-SEP-26        36000 Confirmed
B4         C004                 13-SEP-26        65000 Confirmed
B8         C008                 17-SEP-26        55000 Confirmed
```

Retrieve reviews with ratings greater than 4:

```
SQL> SELECT *
  2  FROM REVIEW
  3  WHERE RATING > 4;

REVIEW_ID  CUSTOMER_ID          PACKAGE_ID REVIEW_DA     RATING
---------- -------------------- ---------- --------- ----------
REVIEW_COMMENTS
--------------------------------------------------------------------------------------------------------------------------------------------------------
----------------------------------------
R1         C001                        101 20-OCT-26          5
Excellent travel experience

R4         C004                        105 23-OCT-26          5
Wonderful trip and beautiful places
```

These queries help filter travel package, booking, and review information according to the given conditions.

5. Sort Data Using ORDER BY

The ORDER BY clause is used to arrange records in ascending or descending order. It makes the retrieved information easier to read and compare.

The following sorting operations are performed:

Arrange packages from the lowest to the highest price:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  ORDER BY PRICE ASC;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20
       109        205           5 Mysore Family Package                                                                                        15000
   20
       106        203           3 Rishikesh Adventure Tour                                                                                     22000
   14
       105        203           3 Manali Adventure Trip                                                                                        25000
   18
       110        205           5 Rajasthan Family Tour                                                                                        28000
   16
       107        204           4 Goa Honeymoon Package                                                                                        30000
   10
       108        204           4 Kashmir Honeymoon Package                                                                                    45000         8
       103        202           2 Dubai Holiday Package                                                                                        55000
   10
       104        202           2 Singapore Tour Package                                                                                       65000
   12

11 rows selected.
```

Display customers in alphabetical order:

```
SQL> SELECT *
  2  FROM CUSTOMER
  3  ORDER BY FIRST_NAME ASC;

CUSTOMER_ID          FIRST_NAME           LAST_NAME            EMAIL                          PHONE CREATED_A
-------------------- -------------------- -------------------- ------------------------------ ---------- ---------
C008                 Ananya               Krishnan             ananya@gmail.com               9876543217 02-APR-26
C001                 Arun                 Kumar                arun@gmail.com                 9876543210 10-JAN-26
C004                 Divya                Suresh               divya@gmail.com                9876543213 12-FEB-26
C005                 Karthik              Mohan                karthik@gmail.com              9123456780 01-MAR-26
C010                 Meena                Devi                 meena@gmail.com                9876543219 01-MAY-26
C009                 Naveen               Raj                  naveen@gmail.com               9876543218 15-APR-26
C002                 Priya                Sharma               priya@gmail.com                9876543211 15-JAN-26
C003                 Rahul                Raj                  rahul@gmail.com                9876543212 05-FEB-26
C006                 Sneha                Ravi                 sneha@gmail.com                9876543215 08-MAR-26
C007                 Vishnu               Kumar                vishnu@gmail.com               9876543216 20-MAR-26

10 rows selected.
```

Identify the most expensive packages by arranging prices in descending order:

```
SQL> SELECT * FROM TRAVELPACKAGE ORDER BY PRICE DESC;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       104        202           2 Singapore Tour Package                                                                                       65000
   12
       103        202           2 Dubai Holiday Package                                                                                        55000
   10
       108        204           4 Kashmir Honeymoon Package                                                                                    45000         8
       107        204           4 Goa Honeymoon Package                                                                                        30000
   10
       110        205           5 Rajasthan Family Tour                                                                                        28000
   16
       105        203           3 Manali Adventure Trip                                                                                        25000
   18
       106        203           3 Rishikesh Adventure Tour                                                                                     22000
   14
       109        205           5 Mysore Family Package                                                                                        15000
   20
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25

11 rows selected.
```

Display the latest bookings first according to booking dates:

```
SQL> SELECT * FROM BOOKING ORDER BY BOOKING_DATE DESC;

BOOKING_ID CUSTOMER_ID          BOOKING_D TOTAL_AMOUNT BOOKING_STATUS
---------- -------------------- --------- ------------ --------------------
B8         C008                 17-SEP-26        55000 Confirmed
B7         C007                 16-SEP-26        45000 Completed
B6         C006                 15-SEP-26        30000 Processing
B5         C005                 14-SEP-26        25000 Completed
B4         C004                 13-SEP-26        65000 Confirmed
B3         C003                 12-SEP-26        55000 Processing
B2         C002                 11-SEP-26        36000 Confirmed
B1         C001                 10-SEP-26        24000 Confirmed

8 rows selected.
```

6. Retrieve Unique Values Using DISTINCT

The DISTINCT keyword is used to retrieve unique values and eliminate duplicate entries from the result.

The following operations are performed:

Retrieve the unique travel package category IDs:

```
SQL> SELECT DISTINCT CATEGORY_ID
  2  FROM TRAVELPACKAGE;

CATEGORY_ID
-----------
          1
          6
          2
          4
          5
          3

6 rows selected.
```

Identify the different payment methods used by customers:

```
SQL> SELECT DISTINCT PAYMENT_MODE
  2  FROM PAYMENT;

PAYMENT_MODE
--------------------
Net Banking
Card
Cash
UPI
```

These operations help identify the categories and payment methods represented in the database.

7. Search Travel Packages Based on Conditions

SQL filtering conditions can be used to search for travel packages according to price, category, availability, name, and available slot quantity.

The following operations are performed**:**

Retrieve packages within a selected price range:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE PRICE BETWEEN 5000 AND 20000;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
       109        205           5 Mysore Family Package                                                                                        15000
   20
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20
```

Display packages belonging to a particular category (use a CATEGORY_ID present in the table):

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE CATEGORY_ID = 1;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
```

Identify packages currently available:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE AVAILABLE_SLOTS > 0;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       101        201           1 Ooty Holiday Package                                                                                         13000
   20
       103        202           2 Dubai Holiday Package                                                                                        55000
   10
       104        202           2 Singapore Tour Package                                                                                       65000
   12
       105        203           3 Manali Adventure Trip                                                                                        25000
   18
       106        203           3 Rishikesh Adventure Tour                                                                                     22000
   14
       107        204           4 Goa Honeymoon Package                                                                                        30000
   10
       108        204           4 Kashmir Honeymoon Package                                                                                    45000          8
       109        205           5 Mysore Family Package                                                                                        15000
   20
       110        205           5 Rajasthan Family Tour                                                                                        28000
   16
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20

11 rows selected.
```

Search for packages using keywords in their names:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE PACKAGE_NAME LIKE '%Tour%';

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                                  PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------------------------ ---------- ----------
-----
       104        202           2 Singapore Tour Package                                                                                       65000
   12
       106        203           3 Rishikesh Adventure Tour                                                                                     22000
   14
       110        205           5 Rajasthan Family Tour                                                                                        28000
   16
       111        206           6 Tirupati Pilgrimage Tour                                                                                      9000
   25
       112        206           6 Varanasi Spiritual Tour                                                                                      14000
   20
```

Identify packages with low slot quantities:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE AVAILABLE_SLOTS BETWEEN 1 AND 5;

no rows selected
```

These operations help retrieve travel packages based on specific requirements and support package inventory management.

8. Retrieve Customer and Booking Information

Customer and booking information can be retrieved together to understand customer booking activities. Relationships between the CUSTOMER, BOOKING, PAYMENT, and TRAVELPACKAGE tables are used where required.

The following operations are performed:

Display customer details along with their bookings:

```
SQL> SELECT C.CUSTOMER_ID,
  2         C.FIRST_NAME,
  3         C.LAST_NAME,
  4         B.BOOKING_ID,
  5         B.BOOKING_DATE,
  6         B.TOTAL_AMOUNT
  7  FROM CUSTOMER C
  8  INNER JOIN BOOKING B
  9  ON C.CUSTOMER_ID = B.CUSTOMER_ID;

CUSTOMER_ID          FIRST_NAME           LAST_NAME            BOOKING_ID BOOKING_D TOTAL_AMOUNT
-------------------- -------------------- -------------------- ---------- --------- ------------
C001                 Arun                 Kumar                B1         10-SEP-26        24000
C002                 Priya                Sharma               B2         11-SEP-26        36000
C003                 Rahul                Raj                  B3         12-SEP-26        55000
C004                 Divya                Suresh               B4         13-SEP-26        65000
C005                 Karthik              Mohan                B5         14-SEP-26        25000
C006                 Sneha                Ravi                 B6         15-SEP-26        30000
C007                 Vishnu               Kumar                B7         16-SEP-26        45000
C008                 Ananya               Krishnan             B8         17-SEP-26        55000

8 rows selected.
```

Retrieve travel package details, including package names, prices, and category IDs:

```
SQL> SELECT PACKAGE_ID,
  2         PACKAGE_NAME,
  3         PRICE,
  4         CATEGORY_ID
  5  FROM TRAVELPACKAGE;

PACKAGE_ID PACKAGE_NAME                                                                                          PRICE CATEGORY_ID
---------- ---------------------------------------------------------------------------------------------------- ---------- -----------
       101 Ooty Holiday Package                                                                                  13000           1
       103 Dubai Holiday Package                                                                                 55000           2
       104 Singapore Tour Package                                                                                65000           2
       105 Manali Adventure Trip                                                                                 25000           3
       106 Rishikesh Adventure Tour                                                                              22000           3
       107 Goa Honeymoon Package                                                                                 30000           4
       108 Kashmir Honeymoon Package                                                                             45000           4
       109 Mysore Family Package                                                                                 15000           5
       110 Rajasthan Family Tour                                                                                 28000           5
       111 Tirupati Pilgrimage Tour                                                                               9000           6
       112 Varanasi Spiritual Tour                                                                               14000           6

11 rows selected.
```

Identify customers who have made bookings:

```
SQL> SELECT DISTINCT C.CUSTOMER_ID,
  2         C.FIRST_NAME,
  3         C.LAST_NAME
  4  FROM CUSTOMER C
  5  INNER JOIN BOOKING B
  6  ON C.CUSTOMER_ID = B.CUSTOMER_ID;

CUSTOMER_ID          FIRST_NAME           LAST_NAME
-------------------- -------------------- --------------------
C005                 Karthik              Mohan
C008                 Ananya               Krishnan
C001                 Arun                 Kumar
C004                 Divya                Suresh
C002                 Priya                Sharma
C003                 Rahul                Raj
C006                 Sneha                Ravi
C007                 Vishnu               Kumar

8 rows selected.
```

Display booking and payment details:

```
SQL> SELECT B.BOOKING_ID,
  2         B.CUSTOMER_ID,
  3         P.PAYMENT_ID,
  4         P.PAYMENT_MODE,
  5         P.PAYMENT_STATUS,
  6         P.TRANSACTION_AMOUNT
  7  FROM BOOKING B
  8  INNER JOIN PAYMENT P
  9  ON B.BOOKING_ID = P.BOOKING_ID;

BOOKING_ID CUSTOMER_ID          PAYMENT_ID PAYMENT_MODE         PAYMENT_STATUS       TRANSACTION_AMOUNT
---------- -------------------- ---------- -------------------- -------------------- ------------------
B1         C001                 P1         UPI                  Success                           24000
B2         C002                 P2         Card                 Success                           36000
B3         C003                 P3         Net Banking          Pending                           55000
B4         C004                 P4         UPI                  Success                           65000
B5         C005                 P5         Card                 Success                           25000
B6         C006                 P6         Cash                 Pending                           30000
B7         C007                 P7         UPI                  Success                           45000
B8         C008                 P8         UPI                  Failed                            55000

8 rows selected.
```

These queries help connect customer information with booking and payment records. The number of matching results depends on the records available in the related tables.

9. Apply Multiple Filtering Conditions

Multiple filtering conditions allow records to be retrieved by applying more than one requirement at a time.

The following operations are performed:

Filter packages using price and availability conditions:

```
SQL> SELECT *
  2  FROM TRAVELPACKAGE
  3  WHERE CATEGORY_ID = 1
  4  AND PRICE BETWEEN 5000 AND 20000;

PACKAGE_ID  AGENCY_ID CATEGORY_ID PACKAGE_NAME                                                                                    PRICE AVAILABLE_
SLOTS
---------- ---------- ----------- ------------------------------------------------------------------------------------------ ---------- ----------
-----
       101        201           1 Ooty Holiday Package                                                                         13000
   20
```

Retrieve bookings placed within a specified date range:

```
SQL> SELECT *
  2  FROM BOOKING
  3  WHERE BOOKING_DATE
  4  BETWEEN DATE '2026-01-01'
  5  AND DATE '2026-12-31';

BOOKING_ID CUSTOMER_ID          BOOKING_D TOTAL_AMOUNT BOOKING_STATUS
---------- -------------------- --------- ------------ --------------------
B1         C001                 10-SEP-26        24000 Confirmed
B2         C002                 11-SEP-26        36000 Confirmed
B3         C003                 12-SEP-26        55000 Processing
B4         C004                 13-SEP-26        65000 Confirmed
B5         C005                 14-SEP-26        25000 Completed
B6         C006                 15-SEP-26        30000 Processing
B7         C007                 16-SEP-26        45000 Completed
B8         C008                 17-SEP-26        55000 Confirmed

8 rows selected.
```

10. Generate Basic Business Reports

Package Availability Report

The package availability report provides information about the travel packages stored in the system. It includes package names, prices, available slots, and package availability.

Display available packages:

```
SQL> SELECT PACKAGE_NAME, PRICE, AVAILABLE_SLOTS
  2  FROM TRAVELPACKAGE
  3  WHERE AVAILABLE_SLOTS > 0;

PACKAGE_NAME                                                                                    PRICE AVAILABLE_SLOTS
------------------------------------------------------------------------------------------ ---------- ---------------
Ooty Holiday Package                                                                            13000              20
Dubai Holiday Package                                                                           55000              10
Singapore Tour Package                                                                          65000              12
Manali Adventure Trip                                                                           25000              18
Rishikesh Adventure Tour                                                                        22000              14
Goa Honeymoon Package                                                                           30000              10
Kashmir Honeymoon Package                                                                       45000               8
Mysore Family Package                                                                           15000              20
Rajasthan Family Tour                                                                           28000              16
Tirupati Pilgrimage Tour                                                                         9000              25
Varanasi Spiritual Tour                                                                         14000              20

11 rows selected.
```

Display packages with no available slots:

```
SQL> SELECT PACKAGE_NAME, PRICE, AVAILABLE_SLOTS
  2  FROM TRAVELPACKAGE
  3  WHERE AVAILABLE_SLOTS = 0;

no rows selected
```

This information helps monitor package inventory and identify packages that may require availability updates.

Customer Report

The customer report provides information about the total number of registered customers and customer details.

Retrieve the total customer count:

```
SQL> SELECT COUNT(*) AS TOTAL_CUSTOMERS
  2  FROM CUSTOMER;

TOTAL_CUSTOMERS
---------------
             10
```

Display customer registration details:

```
SQL> SELECT CUSTOMER_ID,
  2         FIRST_NAME,
  3         LAST_NAME,
  4         EMAIL,
  5         CREATED_AT
  6  FROM CUSTOMER;

CUSTOMER_ID          FIRST_NAME           LAST_NAME            EMAIL                          CREATED_A
-------------------- -------------------- -------------------- ------------------------------ ---------
C001                 Arun                 Kumar                arun@gmail.com                 10-JAN-26
C002                 Priya                Sharma               priya@gmail.com                15-JAN-26
C003                 Rahul                Raj                  rahul@gmail.com                05-FEB-26
C004                 Divya                Suresh               divya@gmail.com                12-FEB-26
C005                 Karthik              Mohan                karthik@gmail.com              01-MAR-26
C006                 Sneha                Ravi                 sneha@gmail.com                08-MAR-26
C007                 Vishnu               Kumar                vishnu@gmail.com               20-MAR-26
C008                 Ananya               Krishnan             ananya@gmail.com               02-APR-26
C009                 Naveen               Raj                  naveen@gmail.com               15-APR-26
C010                 Meena                Devi                 meena@gmail.com                01-MAY-26

10 rows selected.
```

Display customers in alphabetical order:

```
SQL> SELECT CUSTOMER_ID, FIRST_NAME, LAST_NAME
  2  FROM CUSTOMER ORDER BY FIRST_NAME ASC;

CUSTOMER_ID          FIRST_NAME           LAST_NAME
-------------------- -------------------- --------------------
C008                 Ananya               Krishnan
C001                 Arun                 Kumar
C004                 Divya                Suresh
C005                 Karthik              Mohan
C010                 Meena                Devi
C009                 Naveen               Raj
C002                 Priya                Sharma
C003                 Rahul                Raj
C006                 Sneha                Ravi
C007                 Vishnu               Kumar

10 rows selected.
```

The registration-date details can be examined to understand the customer data available in the system.

Booking Report

The booking report summarizes booking information and helps monitor booking processing.

The following details are examined:

Total number of bookings:

```
SQL> SELECT COUNT(*) AS TOTAL_BOOKINGS
  2  FROM BOOKING;

TOTAL_BOOKINGS
--------------
             8
```

Number of bookings by recorded status:

```
SQL> SELECT BOOKING_STATUS, COUNT(*) AS TOTAL_BOOKINGS
  2  FROM BOOKING GROUP BY BOOKING_STATUS;

BOOKING_STATUS       TOTAL_BOOKINGS
-------------------- --------------
Processing                        2
Confirmed                         4
Completed                         2
```

Display the latest bookings:

```
SQL> SELECT * FROM BOOKING ORDER BY BOOKING_DATE DESC;

BOOKING_ID CUSTOMER_ID          BOOKING_D TOTAL_AMOUNT BOOKING_STATUS
---------- -------------------- --------- ------------ --------------------
B8         C008                 17-SEP-26        55000 Confirmed
B7         C007                 16-SEP-26        45000 Completed
B6         C006                 15-SEP-26        30000 Processing
B5         C005                 14-SEP-26        25000 Completed
B4         C004                 13-SEP-26        65000 Confirmed
B3         C003                 12-SEP-26        55000 Processing
B2         C002                 11-SEP-26        36000 Confirmed
B1         C001                 10-SEP-26        24000 Confirmed

8 rows selected.
```

Calculate the total booking amount:

```
SQL> SELECT SUM(TOTAL_AMOUNT) AS TOTAL_BOOKING_AMOUNT FROM BOOKING;

TOTAL_BOOKING_AMOUNT
--------------------
              335000
```

The status-wise report uses the values actually stored in the BOOKING table. If a particular status is not present, its count will not appear in the grouped result.

Payment Report

The payment report summarizes transaction information, payment methods, and payment statuses.

Display all payment records:

```
SQL> SELECT * FROM PAYMENT;

PAYMENT_ID BOOKING_ID PAYMENT_D PAYMENT_MODE        PAYMENT_STATUS       TRANSACTION_AMOUNT
---------- ---------- --------- ------------------- -------------------- ------------------
P1         B1         10-SEP-26 UPI                 Success                         24000
P2         B2         11-SEP-26 Card                Success                         36000
P3         B3         12-SEP-26 Net Banking         Pending                         55000
P4         B4         13-SEP-26 UPI                 Success                         65000
P5         B5         14-SEP-26 Card                Success                         25000
P6         B6         15-SEP-26 Cash                Pending                         30000
P7         B7         16-SEP-26 UPI                 Success                         45000
P8         B8         17-SEP-26 UPI                 Failed                          55000

8 rows selected.
```

Count payments according to their recorded status:

```
SQL> SELECT PACKAGE_ID,
  2         COUNT(*) AS TOTAL_REVIEWS
  3  FROM REVIEW
  4  GROUP BY PACKAGE_ID;

PACKAGE_ID TOTAL_REVIEWS
---------- -------------
       101             1
       107             1
       104             1
       105             1
       103             1
```

Retrieve the average rating for each package:

```
SQL> SELECT PACKAGE_ID,
  2         AVG(RATING) AS AVERAGE_RATING
  3  FROM REVIEW
  4  GROUP BY PACKAGE_ID;

PACKAGE_ID AVERAGE_RATING
---------- --------------
       101              5
       107              2
       104              3
       105              5
       103              4
```

Identify packages available for booking:

```
SQL> SELECT PACKAGE_ID,
  2         PACKAGE_NAME,
  3         AVAILABLE_SLOTS
  4  FROM TRAVELPACKAGE
  5  WHERE AVAILABLE_SLOTS > 0;

PACKAGE_ID PACKAGE_NAME                                                                                          AVAILABLE_SLOTS
---------- ------------------------------------------------------------------------------------------------------ ---------------
       101 Ooty Holiday Package                                                                                             20
       103 Dubai Holiday Package                                                                                            10
       104 Singapore Tour Package                                                                                           12
       105 Manali Adventure Trip                                                                                            18
       106 Rishikesh Adventure Tour                                                                                         14
       107 Goa Honeymoon Package                                                                                            10
       108 Kashmir Honeymoon Package                                                                                         8
       109 Mysore Family Package                                                                                            20
       110 Rajasthan Family Tour                                                                                            16
       111 Tirupati Pilgrimage Tour                                                                                         25
       112 Varanasi Spiritual Tour                                                                                          20

11 rows selected.
```

The review analysis helps compare customer feedback for different packages. The output depends on the reviews recorded in the REVIEW table.

11. Result

The SQL query implementation for the Travel Booking Management System was carried out using the existing database tables. Basic data retrieval, filtering, sorting, unique-value selection, travel package searches, customer-booking retrieval, multiple-condition filtering, and business report generation were included.

The queries are adapted to the available Travel Booking table names and column names. Filter values such as price ranges, category IDs, package-name keywords, booking statuses, and date ranges must match the records in the database. Some queries may return no matching records when the specified values are not available. Such results reflect the existing data and do not necessarily indicate an SQL error.

12. Conclusion

This exercise provided practical experience in using SQL to retrieve and analyze data in the Travel Booking Management System. The implementation demonstrates the use of SELECT, WHERE, ORDER BY, DISTINCT, filtering conditions, table relationships, aggregate functions, and business reporting operations.

The exercise also helps develop an understanding of how database structure and available records influence query results. Overall, the implementation improves the ability to manage customer, travel package, booking, payment, and review information using SQL.