

```

import { useState, useEffect, useCallback } from 'react'
import { createClient } from '@supabase/supabase-js'

const supabase = createClient(
  'https://ehkwxzumgizryvhkeusr.supabase.co',
  'eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiI6ImVoa3d4e
)

const STATUS_COLORS = {
  'Not Contacted': '#64748b',
  'Contacted': '#3b82f6',
  'In Progress': '#f59e0b',
  'Sponsored': '#22c55e',
  'Declined': '#ef4444',
}

const STATUS_OPTIONS = Object.keys(STATUS_COLORS)

const styles = {
  app: {
    minHeight: '100vh',
    background: 'linear-gradient(135deg, #0a0f1e 0%, #0d1b3e 50%, #0a0f1e 100%)',
    fontFamily: '"DM Mono", "Courier New", monospace',
    color: '#e2e8f0',
    padding: '0',
  },
  header: {
    background: 'rgba(255,255,255,0.03)',
    borderBottom: '1px solid rgba(255,255,255,0.08)',
    padding: '20px 32px',
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'space-between',
    flexWrap: 'wrap',
    gap: '12px',
  },
  title: {
    fontSize: '28px',
    fontFamily: '"Bebas Neue", "Impact", sans-serif',
    letterSpacing: '3px',
    color: '#60a5fa',
    margin: 0,
  },
  liveBadge: {

```

```

    display: 'flex',
    alignItems: 'center',
    gap: '8px',
    background: 'rgba(34,197,94,0.1)',
    border: '1px solid rgba(34,197,94,0.3)',
    borderRadius: '20px',
    padding: '6px 14px',
    fontSize: '11px',
    color: '#22c55e',
    letterSpacing: '1px',
  },
  dot: {
    width: '8px',
    height: '8px',
    borderRadius: '50%',
    background: '#22c55e',
    animation: 'pulse 2s infinite',
  },
  main: {
    padding: '28px 32px',
    maxWidth: '1200px',
    margin: '0 auto',
  },
  statsRow: {
    display: 'flex',
    gap: '12px',
    marginBottom: '24px',
    flexWrap: 'wrap',
  },
  statCard: {
    flex: '1',
    minWidth: '120px',
    background: 'rgba(255,255,255,0.04)',
    border: '1px solid rgba(255,255,255,0.08)',
    borderRadius: '12px',
    padding: '16px',
    textAlign: 'center',
  },
  statNum: {
    fontSize: '28px',
    fontFamily: '"Bebas Neue", sans-serif',
    letterSpacing: '2px',
  },
  statLabel: {
    fontSize: '10px',
    color: '#94a3b8',
    letterSpacing: '1px',
  },

```

```
    marginTop: '2px',
  },
  controls: {
    display: 'flex',
    gap: '12px',
    marginBottom: '24px',
    flexWrap: 'wrap',
  },
  input: {
    background: 'rgba(255,255,255,0.06)',
    border: '1px solid rgba(255,255,255,0.12)',
    borderRadius: '8px',
    padding: '10px 14px',
    color: '#e2e8f0',
    fontSize: '13px',
    fontFamily: '"DM Mono", monospace',
    outline: 'none',
    flex: '1',
    minWidth: '200px',
  },
  select: {
    background: 'rgba(255,255,255,0.06)',
    border: '1px solid rgba(255,255,255,0.12)',
    borderRadius: '8px',
    padding: '10px 14px',
    color: '#e2e8f0',
    fontSize: '13px',
    fontFamily: '"DM Mono", monospace',
    outline: 'none',
    cursor: 'pointer',
  },
  btn: {
    background: 'linear-gradient(135deg, #3b82f6, #1d4ed8)',
    border: 'none',
    borderRadius: '8px',
    padding: '10px 20px',
    color: 'white',
    fontSize: '13px',
    fontFamily: '"DM Mono", monospace',
    cursor: 'pointer',
    letterSpacing: '1px',
    fontWeight: '600',
  },
  grid: {
    display: 'grid',
    gridTemplateColumns: 'repeat(auto-fill, minmax(320px, 1fr))',
    gap: '16px',
  },
}
```

```
    },
    card: {
      background: 'rgba(255,255,255,0.04)',
      border: '1px solid rgba(255,255,255,0.08)',
      borderRadius: '14px',
      padding: '20px',
      transition: 'all 0.3s ease',
    },
    cardHeader: {
      display: 'flex',
      justifyContent: 'space-between',
      alignItems: 'flex-start',
      marginBottom: '14px',
    },
    company: {
      fontSize: '18px',
      fontFamily: '"Bebas Neue", sans-serif',
      letterSpacing: '2px',
      color: '#f1f5f9',
    },
    statusBadge: {
      borderRadius: '20px',
      padding: '4px 12px',
      fontSize: '10px',
      letterSpacing: '1px',
      fontWeight: '600',
      border: '1px solid',
    },
    fieldRow: {
      display: 'flex',
      alignItems: 'center',
      gap: '8px',
      marginBottom: '8px',
      fontSize: '12px',
      color: '#94a3b8',
    },
    copyBtn: {
      background: 'rgba(255,255,255,0.08)',
      border: 'none',
      borderRadius: '4px',
      padding: '2px 8px',
      color: '#94a3b8',
      fontSize: '10px',
      cursor: 'pointer',
      fontFamily: '"DM Mono", monospace',
    },
    cardActions: {
```

```

    display: 'flex',
    gap: '8px',
    marginTop: '14px',
    padding: '14px',
    border: '1px solid rgba(255,255,255,0.06)',
  },
  editBtn: {
    background: 'rgba(59,130,246,0.15)',
    border: '1px solid rgba(59,130,246,0.3)',
    borderRadius: '6px',
    padding: '6px 14px',
    color: '#60a5fa',
    fontSize: '11px',
    cursor: 'pointer',
    fontFamily: '"DM Mono", monospace',
    flex: 1,
  },
  deleteBtn: {
    background: 'rgba(239,68,68,0.1)',
    border: '1px solid rgba(239,68,68,0.25)',
    borderRadius: '6px',
    padding: '6px 14px',
    color: '#f87171',
    fontSize: '11px',
    cursor: 'pointer',
    fontFamily: '"DM Mono", monospace',
  },
  modal: {
    position: 'fixed',
    inset: 0,
    background: 'rgba(0,0,0,0.7)',
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'center',
    zIndex: 1000,
    padding: '20px',
  },
  modalBox: {
    background: '#0d1b3e',
    border: '1px solid rgba(255,255,255,0.12)',
    borderRadius: '16px',
    padding: '28px',
    width: '100%',
    maxWidth: '480px',
    maxHeight: '90vh',
    overflowY: 'auto',
  },

```

```
modalTitle: {
  fontFamily: '"Bebas Neue", sans-serif',
  fontSize: '22px',
  letterSpacing: '2px',
  color: '#60a5fa',
  marginBottom: '20px',
},
field: {
  marginBottom: '14px',
},
label: {
  display: 'block',
  fontSize: '10px',
  color: '#94a3b8',
  letterSpacing: '1px',
  marginBottom: '6px',
},
modalInput: {
  width: '100%',
  background: 'rgba(255,255,255,0.06)',
  border: '1px solid rgba(255,255,255,0.12)',
  borderRadius: '8px',
  padding: '10px 14px',
  color: '#e2e8f0',
  fontSize: '13px',
  fontFamily: '"DM Mono", monospace',
  outline: 'none',
  boxSizing: 'border-box',
},
modalActions: {
  display: 'flex',
  gap: '10px',
  marginTop: '20px',
},
toast: {
  position: 'fixed',
  bottom: '24px',
  right: '24px',
  background: '#1e3a5f',
  border: '1px solid rgba(96,165,250,0.4)',
  borderRadius: '10px',
  padding: '12px 20px',
  color: '#e2e8f0',
  fontSize: '13px',
  zIndex: 2000,
  animation: 'fadeIn 0.3s ease',
},
```

```

lookupBtn: {
  background: 'rgba(139,92,246,0.2)',
  border: '1px solid rgba(139,92,246,0.4)',
  borderRadius: '6px',
  padding: '8px 14px',
  color: '#a78bfa',
  fontSize: '11px',
  cursor: 'pointer',
  fontFamily: '"DM Mono", monospace',
  whiteSpace: 'nowrap',
  letterSpacing: '0.5px',
},
lookupRow: {
  display: 'flex',
  gap: '8px',
  alignItems: 'flex-end',
},
importBox: {
  background: 'rgba(255,255,255,0.03)',
  border: '2px dashed rgba(255,255,255,0.12)',
  borderRadius: '12px',
  padding: '20px',
  marginBottom: '24px',
  textAlign: 'center',
},
}

function Toast({ message }) {
  return <div style={styles.toast}>{message}</div>
}

function Modal({ sponsor, onClose, onSave }) {
  const [form, setForm] = useState(sponsor || {
    company: '', email: '', phone: '', notes: '', status: 'Not Contacted'
  })
  const [looking, setLooking] = useState(false)

  const set = (k, v) => setForm(f => ({ ...f, [k]: v }))

  const lookup = async () => {
    if (!form.company.trim()) return
    setLooking(true)
    try {
      const res = await fetch('https://api.anthropic.com/v1/messages', {
        method: 'POST',
        headers: { 'Content-Type': 'application/json' },
        body: JSON.stringify({

```

```

    model: 'claude-sonnet-4-20250514',
    max_tokens: 1000,
    tools: [{ type: 'web_search_20250305', name: 'web_search' }],
    system: `You are a research assistant helping an FRC robotics team find
Given a company name, search for their sponsorship, donations, or community outre
Respond ONLY with a JSON object (no markdown, no backticks) with keys: email, pho
- email: best sponsorship/donations/outreach contact email found, or "" if not fo
- phone: main or donations phone number, or "" if not found
- notes: 1 sentence about their sponsorship/donation program if any info found, o
    messages: [{ role: 'user', content: `Find sponsorship contact info for:
  })
  })
  const data = await res.json()
  const text = data.content?.filter(b => b.type === 'text').map(b => b.text).
  const clean = text.replace(/```json|```/g, '').trim()
  const parsed = JSON.parse(clean)
  setForm(f => ({
    ...f,
    email: parsed.email || f.email,
    phone: parsed.phone || f.phone,
    notes: parsed.notes || f.notes,
  })))
} catch (e) {
  console.error(e)
}
setLooking(false)
}

return (
  <div style={styles.modal} onClick={e => e.target === e.currentTarget && onClo
    <div style={styles.modalBox}>
      <div style={styles.modalTitle}>{sponsor ? 'EDIT SPONSOR' : 'ADD SPONSOR'}

      <div style={styles.field}>
        <label style={styles.label}>COMPANY</label>
        <div style={styles.lookupRow}>
          <input
            style={{ ...styles.modalInput, flex: 1 }}
            value={form.company || ''}
            onChange={e => set('company', e.target.value)}
            placeholder="Company name"
          />
          <button style={styles.lookupBtn} onClick={lookup} disabled={looking}>
            {looking ? '⌚ LOOKING...' : '🔍 LOOKUP'}
          </button>
        </div>
        {looking && (

```



```

        <div style={{ fontSize: '11px', color: '#a78bfa', marginTop: '6px' }}
          Searching for contact info...
        </div>
      )}
    </div>

    {[ 'email', 'phone', 'notes' ].map(k => (
      <div key={k} style={styles.field}>
        <label style={styles.label}>{k.toUpperCase()}</label>
        <input
          style={styles.modalInput}
          value={form[k] || ''}
          onChange={e => set(k, e.target.value)}
          placeholder={k === 'email' ? 'contact@company.com' : k === 'phone'
        />
      </div>
    )]}

    <div style={styles.field}>
      <label style={styles.label}>STATUS</label>
      <select style={{ ...styles.modalInput, cursor: 'pointer' }} value={form
        {STATUS_OPTIONS.map(s => <option key={s} value={s}>{s}</option>)}
      </select>
    </div>

    <div style={styles.modalActions}>
      <button style={styles.btn} onClick={() => onSave(form)}>SAVE</button>
      <button style={{ ...styles.editBtn, flex: 'none' }} onClick={onClose}>C
    </div>
  </div>
</div>
)
}

```

```

function ImportModal({ onClose, onImport }) {
  const [csv, setCsv] = useState('')
  const [preview, setPreview] = useState([])

  const parse = (text) => {
    const lines = text.trim().split('\n').filter(Boolean)
    if (lines.length < 2) return []
    const headers = lines[0].split(',').map(h => h.trim().toLowerCase().replace(/
    return lines.slice(1).map(line => {
      const vals = line.split(',').map(v => v.trim().replace(/['"]/g, ''))
      const obj = {}
      headers.forEach((h, i) => obj[h] = vals[i] || '')
      return {

```

```

      company: obj.company || obj.name || obj['company name'] || '',
      email: obj.email || obj['email address'] || '',
      phone: obj.phone || obj['phone number'] || obj.tel || '',
      notes: obj.notes || obj.note || obj.description || '',
      status: obj.status || 'Not Contacted',
    }
  }).filter(r => r.company)
}

const handleText = (text) => {
  setCsv(text)
  setPreview(parse(text).slice(0, 3))
}

const handleFile = (e) => {
  const file = e.target.files[0]
  if (!file) return
  const reader = new FileReader()
  reader.onload = ev => handleText(ev.target.result)
  reader.readAsText(file)
}

const doImport = () => {
  const rows = parse(csv)
  if (rows.length) onImport(rows)
}

return (
  <div style={styles.modal} onClick={e => e.target === e.currentTarget && onClo
    <div style={{ ...styles.modalBox, maxWidth: '560px' }}>
      <div style={styles.modalTitle}>📄 IMPORT FROM CSV</div>
      <p style={{ fontSize: '12px', color: '#94a3b8', marginTop: 0 }}>
        Upload a CSV file with columns: <strong style={{ color: '#e2e8f0' }}>co
        Column names are flexible – it'll auto-detect them.
      </p>

      <div style={styles.field}>
        <label style={styles.label}>UPLOAD CSV FILE</label>
        <input
          type="file"
          accept=".csv"
          onChange={handleFile}
          style={{ ...styles.modalInput, padding: '8px', cursor: 'pointer' }}
        />
      </div>

      <div style={styles.field}>

```

```

    <label style={styles.label}>OR PASTE CSV TEXT</label>
    <textarea
      style={{ ...styles.modalInput, height: '120px', resize: 'vertical' }}
      value={csv}
      onChange={e => handleText(e.target.value)}
      placeholder={'company,email,phone\nMicro Center,donations@microcenter
    />
  </div>

  {preview.length > 0 && (
    <div style={{ marginBottom: '14px' }}>
      <div style={styles.label}>PREVIEW ({parse(csv).length} companies dete
      {preview.map((r, i) => (
        <div key={i} style={{ fontSize: '11px', color: '#94a3b8', padding:
          <span style={{ color: '#e2e8f0' }}>{r.company}</span>
          {r.email && <span> · {r.email}</span>}
          {r.phone && <span> · {r.phone}</span>}
        </div>
      )))}
      {parse(csv).length > 3 && <div style={{ fontSize: '11px', color: '#47
    </div>
  )}

  <div style={styles.modalActions}>
    <button style={styles.btn} onClick={doImport} disabled={!preview.length
      IMPORT {parse(csv).length > 0 ? `${parse(csv).length} SPONSORS` : ''}
    </button>
    <button style={{ ...styles.editBtn, flex: 'none' }} onClick={onClose}>C
  </div>
</div>
</div>
)
}

export default function App() {
  const [sponsors, setSponsors] = useState([])
  const [search, setSearch] = useState('')
  const [filterStatus, setFilterStatus] = useState('All')
  const [modal, setModal] = useState(null)
  const [showImport, setShowImport] = useState(false)
  const [toast, setToast] = useState(null)
  const [loading, setLoading] = useState(true)

  const showToast = (msg) => {
    setToast(msg)
    setTimeout(() => setToast(null), 3000)
  }
}

```

```

const fetchSponsors = useCallback(async () => {
  const { data } = await supabase.from('sponsors').select('*').order('date_adde
  if (data) setSponsors(data)
  setLoading(false)
}, [])

```

```

useEffect(() => {
  fetchSponsors()
  const channel = supabase
    .channel('sponsors-realtime')
    .on('postgres_changes', { event: '*', schema: 'public', table: 'sponsors' }
      fetchSponsors()
      showToast('🔄 List updated by a teammate')
    })
    .subscribe()
  return () => supabase.removeChannel(channel)
}, [fetchSponsors])

```

```

const save = async (form) => {
  if (!form.company.trim()) return
  if (modal.id) {
    await supabase.from('sponsors').update({ ...form, updated_at: new Date().to
  } else {
    await supabase.from('sponsors').insert([{ ...form, date_added: new Date().t
  }
  setModal(null)
  fetchSponsors()
  showToast(modal.id ? '✅ Sponsor updated' : '✅ Sponsor added')
}

```

```

const handleImport = async (rows) => {
  const now = new Date().toISOString()
  const records = rows.map(r => ({ ...r, date_added: now, updated_at: now }))
  const batchSize = 50
  for (let i = 0; i < records.length; i += batchSize) {
    await supabase.from('sponsors').insert(records.slice(i, i + batchSize))
  }
  setShowImport(false)
  fetchSponsors()
  showToast('✅ Imported ${rows.length} sponsors!`)
}

```

```

const remove = async (id) => {
  if (!confirm('Delete this sponsor?')) return
  await supabase.from('sponsors').delete().eq('id', id)
  fetchSponsors()
}

```

```

    showToast('🗑️ Sponsor deleted')
  }

const updateStatus = async (id, status) => {
  await supabase.from('sponsors').update({ status, updated_at: new Date().toISOString() })
  fetchSponsors()
}

const copy = (text) => {
  navigator.clipboard.writeText(text)
  showToast('📋 Copied!')
}

const filtered = sponsors.filter(s => {
  const q = search.toLowerCase()
  const matchSearch = !q || s.company?.toLowerCase().includes(q) || s.email?.toLowerCase().includes(q)
  const matchStatus = filterStatus === 'All' || s.status === filterStatus
  return matchSearch && matchStatus
})

const counts = STATUS_OPTIONS.reduce((acc, s) => {
  acc[s] = sponsors.filter(x => x.status === s).length
  return acc
}, {})

return (
  <div style={styles.app}>
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Bebas+Neue&family=DM+Sans;wght@400;700');
      @keyframes pulse { 0%,100%{opacity:1} 50%{opacity:0.4} }
      @keyframes fadeIn { from{opacity:0;transform:translateY(10px)} to{opacity:1;transform:translateY(0)} }
      * { box-sizing: border-box; }
      body { margin: 0; }
      input::placeholder { color: #475569; }
      textarea::placeholder { color: #475569; }
      select option { background: #0d1b3e; }
    `}</style>

    <div style={styles.header}>
      <h1 style={styles.title}>🌀 FRC 4550 - SPONSOR TRACKER</h1>
      <div style={styles.liveBadge}>
        <div style={styles.dot} />
        LIVE
      </div>
    </div>

    <div style={styles.main}>

```

```

<div style={styles.statsRow}>
  <div style={styles.statCard}>
    <div style={{ ...styles.statNum, color: '#60a5fa' }}>{sponsors.length}
    <div style={styles.statLabel}>TOTAL</div>
  </div>
  {STATUS_OPTIONS.map(s => (
    <div key={s} style={styles.statCard}>
      <div style={{ ...styles.statNum, color: STATUS_COLORS[s] }}>{counts}
      <div style={styles.statLabel}>{s.toUpperCase()}</div>
    </div>
  ))}
</div>

```

```

<div style={styles.controls}>
  <input
    style={styles.input}
    placeholder="Search sponsors..."
    value={search}
    onChange={e => setSearch(e.target.value)}
  />
  <select style={styles.select} value={filterStatus} onChange={e => setFi
    <option value="All">All Statuses</option>
    {STATUS_OPTIONS.map(s => <option key={s} value={s}>{s}</option>)}
  </select>
  <button style={{ ...styles.btn, background: 'linear-gradient(135deg,#7c
     IMPORT CSV
  </button>
  <button style={styles.btn} onClick={() => setModal({})}>+ ADD SPONSOR</
</div>

```

```

{loading ? (
  <div style={{ textAlign: 'center', color: '#475569', padding: '60px' }}
) : (
  <div style={styles.grid}>
    {filtered.map(s => {
      const color = STATUS_COLORS[s.status] || '#64748b'
      return (
        <div key={s.id} style={styles.card}>
          <div style={styles.cardHeader}>
            <div style={styles.company}>{s.company}</div>
            <div style={{
              ...styles.statusBadge,
              color,
              borderColor: color + '50',
              background: color + '15',
            }}>{s.status}</div>
          </div>
        </div>
      )
    })}
  </div>

```

```

{s.email && (
  <div style={styles.fieldRow}>
    <span>✉️</span>
    <span style={{ flex: 1, color: '#cbd5e1' }}>{s.email}</span>
    <button style={styles.copyBtn} onClick={() => copy(s.email)}>
  </div>
)}
{s.phone && (
  <div style={styles.fieldRow}>
    <span>☎️</span>
    <span style={{ flex: 1, color: '#cbd5e1' }}>{s.phone}</span>
    <button style={styles.copyBtn} onClick={() => copy(s.phone)}>
  </div>
)}
{s.notes && (
  <div style={{ ...styles.fieldRow, alignItems: 'flex-start' }}>
    <span>📝</span>
    <span style={{ color: '#94a3b8', lineHeight: '1.5' }}>{s.no
  </div>
)}

<div style={{ marginTop: '12px' }}>
  <label style={styles.label}>STATUS</label>
  <select
    style={{ ...styles.select, width: '100%', fontSize: '12px',
    value={s.status}
    onChange={e => updateStatus(s.id, e.target.value)}
  >
    {STATUS_OPTIONS.map(opt => <option key={opt} value={opt}><{o
  </select>
</div>

<div style={styles.cardActions}>
  <button style={styles.editBtn} onClick={() => setModal(s)}>ED
  <button style={styles.deleteBtn} onClick={() => remove(s.id)}>
</div>
</div>

)
)}}
</div>

)}
</div>

```

```

{modal !== null && <Modal sponsor={modal.id ? modal : null} onClose={() =>
{showImport && <ImportModal onClose={() => setShowImport(false)} onImport={
{toast && <Toast message={toast} />}

```

```
    </div>  
  )  
}
```