

my_env.vr

\$VCS_HOME/doc/examples/nativetestbench/openvera/rvm/restart/soft_stable/my_env.vr

```
#include <rvm_std_lib.vrh>
#include "my_xactor.vrh"

class my_env extends rvm_env {
    my_xactor xactor1;
    my_xactor xactor2;

    task new() {
        super.new();
    }
    virtual task gen_cfg() {
        super.gen_cfg();
    }
    virtual task build() {
        super.build();
        xactor1 = new("1", 1);
        xactor2 = new("2", 2);
    }

    virtual task cfg_dut_t() {
        super.cfg_dut_t();
    }
    virtual protected task save_rng_state() {
        super.save_rng_state();
        xactor1.save_rng_state();
        xactor2.save_rng_state();
    }
    virtual protected task restore_rng_state() {
        super.restore_rng_state();
        xactor1.restore_rng_state();
        xactor2.restore_rng_state();
    }
    virtual task start_t() {
        super.start_t();
        xactor1.start_xactor();
        xactor2.start_xactor();
    }
}
```

```
virtual task wait_for_end_t() {
    super.wait_for_end_t();
    delay(10);
}
virtual task stop_t() {
    super.stop_t();
    xactor1.stop_xactor();
    xactor2.stop_xactor();
}
virtual task restart(bit reconfig = 0) {
    super.restart(reconfig);
    if (reconfig) return;

    xactor1.reset_xactor();
    xactor2.reset_xactor();
}
virtual task report() {
    super.report();
}
}
```