

Known bug list for Tk 8.0 for Macintosh

Originally by Ray Johnson
Sun Microsystems Laboratories
rjohnson@eng.sun.com

Maintained by:
Jim Ingham
Cygnus Solutions, a Red Hat Company
jingham@cygnus.com

RCS: @(#) \$Id: bugs.doc,v 1.5 2000/02/10 08:47:16 jingham Exp \$

We are now very close to passing the test suite for Tk. We are very interested in finding remaining bugs that still linger. Please let us know (and send us test cases) of any bugs you find.

Known bugs:

- * Transient windows (set by wm transient) do not go away when the master does.
- * Tearoff menus should be floating windows & floating windows should float. They also shouldn't be resizable.
- * The -use and -container windows only work with other Tk windows in the same process. Also, if you try really hard (for instance by binding on Destroy of an embedded window and destroying the container's toplevel) you can get Tk to crash. This should never be necessary, however, since the destruction of the embedded window triggers the destruction of the container, so you can watch that instead.
All the focus bugs in Tk8.0 have been fixed, however.
- * The send command is only implemented within the same app.
- * You cannot color buttons, and the indicators for radiobuttons and checkbuttons under Appearance. They will always use the current Theme color. But, then, you are not supposed to...
- * Drawing is not really correct. This shows up mostly in the canvas when line widths are greater than one. Unfortunately, this will not be easy to fix.
- * The active menu highlight color in Tearoff menus will not match the system-wide menu highlight color under Appearance. It will be black instead. This is not easy to fix, since the Appearance API's don't really allow you to get your hands on this information...

There are many other bugs. However, will no get listed until they are reported at least once. Send those bug reports in!

Jim