

Makefile

File location: \$VCS_HOME/doc/examples/nativetestbench/openvera/rvm/atm/Makefile

```
CC = gcc
all: atm.vro \
    test_data.vro \
    test_atomic_gen.vro \
    test_atomic_gen_constrained.vro
test_%.vro: test_%.vr
    vera -cmp -cs -q -ansi $(VERAFLAGS) $<
test_atomic_gen_constrained_aop.vro: test_atomic_gen_constrained_aop.vr
    vera -cmp -q -aop test_atomic_gen_constrained_aop.vr
%.vro %.vrh: %.vr
    vera -cmp -q -hnu $(VERAFLAGS) $<
    # Fix the header file
awk '{print;} /#define/ {print "\n#include <vera_defines.vrh>\n#include <rvm_std_lib.vrh>\n"}' \
    mv tmp $*.vrh

tests: test_data \
    test_atomic_gen test_atomic_gen_constrained
test_data: atm.vro random test_data.vro
    vera_cs +vera_random_seed=`.`./random` test_data.vro \
    atm.vro | tee test_data.log
test_atomic_gen: atm.vro random test_atomic_gen.vro
    vera_cs +vera_random_seed=`.`./random` test_atomic_gen.vro \
    atm.vro | tee test_atomic_gen.log
test_atomic_gen_constrained: atm.vro random test_atomic_gen_constrained.vro
    vera_cs +vera_random_seed=`.`./random` test_atomic_gen_constrained.vro \
    atm.vro | tee test_atomic_gen_constrained.log
test_atomic_gen_constrained_aop: atm.vro random test_atomic_gen_constrained_aop.vro test_ato
    vera_cs +vera_random_seed=`.`./random` test_atomic_gen_constrained_aop.vro \
    test_atomic_gen.vro atm.vro | tee test_atomic_gen_constrained_aop.log
atm.vro atm.vrh: atm_cell.vr
atm.vro atm.vrh: atm_cover.vr
test_data.vro: atm.vrh
test_atomic_gen.vro: atm.vrh
test_atomic_gen_constrained.vro: atm.vrh
test_atomic_gen_constrained_aop.vro: atm.vrh
random: random.c
```

```
$(CC) -o $@ random.c
```

clean:

```
$(VERB) rm -rf *~ *.vro *.vrh simv* csrc *_shell.v \  
*.log *.db *.html *.txt *.fcov \  
._* core random *.sav *.db
```