

Verification Continuum™

Verdi® Bind Key Summary

Version W-2024.09, September 2024



Copyright and Proprietary Information Notice

© 2024 Synopsys, Inc. This Synopsys software and all associated documentation are proprietary to Synopsys, Inc. and may only be used pursuant to the terms and conditions of a written license agreement with Synopsys, Inc. All other use, reproduction, modification, or distribution of the Synopsys software or the associated documentation is strictly prohibited.

Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

Disclaimer

SYNOPSYS, INC., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Trademarks

Synopsys and certain Synopsys product names are trademarks of Synopsys, as set forth at <https://www.synopsys.com/company/legal/trademarks-brands.html>. All other product or company names may be trademarks of their respective owners.

Free and Open-Source Licensing Notices

If applicable, Free and Open-Source Software (FOSS) licensing notices are available in the product installation.

Third-Party Links

Any links to third-party websites included in this document are for your convenience only. Synopsys does not endorse and is not responsible for such websites and their practices, including privacy practices, availability, and content.

www.synopsys.com

Contents

Customer Support	4
Synopsys Statement on Inclusivity and Diversity	4

1. Bind Key Summary	6
nTrace	6
nWave	11
nSchema	15
nState	18
Temporal Flow View	20
nEditor	22
nCompare	23
nRegister	24

Preface

The Bind Key Summary guide lists nTrace, nWave, nSchema, nState, Temporal Flow View, nEditor, nCompare, and nRegister default bind keys available when enabling the Defaults option in the Customize Menu/Toolbar form.

Customer Support

For any online access to the self-help resources, you can refer to the documentation and searchable knowledge base available in SolvNetPlus.

To obtain support for your Verdi product, choose one of the following:

- Open a case through SolvNetPlus.

Go to <https://solvnetplus.synopsys.com/s/contactsupport> and provide the requested information, including:

- Product L1 as Verdi
- Case Type

Fill in the remaining fields according to your environment and issue.

- Send an e-mail message to support_center@synopsys.com.

Include product name (L1), sub-product name/technology (L2), and product version in your e-mail, so it can be routed correctly.

Your e-mail will be acknowledged by automatic reply and assigned a Case number along with Case reference ID in the subject (ref:____:ref).

For any further communication on this Case via e-mail, send e-mail to support_center@synopsys.com and ensure to have the same Case ref ID in the subject header or else it will open duplicate cases.

Note:

In general, we need to be able to reproduce the problem in order to fix it, so a simple model demonstrating the error is the most effective way for us to identify the bug. If that is not possible, then provide a detailed explanation of the problem along with complete error and corresponding code, if any/permissible.

Synopsys Statement on Inclusivity and Diversity

Synopsys is committed to creating an inclusive environment where every employee, customer, and partner feels welcomed. We are reviewing and removing exclusionary

Contents

language from our products and supporting customer-facing collateral. Our effort also includes internal initiatives to remove biased language from our engineering and working environment, including terms that are embedded in our software and IPs. At the same time, we are working to ensure that our web content and software applications are usable to people of varying abilities. You may still find examples of non-inclusive language in our software or documentation as our IPs implement industry-standard specifications that are currently under review to remove exclusionary language.

1

Bind Key Summary

This summary lists the *nTrace*, *nWave*, *nSchema*, *nState*, *Temporal Flow View*, *nEditor*, *nCompare*, and *nRegister* default bind keys available when enabling the **Defaults** option in the *Customize Menu/Toolbar* form opened by the **Tools -> Customize Menu/Toolbar** command. Bind keys for commands requiring pre-conditions (e.g. load an FSDB file or a power-aware design) are NOT listed to avoid confusion.

Note:

Bind keys are case-insensitive, that is, the exhibited behavior is identical with the Caps Lock key *ON* and *OFF*. However, the Shift key is a modifier; when used together with a Letter key, the behavior differs from using the Letter Key alone.

nTrace

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone			Invoke Trace -> Connectivity.	Invoke Source -> Exp and Decrypted Code.			Invoke Source -> Go to -> Line.						Key alone
Alt +													Alt +

	A	B	C	D	E	F	G	H	I	J	K	L	
Ctrl +			Right-click on Source Code frame to invoke Drag .			Right-click on Design Browser pane to invoke Show Search/Filter .		Right-click on the Source Code frame to invoke Copy Full Path or on the Signal List frame to invoke Copy Full Path .					Ctrl +
Ctrl + Alt +	Invoke Source -> Show -> Calling .	Invoke Trace -> Backward History .			Invoke Window -> Next Layout .	Invoke Trace -> Forward History .							Ctrl + Alt +
Shift +	Invoke Source -> Find Signal/Instance/Instport .											Invoke File -> Reload Design .	Shift +
Shift + Alt +			Invoke OneTrace -> Connectivity .	Invoke OneTrace -> Driver .		Invoke OneTrace -> Fan-out .		Invoke OneTrace -> Chain Driver .	Invoke OneTrace -> Fan-in .			Invoke OneTrace -> Load .	Shift + Alt +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone	Invoke Sou rce -> Exp and Macro.	Inv oke Tr ace -> S how Ne xt.		Inv oke Tr ace -> S how Pre vio us.		Invoke File -> Rest ore Sessi on.						Invoke Sou rce -> Active Annot ation.	Key alone
Alt +							Invoke Tools ->Stop Interac tive Deb ug.						Alt +
Ctrl +	After placing the cursor at a starting open parent thesis, this bind key highlig hts the source code to the associ ated close parent thesis.						Right-c lick on Design Brow ser frame to invoke Show Naviga tion Text Field.	Rig ht-cl ick on Sou rce C ode fr ame to inv oke Act ive Tra ce.		Right-c lick on Sou rce Code frame to invoke Drop.	Right-c lick on Sou rce Code frame or Signal List frame to invoke Add Signal (s) to Wavef orm.-> Wave [n] Here, n is the primary wavef orm window ID.	Ctrl +	

	M	N	O	P	Q	R	S	T	U	V	W	X	
Ctrl + Alt +		Inv oke Sou rce -> S how -> Defi niti on.				Invoke Win dow -> Previ ous Layo ut.							Ctrl + Alt +
Ctrl + Shift +						Invoke Tools -> Run Interac tive Mode.							Ctrl + Shift +
Shift +						Invoke File -> Reload C PF/UPF Files.	Invoke Sou rce -> Find Scope.						Shift +

	Y	Z	F2	F3	F5	F10	F11	F12	0 (zero)	1 (one)	4	/	
Key alone	Inv oke Sou rce -> Fun ct ion An not ati on.		Invoke Sou rce -> Next Book marks.		Invoke Simula tion -> Run/C ontin ue.	Inv oke Sim ulat ion -> Ne xt.	Invoke Simula tion -> Step.	Invoke Simula tion -> Step in Thre ad.		Invoke Sou rce -> Go to -> 1st Execut able.		Invoke Sou rce -> Find String.	Key alone
Alt +													Alt +

	Y	Z	F2	F3	F5	F10	F11	F12	0 (zero)	1 (one)	4	/	
Ctrl +			Invoke Sou rce -> Set/Un set Book mark.		Invoke Simula tion -> Resta rt.		Invoke Simula tion -> Step in Testbe nch.	Invoke Simula tion -> Step Out.			Right-c lick on theSou rce Code frame and invoke Add to Wavef orm -> Add to Wave [n] Here, n is the last added signal wavef orm or the new created wavefo rm.		Ctrl +
Shift +			Invoke Sou rce -> Previ ous Book mark.										Shift +

	Enter										V		
Key alone	Search forward for results that match the string in the search field after the focus is switched to the search field.												Key alone
Alt +													Alt +
Ctrl +													Ctrl +

	Enter										V		
Ctrl + Alt +													Ctrl + Alt +
Shift +	Search backward for results that match the string in the search field after the focus is switched to the search field.												Shift +
Shift + Alt +											Invoke OneTrace -> Value Change.		Shift + Alt +

nWave

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone	Invoke File -> Set Active.	Invoke Waveform -> Go To -> Begin.	Invoke Waveform -> Col or/Pattern.	Invoke Signal -> Desel ect All.	Invoke Waveform -> Go To -> End.	Invoke View -> Zoom -> Zoom All.	Invoke Signal -> Get Signals.	Invoke View -> Hierar chical Name.			Inv oke Signal -> Bus Oper ations -> Cre ate Bus.	Inv oke View -> Last View.	Key alone
Alt +													Alt +
Ctrl +	Invoke Signal -> Select -> All.		Right-c lick on Signal pane to invoke Drag .	Invoke Signal -> Clear All.	Invoke Waveform -> Message -> Create Attribute Signals .	Right-c lick on the Signal pane to invoke Show Search/Filter .		Right-c lick on Signal pane to invoke Copy Full Path .				Inv oke Waveform -> Fit Waveform .	Ctrl +

	A	B	C	D	E	F	G	H	I	J	K	L	
Ctrl + Shift +													Ctrl + Shift +
Shift +	Right-click on Waveform pane to invoke Show Fan-in Signals -> All Fan-ins .	Invoke View -> Dense Block Drawing .	Invoke File -> Close Window .			Invoke Analog -> Vertical Fit .	Invoke View -> Display Glitch .	Invoke View -> Highlight Selected Signals .	Invoke Waveform -> Message -> Display/Hide Attributes .		Invoke View -> Clear Assertion Analysis Mask .	Invoke File -> Reload .	Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone	Invoke Signal -> Move .	Invoke Waveform -> Go To -> Search Forward .	Invoke File -> Open .			Invoke File -> Restore Signal .	Invoke Waveform -> Snap Cursor to Transitions .					Invoke Waveform -> Fix Cursor/Marker Delta Time .	Key alone
Alt +													Alt +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Ctrl +			Invoke Waveform -> Message -> Expand/Shrink Overlapping .	Invoke Signal -> Copy .	Right-click on Waveform pane to invoke Show Fan-in Registers -> All Fan-ins .	.	Invoke Signal -> Select -> Stuck Signals with Cursor/Marker .	Right-click on Waveform pane to invoke Trace This Value .		Right-click on Signal pane to invoke Drop .	Right-click on Waveform pane to invoke Show Fan-in Registers -> Active Only .	Invoke Waveform -> Transaction -> Create Attribute Signals .	Ctrl +
Ctrl + Shift +								Right-click on Waveform pane to invoke Show Fan-in Signals -> Triggering Only .					Ctrl + Shift +
Shift +	Invoke Waveform -> Marker .	Invoke Waveform -> Go To -> Search Backward .					Invoke File -> Save Signal .	Invoke Waveform -> Transaction -> Display/Hide Attributes .					Shift +

	Y	Z											
Key alone	Invoke Waveform -> Keep Cursor at Center .	Invoke View -> Zoom -> Zoom Out .											Key alone
Alt +													Alt +
Ctrl +	Right-click on Waveform pane to invoke Show Fan-in Signals -> Active Only .												Ctrl +
Shift +		Invoke View -> Zoom -> Zoom In .											Shift +

	Home	End	Insert	Delete	Page Up	Page Down	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Key alone			Invoke Signal -> Paste .	Invoke Signal -> Cut .	Invoke View -> Pan Up .	Invoke View -> Pan Down .							Key alone
Alt +													Alt +

	Home	End	Insert	Delete	Page Up	Page Down	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Ctrl +									Invoke View -> Pan -> Pan Left.	Invoke View -> Pan -> Pan Right.			Ctrl +
Shift +													Shift +

nSchema

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone	Invoke Schematic -> Find in Current Scope.		Invoke Schematic -> Change Color.			Invoke View -> Zoom -> Zoom All.			Invoke Schematic -> Selection -> Select All Instances.			Invoke View -> Last View.	Key alone
Alt +													Alt +
Ctrl +	Invoke Schematic -> Selection -> Select All Objects.		Right-click to invoke Drag.			Invoke View -> Zoom -> Fit Select Set.		Right-click to invoke Copy Full Path.					Ctrl +

	A	B	C	D	E	F	G	H	I	J	K	L	
Shift +	Invoke Schematic -> Find Signal/Instance/Instport.		Invoke Edit -> Clear All Viewing Objects.			Invoke Tools -> New Schematic -> Flattened Window.		Invoke Tools -> New Schematic -> Hierarchical Flattened Window.					Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone			Invoke Tools -> New Schematic -> From Trace Results.	Invoke View -> Push View In.			Invoke Schematic -> Selection -> Select All Signals.					Invoke Schematic -> Active Annotation.	Key alone
Alt +													Alt +
Ctrl +										Right-click to invoke Drop.	Invoke Schematic -> Add Selected to Waveform.		Ctrl +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Shift +				Invoke View -> Pop View Up.			Inv oke To ols -> New Sche matic ->Cur rent Sco pe.						Shift +

	Y	Z											
Key alone		Invoke View -> Zoom -> Zoom Out.											Key alone
Alt +													Alt +
Ctrl +	Invoke Edit -> Redo.	Invoke Edit -> Undo.											Ctrl +
Shift +		Invoke View -> Zoom -> Zoom In.											Shift +

	Home	End	Insert	Delete	Page Up	Page Down	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Key alone				Invoke Edit -> Remove from Viewing Objects in partial Hierarchical View.			Invoke View -> Pan Up.	Invoke View -> Pan Down.	Invoke View -> Pan Left.	Invoke View -> Pan Right.			Key alone
Alt +													Alt +
Ctrl +													Ctrl +
Shift +													Shift +

nState

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone	Invoke FSM -> Find State.					Invoke View -> Zoom -> Zoom All.						Invoke View -> Last View.	Key alone
Alt +													Alt +
Ctrl +			Invoke Drag.			Invoke View -> Zoom -> Fit Select Set.							Ctrl +
Shift +													Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone												Invoke FSM -> Active Annot ation.	Key alone
Alt +													Alt +
Ctrl +							Invoke FSM -> Edit Search Sequences.			Invoke Drop.			Ctrl +
Shift +													Shift +

	Y	Z												
Key alone		Invoke View -> Zoom -> Zoom Out.												Key alone
Alt +														Alt +
Ctrl +														Ctrl +
Ctrl + Shift +														Ctrl + Shift +
Shift +		Invoke View -> Zoom -> Zoom In.												Shift +

	H ome	End	Ins ert	Del ete	P age Up	P age D own	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Key alone							Invoke View -> Pan -> Pan Up.	Invoke View -> Pan -> Pan Down.	Invoke View -> Pan -> Pan Left.	Invoke View -> Pan -> Pan Right.			Key alone
Alt +													Alt +
Ctrl +													Ctrl +

	H ome	End	Ins ert	Del ete	P age Up	P age D own	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Shift +													Shift +

Temporal Flow View

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone						Invoke View -> Fit Time.						Invoke View -> Back.	Key alone
Alt +													Alt +
Ctrl +	Invoke Tools -> Show Fan-ins on nWave -> All Fan-ins.			Invoke Tools ->Show Drivers onnW ave -> All Drivers.	Right-cl ick to invoke Expand.	Invoke Tools -> Show Fan-ins on nWave -> Active Only.					Invoke Tools -> Show Clock (Doma in) on nWave.		Ctrl +
Shift +													Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone		Invoke View -> Forward.											Key alone
Alt +													Alt +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Ctrl +			Right-click to invoke Collapse .					Invoke Tools -> Show Drivers on nWave -> Triggering Path Only.			Invoke Tools -> Show Selected Signals on nWave.		Ctrl +
Ctrl + Shift +													Ctrl + Shift +
Shift +													Shift +

	Y	Z	F2	F3										
Key alone		Invoke View -> Zoom -> Zoom Out .												Key alone
Alt +														Alt +
Ctrl +			Invoke View -> Bookmark -> Add Bookmark .	Invoke View -> Bookmark -> Edit Bookmark .										Ctrl +
Shift +		Invoke View -> Zoom -> Zoom In .												Shift +

	Home	End	Insert	Delete	Page Up	Page Down	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Key alone				Invoke Trace -> Hide .									Key alone
Alt +													Alt +
Ctrl +													Ctrl +
Shift +													Shift +

nEditor

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone													Key alone
Alt +													Alt +
Ctrl +	Invoke Edit -> Select All.		Invoke Edit -> Copy.			Invoke Edit -> Find String.	Invoke Edit -> Go to Line.	Invoke Edit -> Replace String.					Ctrl +
Shift +													Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone													Key alone
Alt +													Alt +
Ctrl +		Invoke File -> New.	Invoke File -> Open.	Invoke File -> Print.			Invoke File -> Save.			Invoke Edit -> Paste.		Invoke Edit -> Cut.	Ctrl +
Shift +													Shift +

	Y	Z	F2	F3									
Key alone			Invoke Edit -> Next Bookmark.										Key alone
Alt +													Alt +
Ctrl +	Invoke Edit -> Redo.	Invoke Edit -> Undo.	Invoke Edit -> Set/Unset Bookmark.										Ctrl +
Shift +			Invoke Edit -> Previous Bookmark.										Shift +

nCompare

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone													Key alone
Alt +													Alt +
Ctrl +			Invoke Comparison -> Stop.			Invoke Tools -> Filter.							Ctrl +
Shift +													Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone													Key alone
Alt +													Alt +
Ctrl +			Invoke File -> Open Rule File.	Invoke Comparison -> Pause.		Invoke Comparison -> Run.	Invoke File -> Save Rule File.						Ctrl +
Shift +													Shift +

	Y	Z											
Key alone													Key alone
Alt +													Alt +
Ctrl +													Ctrl +
Shift +													Shift +

	Home	End	Insert	Delete	Page Up	Page Down	Arrow Up	Arrow Down	Arrow Left	Arrow Right			
Key alone													Key alone
Alt +													Alt +
Ctrl +	Invoke View -> First Error.	Invoke View -> Last Error.					Invoke View -> Previous Error.	Invoke View -> Next Error.					Ctrl +
Shift +													Shift +

nRegister

	A	B	C	D	E	F	G	H	I	J	K	L	
Key alone													Key alone
Alt +													Alt +
Ctrl +			Invoke Edit -> Copy.										Ctrl +
Shift +													Shift +

	M	N	O	P	Q	R	S	T	U	V	W	X	
Key alone													Key alone
Alt +													Alt +
Ctrl +										Invoke Edit -> Paste.			Ctrl +
Shift +													Shift +

	Y	Z												
Key alone														Key alone
Alt +														Alt +
Ctrl +														Ctrl +
Shift +														Shift +

	H ome	End	Ins ert	Delete	P age Up	P age D own	Ar row Up	Ar row D own	Ar row Left	Ar row Ri ght				
Key alone				Invoke Edit -> Cut.										Key alone
Alt +														Alt +
Ctrl +														Ctrl +
Shift +														Shift +