

Sram Verification Plan

sram plan

Sram Verification Plan.....	1
sram plan	1
1. single reads.....	3
2. single writes	3
3. addr	4
4. code	4
A. Attribute Definition.....	5

This SRAM block is used as a memory in the system where two cpus access 4 such memories through a memory controller.

HVP Assignment	
phase	1
owner	Snps
Assert	Assert >= 100%

1. single reads


(This part will be annotated in HVP built-in description attribute) single read protocol check

We will check the read protocol

Single reads

HVP Assignment	
weight	1
phase	1
owner	snps-read team

Protocol of read




HVP Measure	
Source	property: \${root_mod}read
Assert	

2. single writes

A description for Core feature, this will be the string of HVP built-in annotation ‘description’

Protocol of write is checked



Single writes

HVP Assignment	
weight	2
phase	1
owner	snps-write team

HVP Measure	
Source	property: \${root_mod}write
Assert	

3. addr

A description for Core feature, this will be the string of HVP built-in annotation ‘description’

Whether we have verified all the address ranges

HVP Measure	
Source	group: *addr_cov
Group	

4. code

A description for Core feature, this will be the string of HVP built-in annotation ‘description’

Code coverage for module sram

HVP Measure	
Source	module: sram
Line	
Cond	

A.Attribute Definition

HVP attribute phase	
Type	integer
default	1

HVP attribute version	
Type	real
default	0.5

HVP attribute root_mod	
Type	string
default	