

Using coreBuilder/coreConsultant in batch mode

coreBuilder Application Note

Ronnie Craig, Synopsys Design Reuse Group

July 2000

Abstract

Both coreBuilder and coreConsultant are designed to be run in either interactive (GUI) mode or non-interactive (batch) mode. This Application Note describes how to run the tools in batch mode.

Introduction

Both coreBuilder and coreConsultant can be run in either interactive (GUI) or non-interactive (batch) mode. Interactive mode is useful for the novice user, since it doesn't require detailed knowledge of the coreBuilder or coreConsultant command set. However, batch mode allows much faster iteration during both core development and use.

Using coreBuilder in Batch Mode

During the core development phase, the developer will normally expect to go through a number of 'iterations' through the core packaging flow. For example, it will be necessary to debug configuration intent, synthesis intent and final packaging, as well as the operation of customizations.

Once the packaging flow is reasonably stable, rather than go through the process of re-executing the whole process interactively when a change is made, batch mode allows the complete packaging flow to be captured in a script or set of scripts. Rerunning the flow is then simply a matter of re-executing the appropriate script.

Scripts may be launched, or commands executed, in batch mode in a number of ways.

Running coreBuilder in command line mode

Simply execute -

```
%coreBuilder -shell
```

Execute a script from the command line

To run a pre-existing script in batch mode, use coreBuilder (or coreConsultant) with the '-f' switch -

```
%coreBuilder -f <script_name>
```

Note: It is a good idea to include an explicit 'quit' command at the end of your batch script, to ensure that you exit coreBuilder on completion of the script.

The '-f' option can also be used in the coreBuilder console in GUI mode.

Execute a single command in batch mode

To execute a single set of commands in coreBuilder in batch mode it is also possible to use the '-x' switch with coreBuilder.

```
%coreBuilder -shell -x "<coreBuilder command(s)>"
```

Note: This technique may also be used to execute a number of commands if they are separated by semi-colons. However, the script-based approach is generally preferred.

If you don't include the 'quit' command at the end of the <coreBuilder command(s)> list, the tool will be still be open in shell mode after all your specified commands have been executed. The '-x' option can also be used in the coreBuilder console in

For further reference please see the coreBuilder User Guide chapter 12 - 'Tcl Programming for coreBuilder'.

Using coreConsultant in Batch Mode

The core integrator can also use coreConsultant in batch mode during the integration phase. As is the case during core development, a number of iterations may take place - in this case whilst the integration environment is being finalised.

Using batch mode rather than interactive mode will make these iterations much more efficient and less error-prone. coreConsultant may be used in batch mode in the same ways as described for coreBuilder in the last section.

For more information on the coreConsultant command set, please refer to the coreConsultant User Guide.

Using coreBuilder/coreConsultant in batch mode