Name: Pallavi Dadape

Roll No.: 43239

College ID:



### **Problem Statement:**

Design a registration form having the following fields:

- 1) First name and last name (only alphabets allowed, numbers should not be allowed)
- 2) Mobile number (maximum and minimum 10 digits allowed, 11th digit should not be get typed )
- 3) Email field should accept min one dot after at (@) symbol and a maximum of two dots.
- 4)Password validation should include one uppercase and a special character as a mandatory part of it.
- 5) Pin code (maximum and minimum 6 digits allowed)
- 6) Use Check box for Educational qualification / any purpose)
- 7) Use radio buttons for gender selection.

# login.html

```
<!DOCTYPE html>
<html>
      <head>
             <meta http-equiv="content-type" content="text/html;</pre>
charset=windows-1252">
             <title>Sign Up Page</title>
             <meta name="viewport" content="width=device-width, initial-scale=1">
             k rel="stylesheet" href="registerationform files/font-awesome.css">
             <style>
                    body
                     font-family: Arial, Helvetica, sans-serif;
                     background-color:powderblue;
                    }
                    .footer
                     padding: 10px;
                     text-align: center;
                     background: #ddd;
                     margin-top: 20px;
                    }
                     box-sizing: border-box;
                    }
                    /* style the container */
                    .container
                     position: relative;
                     border-radius: 5px;
                     background-color: #f2f2f2;
                     padding: 30px 0 20px 0;
                    /* style inputs and link buttons */
```

```
input,
.btn1
 width: 100%;
 padding: 15px;
 border: none;
 border-radius: 10px;
 margin: 10px;
 opacity: 0.85;
 display: inline-block;
 font-size: 17px;
 line-height: 20px;
 text-decoration: none; /* remove underline from anchors */
}
.btn2
 align=center;
 width: 25%;
 padding: 20px;
 border: none;
 border-radius: 10px;
 margin: 10px;
 opacity: 0.85;
 display: inline-block;
 font-size: 20px;
 line-height: 20px;
 text-decoration: none; /* remove underline from anchors */
}
input:hover,
.btn1:hover
 opacity: 1;
.btn2:hover
 opacity: 1;
}
```

```
/* add appropriate colors to fb, twitter and google buttons */
.fb
 background-color: #3B5998;
 color: white;
.twitter
 background-color: #55ACEE;
 color: white;
.google
 background-color: #dd4b39;
 color: white;
/* style the submit button */
input[type=submit]
 background-color: #4CAF50;
 color: white;
 cursor: pointer;
input[type=submit]:hover
 background-color: #45a049;
}
/* Two-column layout */
.col
 float: right;
 width: 50%;
 margin: auto;
 padding: 0 50px;
```

```
margin-top: 6px;
}
/* Clear floats after the columns */
.row:after
 content: "";
 display: table;
 clear: both;
}
/* vertical line */
.vl
 position: absolute;
 left: 50%;
 transform: translate(-50%);
 border: 3px solid #ddd;
 height: 263px;
}
/* text inside the vertical line */
.vl-innertext
 position: absolute;
 top: 50%;
 transform: translate(-50%, -50%);
 background-color: #f1f1f1;
 border: 1px solid #ccc;
 border-radius: 50%;
 padding: 8px 10px;
}
/* hide some text on medium and large screens */
.hide-md-lg
{
 display: none;
/* bottom container */
```

```
.bottom-container
                     text-align: center;
                     /*background-color: none;
                     border-radius: 0px 0px 4px 4px;*/
                    }
                    /* Responsive layout - when the screen is less than 650px wide,
make the two columns stack on top of each other instead of next to each other */
                    @media screen and (max-width: 650px)
                    {
                     .col
                          width: 100%;
                           margin-top: 0;
                     /* hide the vertical line */
                     {
                           display: none;
                     /* show the hidden text on small screens */
                     .hide-md-lg
                     {
                           display: block;
                          text-align: center;
                     }
             </style>
      </head>
      <body>
             <h2>Login Page</h2>
             <div class="container">
              <form action="/action_page.php">
                    <div class="row">
                     <h2 style="text-align:center">Login with Social Media or
Manually</h2>
                     <div class="vl">
                           <span class="vl-innertext">OR</span>
```

```
</div>
</div>
</div class="col">

<a href="https://www.facebook.com/" class="fb btn1">

<i class="fa fa-facebook fa-fw"></i> Login with Facebook

</a>

<a href="https://twitter.com/login?lang=en" class="twitter">

ti class="fa fa-twitter fa-fw"></i> Login with Twitter

</a>
</a>
<a href="https://twitter.com/login?lang=en" class="twitter">
</a>
</a>
</a>
```

href="https://accounts.google.com/signin/v2/identifier?service=mail&passive=true&rm=f alse&continue=https%3A%2F%2Fmail.google.com%2Fmail%2F%3Ftab%3Dwm%26og bl&scc=1&ltmpl=default&ltmplcache=2&emr=1&osid=1&flowName=GlifWebSignIn&flow Entry=ServiceLogin" class="google btn1"><i class="fa fa-google fa-fw"></i> Login with Google

```
</a>
                     </div>
                     <div class="col">
                          <label for="username"> <strong> Username: </strong>
</label>
                          <input name="username" placeholder="Enter you
username" required="" type="text">
                          <a href="label-for="password"> <strong> Password: </strong>
</label>
                          <input name="password" placeholder="Enter the password"
required="" type="password">
                          <input value="LOGIN" type="submit">
                     </div>
                   </div>
              </form>
             </div>
             <h3 align=center> New Here? Sign Up today for free! =) </h3>
             <div class="btn2">
                     <a href="Register.html" style="color:black" align=center>SIGN
UP</a>
             </div>
```

```
<!--<div class="bottom-container">
              <div class="row">
                    <div class="col">
                     <a href="" style="color:black" class="btn2" align=center>Sign
up</a>
                    </div>
                    <!-- <div class="col">
                     <a href="#" style="color:white" class="btn">Forgot password?</a>
                    </div>
              </div>
             </div> -->
             <div class="footer">
              <h2>Footer</h2>
             </div>
      </body>
</html>
```

## Register.html


```
<!DOCTYPE html>
<html lang="en"><head>
       <meta charset="utf-8">
       <title>Form Validation using a sample registration form</title>
       <meta name="keywords" content="Signup form" />
       <meta name="description" content="This document is an example of JavaScript Form</pre>
Validation using a sample registration form. " />
       k rel='stylesheet' href='js-form-validation.css' type='text/css' />
       <script type = "text/javascript">
      function validate()
       var name=document.myform.name.value;
       var userid=document.myform.userid.value;
                     var passid1=document.myform.passid1.value;
                     var passid2=document.myform.passid2.value;
       if( document.myForm.name.value == "")
         alert( "Please provide your name!" );
         document.myForm.name.focus();
         return false;
        if( document.myForm.EMail.value == "")
         alert( "Please provide your Email!" );
         document.myForm.EMail.focus();
         return false:
       }
        if( document.myForm.Zip.value == "" || isNaN( document.myForm.Zip.value ) ||
document.myForm.Zip.value.length != 5 )
         alert( "Please provide a zip in the format #####." );
         document.myForm.Zip.focus();
         return false:
       }
        if( document.myForm.country.value == "-1" )
         alert( "Please provide your country!" );
         return false;
```

```
//window.location.(
       return( true );
     }//end of validation funciton
      </script>
</head>
<body onload="document.registration.userid.focus();">
      <h1>Registration Form</h1>
      Use tab keys to move from one input field to the next.
      <form name='myform' onSubmit="return formValidation();">
             <l
                    <label for="name">Name:</label> 
                           <input type="text" name="name" />
                    <label for="userid">User id:</label> 
                           <input type="text" name="userid" size="12" />
                    <label for="passid1">Password:</label> 
                           <input type="password" name="passid1" size="12" />
                    <label for="passid2">Re-type Password:</label> 
                           <input type="text" name="passid2" size="12" />
                    <label for="address">Address:</label>  <br>
                           <input type="text" name="address" size="50" />
                    <label for="country">Country:</label> 
                           <select name="country">
                                  <option selected="" value="Default">(Please select a
country)</option>
                                  <option value="AS">Qatar</option>
                                  <option value="AD">USA</option>
                                  <option value="AF">Australia</option>
                                  <option value="AL">Canada</option>
                                  <option value="DZ">India</option>
                                  <option value="AS">Russia
                                  <option value="AD">Kuwait</option>
                           </select> 
                    <label for="number">Phone Number:</label> 
                           <input type="text" name="number" size="10" />
                    <label for="EMail">Email:</label> 
                           <input type="text" name="EMail" size="50" />
                    <label for="dob">DOB</label> 
                           <input type="text" name="dob" size="50" />
                    <label id="sex">Sexuality:</label> 
                                 <input type="radio" name="sex" value="Male"
/><span>Male</span>
                                 <!--same name so only one is chosen-->
```


```
<input type="radio" name="sex" value="Female"
/><span>Female</span>
                                  <input type="radio" name="sex" value="Not to disclose"
/><span>Not To Disclose</span>
                    <label>Language:</label> 
                           <input type="checkbox" name="en" value="en" checked
/><span>English</span>
                           <input type="checkbox" name="ar" value="ar"</pre>
/><span>Arabic</span>
                           <input type="checkbox" name="fr" value="fr"</pre>
/><span>French</span>
                           <input type="checkbox" name="hin" value="hin"
/><span>Hindi</span>
                    <label for="desc">About:</label>
             <textarea name="desc" id="desc"></textarea> <br/> <br/> <br/>
              <button name="reset" type="submit">RESET</button>
       <button name="submit" type="submit">SUBMIT</button>
       </form>
</body>
</html>
```


## **SCREENSHOTS**


#### Screen1 -




# Screen 2 - Other options to login







# Screen 3 - to register



## **Registration Form**

RESET SUBMIT

Use tab keys to move from one input field to the next.

Name:
User id:
Password:
Re-type Password:
Address:
Country:
(Please select a country) v
Phone Number:
Email:
DOB
Sexuality: ○ Male ○ Female ○ Not To Disclose
Language:
✓ English □ Arabic □ French □ Hindi