

VULNERABILITY ASSESSMENT REPORT

Task 1 – Cyber Security Internship

Prepared By:

pallavi

Organization:

Future Interns

Date:

07 October 2026

EXECUTIVE SUMMARY

A passive vulnerability assessment was performed on a web application environment using Nmap.

The purpose of this assessment was to identify exposed services and collect information related to the target system without performing intrusive testing.

The assessment identified multiple open ports and network services. Recommendations have been provided to improve security and reduce exposure.

SCOPE

Target:

demo.owasp-juice.shop

Tools Used:

- Nmap
- Google Chrome
- Windows Command Prompt

Assessment Type:

Passive Vulnerability Assessment

METHODOLOGY

1. Performed network reconnaissance using Nmap.
2. Identified exposed network services.
3. Recorded observations.
4. Analyzed security implications.
5. Documented findings and recommendations.

FINDINGS

Finding 1: Open Network Services Identified

Severity: Informational

Description:

A network scan was performed using Nmap against the target host. The scan identified multiple open ports and active services.

Observed Open Ports:

- 21/tcp – FTP
- 80/tcp – HTTP
- 443/tcp – HTTPS
- 8080/tcp – HTTP Proxy

Impact:

Open services increase the visible attack surface of a system. All exposed services should be reviewed periodically to ensure they are required and properly secured.

Recommendation:

Review exposed services regularly and disable unnecessary services. Ensure all active services are configured according to security best practices.

```
Command Prompt
Microsoft Windows [Version 10.0.22631.6199]
(c) Microsoft Corporation. All rights reserved.

C:\Users\palla>nmap demo.owasp-juice.shop
WARNING: Could not import all necessary Npcap functions. You may need to upgrade to the latest version from https://npcap.com. Resorting to connect() mode -
- Nmap may not function completely
Starting Nmap 7.991 ( https://nmap.org ) at 2026-10-07 19:20 +0530
Warning: Hostname demo.owasp-juice.shop resolves to 2 IPs. Using 81.169.145.156.
Nmap scan report for demo.owasp-juice.shop (81.169.145.156)
Host is up (0.18s latency).
Other addresses for demo.owasp-juice.shop (not scanned): 2a01:238:20a:202:1156::
rDNS record for 81.169.145.156: w9c.rzone.de
Not shown: 996 closed tcp ports (conn-refused)
PORT      STATE SERVICE
21/tcp    open  ftp
80/tcp    open  http
443/tcp   open  https
8080/tcp   open  http-proxy

Nmap done: 1 IP address (1 host up) scanned in 6.18 seconds

C:\Users\palla>
```

CONCLUSION

A passive vulnerability assessment was conducted using Nmap and supporting tools. The assessment successfully identified active network services exposed by the target environment.

The findings collected during this assessment can assist in understanding the system's exposure and support future security reviews. Regular assessments and proper service management are recommended to maintain a strong security posture.