


jQuery Exercises

1)




The screenshot shows a code editor with three tabs: index.html, script.js, and style.css. The index.html tab is active, showing the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Exercise 1</title>
7 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
8 </head>
9 <body>
10 <h1 id="message">Hello World!</h1>
11 <script>
12 $(document).ready(function(){
13     console.log($("#message").text());
14 });
15 </script>
16 </body>
17 </html>
```

Below the code editor, a browser window is shown with the address bar displaying "127.0.0.1:5500/Upskilling/JQuery/index.html". The browser content displays "Hello World!" in a large, bold, black serif font.

Hello World!

2)




The screenshot shows a code editor with three tabs: index.html, script.js, and style.css. The index.html tab is active, showing the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Exercise 2</title>
7 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
8 </head>
9 <body>
10 <h1>Welcome</h1>
11 <p id="para">This page shows you about the events in the community.</p>
12 <button>Hide Paragraph</button>
13 <script src="script.js"></script>
14 </body>
15 </html>
```

Below the code editor, another code editor window is shown with the following code in the script.js file:

```
1 $(document).ready(function(){
2     $("h1").text("Local Community Event Portal");
3     $("button").click(function(){
4         $("#para").hide();
5     });
6 });
```



Local Community Event Portal

This page shows you about the events in the community.

Hide Paragraph

3)

```
index.html x JS script.js # style.css
Upskilling > jQuery > index.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Exercise 3</title>
5 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
6 <link rel="stylesheet" href="style.css">
7 </head>
8 <body>
9 <h1>jQuery Methods</h1>
10 <div class="box">Community Event</div>
11 <br>
12 <button id="hide">Hide</button>
13 <button id="show">Show</button>
14 <button id="fadeOut">Fade Out</button>
15 <button id="fadeIn">Fade In</button>
16 <button id="toggle">Toggle</button>
17 <button id="slide">Slide</button>
18 <script src="script.js"></script>
19 </body>
20 </html>
```

```
index.html JS script.js x # style.css
Upskilling > jQuery > JS script.js > ready() callback
1 $(document).ready(function(){
2 $("#hide").click(function(){
3 $(".box").hide();
4 });
5 $("#show").click(function(){
6 $(".box").show();
7 });
8 $("#fadeOut").click(function(){
9 $(".box").fadeOut();
10 });
11 $("#fadeIn").click(function(){
12 $(".box").fadeIn();
13 });
14 $("#toggle").click(function(){
15 $(".box").toggle();
16 });
17 $("#slide").click(function(){
18 $(".box").slideUp().delay(1000).slideDown();
19 });
20 });
```



jQuery Methods


Community Event

Hide Show Fade Out Fade In Toggle Slide

4)

```
index.html X JS script.js # style.css
Upskilling > jQuery > index.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Exercise 4</title>
5 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
6 <link rel="stylesheet" href="style.css">
7 </head>
8 <body>
9 <h1>Community Events</h1>
10 <input type="text" id="event">
11 <button id="add">Add Event</button>
12 <button id="remove">Remove All</button>
13 <ul id="list"></ul>
14 <script src="script.js"></script>
15 </body>
16 </html>
```

```
index.html JS script.js X # style.css
Upskilling > jQuery > JS script.js > ready() callback
1 $(document).ready(function(){
2 $("#add").click(function(){
3 let event=$("#event").val();
4 if(event!=""){
5 $("#list").append("<li>"+event+"</li>");
6 $("#event").val("");
7 }
8 });
9 $("#remove").click(function(){
10 $("#list").empty();
11 });
12 });
```



5)


```
Upskilling > jQuery > index.html > html > head
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Exercise 5</title>
5 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
6 <link rel="stylesheet" href="style.css">
7 </head>
8 <body>
9 <h1>Working with Events</h1>
10 <button id="colorBtn">Change Color</button>
11 <div id="box"></div>
12 <script src="script.js"></script>
13 </body>
14 </html>
```

```
index.html JS script.js X # style.css
Upskilling > jQuery > JS script.js > ready() callback
1 $(document).ready(function(){
2 $("#colorBtn").click(function(){
3 $("#box").css("background","green");
4 });
5 $("#colorBtn").dblclick(function(){
6 $("#box").css("background","white");
7 });
8 });
```

```
index.html JS script.js # style.css X
Upskilling > jQuery > # style.css > ...
1 body{
2 font-family:Arial;
3 text-align:center;
4 }
5 |
6 #box{
7 width:200px;
8 height:200px;
9 background: white;
10 border:2px solid black;
11 margin:20px auto;
12 }
```



Working with Events




6)


```
index.html x JS script.js # style.css
Upskilling > jQuery > index.html > html > head
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Exercise 6</title>
5 <script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
6 <link rel="stylesheet" href="style.css">
7 </head>
8 <body>
9 <h1>Event Helpers</h1>
10 <div id="box">Move Mouse Here</div>
11 <br>
12 <input type="text" id="name" placeholder="Enter Name">
13 <p id="message"></p>
14 <script src="script.js"></script>
15 </body>
16 </html>
```

```
index.html JS script.js x # style.css
Upskilling > jQuery > JS script.js > ready() callback
1 $(document).ready(function(){
2 $("#box").click(function(){
3 $("#message").text("Box Clicked");
4 });
5 $("#box").dblclick(function(){
6 $("#message").text("Box Double Clicked");
7 });
8 $("#box").mouseenter(function(){
9 $(this).css("background","yellow");
10 });
11 $("#box").mouseleave(function(){
12 $(this).css("background","lightblue");
13 });
14 $("#name").keypress(function(){
15 $("#message").text("Typing...");
16 });
17 });
```

```
index.html JS script.js # style.css x
Upskilling > jQuery > # style.css > body
1 body{
2 font-family:Arial;
3 text-align:center;
4 }
5 #box{
6 width:300px;
7 height:150px;
8 background: lightblue;
9 margin:auto;
10 line-height:150px;
11 border:2px solid black;
12 }
13 input{
14 padding:10px;
15 width:250px;
16 }
```



Event Helpers



Naria Pallav

