


Bootstrap 5 Exercises

1.1

```
<> bootstrap.html > ...
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 1.1</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container mt-5">
10     <h1 class="text-primary">Bootstrap is Working</h1>
11     <p>This page is using Bootstrap CDN.</p>
12   </div>
13
14 </body>
15 </html>
```




Bootstrap is Working

This page is using Bootstrap CDN.

1.2

```
<> bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 1.2</title>
5    <link rel="stylesheet" href="css/bootstrap.min.css">
6  </head>
7  <body>
8
9    <div class="container mt-5">
10     <h2>Bootstrap Using Downloaded Files</h2>
11     <button class="btn btn-success">Click Me</button>
12   </div>
13
14   <script src="js/bootstrap.bundle.min.js"></script>
15 </body>
16 </html>
```



Bootstrap Using Downloaded Files



[Click Me](#)

2.1

- css folder → Contains Bootstrap CSS files.
- js folder → Contains Bootstrap JavaScript files.
- icons folder → Contains Bootstrap Icons.

2.2

```
bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Exercise 2.2</title>
5  |   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9  <div class="container mt-5">
10 |   <button class="btn btn-primary"
11 |       |   data-bs-toggle="collapse"
12 |       |   data-bs-target="#demo">
13 |       |   Show Message
14 |   </button>
15
16   <div id="demo" class="collapse mt-3">
17 |     Bootstrap JavaScript is Working.
18   </div>
19 </div>
20
21 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/js/bootstrap.bundle.min.js"></script>
22 </body>
23 </html>
```




Show Message

Show Message

Bootstrap JavaScript is Working.

3.1

```
bootstrap.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 3.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8
9 <div class="container mt-5">
10   <div class="row">
11     <div class="col-12 col-md-6 col-lg-4 bg-primary text-white p-4">
12       Column 1
13     </div>
14
15     <div class="col-12 col-md-6 col-lg-4 bg-warning p-4">
16       Column 2
17     </div>
18
19     <div class="col-12 col-md-6 col-lg-4 bg-success text-white p-4">
20       Column 3
21     </div>
22
23   </div>
24 </div>
25
26
27 </body>
28 </html>
```




3.2

```
bootstrap.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 3.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8
9 <div class="container mt-5">
10   <div class="row">
11     <div class="col-md-4 bg-info p-4">
12       Box 1
13     </div>
14
15     <div class="col-md-4 bg-secondary text-white p-4">
16       Box 2
17     </div>
18
19     <div class="col-md-4 bg-danger text-white p-4">
20       Box 3
21     </div>
22
23   </div>
24 </div>
25
26
27 </body>
28 </html>
```




4.1

```
bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 4.1</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container mt-4">
10     <div class="row">
11
12       <div class="col-md-3 bg-primary text-white p-4">
13         <h4>Sidebar</h4>
14         <p>Menu 1</p>
15         <p>Menu 2</p>
16         <p>Menu 3</p>
17       </div>
18
19       <div class="col-md-9 bg-light p-4">
20         <h3>Main Content</h3>
21         <p>This is the content section.</p>
22       </div>
23     </div>
24   </div>
25 </body>
26 </html>
```




4.2

```
bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 4.2</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container mt-4">
10     <div class="row">
11
12       <div class="col-sm-3 bg-primary text-white p-4">Column 1</div>
13       <div class="col-sm-3 bg-warning p-4">Column 2</div>
14       <div class="col-sm-3 bg-success text-white p-4">Column 3</div>
15       <div class="col-sm-3 bg-danger text-white p-4">Column 4</div>
16     </div>
17   </div>
18 </body>
19 </html>
```



5.1

```
bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 5.1</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container">
10
11      <div class="row justify-content-center align-items-center"
12        style="height:400px;">
13
14        <div class="col-4 bg-primary text-white text-center p-4">
15          Center Box
16        </div>
17
18      </div>
19
20    </div>
21
22  </body>
23 </html>
```



Center Box

5.2

```
bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 5.2</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container mt-4">
10
11      <div class="row">
12
13        <div class="col-md-6 order-md-2 bg-warning p-4">
14          First Column
15        </div>
16
17        <div class="col-md-6 order-md-1 bg-info p-4">
18          Second Column
19        </div>
20
21      </div>
22
23    </div>
24
25  </body>
26 </html>
```




Second Column

First Column


6.1

```
bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 6.1</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9  <nav class="d-flex flex-column flex-md-row bg-dark p-3">
10
11    <a href="#" class="text-white text-decoration-none me-4">Home</a>
12
13    <a href="#" class="text-white text-decoration-none me-4">About</a>
14
15    <a href="#" class="text-white text-decoration-none">Contact</a>
16
17  </nav>
18
19  </body>
20 </html>
```




6.2

```
bootstrap.html >
bootstrap.html > html > body > div.container.mt-5 > div.card.p-3 > div.d-flex.justify-content-between.align-items-center > div >
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 6.2</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8  <div class="container mt-5">
9    <div class="card p-3">
10      <div class="d-flex justify-content-between align-items-center">
11        <div>
12          <h5>Mobile Phone</h5>
13          <p>Price : ₹25000</p>
14        </div>
15        <button class="btn btn-primary">
16          Buy
17        </button>
18      </div>
19      <div class="d-flex justify-content-between align-items-center">
20        <div>
21          <h5>Mobile Laptop</h5>
22          <p>Price : ₹50000</p>
23        </div>
24        <button class="btn btn-primary">
25          Buy
26        </button>
27      </div>
28    </div>
29  </div>
30 </body>
31 </html>
```




7.1

```
> bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 7.1</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container mt-4">
10
11      <h1 class="display-1">Bootstrap Heading</h1>
12
13      <p class="lead">
14        | This is a lead paragraph.
15      </p>
16
17      <p class="text-muted">
18        | This text is muted.
19      </p>
20
21      <p class="fw-bold">
22        | This text is bold.
23      </p>
24
25    </div>
26
27  </body>
28 </html>
```



7.2

```
> bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 7.2</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8
9    <div class="container mt-4">
10
11      <p class="text-uppercase">
12        | hello world
13      </p>
14
15      <p class="text-lowercase">
16        | HELLO WORLD
17      </p>
18
19      <p class="text-capitalize">
20        | hello world
21      </p>
22
23    </div>
24
25  </body>
26 </html>
```



8.1

```
> bootstrap.html > html > body > div.container.mt-4
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 8.1</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8    <div class="container mt-4">
9      <h2>Registration Form</h2>
10     <input type="text"
11       class="form-control mb-3"
12       placeholder="Enter Name">
13     <input type="email"
14       class="form-control mb-3"
15       placeholder="Enter Email">
16     <div class="input-group mb-3">
17       <span class="input-group-text">
18         +91
19       </span>
20       <input type="text"
21         class="form-control"
22         placeholder="Phone Number">
23     </div>
24     <div class="form-check">
25       <input class="form-check-input"
26         type="checkbox">
27       <label class="form-check-label">
28         Accept Terms and Conditions
29       </label>
30     </div>
31     <button class="btn btn-primary mt-3">
32       Register
33     </button>
34   </div>
35 </body>
36 </html>
```

Exercise 8.1

127.0.0.1:5500/bootstrap.html#

Registration Form

Enter Name

Enter Email

+91 Phone Number

☐ Accept Terms and Conditions

Register

8.2

```
> bootstrap.html > html > body > div.container.mt-5
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 8.2</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8    <div class="container mt-5">
9      <div class="form-floating mb-3">
10        <input type="email"
11          class="form-control"
12          id="email"
13          placeholder="Email">
14        <label for="email">
15          Email
16        </label>
17      </div>
18      <div class="form-floating mb-3">
19        <input type="password"
20          class="form-control"
21          id="pass"
22          placeholder="Password">
23        <label for="pass">
24          Password
25        </label>
26      </div>
27      <button class="btn btn-success">
28        Login
29      </button>
30    </div>
31 </body>
32 </html>
```

Exercise 8.2

127.0.0.1:5500/bootstrap.html#


Email

Password

Login


9.1

```
bootstrap.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 9.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8
9 <div class="container mt-4">
10
11   <button class="btn btn-primary">Primary</button>
12   <button class="btn btn-secondary">Secondary</button>
13   <button class="btn btn-success">Success</button>
14   <button class="btn btn-danger">Danger</button>
15   <button class="btn btn-warning">Warning</button>
16   <button class="btn btn-info">Info</button>
17
18   <br><br>
19
20   <button class="btn btn-outline-primary">
21     | Outline Primary
22   </button>
23
24   <button class="btn btn-outline-success">
25     | Outline Success
26   </button>
27
28 </div>
29
30 </body>
31 </html>
```




9.2


```
bootstrap.html X
bootstrap.html > html > body > div.container.mt-4
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 9.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8
9 <div class="container mt-4">
10
11   <div class="btn-group">
12     <button class="btn btn-primary">
13       | Left
14     </button>
15
16     <button class="btn btn-primary">
17       | Middle
18     </button>
19
20     <button class="btn btn-primary">
21       | Right
22     </button>
23   </div>
24
25 </div>
26
27 </body>
28 </html>
```



10.1




10.2




11.1

```
bootstrap.html X
bootstrap.html > html > body > div.container.mt-5 > div.card > div.card-body > p.card-text
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 11.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8
9 <div class="container mt-5">
10
11   <div class="card" style="width:300px;">
12     
14
15     <div class="card-body">
16       <h5 class="card-title">Pallavi</h5>
17       <p class="card-text">
18         ACSE-DS | Student
19       </p>
20
21       <button class="btn btn-primary">
22         View Profile
23       </button>
24     </div>
25   </div>
26
27 </div>
28
29 </div>
30
31 </body>
32 </html>
```



11.2

```
bootstrap.html X
bootstrap.html > html > body > div.container.mt-5.d-flex > div
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 11.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8 <div class="container mt-5 d-flex">
9   <div>
10     <h1>Bootstrap</h1>
11     <h5>This is a media object example.</h5>
12   </div>
13   
15 </div>
16 </body>
```




12.1

```
bootstrap.html X
bootstrap.html > html > body
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 12.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8   <div class="bg-primary text-white m-3 p-2">
9     Section One
10  </div>
11  <div class="bg-warning mt-4 py-5">
12    Section Two
13  </div>
14 </body>
15 </html>
```



12.2

```
bootstrap.html X
bootstrap.html > html > body
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 12.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8   <div class="container mt-5">
9     <div class="row">
10      <div class="col-md-4">
11        <div class="card p-4 text-center">
12          <h3>Basic</h3>
13          <h4>₹499</h4>
14        </div>
15      </div>
16      <div class="col-md-4">
17        <div class="card p-4 text-center">
18          <h3>Standard</h3>
19          <h4>₹999</h4>
20        </div>
21      </div>
22      <div class="col-md-4">
23        <div class="card p-4 text-center">
24          <h3>Premium</h3>
25          <h4>₹1499</h4>
26        </div>
27      </div>
28    </div>
29  </div>
30 </body>
31 </html>
```




13.1

```
bootstrap.html X
bootstrap.html > html > body > div.container.mt-5
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 13.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8   <div class="container mt-5">
9     <div class="bg-primary text-white p-4 mb-3">
10       Total Users
11     </div>
12     <div class="bg-warning p-4 mb-3">
13       Pending Tasks
14     </div>
15     <div class="bg-success text-white p-4">
16       Completed Tasks
17     </div>
18   </div>
19 </body>
20 </html>
```




13.2


```
bootstrap.html X
bootstrap.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 13.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8   <div class="bg-dark bg-gradient text-white p-5">
9     Bootstrap Gradient Background
10   </div>
11 </body>
12 </html>
```




14.1




14.2





15.1






15.2

```
bootstrap.html x
bootstrap.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 15.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8 <div class="container mt-5">
9   <div class="card shadow-lg rounded-pill p-5 text-center">
10    Bootstrap Card
11  </div>
12 </div>
13 </body>
14 </html>
```



16.1

```
bootstrap.html x
bootstrap.html > html > body > div.container.mt-5 > img
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 16.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6 </head>
7 <body>
8   <div class="container mt-5">
9     
10  </div>
11  <div class="bg-dark text-white text-center p-3 position-fixed bottom-0 w-100">
12    Copyright 2026
13  </div>
14 </body>
15 </html>
```



16.2

```
bootstrap.html X
bootstrap.html > html > body > div.position-relative.d-inline-block.m-5 > img
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Exercise 16.2</title>
5    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css" rel="stylesheet">
6  </head>
7  <body>
8    <div class="position-relative d-inline-block m-5">
9      
10     <span class="badge bg-danger position-absolute top-0 start-100 translate-middle">
11       New
12     </span>
13   </div>
14 </body>
15 </html>
```



17.1

```
bootstrap.html x
bootstrap.html > html > body > div.container
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 17.1</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css"
6     rel="stylesheet">
7   <link rel="stylesheet"
8     href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.13.1/font/bootstrap-icons.min.css">
9 </head>
10 <body>
11 <div class="container">
12   <h2 class="text-center mt-5">
13     My Website
14   </h2>
15   <footer class="text-center mt-5">
16     <a href="#" class="text-dark me-4">
17       <i class="bi bi-facebook fs-2"></i>
18     </a>
19     <a href="#" class="text-dark me-4">
20       <i class="bi bi-instagram fs-2"></i>
21     </a>
22     <a href="#" class="text-dark me-4">
23       <i class="bi bi-twitter fs-2"></i>
24     </a>
25     <a href="#" class="text-dark">
26       <i class="bi bi-linkedin fs-2"></i>
27     </a>
28   </footer>
29 </div>
30 </body>
31 </html>
```

Exercise 17.1

127.0.0.1:5500/bootstrap.html#

My Website

[*bi-facebook*](#) [*bi-instagram*](#) [*bi-twitter*](#) [*bi-linkedin*](#)

17.2

```
bootstrap.html > html > head > link
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Exercise 17.2</title>
5   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css"
6     rel="stylesheet">
7   <link rel="stylesheet"
8     href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.13.1/font/bootstrap-icons.min.css">
9 </head>
10 <body>
11 <div class="container mt-5">
12   <button class="btn btn-primary me-3">
13     <i class="bi bi-house-fill"></i>
14   </button>
15   <button class="btn btn-success me-3">
16     <i class="bi bi-search"></i>
17   </button>
18   <button class="btn btn-danger">
19     <i class="bi bi-trash-fill"></i>
20   </button>
21 </div>
22 </body>
23 </html>
```


Exercise 17.2

127.0.0.1:5500/bootstrap.html#

[*bi-house-fill*](#) [*bi-search*](#) [*bi-trash-fill*](#)


18.1

```
bootstrap.html > ...
1 |<!DOCTYPE html>
2 |<html>
3 |<head>
4 |   <title>Exercise 18.1</title>
5 |   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css"
6 |     rel="stylesheet">
7 | </head>
8 | <body>
9 |   <div class="container mt-5">
10 |     <button class="btn btn-primary"
11 |       data-bs-toggle="modal"
12 |       data-bs-target="#myModal">
13 |       Open Modal
14 |     </button>
15 |     <div class="modal fade" id="myModal">
16 |       <div class="modal-dialog">
17 |         <div class="modal-content">
18 |           <div class="modal-header">
19 |             <h4 class="modal-title">
20 |               Student Details
21 |             </h4>
22 |             <button class="btn-close"
23 |               data-bs-dismiss="modal">
24 |             </button>
25 |           </div>
26 |           <div class="modal-body">
27 |             Welcome to Bootstrap Modal Example.
28 |           </div>
29 |           <div class="modal-footer">
30 |             <button class="btn btn-danger"
31 |               data-bs-dismiss="modal">
32 |               Close
33 |             </button>
34 |           </div>
35 |         </div>
36 |       </div>
37 |     </div>
38 |   </div>
39 |   <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/js/bootstrap.bundle.min.js"></script>
40 | </body>
41 | </html>
```



18.2

```
File Edit Selection View Go Run Terminal Help
bootstrap.html > ...
1 |<!DOCTYPE html>
2 |<html>
3 |<head>
4 |   <title>Exercise 18.2</title>
5 |   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css"
6 |     rel="stylesheet">
7 | </head>
8 | <body>
9 |   <div class="container mt-5">
10 |     <div class="accordion" id="myAccordion">
11 |       <div class="accordion-item">
12 |         <h2 class="accordion-header">
13 |           <button class="accordion-button"
14 |             data-bs-toggle="collapse"
15 |             data-bs-target="#one">
16 |             What is Bootstrap?
17 |           </button>
18 |         </h2>
19 |         <div id="one"
20 |           class="accordion-collapse collapse show">
21 |           <div class="accordion-body">
22 |             Bootstrap is a CSS framework used to create responsive websites.
23 |           </div>
24 |         </div>
25 |       </div>
26 |       <div class="accordion-item">
27 |         <h2 class="accordion-header">
28 |           <button class="accordion-button collapsed"
29 |             data-bs-toggle="collapse"
30 |             data-bs-target="#two">
31 |             What is Bootstrap Grid?
32 |           </button>
33 |         </h2>
34 |         <div id="two"
35 |           class="accordion-collapse collapse">
36 |           <div class="accordion-body">
37 |             Bootstrap grid is used to create responsive layouts.
38 |           </div>
39 |         </div>
40 |       </div>
41 |     </div>
42 |   </div>
43 |   <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/js/bootstrap.bundle.min.js"></script>
44 | </body>
45 | </html>
```



19.1

```

PS C:\Users\palla\OneDrive\Attachments\Desktop\CTS> npx sass custom.scss custom.css
Deprecation Warning [import]: Sass @import rules are deprecated and will be removed in Dart Sass 3.0.0.
More info and automated migrator: https://sass-lang.com/d/import

1 | @import "node_modules/bootstrap/scss/bootstrap";
   | ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |
   | custom.scss 1:9  root stylesheet
   |
Deprecation Warning [import]: Sass @import rules are deprecated and will be removed in Dart Sass 3.0.0.
More info and automated migrator: https://sass-lang.com/d/import

1 | @import "mixins/banner";
   | ^^^^^^^^^^^^^^^^^^^^^
   |
   | node_modules\bootstrap\scss\bootstrap.scss 1:9  @import
   | custom.scss 1:9                                root stylesheet
   |
Deprecation Warning [import]: Sass @import rules are deprecated and will be removed in Dart Sass 3.0.0.
More info and automated migrator: https://sass-lang.com/d/import

7 | @import "functions";
   | ^^^^^^^^^^^^^^^^^^
   |
   | node_modules\bootstrap\scss\bootstrap.scss 7:9  @import
   | custom.scss 1:9                                root stylesheet
   |
Deprecation Warning [import]: Sass @import rules are deprecated and will be removed in Dart Sass 3.0.0.
More info and automated migrator: https://sass-lang.com/d/import


8 | @import "variables";
   | ^^^^^^^^^^^^^^^^^^
   |
   | node_modules\bootstrap\scss\bootstrap.scss 8:9  @import
   | custom.scss 1:9                                root stylesheet
   |
Deprecation Warning [import]: Sass @import rules are deprecated and will be removed in Dart Sass 3.0.0.

```

```

<> bootstrap.html X custom.scss 1
<> bootstrap.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Exercise 19.1</title>
5  |   <link rel="stylesheet" href="custom.css">
6  </head>
7  <body>
8
9  <div class="container mt-5">
10 |   <h1 class="text-primary">Bootstrap with Sass</h1>
11 |
12 |   <button class="btn btn-success">
13 |     Submit
14 |   </button>
15 |
16 |   <div class="card mt-4 p-3">
17 |     This page is using Bootstrap compiled with Sass.
18 |   </div>
19 </div>
20
21 </body>
22 </html>

```



19.2

