

Assignment-3

Paper: PHP with MySQL LAB


Q1. Write a php program to take user input – Full name and Email address submitted by a html form. The php file should receive the input and print back the inputs as submitted through the form.

CODE-

Index.html	process.php
<pre><!DOCTYPE html> <html> <head> <title>User Input Form</title> </head> <body> <h2>Enter Your Details</h2> <form action="process.php" method="post"> <label>Full Name:</label> <input type="text" name="fullname" required>

 <label>Email Address:</label> <input type="email" name="email" required>


 <input type="submit" value="Submit"> </form> </body> </html></pre>	<pre><?php \$fullname = \$_POST['fullname']; \$email = \$_POST['email']; echo "<h2>Submitted Details</h2>"; echo "Full Name: " . htmlspecialchars(\$fullname) . "
"; echo "Email Address: " . htmlspecialchars(\$email); ?></pre>



Enter Your Details

Full Name:

Email Address:



Submitted Details

Full Name: Pallavi

Email Address: pallavi9@gmail.com

Q2. Develop a registration.php file containing the following fields – Username, Email address, Gender, Mobile No, Country as dropdown box, Password, Confirm password, and check box having the caption “I agree to the terms and condition”. Then a Submit button. The registration page should be submitted to the server and a php file should extract all the form data and print back all the registration data.

CODE-

Registration.php

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Registration Form</title>
```

```
</head>
```

```
<body>
```

```
    <h2>Registration Form</h2>
```

```
    <form action="process.php" method="post">
```

```
        <label>Username:</label>
```

```
        <input type="text" name="username" required>
```

```
        <br><br>
```

```
        <label>Email Address:</label>
```

<input type="email" name="email" required>

<label>Gender:</label>

<input type="radio" name="gender" value="Male" required> Male

<input type="radio" name="gender" value="Female"> Female

<input type="radio" name="gender" value="Other"> Other

<label>Mobile No:</label>

<input type="tel" name="mobile" required>

<label>Country:</label>

<select name="country" required>

<option value="">-- Select Country --</option>

<option value="India">India</option>

<option value="USA">USA</option>

<option value="UK">UK</option>

<option value="Canada">Canada</option>

<option value="Australia">Australia</option>

</select>

<label>Password:</label>

<input type="password" name="password" required>

<label>Confirm Password:</label>

```
<input type="password" name="confirm_password" required>
<br><br>
<input type="checkbox" name="terms" value="Agreed" required>
<label>I agree to the terms and condition</label>
<br><br>
<input type="submit" value="Submit">
</form>
</body>
</html>
```

Process.php

```
<?php
$username = $_POST['username'];
$email = $_POST['email'];
$gender = $_POST['gender'];
$mobile = $_POST['mobile'];
$country = $_POST['country'];
$password = $_POST['password'];
$confirm_password = $_POST['confirm_password'];
$terms = isset($_POST['terms']) ? $_POST['terms'] : "Not Agreed";

echo "<h2>Registration Details</h2>";

echo "Username: " . htmlspecialchars($username) . "<br>";
echo "Email Address: " . htmlspecialchars($email) . "<br>";
echo "Gender: " . htmlspecialchars($gender) . "<br>";
echo "Mobile No: " . htmlspecialchars($mobile) . "<br>";
echo "Country: " . htmlspecialchars($country) . "<br>";
echo "Password: " . htmlspecialchars($password) . "<br>";
```

```
echo "Confirm Password: " . htmlspecialchars($confirm_password) . "<br>";  
echo "Terms and Conditions: " . htmlspecialchars($terms) . "<br>";  
?>
```

OUTPUT

The image displays two browser screenshots side-by-side. The left screenshot shows a web browser at the URL 'localhost/PHP%20PROGRAM/Q2/registration.php'. The page title is 'Registration Form'. It contains a registration form with the following fields: Username (filled with 'Pallavi'), Email Address (filled with 'pallavi9@gmail.com'), Gender (radio buttons for Male, Female (selected), and Other), Mobile No. (filled with '9045610205'), Country (dropdown menu showing 'India'), Password (filled with 'Pallavi123'), and Confirm Password (filled with 'Pallavi123'). There is a checkbox for 'I agree to the terms and condition' which is checked, and a 'Submit' button. The right screenshot shows a browser at the URL 'localhost/PHP%20PROGRAM/Q2/process.php'. The page title is 'Registration Details'. It displays the submitted information: Username: Pallavi, Email Address: pallavi9@gmail.com, Gender: Female, Mobile No: 9045610205, Country: India, Password: Pallavi123, Confirm Password: Pallavi123, and Terms and Conditions: Agreed.

Q3. The registration page developed in the Q2 should be verified from the server side on the same registration.php page with the following conditions –

- Username field should not be empty, should contain only alphanumeric data and space
- Email field should not be empty and should be as per email format - Gender must be selected
- Mobile no should not be empty and numeric and plus symbol is allowed
- Country must be selected
- Password should be atleast 8 characters long
- Confirm password should be same as Password.

Show error messages in red color with a prefix Asterix (*) symbol beside every input fields in the same registration form, if there is any error as per given conditions.

CODE-

Registration.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
  <title>Registration Form</title>
</head>
<body>
<h2>Registration Form</h2>

<form action="registration.php" method="post">
  <!-- Username -->
  Username:
  <input type="text" name="username">
  <br><br>

  <!-- Email -->
  Email Address:
  <input type="text" name="email">
  <br><br>

  <!-- Gender -->
  Gender:
  <input type="radio" name="gender" value="m"> Male
  <input type="radio" name="gender" value="f"> Female
  <input type="radio" name="gender" value="o"> Other
  <br><br>

  <!-- Mobile -->
  Mobile No:
  <input type="text" name="mobile">
  <br><br>
```

<!-- Country -->

Country:

<select name="country">

<option value="">-- Select Country --</option>

<option value="India">India</option>

<option value="USA">USA</option>

<option value="UK">UK</option>

<option value="Canada">Canada</option>

<option value="Australia">Australia</option>

</select>

<!-- Password -->

Password:

<input type="password" name="password">

<!-- Confirm Password -->

Confirm Password:

<input type="password" name="confirm_password">

<!-- Terms -->

<input type="checkbox" name="terms" value="Agreed">

I agree to the terms and condition

<!-- Submit -->

```
<input type="submit" value="Submit">
</form>
</body>
</html>
```

Registration.php

```
<?php
$username = "";
$email = "";
$gender = "";
$mobile = "";
$country = "";

// Store error messages
$username_error = "";
$email_error = "";
$gender_error = "";
$mobile_error = "";
$country_error = "";
$password_error = "";
$confirm_password_error = "";
$terms_error = "";
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $username = trim($_POST["username"] ?? "");
    $email = trim($_POST["email"] ?? "");
    $gender = $_POST["gender"] ?? "";
    $mobile = trim($_POST["mobile"] ?? "");
    $country = $_POST["country"] ?? "";
    $password = $_POST["password"] ?? "";
```

```
$confirm_password = $_POST["confirm_password"] ?? "";
$terms = $_POST["terms"] ?? "";

// Username Validation
if ($username == "") {
    $username_error = "Username should not be empty.";
} elseif (!preg_match("/^[a-zA-Z0-9 ]+$/", $username)) {
    $username_error =
        "Only alphanumeric characters and spaces are allowed.";
}

// Email Validation
if ($email == "") {
    $email_error = "Email should not be empty.";
} elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $email_error = "Invalid email format.";
}

// Gender Validation
if ($gender == "") {
    $gender_error = "Gender must be selected.";
}

// Mobile Validation
if ($mobile == "") {
    $mobile_error = "Mobile number should not be empty.";
} elseif (!preg_match("/^\+?[0-9]+$/", $mobile)) {
    $mobile_error =
        "Mobile number must contain only numbers and + symbol.";
}
```

```
// Country Validation
if ($country == "") {
    $country_error = "Country must be selected.";
}

// Password Validation
if ($password == "") {
    $password_error = "Password should not be empty.";
} elseif (strlen($password) < 8) {
    $password_error =
        "Password must be at least 8 characters long.";
}

// Confirm Password Validation
if ($confirm_password == "") {
    $confirm_password_error =
        "Confirm password should not be empty.";
} elseif ($confirm_password != $password) {

    $confirm_password_error =
        "Confirm password must be same as password.";
}

// Terms Validation
if ($terms != "Agreed") {
    $terms_error =
        "You must agree to the terms and condition.";
}
}
```

```
?>
<!DOCTYPE html>
<html>
<head>
  <title>Registration Form</title>
  <style>
    .error {
      color: red;
    }
  </style>
</head>
<body>
<h2>Registration Form</h2>
<form action="registration.php" method="post">
  Username:
  <input
    type="text"
    name="username"
    value="<?php echo htmlspecialchars($username); ?>"
  >
  <?php
  if ($username_error != "") {
    echo "<span class='error'> * "
      . htmlspecialchars($username_error)
      . "</span>";
  }
  ?>
  <br><br>
  Email Address:
```

```
<input
  type="text"
  name="email"
  value="<?php echo htmlspecialchars($email); ?>"
>
<?php
if ($email_error != "") {
  echo "<span class='error'> * "
    . htmlspecialchars($email_error)
    . "</span>";
}
?>
```


Gender:

```
<input
  type="radio"
  name="gender"
  value="m"
  <?php if ($gender == "m") echo "checked"; ?>
>
```

Male

```
<input
  type="radio"
  name="gender"
  value="f"
  <?php if ($gender == "f") echo "checked"; ?>
>
```

Female

```
<input
    type="radio"
    name="gender"
    value="o"
    <?php if ($gender == "o") echo "checked"; ?>
>
```

Other

```
<?php
if ($gender_error != "") {
    echo "<span class='error'> * "
        . htmlspecialchars($gender_error)
        . "</span>";
}
?>
```


Mobile No:

```
<input
    type="text"
    name="mobile"
    value="<?php echo htmlspecialchars($mobile); ?>"
>
```

```
<?php
if ($mobile_error != "") {
    echo "<span class='error'> * "
        . htmlspecialchars($mobile_error)
        . "</span>";
}
?>
```


Country:

```
<select name="country">
  <option value="">
    -- Select Country --
  </option>
  <option
    value="India"
    <?php if ($country == "India") echo "selected"; ?>
  >
    India
  </option>
  <option
    value="USA"
    <?php if ($country == "USA") echo "selected"; ?>
  >
    USA
  </option>
  <option
    value="UK"
    <?php if ($country == "UK") echo "selected"; ?>
  >
    UK
  </option>
  <option
    value="Canada"
    <?php if ($country == "Canada") echo "selected"; ?>
  >
    Canada
</option>
```

```
<option
    value="Australia"
    <?php if ($country == "Australia") echo "selected"; ?>
>
    Australia
</option>
</select>
```

```
<?php
if ($country_error != "") {
    echo "<span class='error'> * "
        . htmlspecialchars($country_error)
        . "</span>";
}
?>
<br><br>
<!-- Password -->
Password:
<input
    type="password"
    name="password"
>
<?php
if ($password_error != "") {
    echo "<span class='error'> * "
        . htmlspecialchars($password_error)
        . "</span>";
}
?>
```

```
<br><br>
```

Confirm Password:

```
<input
```

```
    type="password"
```

```
    name="confirm_password"
```

```
>
```

```
<?php
```

```
if ($confirm_password_error != "") {
```

```
    echo "<span class='error'> * "
```

```
        . htmlspecialchars($confirm_password_error)
```

```
        . "</span>";
```

```
}
```

```
?>
```

```
<br><br>
```

```
<!-- Terms and Conditions -->
```

```
<input
```

```
    type="checkbox"
```

```
    name="terms"
```

```
    value="Agreed"
```

```
    <?php if ($terms == "Agreed") echo "checked"; ?>
```

```
>
```

I agree to the terms and condition

```
<?php
```

```
if ($terms_error != "") {
```

```
    echo "<span class='error'> * "
```

```
        . htmlspecialchars($terms_error)
```

```
        . "</span>";
```

```
}
```

```
?>
```


<!-- Submit Button -->

<input

type="submit"

value="Submit"


>

</form>

</body>

</html>

OUTPUT



Registration Form

Username: * Username should not be empty.

Email Address: * Email should not be empty.

Gender: ☐ Male ☐ Female ☐ Other * Gender must be selected.


Mobile No: * Mobile number should not be empty.

Country: -- Select Country -- * Country must be selected.

Password: * Password should not be empty.

Confirm Password: * Confirm password should not be empty.

☐ I agree to the terms and condition * You must agree to the terms and condition.



Registration Form

Username:

Email Address:

Gender: ☐ Male ☐ Female ☐ Other

Mobile No:

Country:

Password: * Password should not be empty.

Confirm Password: * Confirm password should not be empty.

☒ I agree to the terms and condition

Q4. Create a database named 'mysitedb' using MyPhpAdmin using xampp server. Create a table 'registration' having the field – id (int, auto increment) , username (varchar), email (varchar), gender (enum-'m','f','o'), mobile (varchar), country(vvarchar), password (varchar).

Now create a connect.php to check the database connection with the above db. If it connects successfully, print the message connection successful, or print the error message.

connect.php

<?php

\$servername = "localhost";

\$username = "root";

\$password = "";

```

$dbname = "mysitedb";



$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

echo "Connection successful";

?>

```



Q5. The registration page developed in the Q2 should be submitted to a processreg.php page in the server as Post method. The process page should extract all the values submitted by the registration form and insert all the values in the database table registration as created in Q4. If the data inserted successfully, the process php file should redirect to login.php page, otherwise it should redirect to the same registration.php.

connect.php

```

<?php

$servername = "localhost";

$username = "root";

```

```
$password = "";  
$dbname = "mysitedb";  
$conn = new mysqli($servername, $username, $password, $dbname);  
if ($conn->connect_error) {  
    die("Connection failed: " . $conn->connect_error);  
}  
?>
```

Login.php

```
<!DOCTYPE html>  
  
<html>  
  
<head>  
    <title>Login</title>  
</head>  
  
<body>  
    <h2>Login Page</h2>  
    <p>Registration successful!</p>  
</body>  
</html>
```

Process.php

```
<?php  
include "connect.php";  
  
$username = $_POST["username"] ?? "";  
$email = $_POST["email"] ?? "";  
$gender = $_POST["gender"] ?? "";  
$mobile = $_POST["mobile"] ?? "";  
$country = $_POST["country"] ?? "";  
$password = $_POST["password"] ?? "";
```

```
$sql = "INSERT INTO registration
      (username, email, gender, mobile, country, password)
      VALUES
      ('$username', '$email', '$gender', '$mobile', '$country', '$password')";
if ($conn->query($sql) === TRUE) {
    header("Location: login.php");
    exit();
} else {
    header("Location: registration.php");
    exit();
}
?>
```

registration.html

```
<!DOCTYPE html>
<html>
<head>
    <title>Registration Form</title>
</head>
<body>
<h2>Registration Form</h2>
<form action="process.php" method="post">
    Username:
    <input type="text" name="username">
    <br><br>
    Email Address:
    <input type="text" name="email">
    <br><br>
```

Gender:

☐ Male
☐ Female
☐ Other

Mobile No:

Country:

<select name="country">
 <option value="">-- Select Country --</option>
 <option value="India">India</option>
 <option value="USA">USA</option>
 <option value="UK">UK</option>
 <option value="Canada">Canada</option>
 <option value="Australia">Australia</option>
</select>

Password:

Confirm Password:

☐
I agree to the terms and condition


```
</form>
```

```
</body>
```

```
</html>
```

registration.php

```
<?php
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Registration Form</title>
```

```
    <style>
```

```
        .error {
```

```
            color: red;
```

```
        }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
<h2>Registration Form</h2>
```

```
<form action="processreg.php" method="post">
```

```
    Username:
```

```
    <input type="text" name="username">
```

```
    <br><br>
```

```
    Email Address:
```

```
    <input type="text" name="email">
```

```
    <br><br>
```

```
    Gender:
```

```
    <input type="radio" name="gender" value="m">
```

Male

<input type="radio" name="gender" value="f">

Female

<input type="radio" name="gender" value="o">

Other

Mobile No:

<input type="text" name="mobile">

Country:

<select name="country">

<option value="">-- Select Country --</option>

<option value="India">India</option>

<option value="USA">USA</option>

<option value="UK">UK</option>

<option value="Canada">Canada</option>

<option value="Australia">Australia</option>

</select>

Password:

<input type="password" name="password">

Confirm Password:

<input type="password" name="confirm_password">

<input type="checkbox" name="terms" value="Agreed">

I agree to the terms and condition


<input type="submit" value="Submit">

</form>

</body>

</html>

OUTPUT



Registration Form

Username:

Email Address:

Gender: ☐ Male ☒ Female ☐ Other


Mobile No:

Country:

Password:

Confirm Password:

☒ I agree to the terms and condition



Registration successful!

The screenshot shows the phpMyAdmin interface with the 'registration' table selected. The table contains 4 rows of data:

	id	username	email	gender	mobile	country	password
☐	1	Pallavi	pallavi9@gmail.com	f	9045610205	India	pallavi123
☐	2	Pallavi	pallavi9@gmail.com	f	9045610205	India	pallavi123
☐	3	Nidhi	Nidhi1@gmail.com	f	9834501238	India	nidhi@123
☐	4	Priyanshi Shree	Priyanshi1@gmail.com	f	7004160951	India	priya123

Below the table, there are options to 'Check all', 'With selected', 'Edit', 'Copy', 'Delete', and 'Export'. At the bottom, there are links for 'Print', 'Copy to clipboard', 'Export', 'Display chart', and 'Create view'.

Q6. Develop a login.php page with the following form fields – username and password and a Login submit button. After submitting the login data, the information should be processed by loginprocess.php in the sever. It should check the username and password is there in the database or not as created in Q4. If the username and password is found then the loginprocess.php page should redirect the user to home.php page, otherwise it should be redirected to the same login.php page.

CODE-

connect.php	home.php
<pre><?php \$conn = new mysqli("localhost", "root", "", "mysitedb"); if (\$conn->connect_error) { die("Connection failed: " . \$conn- >connect_error); } ?></pre>	<pre><!DOCTYPE html> <html> <head> <title>Home</title> </head> <body> <h1>Welcome to Home Page</h1> </body> </html></pre>

login.php	loginprocess.php
<pre><!DOCTYPE html> <html> <head> <title>Login</title> </head> <body> <h2>Login</h2> <form action="loginprocess.php" method="POST"> <label>Username:</label> <input type="text" name="username" required>

 <label>Password:</label> <input type="password" name="password" required>

 <input type="submit" value="Login"> </form></pre>	<pre><?php include "connect.php"; \$username = \$_POST["username"]; \$password = \$_POST["password"]; \$sql = "SELECT * FROM registration WHERE username='\$username' AND password='\$password'"; \$result = \$conn->query(\$sql); if (\$result->num_rows > 0) { // Login successful header("Location: home.php"); exit(); } else { // Login failed header("Location: login.php"); exit(); }</pre>

```
</body>
</html>
```


```
}
?>
```

OUTPUT-

database:-

Extra options

←T→	▼	id	username	email	gender	mobile	country	password		
☐	Edit	Copy	Delete	1	Pallavi	pallavi9@gmail.com	f	9045610205	India	pallavi123




Login

Username:

Password:

Login



Welcome to Home Page