Software Test Plan (STP)

Project: Academic Performance Analytics System (APAS)
Version: 1.0
Authors: Team 05
Date: 15-10-2026
Status: Draft

1. Introduction

Purpose:
This document defines the Software Test Plan (STP) for the Academic Performance Analytics System (APAS) version 1.0. It outlines the testing objectives, scope, strategy, resources, schedule, and responsibilities required to verify that the system meets its specified functional, non-functional, and security requirements.

Scope:
Testing covers user authentication, role-based access control, student academic record management, grade and attendance tracking, academic performance analysis, dashboards, predictive analytics, academic risk identification, and report generation.
Testing also includes performance, reliability, security, audit logging, and accessibility requirements. Third-party infrastructure internals and hardware-level testing are excluded

References:

- Academic Performance Analytics System — Software Requirements Specification (SRS), Version 1.0
- Academic Performance Analytics System — Software Architecture and Design Specification (when available)
- Requirements Traceability Matrix (RTM) from the APAS SRS
- Faculty-provided Software Test Plan template

Definitions:

- **APAS:** Academic Performance Analytics System
- **STP:** Software Test Plan
- **SRS:** Software Requirements Specification
- **RTM:** Requirements Traceability Matrix
- **UAT:** User Acceptance Testing
- **RBAC:** Role-Based Access Control
- **ML:** Machine Learning

2. Test Items

The following modules of the Academic Performance Analytics System (APAS) will be tested:

- User Authentication and Role-Based Access Control Module
- Student Academic Profile Management Module
- Grade and Assessment Management Module
- Attendance Tracking and Percentage Calculation Module
- Academic Performance Analysis Module
- Dashboard and Data Visualization Module
- Predictive Analytics and Academic Risk Identification Module
- Academic Insights and Recommendations Module
- Academic Performance Report Generation Module
- Security, Audit Logging, and Session Management Components

3. Features to be Tested

The following features will be tested according to the functional, non-functional, and security requirements defined in the APAS SRS Version 1.0.

Functional Requirements:

- APAS-F-001: User authentication and login
- APAS-F-002: Role-based access control
- APAS-F-003: Secure logout and session termination
- APAS-F-004: Student academic profile management
- APAS-F-005: Student grade entry and updating
- APAS-F-006: Attendance recording and percentage calculation
- APAS-F-007: Overall academic performance calculation
- APAS-F-008: Subject-wise and semester-wise performance analysis
- APAS-F-009: Identification of students below performance or attendance thresholds
- APAS-F-010: Academic performance dashboard
- APAS-F-011: Graphical visualization of academic trends
- APAS-F-012: Academic performance report generation and downloading
- APAS-F-013: Prediction of future academic performance
- APAS-F-014: Identification of academically at-risk students
- APAS-F-015: Academic insights and recommendations

Non-Functional Requirements:

- APAS-NF-001: Dashboard response time within 3 seconds for at least 95% of requests under normal operating conditions

- APAS-NF-002: Monthly system availability of at least 99%, excluding scheduled maintenance
- APAS-NF-003: Access restrictions for academic records
- APAS-NF-004: Audit logging and 12-month data retention
- APAS-NF-005: User interface accessibility according to applicable WCAG 2.1 AA criteria

Security Requirements:

- APAS-SR-001: Secure user authentication
- APAS-SR-002: Role-based access control
- APAS-SR-003: HTTPS communication using TLS 1.2 or higher
- APAS-SR-004: Secure password hashing
- APAS-SR-005: Security event audit logging

4. Features Not to be Tested

The following components are excluded from the testing scope of the Academic Performance Analytics System (APAS):

- Third-Party Infrastructure Internals: Internal functionality of external hosting platforms, operating systems, and database management systems will not be tested independently.
- Hardware-Level Testing: Physical hardware components, including processors, storage devices, and networking equipment, are outside the scope of application testing.
- External Academic Management Systems: Integration with third-party university ERP systems, learning management systems, or external examination portals will not be tested unless explicitly implemented.
- Unimplemented Future Enhancements: Features such as mobile applications, biometric authentication, and automated parent notifications will not be tested unless included in the approved project scope.

5. Test Approach / Strategy

The testing of the Academic Performance Analytics System (APAS) will be carried out using a combination of testing levels and testing types to verify that the system satisfies the functional, non-functional, and security requirements specified in the SRS Version 1.0.

5.1 Testing Levels

Unit Testing

Individual modules will be tested independently to verify their correctness. The modules include user authentication, student profile management, grade calculation, attendance percentage calculation, academic performance analysis, predictive analytics, and report generation.

Integration Testing

Integration testing will verify the interaction between the web interface, application backend, database, authentication service, analytics module, machine learning module, and reporting module. The tests will ensure that data is transferred, processed, and stored correctly across the integrated components.

System Testing

The complete APAS application will be tested end-to-end to verify its overall functionality. Testing will cover login and logout, role-based access control, student record management, grade and attendance tracking, performance dashboards, academic risk identification, predictive insights, and report generation.

Acceptance Testing

User Acceptance Testing (UAT) will verify whether the system meets the requirements of administrators, faculty members, and students. Acceptance testing will focus on the usability, correctness, and completeness of the features available to each authorized user role.

5.2 Testing Types

- **Functional Testing:** Verifies that all 15 functional requirements, APAS-F-001 to APAS-F-015, behave according to their specified acceptance criteria.
- **Regression Testing:** Ensures that modifications and defect fixes do not adversely affect previously working features.
- **Performance Testing:** Verifies that dashboards load within 3 seconds for at least 95% of requests under normal operating conditions, as specified in APAS-NF-001.
- **Security Testing:** Verifies authentication, role-based access control, secure communication using HTTPS with TLS 1.2 or higher, secure password hashing, and timestamped security audit logs.
- **Usability and Accessibility Testing:** Evaluates navigation, input validation, error messages, keyboard accessibility, and text contrast against the applicable WCAG 2.1 AA criteria.

- **Reliability Testing:** Evaluates system availability against the requirement of at least 99% monthly availability, excluding scheduled maintenance.
- **Data Validation Testing:** Verifies that invalid or incomplete academic records are handled appropriately and that grade, attendance, and performance calculations are correct.
- **Predictive Analytics Testing:** Checks whether predictions and academic risk classifications are generated for eligible students with sufficient historical data. Predictive performance results will be documented.

5.3 Entry Criteria

Testing will begin when the following conditions are satisfied:

- A stable and testable APAS build is available.
- The test environment and required application components are accessible.
- Test data covering valid, invalid, incomplete, and boundary-value academic records is prepared.
- User accounts for administrator, faculty member, and student roles are available.
- The SRS requirements and corresponding test cases have been reviewed.
- Required dependencies, including the database and analytics components, are available

5.4 Exit Criteria

Testing will be considered complete when the following conditions are satisfied:

- 100% of planned test cases have been executed, or any unexecuted cases have been formally documented and approved.
- All high-priority functional requirements have been verified against their acceptance criteria.
- All five non-functional requirements and all five security requirements have been tested.
- No unresolved critical-severity defects remain.
- All failed test cases have been investigated, and defects have been documented.
- The performance, reliability, security, accessibility, and predictive analytics test results have been recorded.

- The test summary report has been prepared and reviewed by the responsible stakeholders.

5.5 Defect Management

Defects identified during testing will be recorded with a unique defect ID, description, affected module, steps to reproduce, expected result, actual result, severity, priority, and current status. Developers will investigate and resolve reported defects, after which the testing team will perform retesting and regression testing. Critical defects must be resolved before final acceptance.

5.6 Security Validation

Security validation will verify the security requirements specified in the APAS SRS.

- **Authentication:** Verify that valid credentials permit access and invalid credentials are rejected.
- **Role-Based Access Control:** Verify that administrators, faculty members, and students can access only the functions and academic records permitted for their roles.
- **Secure Communication:** Verify that deployed environments handling student information use HTTPS with TLS 1.2 or higher.
- **Password Protection:** Verify that passwords are stored using an approved password-hashing algorithm and are not stored in plaintext.
- **Audit Logging:** Verify that security-relevant events, including login attempts and academic record modifications, are recorded with user identification, event details, and timestamps.
- **Session Management:** Verify that logging out terminates the active session and prevents access to protected pages without reauthentication.
- **Input Validation:** Verify that invalid inputs and incomplete academic records are handled safely and do not cause unauthorized data changes or application failures.

Security testing will be performed using authorized test accounts and test data. The results will be mapped to APAS-SR-001 through APAS-SR-005 and the corresponding test cases in the SRS.

6. Test Environment

6.1 Hardware Requirements

- Desktop or laptop computers for testing the web application.
- A server or equivalent test environment capable of hosting the application and database.
- A stable network connection for client-server communication.

6.2 Software Requirements

- Application Under Test: Academic Performance Analytics System (APAS), Version 1.0.
- Client Environment: Standard web browsers on desktop or laptop computers.
- Application Backend: The web application backend and associated application services.
- Database: The database used to store student profiles, grades, attendance, assignment records, and analytics.
- Analytics Components: Statistical analysis and predictive analytics modules.
- Reporting Component: The module responsible for generating and downloading academic performance reports.

The specific programming languages, frameworks, database technology, and deployment platform will follow the approved system design.

6.3 Testing Tools

- **Postman or an equivalent tool:** API and backend integration testing, where applicable.
- **Selenium or an equivalent tool:** Browser-based functional test automation, where applicable.
- **Apache JMeter or an equivalent tool:** Performance and load testing.
- **Issue-tracking tool:** Recording, assigning, and monitoring defects.
- **Browser developer tools:** Inspecting browser errors, network requests, and interface behavior.
- **Accessibility testing tools:** Checking applicable WCAG 2.1 AA accessibility criteria.

Final tool selection will depend on the implemented technology stack and available project resources.

6.4 Test Data

Test data will include:

- Valid and invalid user credentials.
- Administrator, faculty member, and student accounts.
- Sample student profiles and academic records.
- Valid, invalid, incomplete, and boundary-value grade entries.
- Attendance records for verifying attendance percentage calculations.
- Subject-wise and semester-wise academic performance data.
- Historical academic records for predictive analytics testing.
- Records representing students who meet and do not meet configured academic risk thresholds.
- Sample datasets for dashboard visualization and report generation.

Only authorized test accounts and appropriately anonymized or synthetic academic data will be used during testing.

7. Test Schedule

The testing activities for the Academic Performance Analytics System (APAS) will be conducted in phases to ensure systematic verification of functional, non-functional, and security requirements. The schedule below represents a proposed timeline and may be adjusted based on development progress and resource availability

Milestone	**Planned Schedule**	**Activities**
Test Planning and Review	Week 1	Review the SRS, identify test requirements, and finalize the test plan.
Test Case Design	Week 1–2	Prepare test cases for functional, non-functional, and security requirements.
Test Environment Setup	Week 2	Configure the application, database, test accounts, and test data.
Unit and Integration Testing	Week 3	Verify individual modules and interactions between system components.
System Testing	Week 3–4	Test authentication, academic records, analytics, dashboards, predictions, and reports.

Performance and Security Testing	Week 4	Verify dashboard response time, access control, secure communication, password hashing, and audit logging.
Defect Fixing and Regression Testing	Week 5	Retest corrected defects and verify that existing functionality remains unaffected.
User Acceptance Testing (UAT)	Week 5	Validate the system against user and stakeholder expectations.
Test Closure and Reporting	Week 5	Prepare the test summary report, document outstanding issues, and obtain the required approvals.

The testing team will monitor progress throughout the schedule. Any delays caused by unstable builds, environment issues, or unresolved defects will be documented, and the schedule will be revised with stakeholder approval

8. Test Deliverables

The following deliverables will be produced during the testing of the Academic Performance Analytics System (APAS) to document the testing process, verify compliance with the Software Requirements Specification (SRS), and support project acceptance.

1. **Software Test Plan (STP):** Documents the testing objectives, scope, approach, schedule, resources, responsibilities, risks, and acceptance criteria.
2. **Test Cases:** A set of test cases covering functional, non-functional, and security requirements specified in the APAS SRS Version 1.0.
3. **Test Scripts:** Manual test procedures and automated test scripts, where applicable, for verifying system functionality and behavior.
4. **Test Data:** Valid, invalid, incomplete, and boundary-value datasets, including synthetic student profiles, grades, attendance records, and historical academic records for predictive analytics testing.
5. **Test Execution Logs:** Records the execution status of each test case, including actual results, pass/fail status, execution date, and relevant observations.
6. **Defect Reports:** Documents defects identified during testing, including defect ID, description, severity, priority, reproduction steps, and resolution status.

7. **Requirements Traceability Matrix (RTM):** Maps the functional, non-functional, and security requirements in the APAS SRS to their corresponding test cases to ensure requirements coverage.
8. **Performance and Security Test Results:** Documents dashboard response-time measurements, access-control verification, secure communication checks, password-storage verification, and audit-logging results.
9. **Predictive Analytics Evaluation Report:** Records the evaluation of academic performance predictions and risk identification using suitable test data, including the evaluation method, observed results, and limitations.
10. **Test Summary Report:** Summarizes the testing activities, test cases executed, passed and failed cases, defects identified and resolved, outstanding issues, requirement coverage, and overall readiness for acceptance.

9. Roles and Responsibilities

The following roles and responsibilities will be followed during the testing of the Academic Performance Analytics System (APAS).

Role	Name	Responsibility
QA Lead / Test Coordinator	Neha Rastogi	Prepare and maintain the Software Test Plan, coordinate testing activities, monitor testing progress, review test results, ensure traceability between requirements and test cases, coordinate defect reporting, and prepare the final test summary report.
Test Engineer	Manasvi G V	Design and execute test cases, verify functional and non-functional requirements, record test results, and report defects.
Developer / Test Data Coordinator	Madhuri Ravikumar	Support defect investigation and fixes, assist with unit and integration testing, and prepare and maintain valid, invalid, boundary-value, and synthetic academic test data.
Project Lead / Approver	Pallavi B	Review testing progress, coordinate communication among team members, evaluate the final test summary report, and verify project readiness against agreed acceptance criteria.

9.1 Communication and Coordination

- Testing progress and identified defects will be communicated to the responsible team members.
- Defects will be documented with their severity, priority, reproduction steps, expected results, and actual results.
- Developers and testers will coordinate during defect fixing, retesting, and regression testing.
- The final test summary report will be reviewed before project acceptance.
- The assigned team members and approver will be recorded before final submission.

10. Risks and Mitigation

The following risks may affect the testing and validation of the Academic Performance Analytics System (APAS). Appropriate mitigation measures will be taken to minimize their impact on testing activities and project quality.

Risk	Impact	Mitigation
Incomplete or inaccurate student academic records	Incorrect performance calculations and misleading analytics results.	Prepare validated test datasets and verify data completeness and correctness before testing.
Insufficient historical academic data	Predictive analytics may produce unreliable results or may not generate predictions for some students.	Use suitable historical or synthetic test data and document prediction limitations and evaluation results.
Incorrect grade or attendance calculations	Academic dashboards, reports, and risk identification may display inaccurate information.	Test calculations using predefined expected results, boundary values, and invalid inputs.
Application or database unavailability	Testing activities may be interrupted, and test execution may be delayed.	Monitor the test environment, maintain backups where feasible, and document environment failures.
Unauthorized access to academic records	Confidential student information may be exposed or modified.	Perform authentication, role-based access control, session management, and security testing.

Delays in defect resolution	Regression testing and final acceptance may be delayed.	Prioritize defects according to severity and impact, assign responsibility, and track resolution progress.
Dashboard response time exceeds the specified limit	Users may experience delays when accessing academic information.	Perform performance testing and identify bottlenecks in application processing, database queries, or analytics operations.
Accessibility issues in the user interface	Some users may experience difficulty navigating or interpreting the application.	Perform keyboard navigation, text contrast, and applicable WCAG 2.1 AA accessibility checks.
Inconsistent test environments or test data	Test results may be unreliable or difficult to reproduce.	Maintain consistent test configurations, controlled test datasets, and documented test procedures.

The testing team will review these risks throughout the testing lifecycle and update mitigation measures when necessary.

11. Assumptions and Dependencies

The testing of the Academic Performance Analytics System (APAS) is based on the following assumptions and dependencies.

11.1 Assumptions

- A stable and testable version of APAS will be made available before test execution.
- The functional, non-functional, and security requirements specified in the APAS SRS Version 1.0 will serve as the basis for test design and execution.
- Test accounts for administrators, faculty members, and students will be available.
- Appropriate synthetic or anonymized academic data will be provided for testing.
- Expected results for grade calculations, attendance percentages, and academic performance metrics will be defined before execution.
- Predictive analytics results will be evaluated using suitable test datasets, and their limitations will be documented.
- Testing activities will be performed in an authorized test environment.

11.2 Dependencies

- Availability of the APAS application build and its required components.
- Availability and correct configuration of the application database.

- Availability of the authentication and session management components.
- Availability of the academic analytics and predictive analytics modules.
- Availability of the reporting functionality for report generation and download testing.
- Availability of the test environment, supported web browsers, and network connectivity.
- Availability of test data and documented acceptance criteria.
- Cooperation between developers, testers, and project stakeholders for defect resolution and acceptance.

Any change to these assumptions or dependencies that affects test execution will be documented and communicated to the responsible stakeholders.

12. Suspension and Resumption Criteria

12.1 Suspension Criteria

Testing of the Academic Performance Analytics System (APAS) may be suspended under the following circumstances:

- The test environment or a critical application component is unavailable for more than four hours.
- The application build is unstable and prevents execution of more than 30% of the planned test cases.
- Critical defects prevent the execution of essential functions such as authentication, academic record management, or access control.
- Required test data or system dependencies are unavailable, making the test results unreliable.
- A serious security issue is identified that requires investigation before testing can safely continue.

The QA Lead or designated Test Coordinator will document the reason for suspension, the affected test cases, and the corrective action required.

12.2 Resumption Criteria

Testing may resume when the following conditions are satisfied:

- The blocking defects have been resolved or an approved workaround has been provided.
- The test environment and required application components are operational.
- Required test data and dependencies are available.
- A smoke test confirms that the essential application functions are working.
- The QA Lead or designated Test Coordinator confirms that testing can continue.

After testing resumes, the team will execute the affected test cases again and perform regression testing where necessary. The suspension period, impact, and resumption date will be recorded in the test execution logs.

13. Test Case Management and Traceability

13.1 Test Case Management

Test cases for the Academic Performance Analytics System (APAS) shall be designed based on the functional, non-functional, and security requirements specified in the Software Requirements Specification (SRS).

Each test case shall have a unique identifier, objective, preconditions, test inputs, execution steps, expected results, and actual results. Test execution status shall be recorded as Pass, Fail, Blocked, or Not Executed.

Failed test cases shall be documented in the defect tracking system and retested after the corresponding defects have been resolved.

13.2 Requirements Traceability Matrix

The following matrix maps APAS requirements to their corresponding test cases.

Requirement ID	Requirement Description	Test Case ID
APAS-F-001	User authentication and login	TC-AUTH-01
APAS-F-002	Role-based access control	TC-AUTH-02
APAS-F-003	Secure logout and session termination	TC-AUTH-03
APAS-F-004	Student academic profile management	TC-REC-01
APAS-F-005	Grade entry and update	TC-REC-02
APAS-F-006	Attendance tracking and percentage calculation	TC-REC-03
APAS-F-007	Overall academic performance calculation	TC-ANA-01
APAS-F-008	Subject-wise and semester-wise performance analysis	TC-ANA-02

APAS-F-009	Identification of low performance and attendance below thresholds	TC-ANA-03
APAS-F-010	Dashboard display	TC-VIS-01
APAS-F-011	Graphical performance trends	TC-VIS-02
APAS-F-012	Report generation and download	TC-REP-01
APAS-F-013	Prediction using historical academic records	TC-PRED-01
APAS-F-014	Identification of academically at-risk students	TC-PRED-02
APAS-F-015	Academic insights and recommendations	TC-PRED-03
APAS-NF-001	Dashboard response time within the specified limit	TC-PERF-01
APAS-NF-002	System availability	TC-REL-01
APAS-NF-003	Access restrictions based on authenticated roles	TC-SEC-01
APAS-NF-004	Timestamped audit logs retained for at least 12 months	TC-AUD-01
APAS-NF-005	Accessibility, keyboard navigation, and text contrast	TC-UX-01
APAS-SR-001	Valid credentials required for protected access	TC-SEC-01
APAS-SR-002	Role-based access restrictions	TC-SEC-02
APAS-SR-003	HTTPS communication using TLS 1.2 or higher	TC-SEC-03
APAS-SR-004	Secure password hashing; no plaintext password storage	TC-SEC-04
APAS-SR-005	Timestamped security logs for login attempts and academic record changes	TC-SEC-05

13.3 Traceability Review

The Requirements Traceability Matrix shall be reviewed to ensure that all requirements included in the SRS are mapped to relevant test cases. Any requirement without a

corresponding test case shall be identified and addressed before test execution is completed.

Test case results shall be recorded during execution, and failed tests shall be linked to their corresponding defects. The final test summary shall identify requirement coverage, test execution status, unresolved defects, and any limitations in testing.

14. Test Execution and Defect Reporting

14.1 Test Execution

Test execution shall be carried out according to the approved test schedule and test cases prepared from the APAS Software Requirements Specification (SRS).

Before executing a test case, the tester shall verify that the required test environment, test data, and system build are available. Each test case shall be executed using the specified test inputs and steps, and the actual results shall be compared with the expected results.

The status of each test case shall be recorded as follows:

- **Pass:** The actual result matches the expected result.
- **Fail:** The actual result differs from the expected result.
- **Blocked:** The test cannot be executed because of an unresolved dependency or environment issue.
- **Not Executed:** The test has not yet been performed.

Failed test cases shall be documented, assigned for investigation, and retested after the related defects have been resolved.

14.2 Defect Reporting

Any discrepancy between the expected and actual results shall be recorded as a defect. Each defect report shall include:

- Unique defect identification number.
- Related test case ID and requirement ID.
- Defect title and detailed description.
- Steps to reproduce the defect.
- Expected and actual results.
- Severity and priority.
- Screenshots, logs, or other supporting evidence, where applicable.
- Defect status and assigned responsible person.

14.3 Defect Lifecycle

Defects shall be managed through the following lifecycle:

1. **New:** A defect is identified and reported.
2. **Assigned:** The defect is assigned for investigation and resolution.
3. **In Progress:** The responsible developer investigates and fixes the defect.
4. **Fixed:** A correction is available for testing.
5. **Retest:** The tester verifies the correction.
6. **Closed:** The tester confirms that the defect has been resolved.
7. **Reopened:** The defect is reopened if the problem persists or occurs again.

14.4 Regression Testing

Regression testing shall be performed after defect fixes or changes to verify that existing APAS functionality continues to work correctly.

Regression testing shall focus on affected features and related modules, including authentication, role-based access, academic record management, performance calculations, dashboards, reports, and predictive analytics, as applicable.

14.5 Test Execution Reporting

Test execution reports shall summarize the total number of test cases, the number passed, failed, blocked, and not executed, and the defects identified during testing.

The final test summary shall document requirement coverage, outstanding defects, testing limitations, and whether the exit criteria defined in this test plan have been satisfied.

15. Test Completion and Approval

15.1 Test Completion Criteria

Testing of the Academic Performance Analytics System (APAS) shall be considered complete when the following conditions have been evaluated:

- All planned test cases have been executed, or any unexecuted test cases have been documented with valid reasons.
- All high-priority functional requirements specified in the SRS have been tested.
- All specified non-functional and security requirements have been evaluated.
- Critical and high-severity defects have been resolved or formally documented for review and acceptance.
- Regression testing has been performed for relevant defect fixes and system changes.
- Performance, reliability, accessibility, and predictive analytics testing results have been documented.
- The Requirements Traceability Matrix has been reviewed and updated with the test execution status.
- The final test summary report has been prepared and reviewed.
- **Performance:** TC-PERF-01 shall verify that dashboards respond within 3 seconds for at least 95% of requests under normal operating conditions.
- **Reliability:** TC-REL-01 shall evaluate whether the system meets the monthly availability target of at least 99%, excluding scheduled maintenance.

- **Audit Logging:** TC-AUD-01 shall verify that required academic record changes are logged with timestamps and that audit logs are retained for at least 12 months.
- **Accessibility:** TC-UX-01 shall evaluate keyboard navigation and text contrast against the applicable WCAG 2.1 Level AA criteria.
- **Predictive Analytics:** The predictive analytics evaluation results, test data, evaluation method, and limitations shall be documented. Any accuracy threshold must be based on an approved project requirement rather than an invented value.
- **Final Acceptance:** No unresolved critical-severity defects shall remain at final acceptance, in accordance with the SRS acceptance criteria.

15.2 Test Summary Report

At the end of testing, a Test Summary Report shall be prepared to document the overall testing activities and outcomes. The report shall include:

- Scope of testing completed.
- Total test cases planned and executed.
- Number of test cases passed, failed, blocked, and not executed.
- Defects identified, resolved, and remaining open.
- Requirement coverage and traceability status.
- Performance, security, reliability, accessibility, and predictive analytics results.
- Known limitations and outstanding risks.
- Final assessment of the system's readiness for acceptance.

15.3 Final Approval

The completed Software Test Plan and the final testing results shall be reviewed by the designated project lead and relevant stakeholders.
Approval shall be granted when the testing results have been reviewed, the defined completion criteria have been evaluated, and any outstanding defects or risks have been formally documented and accepted by the authorized stakeholders.

Role	Name	Signature	Date
QA Lead / Test Coordinator	To be assigned	_____	_____
Project Lead	To be assigned	_____	_____
Project Approver	To be assigned	_____	_____