

No.	Cat	Hands-on Assignment	Topics Covered	Status
1	M	Write a program that will prompt for a EMPNO,ENAME,SAL. If EMPNO does not exists in EMP table then INSERT the EMPNO,ENAME,SAL into the EMP table else UPDATE ENAME,SAL for that EMPNO.	Control Structures	☐
2	S	Write a program that will prompt for number and display whether the number is ODD or EVEN number.	Control Structures	☐
3	M	Write program that prompts for EMPNO and update his salary based on the below specification: If the employee belongs to DEPTNO 10 then update his salary by 10%. If the employee belongs to DEPTNO 20 then update his salary by 15%. If the employee belongs to other DEPTNO then update his salary with SALARY+COMM.	Control Structures	☐
4	S	In sql Prompt create a table MYTABLE1 with RESULT as a column of number datatype. Write a program that will insert record in the mytable from 1,2,3... to 10 values. Do not insert record 6 and 8	Control Structures	☐

1.

```

connected.
SQL> set serveroutput on;
SQL> declare
  2   v_empno emp.eid%TYPE :=&eid;
  3   v_ename emp.first_name%TYPE :=&first_name;
  4   v_sal emp.sal%TYPE := &sal;
  5   cnt NUMBER;
  6   begin
  7       select count(*)
  8       into cnt
  9       from emp
 10      where eid=v_empno;
 11      if cnt =0 then
 12          insert into emp(eid,first_name,sal) values(v_empno,v_ename,v_sal);
 13          DBMS_OUTPUT.PUT_LINE('Employee Inserted');
 14      else
 15          update emp set first_name=v_ename,
 16                  sal=v_sal
 17          where eid=v_empno;
 18          DBMS_OUTPUT.PUT_LINE('Employee Updated');
 19      end if;
 20      commit;
 21      end;
 22      /
Enter value for eid: 100
old  2:   v_empno emp.eid%TYPE :=&eid;
new  2:   v_empno emp.eid%TYPE :=100;
Enter value for first_name: 'Steven'
old  3:   v_ename emp.first_name%TYPE :=&first_name;
new  3:   v_ename emp.first_name%TYPE :='Steven';
Enter value for sal: 24000
old  4:   v_sal emp.sal%TYPE := &sal;
new  4:   v_sal emp.sal%TYPE := 24000;
Employee Updated

PL/SQL procedure successfully completed.

```

```

SQL> set serveroutput on;
SQL> declare
  2   num NUMBER := &num;
  3   BEGIN
  4     if mod(num,2)=0 then
  5       DBMS_OUTPUT.PUT_LINE(num || 'is even');
  6     else
  7       DBMS_OUTPUT.PUT_LINE(num || 'is odd');
  8     end if;
  9   end;
 10  /
Enter value for num: 6
old   2:  num NUMBER := &num;
new   2:  num NUMBER := 6;
6is even

PL/SQL procedure successfully completed.

```

2.

```

SQL> set serveroutput on;
SQL> declare
  2   v_empno emp.eid%type := &eid;
  3   v_deptno emp.dept_id%type;
  4   begin
  5     select dept_id
  6     into v_deptno
  7     from emp
  8     where eid=v_empno;
  9     if v_deptno = 10 then
10     update emp
11     set sal = sal + (sal*0.10)
12     where eid=v_empno;
13     dbms_output.put_line('Salary Updated by 10%');
14     elsif v_deptno = 20 then
15     update emp
16     set sal = sal+(sal*0.15)
17     where eid=v_empno;
18     dbms_output.put_line('Salary Updated by 15%');
19     else
20     update emp
21     set sal=sal+nvl(comm,0)
22     where eid=v_empno;
23     dbms_output.put_line('Salary Updated with comm');
24     end if;
25     commit;
26   end;
27  /
Enter value for eid: 104
old   2:  v_empno emp.eid%type := &eid;
new   2:  v_empno emp.eid%type := 104;
Salary Updated with comm

PL/SQL procedure successfully completed.

```

```
SQL> set serveroutput on;
SQL> declare
  2  i NUMBER := 1;
  3  begin
  4  while i <= 10 LOOP
  5  if i<>6 AND i<>8 then
  6    insert into MYTABLE1 values(i);
  7  end if;
  8  i := i+1;
  9  end LOOP;
 10  commit;
 11  dbms_output.put_line('Records Inserted Successfully');
 12  end;
 13  /
```

Records Inserted Successfully

PL/SQL procedure successfully completed.

```
SQL> select * from MYTABLE1;
```

RESULT

1
2
3
4
5
7
9
10

8 rows selected.

```
SQL> |
```