Platform Perils

User Guide

Steven Palmer $\langle palmes 4 \rangle$ Chao Ye $\langle yec6 \rangle$

February 29, 2016

Contents

1	Intr	roduction	1
	1.1	Definitions	1
2	Get	8 4 4 4 4 4 4 4	2
	2.1	System Requirements	2
		2.1.1 Hardware Requirements	2
		±	2
	2.2		2
		2.2.1 Installing on Windows	3
		2.2.2 Installing on Mac OS X and Linux	4
		2.2.3 Other Operating Systems	4
	2.3	Running the Game	5
3	Gar		5
	3.1		5
			6
			7
	3.2	Game Controls	7
4	Lev	rel Editor	8
5	FAC	Q	8
6	Tro	ubleshooting	8
	6.1	Compilation Errors	8
		6.1.1 CMake fails to generate build files	8
		6.1.2 The compilation process fails while running the makefile.	8
		6.1.3 CMake is using an older/wrong version of gcc or de-	
		faulting to a different compiler.	8
		6.1.4 I am trying to use a compiler that is not gcc with the	
		installer and it is not working	9
	6.2	Runtime Errors	9
		6.2.1 The game creates a terminal/command prompt window	9
		· · · · · · · · · · · · · · · · · · ·	9

	0.2.3	The game encounters an error while loading a texture	9
	6.2.4	The game encounters an error while loading a sound file. 1	0
	6.2.5	The game encounters an error while loading shaders	
		and complains about an unsupported GLSL version 1	0
	6.2.6	$I\ am\ using\ a\ system\ with\ a\ GPU\ that\ supports\ OpenGL$	
		v3.3 or higher but the game does not run	0
	6.2.7	I am using a notebook that supports OpenGL v3.3 or	
		higher but the game does not run	0
6.3	Genera	al Troubleshooting	0
	of Ta		1
1			1
2			6
3	Game	Controls	7
List	of Fi	igures	
1	End of	f stage arch	6
			-
2	Hazaro	ds found in the game.	7

Revision History

Date	Version	Notes
February 28, 2016	1.0	Created document
February 29, 2016	1.1	Finished draft

1 Introduction

The purpose of this guide is to provide installation instructions as well as an overview of the game. The guide is structured as follows:

- The first part of the guide deals with system requirements and offers a step-by-step installation guide (see §2).
- The second part of the guide serves as an instruction manual for the game (see $\S3$, $\S4$)
- The final part of the guide provides additional help in the form of FAQ and troubleshooting sections (see §5, §6)

1.1 Definitions

The definitions used throughout this guide are listed in Table 1.

Table 1: List of Terms

Term	Definition
installer	Refers to the gamebuilder.tar.gz archive that contains an automated installer and the files required to build the game. When extracted, a folder structure with a root directory called gamebuilder/ is created.
game directory	The game directory can be found at game- builder/game/ (see installer)
source directory	The source directory can be found at game- builder/source/ (see installer)
build directory	The build directory can be found at game-builder/source/build/ (see installer)

2 Getting Started

2.1 System Requirements

2.1.1 Hardware Requirements

Running the game requires a system with a GPU that supports OpenGL v3.3 or higher.¹ Hardware requirements related to performance have not been assessed.

2.1.2 Software Requirements

Platform Perils is compatible with the following operating systems:

- Windows 7
- Mac OS X 10.6 and higher
- Linux (confirmed working on the Arch Linux distribution)

The following software will be required to install the game:

- CMake
- gcc
- make

Please refer to the installation instructions in the following section for further details.

2.2 Installation Instructions

A cross-platform compatible installer is included with the game. To use the installer you will need to download and install the latest release of CMake. Make sure that CMake can be run from the terminal/command prompt (you may need to edit your PATH variable).

¹Consult the specifications of your GPU to determine the highest supported version of OpenGL.

2.2.1 Installing on Windows

- 1. Download and install mingw-w64, which will be used to compile the game and the required libraries. Install with default settings (threads should be set to POSIX) and ensure that gcc.exe, g++.exe, and mingw32-make.exe can be run from the command prompt (you may need to edit your PATH variable).²
- 2. Open a command prompt and navigate to the pre-made build directory (gamebuilder/source/build/).
- 3. Run the command

```
cmake -G "MinGW Makefiles" ..
```

to invoke cmake. A makefile (as well as many other files) will be generated in the build directory.

4. Run the command

mingw32-make

to begin building the libraries and the game. This will build all of the necessary libraries as well as the game. The build process should take 1 to 2 minutes.

5. Run the command

mingw32-make install

to install the game to the game directory. All of the files required to run the game will be moved to this directory.

²mingw-w64 is a fork of mingw and much more up to date. Regular mingw installations do not include libraries that are required to build the game and its required libraries. If you have a previous installation of mingw you can either replace it or keep both versions.

2.2.2 Installing on Mac OS X and Linux

- 1. Open a terminal and navigate to the pre-made build directory (gamebuilder/source/build/).
- 2. Run the command

```
cmake -G "Unix Makefiles" ..
```

to invoke cmake. A makefile (as well as many other files) will be generated in the build directory.

3. Run the command

make

to begin building the libraries and the game. This will build all of the necessary libraries as well as the game. The build process should take 1 to 2 minutes.

4. Run the command

make install

to install the game to the game directory. All of the files required to run the game will be moved to this directory.

2.2.3 Other Operating Systems

The game must be installed manually on other operating systems. To perform a manual install you will need to download and compile the following libraries:

- 1. Chipmunk2D
- 2. GLFW
- 3. GLEW
- 4. OpenAL Soft
- 5. FreeALUT

The game can then be built using the source files and headers found in the src and include folders of the source directory. Be sure to merge all of the include folders that come with the libraries with the include folder found in the source directory folder. All of the aforementioned libraries must be linked to compile the game (as well as any operating system dependent libraries you may require).

2.3 Running the Game

Once the game is installed, it can be run via the executable found in the game directory. When running the game for the first time, use of the terminal/command prompt is recommended in case any error messages arise. If an error is encountered, refer to S6 for troubleshooting.

3 Game Basics

Platform Perils focuses on a nameless hero who finds himself lost in a world full of dangerous hazards. It is up to you to help the hero navigate safely through a series of perilous stages so that he can return home.

3.1 Stages

Each stage in the game begins with the hero situated at a designated start position. If the hero is killed by a hazard in the stage, he will restart at the start position. The goal of each stage is to reach the arch (see Figure 2) in the fastest time possible while avoiding the deadly hazards. When a stage is completed for the first time, the next stage is unlocked and becomes playable. Stages become progressively more difficult.



Figure 1: End of stage arch.

3.1.1 Hazards

The hazards that will be encountered in the game stages are summarized in Table 2. The visual representation of each hazard is given in Figure ??

Table 2: Hazards

Hazard	Description
Boulder	The boulder is a dangerous hazard that will crush any person in its path. When the boulder has stopped rolling is no longer hazardous and may even be used as a platform.
Spikes	Spikes are a fatal hazard that are frequently found on the tops and bottoms of platforms. Never touch them!
Javelin	Javelins are launched horizontally and fly through the air. Failing to dodge them will surely result in death.
Swinging Axe	The swinging axe follows a predictable path with pendulum-like motion. Careful timing should prove successful in avoiding this hazard.
Saw Blade	Rotating saw blades that protrude from platforms will slice the hero into two halves.
Spear Trap	Spear traps randomly launch spears up through holes in the ground. Tread carefully around these!




Figure 2: Hazards found in the game. (a) Swinging Axe. (b) Saw Blade. (c) Boulder. (d) Javelin. (e) Spikes. (f) Spear Trap.

3.1.2 Score

When a stage is completed you will receive a score expressed as a star-rating. This rating ranges from 1 star to 3 stars and is based on the time taken to complete the stage. Try to achieve a 3-star rating on every level!

3.2 Game Controls

The default game control are given in Table 3. In the current version of the game, the controls cannot be remapped.

Table 3: Game Controls

Key	Function
A	Move left
D	Move right
SPACE	Jump
ESC	Open menu (pauses game)

4 Level Editor

LEVEL EDITOR GUIDE TO BE COMPLETED AFTER LEVEL EDITOR IS COMPLETE!

5 FAQ

TO BE COMPLETED AFTER USER EXPERIENCE SURVEY. CURRENTLY NO FREQUENTLY ASKED QUESTIONS...

6 Troubleshooting

6.1 Compilation Errors

6.1.1 CMake fails to generate build files.

Ensure that you have **gcc** installed. If this is not the issue, refer to the documentation provided at **cmake.org** for further troubleshooting.

6.1.2 The compilation process fails while running the makefile.

The makefile generated by **CMake** provides detailed error reporting. In most cases failure results from a missing function or library. Instructions for resolving a particular issue

6.1.3 CMake is using an older/wrong version of gcc or defaulting to a different compiler.

If you are using Windows, ensure that the desired version of **gcc** appears before all others in your PATH variable. If a different compiler is being used by **CMake**, double check that you are inputting the correct command (the

MinGW Makefiles generator should default to gcc).

If you are using OS X or Linux, you can explicitly select the compiler by exporting the CC and CXX environment variable prior to calling **CMake** using the following commands:

```
export CC = path_to_gcc
export CXX = path_to_g++
```

6.1.4 I am trying to use a compiler that is not gcc with the installer and it is not working.

gcc is the only officially supported compiler at this time. Other compilers may or may not work with the provided installer and their use is not advised. If you are determined to use a different compiler, manual installation is recommended. Modifications to the source code of the game or the libraries may be required.

6.2 Runtime Errors

6.2.1 The game creates a terminal/command prompt window which immediately closes.

This indicates that the game has encountered a startup error. Try running the game from the terminal/command prompt so that any error messages produced before the game exits remain visible.

6.2.2 The game encounters an error while loading an object.

Check that the data folder in the source directory was copied into the game directory.

6.2.3 The game encounters an error while loading a texture.

Check that the data folder in the source directory was copied into the game directory.

6.2.4 The game encounters an error while loading a sound file.

Check that the data folder in the source directory was copied into the game directory.

6.2.5 The game encounters an error while loading shaders and complains about an unsupported GLSL version.

GLSL v330 is required to run the game. This message indicates that your system does not support OpenGL v3.3.

6.2.6 I am using a system with a GPU that supports OpenGL v3.3 or higher but the game does not run.

Make sure that your GPU drivers are up to date.

6.2.7 I am using a notebook that supports OpenGL v3.3 or higher but the game does not run.

This can happen if you are using a notebook computer with both an integrated and a dedicated GPU. Your notebook may be using the integrated GPU by default, in which case you will need to explicitly tell your system to run the game executable with the dedicated GPU. Instructions for doing this vary and are beyond the scope of this guide.

6.3 General Troubleshooting

THIS SECTION WILL COVER ANY IN-GAME ISSUES THAT MAY OCCUR. TO BE COMPLETED AFTER USER EXPERIENCE SURVEY.
