



PHOENIX
GRAVITY

PHOENIX GRAVITY Filtration Performance

Performance Summary

Contaminant Type	Contaminants Filtered	Phoenix Gravity Carbon Filter Cartridge Testing results (%)	POSTreat Steel Fluoride Reduction Add-on Cartridge Testing results (%)
Chemical	Chlorine	99.9%	N/A
	Lead	99.9%	N/A
PFOA & PFOS	PFOA	>99%	N/A
	PFOS	>99.5%	N/A
	PFOA+PFOS	>99.66%	N/A
Heavy Metal Contaminants	Aluminum	99.9%	N/A
	Antimony	99.9%	N/A
	Arsenic	99.9%	N/A
	Beryllium	99.9%	N/A
	Bismuth	99.4%	N/A
	Boron	99.9%	N/A
	Barium	99.9%	N/A
	Cadmium	99.9%	N/A
	Chromium	97.2%	N/A
	Copper	97.9%	N/A
	Iron	98.3%	N/A
	Lead	94.0%	N/A
	Manganese	99.9%	N/A
	Mercury	99.9%	N/A
	Nickel	99.9%	N/A
	Selenium	99.9%	N/A
	Zinc	82.6%	N/A
Disinfectant & Inorganic Non-Metallic Contaminants	Chloramines	99.9%	N/A
	Free Chlorine	99.9%	N/A
	Chloride	98.2%	N/A
Inorganic Non-Metallic Contaminants	Nitrates	99.0%	N/A
	Nitrites	99.9%	N/A
	Fluoride	75.5%	>95%
Pharmaceutical Drug Contaminants	Caffeine	99.9%	N/A
	Bisphenol A	99.9%	N/A
Volatile Organic Contaminants	Dischlorodifluoromethane	99.9%	N/A
	Chloromethane	99.9%	N/A
	Vinylchloride	99.9%	N/A
	Bromomethane	99.9%	N/A
	Chloroethane	99.9%	N/A
	Trichlorofluoromethane	99.9%	N/A
	1,1-Dichloroethene	99.9%	N/A

Performance Summary Con'd

Contaminant Type	Contaminants Filtered	Phoenix Gravity Carbon Filter Cartridge Testing results (%)	POSTreat Steel Fluoride Reduction Add-on Cartridge
Volatile Organic Contaminants	Methylene Chloride	99.9%	N/A
	trans-1,2-Dichloroethene	99.9%	N/A
	MTBE	99.9%	N/A
	1,1-Dichloroethane	99.9%	N/A
	cis-1,2-Dichloroethane	99.9%	N/A
	2,2-Dichloropropane	99.9%	N/A
	Bromochloromethane	99.9%	N/A
	Chloroform	99.9%	N/A
	Carbon Tetrachloride	99.9%	N/A
	1,1,1-Trichloroethane	99.9%	N/A
	1,1-Dichloropropane	99.9%	N/A
	Benzene	99.9%	N/A
	1,2-dichloroethane	99.9%	N/A
	Trichloroethene	99.9%	N/A
	Dibromomethane	99.9%	N/A
	1,2-Dichloropropane	99.9%	N/A
	Bromodichloromethane	99.9%	N/A
	cis-1,3-Dichloropropene	99.9%	N/A
	Toluene	99.9%	N/A
	trans-1-3-Dichloropropene	99.9%	N/A
	Tetrachloroethene	99.9%	N/A
	1,1,2-Trichloroethane	99.9%	N/A
	Chlorodibromomethane	99.9%	N/A
	1,3-Dichloropropane	99.9%	N/A
	Ethylbenzene	99.9%	N/A
	Chlorobenzene	99.9%	N/A
	1,1,1,2- Tetrachloroethane	99.9%	N/A
	m-Xylene	99.9%	N/A
	O-Xylene	99.9%	N/A
	Styrene	99.9%	N/A
	Bromoform	99.9%	N/A
	Isopropylbenzene	99.9%	N/A
	n-Propylbenzene	99.9%	N/A
	Bromobenzene	99.9%	N/A
	1,1,2,2-Tetrachloroethane	99.9%	N/A
	1,3,5-Trimethylbenzene	99.9%	N/A
	2-Chlorotoluene	99.9%	N/A

Performance Summary Con'd

Contaminant Type	Contaminants Filtered	Phoenix Gravity Carbon Filter Cartridge Testing results (%)	POSTreat Steel Fluoride Reduction Add-on Cartridge
Volatile Organic Contaminants	1,2,3-Trichloropropane	99.9%	N/A
	4-Chlorotoluene	99.9%	N/A
	tert-Butylbenzene	99.9%	N/A
	1,2,4-Trimethylbenzene	99.9%	N/A
	sec-Butylbenzene	99.9%	N/A
	4-Isopropyltoluene	99.9%	N/A
	1,3-Dichlorobenzene	99.9%	N/A
	1,4-Dischlorobenzene	99.9%	N/A
	n-Butylbenzene	99.9%	N/A
	1,2-Dichlorobenzene	99.9%	N/A

Performance Summary for FluoRid media

Contaminant Type	Contaminants Filtered	FluoRid media Test results (%)
Metal	Fluoride	>95%



PHOENIX
GRAVITY

Third-party Lab Reports
Carbon Filter Cartridge
PFOA and PFOS

Atom Testing Laboratory

A procedure to prove the existence
Accreditation: NABL(ISO/IEC 17025:2017)

#B-376,9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058 Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

Perfluorooctanic acid (PFOA) and
Perfluorooctanesulfonate (PFOS)
Data for Rama Water Filter.

Filter Model	CARBON GRAVITY FILTER
Product Code	PHOENIX GRAVITY FILTER
Batch Number	RMU1023
Report Number	2312042
Report Date	December 08, 2023
Sample Details	210mm L X 70mm OD
Flow rate	3-5 LPH
Customer Name	RAMA PURE WATER #196, East Coast Road, Injambakkam, Chennai, Tamilnadu - 600115
Date of Reporting	08-12-2023

Testing Methodology and Quality Standards Overview

1. The test results presented were obtained using a single filter. For systems utilizing two filters, the capacity may be doubled.
2. The testing was carried out under controlled conditions in an ISO/9000:2015 & ISO 17025:2017 accredited laboratory.
3. Flushing time:

The system/unit is flushed in accordance with the manufactures instructions using test water. The system is challenged using appropriate influent challenge water.

4. Test Run: 50% ON / 50% OFF cycle.
5. Methods

- As per the Standard guidelines of NSF 53 AND NSF 42
- Test methods followed as per APHA 22ND EDITION

Page 1 of 2


Vivekanand Bhat
General Manager

Authorised Signatory

Atom Testing Laboratory

A procedure to prove the existence
Accreditation: NABL(ISO/IEC 17025:2017)

#B-376,9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058 Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

- Test methods followed as per AOAC 20TH EDITION
 - Test methods followed as per NSF/ANSI53 -2020 INFORMATIVE Annex 5
 - Test methods followed as per EPA guidelines
6. Test water to be analyzed for perfluorooctanic acid (PFOA) and Perfluorooctanesulfonate (PFOS) are directly injected and then analyzed by liquid chromatography triple quadrupole mass spectroscopy LC/MS/MS in electrospray negative mode. Method sensitivity is 10 ng/L
7. Prepared the standard and samples solution as per NSF/ANSI53 -2020

Contaminant	Liters Tested as of 07/12/23	Influent Challenge Concentrat ion Before Filtration (ug/L)	Effluent Concentrati on After Filtration (ug/L)	Maximum Allowable Effluent Concentration (ug/L)	Testing Status
PFOA	0	0.5	<0.005		Passed
PFOS	0	1	<0.005		Passed
PFOA+PFOS	0	1.5	<0.005	0.02	Passed
PFOA	250	0.5	<0.005		Passed
PFOS	250	1	<0.005		Passed
PFOA+PFOS	250	1.5	<0.005	0.02	Passed
PFOA	500	0.5	<0.005		Passed
PFOS	500	1	<0.005		Passed
PFOA+PFOS	500	1.5	<0.005	0.02	Passed
PFOA	1000	0.5	<0.005		Passed
PFOS	1000	1	<0.005		Passed
PFOA+PFOS	1000	1.5	<0.005	0.02	Passed
PFOA	1500	0.5	<0.005		Passed
PFOS	1500	1	<0.005		Passed
PFOA+PFOS	1500	1.5	<0.005	0.02	Passed

Page 2 of 2

Vivekanand Bhat
General Manager

Authorised Signatory



PHOENIX
GRAVITY

Third-party Lab Reports
Carbon Filter Cartridge
Heavy Metals

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

REPORT ISSUED TO: RAMA PURE WATER PVT LTD

Date: 20112023

Customer Address: #196, East Coast Road, Injambakkam, Chennai, Tamilnadu - 600115

Report Number: 2311159

Test Data Summary :

Sample Name	: CARBON GRAVITY FILTER
Product Code	: PHOENIX GRAVITY FILTER
Batch Number	: RMU1023
Sample Details	: 210mm L X 70mm OD
Capacity Of Block	: More than 4000L
Flow Rate	: 3-5 LPH

Flushing time:

The system/unit is flushed in accordance with the manufactures instructions using test water.
The system is challenged using appropriate influent challenge water.

Test Run: 50% ON / 50% OFF cycle.

Instruments used for the testing:

- ICPMS: Inductively Coupled Plasma Mass Spectrophotometer for Heavy Metals.

Methods

- As per the Standard guidelines of NSF 53 AND NSF 42
- Test methods followed as per APHA 22ND EDITION
- Test methods followed as per AOAC 20TH EDITION
- Test methods followed as per EPA guidelines.
- Microbiology as per the test methods of NSF PROTOCOL

Page 1 of 3


Vivekanand Bhat
General Manager
Authorised Signatory

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

Results

Parameters	General Test Water	Target
pH	7.0 to 7.68	6.5 to 8.5
Temperature	20.0°C to 23.5°C	20.5°C
TDS	200 to 400 mg/L	50-500 mg/L
Turbidity	1 to 5 NTU	3 to 5 Nephelometric Turbidity Units
TOC	2.0 to 3.0 mg/L	2 to 5 mg/L

Table 2: - Challenge Water Properties

Parameters	Influent Challenge Water	Target
pH	8.5-9.3	8.5 to 9.5
Temperature	18.5-21.3°C	20.5°C

Table 3: - Input Water Properties

TDS	1250-1658 mg/L	1250-1700 mg/L
Turbidity	3 to 5 NTU	3 to 5 Nephelometric Turbidity Units
TOC	10 to 15mg/L	10 to 15 mg/L

Chemical Test Reports

Heavy Metal Contaminants, µg/L

Element	Input Concentration	Output Concentration	% Reduction
Aluminum	200	<2	99.9 +
Antimony	21	<0.5	99.9 +
Arsenic	200	<0.5	99.9 +
Beryllium	200	<0.2	99.9 +
Bismuth	50	0.3	99.43
Boron	20	<1	99.9 +
Barium	20	<1	99.9 +
Cadmium	20	<0.2	99.9 +
Chromium	200	7.2	97.21
Copper	2000	40.8	97.96
Iron	1500	25.9	98.35
Lead	150	9.0	94.00
Manganese	500	<0.5	99.9 +
Mercury	10	<0.1	99.9 +
Nickel	100	<0.5	99.9 +
Selenium	100	<0.5	99.9 +
Zinc	150	26.1	82.60

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

Disinfectant and Inorganic Non-Metallic Contaminants in mg/L

Element	Input Concentration	Output Concentration	% Reduction
Chloramines	3.02	<0.1	99.9+
Free Chlorine	2.0	<0.1	99.9+
Chloride	236	10	98.2+

Inorganic Non-Metallic Contaminants in mg/L

Drinking Water Containment Tested	Influent Water Concentration in $\mu\text{g/L}$	Filter Element Effluent Concentration in $\mu\text{g/L}$	% Reduction
Nitrates	42	0.3	99.0
Nitrites	3.8	<0.1	99.9 +
Fluoride	8000	1960	75.5



Fig 1: - Candle



Fig 2: - Filtering Unit

CONCLUSION:

The Filter Element meets the requirements for the Chemical Reduction NSF Protocol Passed.



PHOENIX
GRAVITY

Third-party Lab Reports
Carbon Filter Cartridge
Pharmaceuticals, VOCs

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

REPORT ISSUED TO: RAMA PURE WATER PVT LTD

Date: 20112023

Customer Address: #196, East Coast Road, Injambakkam, Chennai, Tamilnadu - 600115

Report Number: 2311160

Test Data Summary :

Sample Name	: CARBON GRAVITY FILTER
Product Code	: PHOENIX GRAVITY FILTER
Batch Number	: RMU1023
Sample Details	: 210mm L X 70mm OD
Capacity Of Block	: More than 4000L
Flow Rate	: 3-5 LPH

Flushing time:

The system/unit is flushed in accordance with the manufactures instructions using test water.
The system is challenged using appropriate influent challenge water.

Test Run: 50% ON / 50% OFF cycle.

Instruments used for the testing:

• GCMSMS: Gas chromatography with Mass Spectroscopy for the evaluation of Pesticides
Polyaromatic hydrocarbons, Polychlorinated biphenyls and Volatile Organic Compounds.

Methods

- As per the Standard guidelines of NSF 53 AND NSF 42
- Test methods followed as per APHA 22ND EDITION
- Test methods followed as per AOAC 20TH EDITION
- Test methods followed as per EPA guidelines.
- Microbiology as per the test methods of NSF PROTOCOL


Vivekanand Bhat
General Manager
Authorised Signatory

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

Results

Parameters	General Test Water	Target
pH	7.0 to 7.68	6.5 to 8.5
Temperature	20.0°C to 23.5°C	20.5°C
TDS	200 to 400 mg/L	50-500 mg/L
Turbidity	1 to 5 NTU	3 to 5 Nephelometric Turbidity Units
TOC	2.0 to 3.0 mg/L	2 to 5 mg/L

Table 2: - Challenge Water Properties

Parameters	Influent Challenge Water	Target
pH	8.5-9.3	8.5 to 9.5
Temperature	18.5-21.3°C	20.5°C

Table 3: - Input Water Properties

TDS	1250-1658 mg/L	1250-1700 mg/L
Turbidity	3 to 5 NTU	3 to 5 Nephelometric Turbidity Units
TOC	10 to 15mg/L	10 to 15 mg/L

Pharmaceutical Drugs Contaminants in µg/L

Drinking Water Containment Tested	Influent Water Concentration in µg/L	Filter Element Effluent Concentration in µg/L	% Reduction
Caffeine	18.6	<0.1	99.9 +
Bisphenol A	20.2	<0.1	99.9 +


Vivekanand Bhat
General Manager
Authorised Signatory

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

Volatile Organic Contaminants µg/L (Considered mainly as a Chloroform)

Drinking Water Contaminant Tested	Influent Water Concentration in µg/L	Filter Element Effluent Concentration in µg/L	% Reduction
Dichlorodifluoromethane	80.5	<0.5	99.9+
Chloromethane	80.2	<0.5	99.9+
Vinylchloride	80.1	<0.5	99.9+
Bromomethane	80.0	<0.5	99.9+
Chloroethane	80.0	<0.5	99.9+
Trichlorofluoromethane	80.0	<0.5	99.9+
1,1-Dichloroethene	81.0	<0.5	99.9+
Methylene Chloride	80.1	<0.5	99.9+
trans-1,2-Dichloroethene	80.2	<0.5	99.9+
MTBE	80.1	<0.5	99.9+
1,1-Dichloroethane	80.5	<0.5	99.9+
cis-1,2-Dichloroethene	80.2	<0.5	99.9+
2,2-Dichloropropane	80.0	<0.5	99.9+
Bromochloromethane	80.0	<0.5	99.9+
Chloroform	80.0	<0.5	99.9+
Carbon Tetrachloride	80.0	<0.5	99.9+
1,1,1-Trichloroethane	80.0	<0.5	99.9+
1,1-Dichloropropene	80.0	<0.5	99.9+
Benzene	80.0	<0.5	99.9+
1,2-Dichloroethane	80.0	<0.5	99.9+
Trichloroethene	80.2	<0.5	99.9+
Dibromomethane	80.2	<0.5	99.9+
1,2-Dichloropropane	80.1	<0.5	99.9+
Bromodichloromethane	80.0	<0.5	99.9+

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report

cis-1,3-Dichloropropene	80.0	<0.5	99.9+
Toluene	80.0	<0.5	99.9+
trans-1,3-Dichloropropene	80.0	<0.5	99.9+
Tetrachloroethene	80.0	<0.5	99.9+
1,1,2-Trichloroethane	80.0	<0.5	99.9+
Chlorodibromomethane	80.0	<0.5	99.9+
1,3-Dichloropropane	80.0	<0.5	99.9+
Ethylbenzene	80.0	<0.5	99.9+
Chlorobenzene	80.0	<0.5	99.9+
1,1,1,2-Tetrachloroethane	80.0	<0.5	99.9+
m-Xylene	40.0	<0.5	99.9+
o-Xylene	40.0	<0.5	99.9+
Styrene	80.0	<0.5	99.9+
Bromoform	80.0	<0.5	99.9+
Isopropylbenzene	80.0	<0.5	99.9+
n-Propylbenzene	80.0	<0.5	99.9+
Bromobenzene	80.0	<0.5	99.9+
1,1,2,2-Tetrachloroethane	80.0	<0.5	99.9+
1,3,5-Trimethylbenzene	80.0	<0.5	99.9+

2-Chlorotoluene	80.0	<0.5	99.9+
1,2,3-Trichloropropane	80.0	<0.5	99.9+
4-Chlorotoluene	80.0	<0.5	99.9+
tert-Butylbenzene	80.0	<0.5	99.9+
1,2,4-Trimethylbenzene	80.0	<0.5	99.9+
sec-Butylbenzene	80.0	<0.5	99.9+
4-Isopropyltoluene	80.0	<0.5	99.9+
1,3-Dichlorobenzene	80.0	<0.5	99.9+
1,4-Dichlorobenzene	80.0	<0.5	99.9+
n-Butylbenzene	80.0	<0.5	99.9+
1,2-Dichlorobenzene	80.0	<0.5	99.9+

Page 4 of 5

Vivekanand Bhat
General Manager
Authorised Signatory

Atom Testing Laboratory

A procedure to prove the existence

Accreditation: NABL(ISO/IEC 17025:2017)

#B-376, 9th Cross, Ring Road, Peenya 1st Stage, Peenya Industrial Estate,
Bangalore - 560 058. Phone : 080-42021842 E-mail : atomprocedure@gmail.com



Analytical Report



Fig 1: - Candle



Fig 2: - Filtering Unit

CONCLUSION:

The Filter Element meets the requirements for the Volatile Organic Compounds Reduction NSF Protocol Passed.


Vivekanand Bhat
General Manager
Authorised Signatory



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎ +91 44 2433 0382 to 85
☎ 9444709669 ☎ info@cvrlabs.com ☎ www.cvrlabs.com

TEST REPORT

016705 Page 1 of 5

Report Number : 21080072.01	Sample Description : Water
Sample Received on : 09/09/2021	Analysis completed on: 16/09/2021
Date of report : 16/09/2021	Sample: Phoenix Carbon Filter Cartridge Product name: Phoenix GRAVITY Product No: P17C2D2
Issued to : M/S. Rama Pure Water Pvt Ltd, No:146/196, East Coast Road, Chennai.	

S.No	VOC Compounds	Method of Analysis	Analysis Report			
			Before Spike ppb	After 100 ppb Spike	After Filtration ppb	% of performance Efficiency
1	1,1,1,2-Tetrachloroethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
2	1,1,1-Trichloroethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
3	1,1,2,2-Tetrachloroethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
4	1,1,2-Trichloroethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
5	1,1-Dichloroethene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
6	1,1-Dichloropropene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
7	1,2,3-Trichlorobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
8	1,2,3-Trichloropropane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
9	1,2,4-Trichlorobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
10	1,2,4-Trimethylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
11	1,2-Dibromo-3-chloropropane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
12	1,2-Dibromoethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
13	1,2-Dichlorobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100

Verified By

.....cont.....

For CVR LABS (P) LIMITED

S.M. FARVEEN BANU
Authorized Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85

☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

016695

TEST REPORT

Page 2 of 5

14	1,2-Dichloroethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
15	1,2-Dichloropropane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
16	1,3,5-	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
17	1,3-Dichlorobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
18	1,3-Dichloropropane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
19	1,4-Dichlorobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
20	2,2-Dichloropropane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
21	2-Chlorotoluene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
22	4-Chlorotoluene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
23	4-Isopropyltoluene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
24	Benzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
25	Bromobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100

Verified By

V. MEYAPPAN
16/09/2021

.....cont.....

For CVR LABS (P) LIMITED

S.M. Parveen Banu

S.M. PARVEEN BANU
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85

☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

016696

TEST REPORT

Page 3 of 5

26	Bromochloromethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
27	Bromodichloromethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
28	Bromoform	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
29	Bromomethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
30	Chlorobenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
31	Chloroethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
32	Chloroform	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
33	Chloromethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
34	Cis-1,2-Dichloroethene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
35	Cis-1,3-Dichloropropene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
36	Dibromochloromethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
37	Dibromomethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
38	Dichlorodifluoromethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
39	Ethylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
40	Hexachlorobutadiene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100

Verified By

.....cont.....

For CVR LABS (P) LIMITED

S.M. PARVEEN BANU
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85

☎9444709669 ☎info@cvrlabs.com ☎www.cvrlabs.com

016697

TEST REPORT

Page 4 of 5

41	IsoPropylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
42	Methylene Chloride	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
43	m-Xylene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
44	Naphthalene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
45	n-Butylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
46	n-Propylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
47	o-Xylene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
48	p-Xylene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
49	sec-Butylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
50	Styrene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
51	tert-Butylbenzene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
52	Tetrachloroethene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
53	Toluene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100

V.M.

Verified By

V.M. EYYPAN
16/09/2021

.....CONT.....

For CVR LABS (P) LIMITED

S.M. Parveen Banu

S.M. PARVEEN BANU
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not be used in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



CVR Labs (P) Limited

CIN NO: U 74140TN1999PTC043582

Dignity Centre, II Floor, No. 2/9, Abdul Razack Street,
Saidapet, Chennai - 600 015. ☎+91 44 2433 0382 to 85
☎9444709669 ✉info@cvrlabs.com 🌐www.cvrlabs.com

016698


TEST REPORT

Page 5 of 5

54	trans-1,2-Dichloroethene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
55	trans-1,3-Dichloropropen	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
56	Trichloroethene	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
57	Trichlorofluoromethane	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
58	VinylChloride	CVR/INS/SOP GCMSMS/016	0.0000	100	BDL(DL:0.5)	100
Contaminate -- H						

S.No	Metals	Method of Analysis	Analysis Report			
			Before Spike ppb	After 200 ppb Spike	After Filtration ppb	% of performance Efficiency
1	Arsenic as As	3500-B APHA 23rd Edition:2017	0.00000	200	BDL(DL:0.001)	100
2	Cadmium as Cd	3500-B APHA 23rd Edition:2017	0.00000	200	BDL(DL:0.001)	100
3	Chromium as Cr	3500-B APHA 23rd Edition:2017	0.00000	200	BDL(DL:0.001)	100
4	Lead as Pb	3500-B APHA 23rd Edition:2017	0.00000	200	BDL(DL:0.001)	100
5	Nickel as Ni	3500-B APHA 23rd Edition:2017	0.00000	200	BDL(DL:0.001)	100
S.No	Parameter	Method of Analysis	Analysis Report			
			Before Spike ppm	After 2.0 ppm Spike	After Filtration ppm	% of performance Efficiency
1	Fluoride as F	4500-F D APHA 23rd Edition:2017	0.98	3.00	0.30	90
2	Free Residual Chlorine	IS 3025 (Part 26)	BDL(DL:0.1)	2.00	BDL(DL:0.1)	100

BDL: Below Detection Limit; DL: Detection Limit.


 Verified By
 V. MEYAPPAN
 16/09/2021

***** END OF REPORT *****

For CVR LABS (P) LIMITED



S.M. PARVEEN BANSI
Authorised Signatory

Laboratory - Accredited By: NABL (TC-7618); Recognized By: BIS, FSSAI, MoEF; Certified By: ISO 9001:2015 & ISO 45001:2018

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. The report shall not be reproduced except in full without our written approval. Any complaints about this report should be communicated within 7 days. Separate report will be issued for non-accredited parameter(s). Asterisk mark or any other symbol will not use in the report. The tested sample(s) are retained 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified.



PHOENIX
GRAVITY

Third-party Lab Reports
Carbon Filter Cartridge

Environmental Monitoring Service

Testing and research laboratory for water, soil and food products
Aurobrindavan, Auroville, T.N., India - 605101
Phone: 91-0413-2964096, 9786620685
E-mail: ems@auroville.org.in

Test Report

Customer name: Rama Pure Water P.
Ltd.,
Nature of sample: Phoenix Carbon Filter

Analysis started: 22/02/2023
Analysis completed: Mention below
Sample collected: By lab person
Lab ID: 049

Objective: To find out efficiency of the water filters 1 and 2 for the removal of the chlorine, lead and E. coli.

Procedure: Filters was conditioned by passing 10 L tap water and check for flow rate before trial started.

Chemical parameters:

Tap water having TDS 178 mg/l and pH 6.7 was used. Spiked concentration for chlorine and lead in the table.

Filters ID: Sl. No.1 - PCC8/FX20230106, Sl. No. 2 - PCC8/FX20230107.

Sl. No.	Sample ID	Flow rate L/hr.	Removal %	
			Free Cl ⁻	Lead (as Pb)
50 L (23-02-2023) Spike: free chlorine 3 mg/L & lead 0.2 mg/L				
1	1	5.0	99.9	99.9
2	2	5.6	99.9	99.9
500 L (03-03-2023) Spike: free chlorine 3 mg/L & lead 0.2 mg/L				
3	1	5.0	99.9	99.9
4	2	5.6	99.9	99.9
1000 L (18-03-2023) Spike: free chlorine 3 mg/L & lead 0.2 mg/L				
5	1	3.6	99.9	99.9
6	2	3.9	99.9	99.9
2000 L (08-04-2023) Spike: free chlorine 3 mg/L & lead 0.2 mg/L				
7	1	3.9	99.9	99.9
8	2	4.1	99.9	99.9
3000 L (04/05/2023) Spike: free chlorine 3 mg/L & lead 0.2 mg/L				
9	1	3.6	99.9	99.9
10	2	3.9	99.9	99.9
4000 L (07/07/2023) Spike: free chlorine 3 mg/L & lead 0.2 mg/L				
11	1	3.5	99.9	99.9
12	2	3.6	99.9	99.9

Test has been accelerated hereon with 5x the concentration of Chlorine in tap water. Starting here, every 1000 litres tested is equivalent to 5000 litres of chlorinated tap water.

5000 L (08/08/2023) Spike free chlorine: 15 mg/L & lead 1.0 mg/L				
13	1	3.4	99.9	99.9
14	2	3.3	99.9	99.9

6000 L (10/10/2023) Spike free chlorine: 15 mg/L & lead 1.0 mg/L				
15	1	3.3	96.3	96.1
16	2	3.2	97.1	95.5

Conclusion:


The filter cartridges have been found to remove Chlorine at tap water concentrations of 3ppm, and remove Lead at 200ppb, at greater than 95% efficiency for over 10,000 litres per filter.

Method of testing:

Free Chlorine - APHA 20, 4500-CL

Lead - APHA 20, 3111-Pb

E.coli - IS-15185:2002/ISO -9308-1:2000

Analyst 

Lab executive 





PHOENIX
GRAVITY

Third-party Lab Reports
POSTreat Steel

Environmental Monitoring Service

Testing and research laboratory for water, soil and food products

Aurobrindavan, Auroville, T.N., India - 605101

Phone: 91-0413-2964096, 9786620685

E-mail: ems@auroville.org.in

Test Report

Customer name: Rama Water Filters

Nature of sample: Water

Sample ID: Filter PTS - AA

Analysis started: 05/11/2021

Analysis completed: 30/12/2021

Sample collected: by lab person

Lab ID: 400

Objective: To find out life time of the filter for fluoride removal.

Experiment: Filter was conditioned by passing 10 L tap water and check for flow rate before trial started.

Tap water having TDS 171 mg/l and pH 6.4 is spiked with fluoride to get 2 ppm and passed through the filter, samples were collected in a period of intervals and test for the removal rate of fluoride and flow rate was given below.

Delta P - 30 cm

Water passed in liters	Flow rate L/hr	Initial F-ppm	Residue after filter, ppm	Removal %
250	2.6	2.0	< 0.1	> 95
500	2.8	2.0	< 0.1	> 95
750	2.6	2.0	< 0.1	> 95
1000	2.9	2.0	< 0.1	> 95

Delta P - 60 cm (This testing after 1000-Litres has been accelerated to speed up the testing time)

Water passed in liters	Flow rate L/hr	Initial F-ppm	Residue after filter, ppm	Removal %
1250	3.9	2.0	0.13	93.5
1500	4.1	2.0	0.17	91.6
1750	3.7	2.0	0.31	84.3
2000	3.8	2.0	0.44	78.2

Method of testing for Fluoride - 4500-F-.C, APHA 23rd 2017

Analyst



Lab executive





PHOENIX
GRAVITY

WQA Certificate

Water Quality Association Gold Seal Certificate

Rama Pure Water Pvt. Ltd.

196, East Coast Road, Chinnadi Kuppam, Injambakkam
Kotivakkam, Tamil Nadu India

Facility: Rama Pure Water Pvt Ltd

Certification Date: May 10, 2022

Authorized By:



Karen L. Settler
Process Improvement Manager

Water Quality Association
2375 Cabot Drive
Lisle, IL 60532, USA



Products are evaluated according to Product Certification Scheme Type 5, as defined in ISO/IEC 17067 (current version).
This Certificate, or any part thereof, may not be used in a misleading manner and validation of its use is contingent upon the Official WQA web-listing.
Please contact your Project Leader for product expiration terms. All Standards referenced in the Product Certification Schemes by Standard Name.

