Web design – Computer lab 6

Ing. Pavol Dubovec

Brno University of Technology, Faculty of Information Technology
Božetěchova 1/2, 612 00 Brno – Královo Pole
idubovec@fit.vut.cz

April 28, 2025

- Lab 6 – section JavaScript and jQuery
- Lecture 9 – JavaScript and jQuery
- MDN – JavaScript Guide
- W3Schools – JavaScript Tutorial
- jQuery API Documentation
- jQuery Learning Center
- Google JavaScript Style Guide

1. Start from the document you have created in the previous lab (lab 5).
2. Find lab 6 on the labs website.
3. Adjust the document to display well on devices with different resolutions.
4. Consider the following device classes:
   - extra small (XS) < 576 px
     - displays the hamburger menu
   - small (SM) ≥ 576 px – **mobile phone**
   - medium (MD) ≥ 768 px – **tablet**
     - show icons without description,
     - on hover action show description (see below).
   - large (LG) ≥ 992 px – **laptop**
   - extra large (XL) ≥ 1200 px – **desktop**
     - displays standard menu with description without title (see below).
   - extra extra large (XXL) ≥ 1400 px – **widescreen**
     - displays standard menu with description without title.

- **Icons**
  - Explore Font Awesome and choose the appropriate free icons for your menu.
  - Used icons: home, info-circle, tv, grin-beam-sweat, hammer, envelope, code-branch, bars.
- **Hamburger menu** – in the case of very low resolution (xs), there will be a button to display the pull-down menu – menu-opened.png
- **Sticky menu** – when scrolling the page, the menu will be fixed at the top – menu-sticky.png
- **Dynamic title for icons**
  - If the navigation items do not have a displayed description (sm, md), a title containing the same content as the standard description will be available – menu-hover.png
  - If the description is available, the title will not be active – menu-default.png

- **Animated scrolling**
  - When the navigation item is clicked, an animated scrolling will be performed on the anchor (e.g., 1000 ms).
  - Make sure that the sticky menu is taken into account (appropriate position of the anchor; when switching to the sticky menu, the page does not jump; etc).
- For implementation, use JavaScript or jQuery; for sticky menu, don't use the CSS property position: sticky; for animations, use the library in jQuery.
- After completing the task, explore the jQuery UI library or available Bootstrap library components.

- **Find elements with:**
  - `selector_id_var = $("#selector_id");`
  - `other_specific_scope_var = $(nav);`
- **Sticky menu** – When you scroll down, the code checks if the menu should "stick" to the top of the page:
  - If yes, it fixes the menu at the top.
  - Else (you're at the top of the page) removes the "sticky" effect.
- **Smooth scrolling**:
  - When a menu item is selected, the page scrolls smoothly to the relevant section.
  - It also adjusts the position so the sticky menu does not obscure the section title.
- **Hamburger Menu** – On small screens, a button (hamburger icon) is available to open or close the menu. By clicking on the icon, the menu will be shown or hidden.
- **Hover Titles** – When a user moves the cursor over a menu item, the system will check if the description is visible. If that is not the case, a small pop-up containing the description will appear (referred to as a 'title').