

Line-up:

INSTRUMENT	AMP	DI	MICS
Keyboard: Nord Stage 4	No	1xStereo DI (2 channels)	1 x Vox Mic
Electric Guitar (Neural DSP Quad Cortex)	No	1xStereo DI (2 channels)	No
BASS PLAYER: Electric Bass (HX Stomp) Saxophone (we bring Sennheiser EW-D)	Yes	1xMono DI 1xMono DI (Sax FX return)	1 x Saxophone Mic (preferred DPA)
Drum Kit	No	No	Drum Mic Set 2 x Kick (IN&OUT) 2 x Snare (Top&Bot) 2 x Toms 1 x FTom 1 x HH 1 x Ride 2 x OH

Stage position (Left→Right): Piano, Guitar, Bass, Drums

Backline:

- **Bass amp,**
 - **Drum kit:** standard 5-piece (kick, 2× rack toms, 1× floor tom, snare stand), 3× cymbal stands, 1× hi-hat stand, 1× quality drum throne, drum rug,
 - **Power: 4x220V, 3 outlets each**
 - **Laptop stand or unused flight case** (to be used as a platform),
 - **Guitar and bass guitar stands.**
-

Monitoring:

1. Wedge monitors: **4 on-stage wedges** (one per position), independent mixes.
 2. **In-ear monitoring (preferred stereo).** Up to 4 stereo mixes (one per musician). Venue/festival may provide wireless or wired IEM; if unavailable, the band can bring 4 headphones amplifiers.
-

ZAHARENCO

STAGE INPUT LIST

Venue:

Date:

#	INSTRUMENT / SOURCE	MUSICIAN	MIC or DI	INPUT #	PREFERRED MIC / DI	NOTES	CHANNEL
1	Kick Drum (In)		MIC	1	Shure Beta 91A / Beta 52A		
2	Kick Drum (Out)		MIC	2	Shure Beta 52A / AKG D112		
3	Snare (Top)		MIC	3	Shure SM57		
4	Snare (Bottom)		MIC	4	Shure SM57/Sennheiser e604		
5	Piccolo Snare		MIC	5	Sennheiser e604 / MD 421		
6	Hi-Hat		MIC	6	AKG C451 / Shure SM81		
7	Rack Tom 1		MIC	7	Sennheiser e604 / MD 421		
8	Floor Tom		MIC	8	Sennheiser e604 / MD 421		
9	Overhead L		MIC	9	Condenser (pair) (AKG C414)		
10	Overhead R		MIC	10	Condenser (pair) (AKG C414)		
11	Bass Guitar		DI	11	Radial JDI / Direct		
12	Saxophone		MIC	12	Wireless System with mic provided by the band		
13	Mono Synth		DI	13	Radial JDI / Direct		
14	Guitar L		DI	14	Radial JDI / Direct	Stereo DI paired for L/R Channel	
15	Guitar R		DI	15	Radial JDI / Direct	Stereo DI paired for L/R Channel	
16	Keys / Synth L		DI	16	Radial JDI / Direct	Stereo DI paired for L/R Channel	
17	Keys / Synth R		DI	17	Radial JDI / Direct	Stereo DI paired for L/R Channel	
18	VOX		MIC	18	Sennheiser e845s		
19	Spare input		MIC	19			

LEGEND

MIC = Microphone Input

DI = Direct Inject Input