


One conversation owner. Existing skills retained.

VIEW 01 / 06


The voice application coordinates the call; CX, Lex and specialist services execute delegated work.



Where each protocol begins and ends

VIEW 02 / 06


Baseline voice pipeline: speech recognition, application routing and tools, then speech synthesis. CX / Lex receive text and data.



A stable skill contract above changing providers

VIEW 03 / 06


Protocol adapters translate messages and lifecycle semantics. They do not remove the need to understand each existing bot.



Compatibility is per skill: a CX page or Lex intent is not automatically an atomic function. Expose a controlled entry, support clarification / resume, or call the underlying fulfillment API.

One call, two skills, one controlled response

Example: an authenticated caller asks for claim status and benefit details. Skill-to-backend mapping is illustrative.




Retain result provenance and permitted context. A coverage / eligibility decision requires an authoritative rule or service; the language model must not infer it.

Keep control when the normal path breaks

VIEW 05 / 06

A call remains interactive while tasks execute. Interrupting speech and cancelling business work are separate decisions.



Cold SIP REFER is a separate transfer option: once successful, the caller leaves the LiveKit session. It does not preserve the same in-room media or guarantee a desktop screen-pop.

Deploy around the call, observe every delegated turn

VIEW 06 / 06

Logical deployment view. Worker hosting, regions, storage products, model providers and contact-center platform remain to be selected.

