

Counting syllables

A rough approximation of the number of syllables in many orthographies, is to count the number of vowel letters. Multiple vowels following each other counts as a single vowel. There will be many exceptions to this rule in languages (such as English) with orthographies that contain many unrealized vowels (e.g. *lake*, *goose*, *whale*), but in other languages it is a better approximation.

For the purpose of this exercise, you can use the following list of vowels: *aeiouy*. If you want to support more languages and orthographies, you can use the [unidecode](#) library to latinize and remove diacritics.

Tasks

1. Write a function `is_monosyllabic` that takes a single argument, a `str` containing a word, and returns `True` if the word has one syllable (that is, one or zero vowels), otherwise `False` (if it has two or more vowels).
2. Write a function `is_disyllabic` that takes a single argument, a `str` containing a word, and returns `True` if the word has exactly two syllables, otherwise `False`.
3. Write a function `has_even_syllables` that takes a single argument, a `str` containing a word, and returns `True` if the word has an even number of syllables, and `False` if the number of syllables is odd.

Put your code in the file `morphology.py`. Try your best to minimize the amount of redundant code while solving this exercise.

Example

```
In [1]: import morphology
```

```
In [2]: morphology.is_monosyllabic("pool")
```

```
Out[2]: True
```

```
In [3]: morphology.is_monosyllabic("alphabet")
```

```
Out[3]: False
```

```
In [4]: morphology.is_disyllabic("pool")
```

```
Out[4]: False
```

```
In [5]: morphology.is_disyllabic("monkey")
```

```
Out[5]: True
```

```
In [6]: morphology.has_even_syllables("alphabet")
```

```
Out[6]: False
```

```
In [7]: morphology.has_even_syllables("complicated")
```

```
Out[7]: True
```

Reading

- PY4E chapters 5 and 6