

## 3.E: Conditional Execution (Exercises)

Exercise 1: Rewrite your pay computation to give the employee 1.5 times the hourly rate for hours worked above 40 hours.

```
Enter Hours: 45
Enter Rate: 10
Pay: 475.0
```

```
1 %%python3
2 #Use this space to write and run your code
```

run run all restart restart & run all

Exercise 2: Rewrite your pay program using `try` and `except` so that your program handles non-numeric input gracefully by printing a message and exiting the program. The following shows two executions of the program:

```
Enter Hours: 20
Enter Rate: nine
Error, please enter numeric input
```

```
Enter Hours: forty
Error, please enter numeric input
```

```
1 %%python3
2 #Use this space to write and run your code
```

```
try:
    hours= int(input("enter hours"))
    rate=int(input("rate"))

    if hours>40:
        extra= (hours-40)*rate*1.5
        total = 40*rate+extra
    else:
        total= hours*rate
    print(total)

except:
    print("error, please enter numeric input")
```

run

run all

restart

restart &amp; run all

Exercise 3: Write a program to prompt for a score between 0.0 and 1.0. If the score is out of range, print an error message. If the score is between 0.0 and 1.0, print a grade using the following table:

| Score  | Grade |
|--------|-------|
| >= 0.9 | A     |
| >= 0.8 | B     |
| >= 0.7 | C     |
| >= 0.6 | D     |
| < 0.6  | F     |

Enter score: 0.95  
A

Enter score: perfect  
Bad score

Enter score: 10.0  
Bad score

Enter score: 0.75  
C

Enter score: 0.5

F

```
1 %%python3
2 #Use this space to write and run your code

score = float(input("Enter score: "))

if score < 0.0 or score > 1.0:
    print("Error, please enter a score between 0.0 and 1.0")

elif score >= 0.9:
    print("Grade: A")

elif score >= 0.8:
    print("Grade: B")

elif score >= 0.7:
    print("Grade: C")

elif score >= 0.6:
    print("Grade: D")

else:
    print("Grade: F")
```

run

run all

restart

restart & run all

Run the program repeatedly as shown above to test the various different values for input.

1. We will learn about functions in Chapter 4 and loops in Chapter 5.↩

This page titled [3.E: Conditional Execution \(Exercises\)](#) was last modified on Fri, 10 Sep 2021 01:50:14 GMT and is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by [Chuck Severance](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.