

Non-mandatory exercises: D

More conditionals

1. What will be printed?

```
def print_greeting(time):
    if time == 12:
        print("Time_for_lunch!")
    elif time == 18:
        print("Time_for_dinner!")
    else:
        print("Hello")

print_greeting(10)
print_greeting(12)
print_greeting(15)
print_greeting(18)
```

2. What will be printed?

```
def print_greeting(city):
    if city == "Stockholm":
        print("Hej!")
    elif city == "Berlin":
        print("Hallo!")
    else:
        print("Hello!")

print_greeting("Helsingborg")
print_greeting("Berlin")
print_greeting("Stockholm")
print_greeting("Oslo")
```

Non-mandatory exercises: D

3. What will be printed?

```
def get_greeting(city):
    if city == "Stockholm":
        return "Hej!"
    elif city == "Berlin":
        return "Hallo!"
    else:
        return "Hello!"

print(get_greeting("Helsingborg"))
print(get_greeting("Berlin"))
print(get_greeting("Stockholm"))
print(get_greeting("Oslo"))
```

Non-mandatory exercises: D

4. What will be printed?

```
def add_title(name):
    return_name = name + "san"
    if name == "Araki" or name == "Rzepka":
        return_name = name + "sensei"
    return return_name

print(add_title("Jonas"))
print(add_title("Kitajima"))
print(add_title("Araki"))
print(add_title("Rzepka"))
```

5. What will be printed?

```
def add_title(name):
    if name == "Araki" or name == "Rzepka":
        return name + "sensei"
    else:
        return name + "san"

print(add_title("Jonas"))
print(add_title("Kitajima"))
print(add_title("Araki"))
print(add_title("Rzepka"))
```

6. Which of the following code lines will print True?

- ☐ print(True)
- ☐ print(False)
- ☐ print(not(True))
- ☐ print(not(False))
- ☐ print(True and True)
- ☐ print(True and False)

Non-mandatory exercises: D

- ☐ `print(False and True)`
- ☐ `print(True or True)`
- ☐ `print(True or False)`
- ☐ `print(False or True)`
- ☐ `print(False or False)`

Non-mandatory exercises: D

7. Which of the following code lines will print True?

```
happy = True  
sleepy = False
```

- ☐ `print(happy and sleepy)`
- ☐ `print(happy or sleepy)`
- ☐ `print(not(sleepy))`

Non-mandatory exercises: D

8. What will be printed

```
if True:
    print("True was True")
else:
    print("True was False")

if False:
    print("False was True")
else:
    print("False was False")

if "hello":
    print('"hello" was True')
else:
    print('"hello" was False')

if "":
    print('"" was True')
else:
    print('"" was False')

if 0:
    print('0 was True')
else:
    print('0 was False')

if 4711:
    print('4711 was True')
else:
    print('4711 was False')
```

Non-mandatory exercises: D

```
if None:
    print('None was True')
else:
    print('None was False')
```

9. This code will print "Hej!". This is not what the programmer intended. What goes wrong?

```
def print_greeting(city):
    # next line is incorrect:
    if city == "Stockholm" or "Sundsvall":
        print("Hej!")
    else:
        print("Hello")

print_greeting("London")
```

Non-mandatory exercises: D

Nested conditions

10. What will be printed?

```
def print_greeting(time, is_hungry):
    if is_hungry:
        if time == 12:
            print("Hi!_Let's_go_for_lunch")
        elif time == 18:
            print("Hi!_Let's_have_dinner")
        else:
            print("Hi!_Let's_eat_something")
    else:
        print("Hello!")

print_greeting(10, True)
print_greeting(12, False)
print_greeting(12, True)
print_greeting(18, False)
print_greeting(18, True)
```


Non-mandatory exercises: D

Functions with several return values

11. What will be printed?

```
def get_hello_goodbye(name):  
    hello_message = "Hello_" + name  
    bye_message = "Goodbye_" + name  
  
    return hello_message, bye_message  
  
print(get_hello_goodbye("Ada"))  
  
hello_mess, bye_mess = get_hello_goodbye("Ada")  
print(hello_mess)
```

12. What will be printed?

```
def get_two_next_years(year):  
    next_year = year + 1  
    after_next_year = next_year + 1  
    return next_year, after_next_year  
  
next_year, after_next = get_two_next_years(2026)  
print(after_next)
```