

Python built-in methods applied on strings

1. Given the following code as the first line:

```
greeting = "Hello!"
```

Which one of the following lines will result in an error, following the line above.

- ☐ `nr_of_char = len(greeting)`
- ☐ `print(greeting)`
- ☐ `nr_of_char = len(greeting)`
- ☐ `user_input = input(greeting)`
- ☒ `i = round(greeting)`
- ☐ `t = type(greeting)`

2. Which one of the following lines will result in an error?

- ☐ `print(type("Hello!"))`
- ☐ `i = round(float("2.3"))`
- ☒ `i = round(str(2.3))`
- ☐ `print(type(len("Hello!")))`

3. Which of the following lines will **not** print: `<class 'int'>`?

- ☐ `print(type(int("1")))`
- ☒ `print(type(str("2")))`
- ☐ `print(type(len("hi!")))`
- ☐ `print(type(round(float("2.3"))))`

Indexing and slicing strings

4. What will be printed?

```
tones = "cdefg"
print(tones[0])
print(tones[2])
print(tones[4])
print(tones[-1])
```

c
e
g
g

5. What will be printed?

```
word = "jumped"
print("suffix:" + word[4:])
print("suffix:" + word[len(word) - 2:])
print("suffix:" + word[-2:])
print("stem:" + word[:4])
print("stem:" + word[:len(word) - 2])
print("stem:" + word[:-2])
```

ed
ed
ed
jump
jump
jump

6. Given the following code as the first line:

```
hello_message = "greeting"
```

Which five of the following lines will print 'g'?

- ☒ print(hello_message[0])
- ☐ print(hello_message[1])
- ☒ print(hello_message[7])
- ☒ print(hello_message[-1])
- ☐ print(hello_message[-2])
- ☒ print(hello_message[7:])
- ☒ print(hello_message[:1])

Non-mandatory exercises: E

7. The following code works for "jumped", but not for "shouted". Fix it, so that the function returns:

"jump", "ed" in the first case, and "shout", "ed" in the second case:

```
# TODO: Does not work very well
def split_consonant_ending_verbs(verb):
    stem = verb[:4]
    suffix = verb[4:]
    return stem, suffix

print(split_consonant_ending_verbs("jumped"))
print(split_consonant_ending_verbs("shouted"))
```

Looping through strings

8. What will be printed?

```
tones = "cdefg"
for t in tones:
    print(t)
```

c
d
e
f
g

9. What will be printed?

```
tones = "cdefg"
for t in tones[:3]:
    print(t)
```

c
d
e

10. What will be printed?

```
numbers = "0123456"
for n in numbers:
    if int(n)%2 == 0:
        print(n)
```

0
2
4
6