



Base de datos

MedApp - Sistema de Gestion de Citas Medicas

Documento de consolidacion de la base de datos

Nombre del proyecto	MedApp - Sistema web para la gestion integral de citas medicas, pacientes, medicos, pagos, reportes y procesos de apoyo clinico.
Tipo de documento	Base de datos - archivos
Fecha de elaboracion	27 de abril de 2026
Equipo responsable	Ashley Reding.

Tablas

	appointment_reminders	UNRESTRICTED
	appointment_types	UNRESTRICTED
	appointments	UNRESTRICTED
	audit_log	UNRESTRICTED
	doctor_schedules	UNRESTRICTED
	doctor_unavailability	UNRESTRICTED
	doctors	UNRESTRICTED
	email_logs	UNRESTRICTED
	insurance_plans	UNRESTRICTED
	invoice_items	UNRESTRICTED
	invoices	UNRESTRICTED
	medical_history	UNRESTRICTED
	medications	UNRESTRICTED
	notifications	UNRESTRICTED
	password_reset_codes	UNRESTRICTED
	password_resets	UNRESTRICTED

	notifications	UNRESTRICTED
	password_reset_codes	UNRESTRICTED
	password_resets	UNRESTRICTED
	patient_documents	UNRESTRICTED
	patients	UNRESTRICTED
	payments	UNRESTRICTED
	prescription_items	UNRESTRICTED
	prescriptions	UNRESTRICTED
	refunds	UNRESTRICTED
	report_snapshots	UNRESTRICTED
	reschedules	UNRESTRICTED
	specialties	UNRESTRICTED
	system_settings	UNRESTRICTED
	user_sessions	UNRESTRICTED
	users	UNRESTRICTED
	vital_signs	UNRESTRICTED

Índex

tablename	indexname	indexdef
appointment_reminders	appointment_reminders_pkey	CREATE UNIQUE INDEX appointment_reminders_pkey ON public.appointment_reminders USING btree (appointment_id)
appointment_reminders	idx_reminders_appt	CREATE INDEX idx_reminders_appt ON public.appointment_reminders USING btree (appointment_id)
appointment_reminders	idx_reminders_sched	CREATE INDEX idx_reminders_sched ON public.appointment_reminders USING btree (appointment_id)
appointment_reminders	idx_reminders_status	CREATE INDEX idx_reminders_status ON public.appointment_reminders USING btree (appointment_id)
appointment_types	appointment_types_name_key	CREATE UNIQUE INDEX appointment_types_name_key ON public.appointment_types USING btree (name)
appointment_types	appointment_types_pkey	CREATE UNIQUE INDEX appointment_types_pkey ON public.appointment_types USING btree (id)
appointments	appointments_pkey	CREATE UNIQUE INDEX appointments_pkey ON public.appointments USING btree (id)
appointments	idx_appointments_date	CREATE INDEX idx_appointments_date ON public.appointments USING btree (appointment_date)
appointments	idx_appointments_doctor	CREATE INDEX idx_appointments_doctor ON public.appointments USING btree (doctor_id)

tablename	indexname	indexdef
appointments	idx_appointments_patient	CREATE INDEX idx_appointments_patient ON public.appointments USING btree (patient_id)
appointments	idx_appointments_status	CREATE INDEX idx_appointments_status ON public.appointments USING btree (appointment_status)
appointments	idx_appt_specialty	CREATE INDEX idx_appt_specialty ON public.appointments USING btree (specialty_id)
appointments	idx_appt_type	CREATE INDEX idx_appt_type ON public.appointments USING btree (appointment_type)
audit_log	audit_log_pkey	CREATE UNIQUE INDEX audit_log_pkey ON public.audit_log USING btree (id)
audit_log	idx_audit_action	CREATE INDEX idx_audit_action ON public.audit_log USING btree (action)
audit_log	idx_audit_created	CREATE INDEX idx_audit_created ON public.audit_log USING btree (created_at)
audit_log	idx_audit_table	CREATE INDEX idx_audit_table ON public.audit_log USING btree (table_name)
audit_log	idx_audit_user	CREATE INDEX idx_audit_user ON public.audit_log USING btree (user_id)

tablename	indexname	indexdef
doctor_schedules	doctor_schedules_doctor_id_day_of_week_key	CREATE UNIQUE INDEX doctor_schedules_doctor_id_day_of_week_key ON public.doctor_schedules USING btree (doctor_id, day_of_week)
doctor_schedules	doctor_schedules_pkey	CREATE UNIQUE INDEX doctor_schedules_pkey ON public.doctor_schedules USING btree (id)
doctor_schedules	idx_schedules_doctor	CREATE INDEX idx_schedules_doctor ON public.doctor_schedules USING btree (doctor_id)
doctor_unavailability	doctor_unavailability_pkey	CREATE UNIQUE INDEX doctor_unavailability_pkey ON public.doctor_unavailability USING btree (id)
doctor_unavailability	idx_unavail_dates	CREATE INDEX idx_unavail_dates ON public.doctor_unavailability USING btree (unavailable_start_date, unavailable_end_date)
doctor_unavailability	idx_unavail_doctor	CREATE INDEX idx_unavail_doctor ON public.doctor_unavailability USING btree (doctor_id)
doctors	doctors_pkey	CREATE UNIQUE INDEX doctors_pkey ON public.doctors USING btree (id)
doctors	idx_doctors_specialty	CREATE INDEX idx_doctors_specialty ON public.doctors USING btree (specialty_id)
doctors	idx_doctors_user_id	CREATE INDEX idx_doctors_user_id ON public.doctors USING btree (user_id)

tablename	indexname	indexdef
email_logs	email_logs_pkey	CREATE UNIQUE INDEX email_logs_pkey ON public.email_logs USING btree
email_logs	idx_email_recipient	CREATE INDEX idx_email_recipient ON public.email_logs USING btree (r
email_logs	idx_email_status	CREATE INDEX idx_email_status ON public.email_logs USING btree (stat
insurance_plans	insurance_plans_pkey	CREATE UNIQUE INDEX insurance_plans_pkey ON public.insurance_plans U
invoice_items	idx_inv_items	CREATE INDEX idx_inv_items ON public.invoice_items USING btree (invo
invoice_items	invoice_items_pkey	CREATE UNIQUE INDEX invoice_items_pkey ON public.invoice_items USING
invoices	idx_invoices_number	CREATE INDEX idx_invoices_number ON public.invoices USING btree (inv
invoices	idx_invoices_patient	CREATE INDEX idx_invoices_patient ON public.invoices USING btree (pa
invoices	idx_invoices_status	CREATE INDEX idx_invoices_status ON public.invoices USING btree (sta

Results

Explain

Chart

Export

▼

Source

Primary Database

▼

tablename	indexname	indexdef
invoices	invoices_invoice_number_key	CREATE UNIQUE INDEX invoices_invoice_number_key ON public.invoices USING btree (invoice_number)
invoices	invoices_pkey	CREATE UNIQUE INDEX invoices_pkey ON public.invoices USING btree (id)
medical_history	idx_medhistory_doctor	CREATE INDEX idx_medhistory_doctor ON public.medical_history USING btree (doctor_id)
medical_history	idx_medhistory_patient	CREATE INDEX idx_medhistory_patient ON public.medical_history USING btree (patient_id)
medical_history	medical_history_pkey	CREATE UNIQUE INDEX medical_history_pkey ON public.medical_history USING btree (id)
medications	idx_medications_name	CREATE INDEX idx_medications_name ON public.medications USING btree (name)
medications	medications_pkey	CREATE UNIQUE INDEX medications_pkey ON public.medications USING btree (id)
notifications	idx_notif_created	CREATE INDEX idx_notif_created ON public.notifications USING btree (created_at)
notifications	idx_notif_unread	CREATE INDEX idx_notif_unread ON public.notifications USING btree (is_read)

tablename	indexname	indexdef
notifications	idx_notif_user	CREATE INDEX idx_notif_user ON public.notifications USING btree (use
notifications	notifications_pkey	CREATE UNIQUE INDEX notifications_pkey ON public.notifications USING
password_reset_codes	password_reset_codes_pkey	CREATE UNIQUE INDEX password_reset_codes_pkey ON public.password_res
password_resets	idx_pwreset_token	CREATE INDEX idx_pwreset_token ON public.password_resets USING btree
password_resets	idx_pwreset_user	CREATE INDEX idx_pwreset_user ON public.password_resets USING btree
password_resets	password_resets_pkey	CREATE UNIQUE INDEX password_resets_pkey ON public.password_resets U
password_resets	password_resets_token_key	CREATE UNIQUE INDEX password_resets_token_key ON public.password_res
patient_documents	idx_docs_patient	CREATE INDEX idx_docs_patient ON public.patient_documents USING btree
patient_documents	idx_docs_uploader	CREATE INDEX idx_docs_uploader ON public.patient_documents USING btr


tablename	indexname	indexdef
patient_documents	patient_documents_pkey	CREATE UNIQUE INDEX patient_documents_pkey ON public.patient_documents
patients	idx_patients_insurance	CREATE INDEX idx_patients_insurance ON public.patients USING btree (i
patients	idx_patients_user_id	CREATE INDEX idx_patients_user_id ON public.patients USING btree (us
patients	patients_pkey	CREATE UNIQUE INDEX patients_pkey ON public.patients USING btree (id
payments	idx_payments_invoice	CREATE INDEX idx_payments_invoice ON public.payments USING btree (in
payments	payments_pkey	CREATE UNIQUE INDEX payments_pkey ON public.payments USING btree (id
prescription_items	idx_rx_items_med	CREATE INDEX idx_rx_items_med ON public.prescription_items USING btr
prescription_items	idx_rx_items_rx	CREATE INDEX idx_rx_items_rx ON public.prescription_items USING btre
prescription_items	prescription_items_pkey	CREATE UNIQUE INDEX prescription_items_pkey ON public.prescription_i



tablename	indexname	indexdef
prescriptions	idx_rx_appt	CREATE INDEX idx_rx_appt ON public.prescriptions USING btree (appoin
prescriptions	idx_rx_doctor	CREATE INDEX idx_rx_doctor ON public.prescriptions USING btree (doct
prescriptions	idx_rx_patient	CREATE INDEX idx_rx_patient ON public.prescriptions USING btree (pat
prescriptions	prescriptions_pkey	CREATE UNIQUE INDEX prescriptions_pkey ON public.prescriptions USING
refunds	idx_refunds_payment	CREATE INDEX idx_refunds_payment ON public.refunds USING btree (paym
refunds	idx_refunds_status	CREATE INDEX idx_refunds_status ON public.refunds USING btree (statu
refunds	refunds_pkey	CREATE UNIQUE INDEX refunds_pkey ON public.refunds USING btree (id)
report_snapshots	idx_reports_created	CREATE INDEX idx_reports_created ON public.report_snapshots USING bt
report_snapshots	idx_reports_type	CREATE INDEX idx_reports_type ON public.report_snapshots USING btree

tablename	indexname	indexdef
report_snapshots	report_snapshots_pkey	CREATE UNIQUE INDEX report_snapshots_pkey ON public.report_snapshots
reschedules	idx_reschedules_appt	CREATE INDEX idx_reschedules_appt ON public.reschedules USING btree
reschedules	reschedules_pkey	CREATE UNIQUE INDEX reschedules_pkey ON public.reschedules USING btr
specialties	specialties_name_key	CREATE UNIQUE INDEX specialties_name_key ON public.specialties USING
specialties	specialties_pkey	CREATE UNIQUE INDEX specialties_pkey ON public.specialties USING btr
system_settings	system_settings_key_key	CREATE UNIQUE INDEX system_settings_key_key ON public.system_setting
system_settings	system_settings_pkey	CREATE UNIQUE INDEX system_settings_pkey ON public.system_settings U
user_sessions	idx_sessions_expires	CREATE INDEX idx_sessions_expires ON public.user_sessions USING btre
user_sessions	idx_sessions_token	CREATE INDEX idx_sessions_token ON public.user_sessions USING btree

tablename	indexname	indexdef
user_sessions	idx_sessions_token	CREATE INDEX idx_sessions_token ON public.user_sessions USING btree
user_sessions	idx_sessions_user	CREATE INDEX idx_sessions_user ON public.user_sessions USING btree (
user_sessions	user_sessions_pkey	CREATE UNIQUE INDEX user_sessions_pkey ON public.user_sessions USING
user_sessions	user_sessions_token_key	CREATE UNIQUE INDEX user_sessions_token_key ON public.user_sessions
users	users_email_key	CREATE UNIQUE INDEX users_email_key ON public.users USING btree (ema
users	users_pkey	CREATE UNIQUE INDEX users_pkey ON public.users USING btree (id)
vital_signs	idx_vitals_appointment	CREATE INDEX idx_vitals_appointment ON public.vital_signs USING btre
vital_signs	idx_vitals_patient	CREATE INDEX idx_vitals_patient ON public.vital_signs USING btree (p
vital_signs	vital_signs_pkey	CREATE UNIQUE INDEX vital_signs_pkey ON public.vital_signs USING btr

Diagrama de Base de Datos.





RPC: No se realizaron funciones personalizadas en el esquema public.

Backup:

El proyecto utiliza el plan gratuito de Supabase, por lo que la descarga/restauración de backups administrados desde Database → Backups no está disponible.