Tutorial: Linear Algebra

Andy Watson

Consider the pair of vectors:

$$\psi_0 = (1,1)$$
 $\psi_1 = \sqrt{\frac{1}{2}}(1,-1)$

By calculating relevant inner products and norms, identify whether or not these vectors form an orthogonal or an orthonormal set.

Sketch these two vectors on a diagram to confirm your answer

Two sets of functions are given by:

$$\{\Psi_1\}=[(2,0),(a,2)]$$

 $\{\Psi_2\}=[(a,-1/8),(0,b)]$

State the condition required for these two sets to be a Dual Basis and determine the corresponding values of a and b.

The matrix A is:

$$A = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$$

- •Find an orthonormal basis of the NULL space of A.
- •Find the RANK of A.
- •Find an orthonormal basis of the ROW space of A.

Vectors v_1 and v_2 span the space V.

$$v_1 = \begin{bmatrix} 2 \\ 1 \end{bmatrix}, v_2 = \begin{bmatrix} 1 \\ -2 \end{bmatrix}$$

Do v₁ and v₂ form an orthonormal basis for V? If they do not, then find an orthonormal basis for V.

Question 5 Part i)

$$v_1 = \frac{1}{3\sqrt{2}} \begin{bmatrix} 1\\1\\-4 \end{bmatrix}, \quad v_2 = \frac{1}{3} \begin{bmatrix} 2\\2\\1 \end{bmatrix}, \quad v_3 = \frac{1}{\sqrt{2}} \begin{bmatrix} 1\\-1\\0 \end{bmatrix}$$

Show that these three vectors are an orthonormal basis for R3

Question 5 Part ii)

Vector
$$x = \begin{bmatrix} 1 & 1 & 1 \end{bmatrix}'$$

Write x as a linear combination of v1, v2 and v3.