A Speaker A: Opener and closer

Beats 1, 2, 14 · about 1:18 of speaking

Beat	Clock	What	Then
1	0:00 – 0:32	Hook: the 10:42 call	Keep going → beat 2
2	0:32 – 0:51	The scale	Hand to B
14	9:14 – 9:42	Close	Hand to Q&A

Cues, not prose: use your own words, but say every number and level name exactly. Levels: **High risk · Check with family · No warning signs found**. Never “safe”. Price and terms questions → PO.

Draft prepared with AI assistance for the scrum master; to be reviewed and edited by the team. From pitch-script.md, 6 Nov 2026.

1 Hook: the 10:42 call

Speaker A · **0:00 – 0:32** · 0:32

A

Poster zone 1. Laptop on Scam Check tab, not shown yet.

- 10:42, weekday morning
- Ah Ma's phone → unknown number
- Grandson's voice, frightened
- Urgent · money · "don't tell his parents"
- Say: **"This is an illustration"**
- Real case: grandmother in Canada → bank staff stopped it, not her
- Land: "We are SilverGuard AI … protect seniors at exactly this moment."

SAY EXACTLY

10:42

Keep going → beat 2 →

2 The scale

Speaker A · **0:32 – 0:51** · 0:19

A

Poster zone 2 (three numbers).

- Who loses the most per person?
- Not the young. **Seniors.**

SAY EXACTLY

S$913.1 million in 2025

37,308 cases

about S$2.5 million every day

Never: “the police say voice cloning is rising”

Hand to B →

14 Close

Speaker A · **9:14 – 9:42** · 0:28

A

Poster zone 1 (title) and zone 11 (demo QR).

- Seniors lose most per person; average loss keeps rising
- A better ear will not fix that
- A pause + a family + a phone that keeps its secrets can
- Put that pause in Ah Ma’s hand
- “We are SilverGuard AI. Thank you.”

SAY EXACTLY

S$500,000

pilot with 200 households

Hand to Q&A →

Fallback ladder (beat 6 and any demo)

Max 20 seconds per step · always say which one you use

1. **Live alert** not there after 12 s → “It is on its way.”
2. **Telegram Web** window (if set up): look for 5 s.
3. **Mock mode** on, press again: “the alert is simulated, not sent.”
4. Page dead → **clickable screen 6**: “this is what the product sends.”
5. Laptop dead → **backup video**: “this is the recorded run.”

Projector fails: keep talking from the cards, point at the poster, turn the laptop to the investors. Laptop fails: spare laptop + USB stick, or video on a phone.

B Speaker B: Seniors, then the market

Beats 3, 11 · about 1:34 of speaking

Beat	Clock	What	Then
3	0:51 – 1:38	Seniors: fewer cases, bigger losses	Hand to C: “So why not just detect the voice?”
11 1 of 2	6:52 – 7:39	Who uses, who pays	Turn card → partners
11 2 of 2	6:52 – 7:39	Who partners	Hand to F: “How do we earn?”

Cues, not prose: use your own words, but say every number and level name exactly. Levels: **High risk · Check with family · No warning signs found**. Never “safe”. Price and terms questions → PO.

Draft prepared with AI assistance for the scrum master; to be reviewed and edited by the team. From pitch-script.md, 6 Nov 2026.

3 Seniors: fewer cases, bigger losses

Speaker B · **0:51 – 1:38** · 0:47

B

Poster zone 2. Point at each number.

- 65 and above: lost the most each
- Pre-empt: “Isn’t it shrinking?”
- Fake-friend call scams fell …
- … but seniors = only age group whose victims **rose** 2024→2025
- Land: **Fewer cases, bigger losses**

SAY EXACTLY

14.8% of victims (2025)

S$37,053 average

S$42,347 (first half of 2026)

4,179 (2024) → 1,551 (2025)

Hand to C: “So why not just detect the voice?” →

11 Who uses, who pays (1 of 2)

Speaker B · **6:52 – 7:39** · 0:47 (both cards)

B

Poster zone 7 (business case).

- Who uses it? **Seniors**
- Who pays? Their **adult children**

SAY EXACTLY

20.7% of citizens 65 or older (June 2025)

up from 13.1% in 2015

89% of residents 60 and above owned a smartphone (2022)

2.9 working-age citizens per senior

65+ for 20.7%; 60+ for 89%.

Turn card → partners →

11 Who partners (2 of 2)

Speaker B · **6:52 – 7:39** · 0:47 (both cards)

B

Poster zone 7 (business case).

- Telcos can **transfer a call**
- Banks can **slow a payment**
- Deloitte (a US figure): generative AI pushes fraud losses up
- → a business case for banks

SAY EXACTLY

US$12.3 billion in 2023

US$40 billion by 2027

Over time? Cut the Deloitte line.

Hand to F: “How do we earn?” →



Fallback ladder (beat 6 and any demo)

Max 20 seconds per step · always say which one you use

1. **Live alert** not there after 12 s → “It is on its way.”
2. **Telegram Web** window (if set up): look for 5 s.
3. **Mock mode** on, press again: “the alert is simulated, not sent.”
4. Page dead → **clickable screen 6**: “this is what the product sends.”
5. Laptop dead → **backup video**: “this is the recorded run.”

Projector fails: keep talking from the cards, point at the poster, turn the laptop to the investors. Laptop fails: spare laptop + USB stick, or video on a phone.

C

Speaker C: Evidence: why detection fails, why this works

Beats 4, 10 · about 1:42 of speaking

Beat	Clock	What	Then
4 1 of 2	1:38 – 2:23	Why not just detect the voice?	Turn card
4 2 of 2	1:38 – 2:23	We read the script	Hand to D
10 1 of 2	5:54 – 6:52	Why it works	Turn card
10 2 of 2	5:54 – 6:52	Family is the check	Hand to B: “Who uses it, who pays, who partners?”

Cues, not prose: use your own words, but say every number and level name exactly. Levels: **High risk · Check with family · No warning signs found**. Never “safe”. Price and terms questions → PO.

Draft prepared with AI assistance for the scrum master; to be reviewed and edited by the team. From pitch-script.md, 6 Nov 2026.

4 Why not just detect the voice? (1 of 2)

Speaker C · **1:38 – 2:23** · 0:45 (both cards)

C

Poster zone 3.

- GovTech: a short social-media clip can clone a voice
- Why not a deepfake detector? **Three reasons:**
- 1 People can’t tell by ear: listeners **often** judged the clone real
- 2 Detectors struggle outside the lab
- 3 Google Play bars call-audio capture

SAY EXACTLY

“up to one thousand percent” (on real-world audio)

Say “often”: no % for the clone study.

Turn card →

4 We read the script (2 of 2)

Speaker C · **1:38 – 2:23** · 0:45 (both cards)

C

Poster zone 3.

- Scams work through pressure: time pressure, the wish to help family
- Land: “We do not hunt the voice. We read the script:”
- **money · secrecy · a new number · urgency**

Never call our product a voice-clone detector.

Hand to D →

10 Why it works (1 of 2)

Speaker C · **5:54 – 6:52** · 0:58 (both cards)

C

Poster zones 5 (cue chips) and 6 (privacy line).

- Matches how scams and families work
- Script reading keeps working as clones improve: detection is an arms race
- On the phone: works offline, nothing private uploaded
- Google Pixel: on-device, no audio stored or sent, **but Pixel only**

SAY EXACTLY

Android 10 and above

Over time? Cut the Pixel line (4th cut).

Turn card →

10 Family is the check (2 of 2)

Speaker C · **5:54 – 6:52** · 0:58 (both cards)

C

Poster zone 6 (privacy line).

- ScamShield can’t block WhatsApp or Telegram calls → the family has to be the check
- We ask little: **one button, one person**
- Independence: Singapore study, more support from children can lower older women’s quality of life
- → Ah Ma chooses her guardian, can remove him any time

Over time? Cut the independence line first.

Hand to B: “Who uses it, who pays, who partners?” →



Fallback ladder (beat 6 and any demo)

Max 20 seconds per step · always say which one you use

1. **Live alert** not there after 12 s → “It is on its way.”
2. **Telegram Web** window (if set up): look for 5 s.
3. **Mock mode** on, press again: “the alert is simulated, not sent.”
4. Page dead → **clickable screen 6**: “this is what the product sends.”
5. Laptop dead → **backup video**: “this is the recorded run.”

Projector fails: keep talking from the cards, point at the poster, turn the laptop to the investors. Laptop fails: spare laptop + USB stick, or video on a phone.

D

Speaker D: Three layers and the alert demo

Beats 5, 6, 9 · about 1:21 of speaking

Beat	Clock	What	Then
5	2:23 – 2:51	Three layers, AI on the phone	Keep going → beat 6
6 1 of 2	2:51 – 3:38	Layer 1 demo: Guardian Alert	F reads; then turn card
6 2 of 2	2:51 – 3:38	After the alert	Hand to E: “Layer two, on the same laptop.”
9	5:28 – 5:54	Layer 3: before money moves	Hand to C: “Why does this work?”

Cues, not prose: use your own words, but say every number and level name exactly. Levels: **High risk · Check with family · No warning signs found**. Never “safe”. Price and terms questions → PO.

Draft prepared with AI assistance for the scrum master; to be reviewed and edited by the team. From pitch-script.md, 6 Nov 2026.

5 Three layers, AI on the phone

Speaker D · **2:23 – 2:51** · 0:28

D

Clickable screens, screen 1 (senior home).

- Ah Ma = senior · **Marcus** = guardian
- Android app, three layers:
- Before she answers: Guardian Alert
- During: Pause and Verify, Scam Check, Family Drill
- Before money moves: cooling-off check with a partner bank
- All AI on her phone; audio, screenshots, chat text never leave it

SAY EXACTLY

three layers

Keep going → beat 6 →

6 Layer 1 demo: Guardian Alert (1 of 2)

Speaker D · **2:51 – 3:38** · 0:35 + 12 s wait

D

Guardian Alert page. MOCK mode unless the live go was given.

- Not in her contacts → we **silence** the ring, never block
- She can always answer; we alert her guardian, **Marcus**
- Live: “Watch this phone” · Mock: “Watch the screen”
- Press **Simulate unknown call** → STOP talking

No alert after 12 s → fallback card.

F reads; then turn card →

6 After the alert (2 of 2)

Speaker D · **2:51 – 3:38** · 0:35 + 12 s wait

D

Alert shown on the phone, Telegram Web or the mock panel.

- Mock: say once “the alert is simulated, not sent”
- Android lets an app silence a call, not forward it
- → a true transfer needs a **telco partner**

SAY EXACTLY

under 10 seconds = our design target

Used a fallback? Say which one. **Hand to E: “Layer two, on the same laptop.” →**

9 Layer 3: before money moves

Speaker D · **5:28 – 5:54** · 0:26

D

Poster zone 4 or architecture diagram. No demo.

- Senior links SilverGuard inside the bank’s own app
- After a High risk check → signal to the bank, no message content
- The bank decides (e.g. hold a first transfer to a new payee)
- Comes later; today we have designed the interface

SAY EXACTLY

signal lasts 24 hours

Hand to C: “Why does this work?” →



Fallback ladder (beat 6 and any demo)

Max 20 seconds per step · always say which one you use

1. **Live alert** not there after 12 s → “It is on its way.”
2. **Telegram Web** window (if set up): look for 5 s.
3. **Mock mode** on, press again: “the alert is simulated, not sent.”
4. Page dead → **clickable screen 6**: “this is what the product sends.”
5. Laptop dead → **backup video**: “this is the recorded run.”

Projector fails: keep talking from the cards, point at the poster, turn the laptop to the investors. Laptop fails: spare laptop + USB stick, or video on a phone.

E

Speaker E: Scam Check demo and the ask

Beats 7, 13 · about 1:48 of speaking

Beat	Clock	What	Then
7	3:38 – 4:35	Layer 2 demo: Scam Check	Hand to F
13 **1 of 3**	8:14 – 9:14	The ask	Turn card → use of funds
13 **2 of 3**	8:14 – 9:14	Use of funds	Turn card → milestones
13 **3 of 3**	8:14 – 9:14	Three milestones	Hand to A

Cues, not prose: use your own words, but say every number and level name exactly. Levels: **High risk · Check with family · No warning signs found**. Never “safe”. Price and terms questions → PO.

Draft prepared with AI assistance for the scrum master; to be reviewed and edited by the team. From pitch-script.md, 6 Nov 2026.

7 Layer 2 demo: Scam Check

Speaker E · **3:38 – 4:35** · 0:48 + 10 s

E

Scam Check page. Paste message S04.

- Ah Ma not sure → shares it; “here I paste it”
- Read: **High risk**
- Reasons: money · “don’t tell anyone” · new number · urgent
- Never “safe”
- Demo = simplified word rules; product = trained model on the phone, message never leaves it

SAY EXACTLY

High risk · Check with family · No warning signs found

“15 out of 15 on a 15-message test set our team wrote with AI assistance; real-world accuracy is not yet measured.”

Hand to F →

13 The ask (1 of 3)

Speaker E · **8:14 – 9:14** · 1:00 (all 3 cards)

E

Poster zone 7 + timeline strip.

- Open: “We are asking for S$500,000 for twelve months, and here is what it buys.”
- It covers our budget plus a small buffer

SAY EXACTLY

S$500,000 for twelve months

S$491,534 of budget

No equity %, no valuation, no instrument. If asked → PO.

Turn card → use of funds →

13 Use of funds (2 of 3)

Speaker E · **8:14 – 9:14** · 1:00 (all 3 cards)

E

Poster zone 7.

- About **61%** pays our team: two Android engineers + one machine-learning engineer
- **9%** design and co-design with seniors
- **6%** language and voice data · **6%** the pilot
- **5%** security and privacy review
- **9%** contingency · **3%** infrastructure and buffer

SAY EXACTLY

61 · 9 · 6 · 6 · 5 · 9 · 3 (%)

Turn card → milestones →

13 Three milestones (3 of 3)

Speaker E · **8:14 – 9:14** · 1:00 (all 3 cards)

E

Timeline strip.

- About month 4: pilot-ready Android app
- Months 4 to 10: pilot through community centres
- Month 12: results against our gate: catch rate, false alarms, “couldn’t check” rate
- Vendor-quote line (cut first if over time)

SAY EXACTLY

200 households

about 12% of the budget still rests on vendor quotes

Hand to A →

Fallback ladder (beat 6 and any demo)

Max 20 seconds per step · always say which one you use

1. **Live alert** not there after 12 s → “It is on its way.”
2. **Telegram Web** window (if set up): look for 5 s.
3. **Mock mode** on, press again: “the alert is simulated, not sent.”
4. Page dead → **clickable screen 6**: “this is what the product sends.”
5. Laptop dead → **backup video**: “this is the recorded run.”

Projector fails: keep talking from the cards, point at the poster, turn the laptop to the investors. Laptop fails: spare laptop + USB stick, or video on a phone.

F Speaker F: Phone, Pause & Verify, drills, revenue

Beats 6 (one line), 8, 12 · about 1:28 of speaking

Beat	Clock	What	Then
6	about 3:15 in beat 6	Your line in the alert demo	Back to D
8 1 of 2	4:35 – 5:28	Pause & Verify	Turn card
8 2 of 2	4:35 – 5:28	Family Drill	Hand to D (beat 9)
12	7:39 – 8:14	How we earn	Hand to E: “We are asking for S$500,000.”

Cues, not prose: use your own words, but say every number and level name exactly. Levels: **High risk · Check with family · No warning signs found**. Never “safe”. Price and terms questions → PO.

Draft prepared with AI assistance for the scrum master; to be reviewed and edited by the team. From pitch-script.md, 6 Nov 2026.

6 Your line in the alert demo

Speaker F · **about 3:15 in beat 6** · about 10 s

F

Live: hold the guardian phone up. Mock: read from the laptop page.

- Wait for D to press the button and stop
- Read aloud:
- “An unknown number rang Mum. She can still answer, and Marcus should call her before any money moves.”
- Mock mode: read from “What Marcus receives”

Back to D →

8 Pause & Verify (1 of 2)

Speaker F · **4:35 – 5:28** · 0:45 + 8 s (both cards)

F

Clickable screens: press key 2.

- One button: “Is this really them?”
- Asks 3 questions aloud: money? urgent or secret? new number?
- Answer No, No, Yes
- Any yes → one big button: **Call Marcus now**
- Dials his saved number, **never the caller’s**

SAY EXACTLY

3 questions

Turn card →

8 Family Drill (2 of 2)

Speaker F · **4:35 – 5:28** · 0:45 + 8 s (both cards)

F

Clickable screens: press keys 4, then 5.

- Practice scam calls, clearly marked not real
- Debrief praises the pause
- Marcus sees alerts + drill progress, **never Ah Ma's screen**
- One job per screen, at most two big choices

SAY EXACTLY

4 languages: English, Mandarin, Malay, Tamil

Hand to D (beat 9) →

12 How we earn

Speaker F · **7:39 – 8:14** · 0:35

F

Poster zone 7 (revenue line).

- Family plan: adult child pays; alerts, drills, dashboard
- Family feels the pain today; no partner has to sign first
- Not yet tested if families pay: **pilot uses vouchers**
- Covers our average monthly spend → scale matters
- Bank and telco fees later; none signed

SAY EXACTLY

S$8 a month per parent

about 5,100 paying households

No other price. Never “we will have 5,100 customers”.

Hand to E: “We are asking for S$500,000.” →



Fallback ladder (beat 6 and any demo)

Max 20 seconds per step · always say which one you use

1. **Live alert** not there after 12 s → “It is on its way.”
2. **Telegram Web** window (if set up): look for 5 s.
3. **Mock mode** on, press again: “the alert is simulated, not sent.”
4. Page dead → **clickable screen 6**: “this is what the product sends.”
5. Laptop dead → **backup video**: “this is the recorded run.”

Projector fails: keep talking from the cards, point at the poster, turn the laptop to the investors. Laptop fails: spare laptop + USB stick, or video on a phone.