

rAppla	Version: 1.0
Use-case Specificaton: Termine mit Bahnfahrplan abgleichen	Date: 3.11.2013

rAppla	Version: 1.0
Use-case Specificaton: Termine mit Bahnfahrplan abgleichen	Date: 3.11.2013

# Use-case Specification: Termine mit Bahnfahrplan abgleichen


## 1 Termine mit Bahnfahrplan abgleichen

### 1.1 Brief Description

Dieser Usecase ist für Personengruppen gedacht, die mit öffentlichen Verkehrsmitteln zu Vorlesungen anreisen. Mit diesem Usecase wird es ihnen erleichtert eine Verbindung herauszusuchen, mit der sie passend zu Vorlesungsbeginn anwesend sind.

## 2 Flow of Events

### 2.1 Basic Flow



rAppla	Version: 1.0
Use-case Specificaton: Termine mit Bahnfahrplan abgleichen	Date: 3.11.2013

## 2.2 Alternative Flow

N.a.

## 3. Special Requirements

N.a.

## 4. Preconditions

Keine

## 5. Postconditions

Eine Liste der schnellsten Bahn- und Busverbindungen wird auf dem Bildschirm ausgegeben.

## 6. Extension Points

N.a.

## 7. Cucumber test scenario

**Feature:** Train schedule

The user can request the train schedule

to a specified date, time and station

**Scenario:** Show train schedule

**Given** I am on the screen 'Bahn'

**And** I have set a departure

**And** I have set a destination

**And** I have set a time

**When** I click the button 'Suchen'

**Then** the relevant train lines and departure times are listed

rAppla	Version: 1.0
Use-case Specificaton: Termine mit Bahnfahrplan abgleichen	Date: 3.11.2013

## 8. Wireframe

