

TABLE_NAME	COMMENTS
USER_CONS_COLUMNS	Information about accessible columns in constraint definitions
ALL_CONS_COLUMNS	Information about accessible columns in constraint definitions
USER_LOG_GROUP_COLUMNS	Information about columns in log group definitions
ALL_LOG_GROUP_COLUMNS	Information about columns in log group definitions
USER_LOBS	Description of the user's own LOBs contained in the user's own tables
ALL_LOBS	Description of LOBs contained in tables accessible to the user
USER_CATALOG	Tables, Views, Synonyms and Sequences owned by the user
ALL_CATALOG	All tables, views, synonyms, sequences accessible to the user
USER_CLUSTERS	Descriptions of user's own clusters
ALL_CLUSTERS	Description of clusters accessible to the user
USER_CLU_COLUMNS	Mapping of table columns to cluster columns
USER_COL_COMMENTS	Comments on columns of user's tables and views
ALL_COL_COMMENTS	Comments on columns of accessible tables and views
USER_COL_PRIVS	Grants on columns for which the user is the owner, grantor or grantee
ALL_COL_PRIVS	Grants on columns for which the user is the grantor, grantee, owner, or an enabled role or PUBLIC is the grantee
USER_COL_PRIVS_MADE	All grants on columns of objects owned by the user
ALL_COL_PRIVS_MADE	Grants on columns for which the user is owner or grantor
USER_COL_PRIVS_RECD	Grants on columns for which the user is the grantee
ALL_COL_PRIVS_RECD	Grants on columns for which the user, PUBLIC or enabled role is the grantee
ALL_ENCRYPTED_COLUMNS	Encryption information on all accessible columns
USER_ENCRYPTED_COLUMNS	Encryption information on columns of tables owned by the user
USER_INDEXES	Description of the user's own indexes
ALL_INDEXES	Descriptions of indexes on tables accessible to the user
USER_IND_COLUMNS	COLUMNS comprising user's INDEXes and INDEXes on user's TABLES
ALL_IND_COLUMNS	COLUMNS comprising INDEXes on accessible TABLES
USER_IND_EXPRESSIONS	Functional index expressions in user's indexes and indexes on user's tables
ALL_IND_EXPRESSIONS	FUNCTIONAL INDEX EXPRESSIONS on accessible TABLES
USER_JOIN_IND_COLUMNS	Join Index columns comprising the join conditions
ALL_JOIN_IND_COLUMNS	Join Index columns comprising the join conditions
USER_OBJECTS	Objects owned by the user
ALL_OBJECTS	Objects accessible to the user
USER_OBJECTS_AE	Objects owned by the user
ALL_OBJECTS_AE	Objects accessible to the user
USER_ROLE_PRIVS	Roles granted to current user
USER_SEQUENCES	Description of the user's own SEQUENCES
ALL_SEQUENCES	Description of SEQUENCES accessible to the user
USER_SYNONYMS	The user's private synonyms
ALL_SYNONYMS	All synonyms for base objects accessible to the user and session
USER_TABLES	Description of the user's own relational tables
USER_OBJECT_TABLES	Description of the user's own object tables
USER_ALL_TABLES	Description of all object and relational tables owned by the user's
ALL_TABLES	Description of relational tables accessible to the user
ALL_OBJECT_TABLES	Description of all object tables accessible to the user
ALL_ALL_TABLES	Description of all object and relational tables accessible to the user
USER_TAB_COLS	Columns of user's tables, views and clusters
ALL_TAB_COLS	Columns of user's tables, views and clusters
USER_TAB_COLUMNS	Columns of user's tables, views and clusters
ALL_TAB_COLUMNS	Columns of user's tables, views and clusters
USER_TAB_COMMENTS	Comments on the tables and views owned by the user
ALL_TAB_COMMENTS	Comments on tables and views accessible to the user
USER_TAB_PRIVS	Grants on objects for which the user is the owner, grantor or grantee
ALL_TAB_PRIVS	Grants on objects for which the user is the grantor, grantee, owner, or an enabled role or PUBLIC is the grantee
USER_TAB_PRIVS_MADE	All grants on objects owned by the user
ALL_TAB_PRIVS_MADE	User's grants and grants on user's objects
USER_TAB_PRIVS_RECD	Grants on objects for which the user is the grantee
ALL_TAB_PRIVS_RECD	Grants on objects for which the user, PUBLIC or enabled role is the grantee
USER_VIEWS	Description of the user's own views
ALL_VIEWS	Description of views accessible to the user
USER_VIEWS_AE	Description of the user's own views
ALL_VIEWS_AE	Description of views accessible to the user
USER_CONSTRAINTS	Constraint definitions on user's own tables
ALL_CONSTRAINTS	Constraint definitions on accessible tables
USER_LOG_GROUPS	Log group definitions on user's own tables
ALL_LOG_GROUPS	Log group definitions on accessible tables
USER_CLUSTER_HASH_EXPRESSIONS	Hash functions for the user's hash clusters
ALL_CLUSTER_HASH_EXPRESSIONS	Hash functions for all accessible clusters
USER_UPDATABLE_COLUMNS	Description of updatable columns
ALL_UPDATABLE_COLUMNS	Description of all updatable columns
USER_UNUSED_COL_TABS	User tables with unused columns
ALL_UNUSED_COL_TABS	All tables with unused columns accessible to the user
USER_PARTIAL_DROP_TABLES	User tables with unused columns

TABLE_NAME	COMMENTS
ALL_PARTIAL_DROP_TABS	All tables with patially dropped columns accessible to the user
USER_RESUMABLE	Resumable session information for current user
USER_EDITIONING_VIEWS	Descriptions of the user's own Editioning Views
ALL_EDITIONING_VIEWS	Description of Editioning Views accessible to the user
USER_EDITIONING_VIEWS	Descriptions of the user's own Editioning Views
ALL_EDITIONING_VIEWS	Description of Editioning Views accessible to the user
USER_EDITIONING_VIEWS	Relationship between columns of user's Editioning Views and the table columns to which they map
ALL_EDITIONING_VIEWS	Relationship between columns of Editioning Views accessible to the user and the table columns to which they map
USER_EDITIONING_VIEWS	Relationship between columns of user's Editioning Views and the table columns to which they map
ALL_EDITIONING_VIEWS	Relationship between columns of Editioning Views accessible to the user and the table columns to which they map
ALL_EDITIONS	Describes all editions in the database
ALL_EDITION_COMMENTS	Describes comments on all editions in the database
USER_LIBRARIES	Description of the user's own libraries
ALL_LIBRARIES	Description of libraries accessible to the user
USER_PROCEDURES	Description of the user functions/procedures/packages/types/triggers
ALL_PROCEDURES	Functions/procedures/packages/types/triggers available to the user
ALL_STORED_SETTINGS	Parameter settings for objects accessible to the user
USER_STORED_SETTINGS	Parameter settings for objects owned by the user
USER_PLSQL_OBJECT_SETTINGS	Compiler settings of stored objects owned by the user
ALL_PLSQL_OBJECT_SETTINGS	Compiler settings of stored objects accessible to the user
ALL_ARGUMENTS	Arguments in object accessible to the user
USER_ARGUMENTS	Arguments in object accessible to the user
USER_ASSEMBLIES	Description of the user's own assemblies
ALL_ASSEMBLIES	Description of assemblies accessible to the user
USER_IDENTIFIERS	Identifiers in stored objects accessible to the user
ALL_IDENTIFIERS	All identifiers in stored objects accessible to the user
USER_DB_LINKS	Database links owned by the user
ALL_DB_LINKS	Database links accessible to the user
USER_RECYCLEBIN	User view of his recyclebin
USER_RESOURCE_LIMITS	Display resource limit of the user
USER_PASSWORD_LIMITS	Display password limits of the user
USER_USERS	Information about the current user
ALL_USERS	Information about all users of the database
ALL_DEF_AUDIT_OPTS	Auditing options for newly created objects
USER_OBJ_AUDIT_OPTS	Auditing options for user's own tables and views with atleast one option set
USER_AUDIT_TRAIL	Audit trail entries relevant to the user
USER_AUDIT_SESSION	All audit trail records concerning CONNECT and DISCONNECT
USER_AUDIT_STATEMENT	Audit trail records concerning grant, revoke, audit, noaudit and alter system
USER_AUDIT_OBJECT	Audit trail records for statements concerning objects, specifically: table, cluster, view, index, sequence, ...
USER_SYS_PRIVS	System privileges granted to current user
USER_PROXIES	Description of connections the user is allowed to proxy
USER_TYPES	Description of the user's own types
ALL_TYPES	Description of types accessible to the user
USER_COLL_TYPES	Description of the user's own named collection types
ALL_COLL_TYPES	Description of named collection types accessible to the user
USER_TYPE_ATTRS	Description of attributes of the user's own types
ALL_TYPE_ATTRS	Description of attributes of types accessible to the user
USER_TYPE_METHODS	Description of methods of the user's own types
ALL_TYPE_METHODS	Description of methods of types accessible to the user
USER_METHOD_PARAMS	Description of method parameters of the user's own types
ALL_METHOD_PARAMS	Description of method parameters of types accessible to the user
USER_METHOD_RESULTS	Description of method results of the user's own types
ALL_METHOD_RESULTS	Description of method results of types accessible to the user
USER_SQLJ_TYPES	Description of the user's own types
ALL_SQLJ_TYPES	Description of types accessible to the user
USER_TYPE_VERSIONS	Description of each version of the user's types
ALL_TYPE_VERSIONS	Description of each type version accessible to the user
USER_PENDING_CONV_T	All user's tables which are not upgraded to the latest type version
ALL_PENDING_CONV_T	All tables accessible to the user which are not upgraded to the latest type version
USER_SQLJ_TYPE_ATTRS	Description of attributes of the user's own types
ALL_SQLJ_TYPE_ATTRS	Description of attributes of types accessible to the user
USER_SQLJ_TYPE_METHODS	Description of methods of the user's own types
ALL_SQLJ_TYPE_METHODS	Description of methods of types accessible to the user
USER_OLDIMAGE_COLUMNS	Gives all object tables and columns in old (8.0) image format
USER_NESTED_TABLE_COLS	Columns of nested tables
ALL_NESTED_TABLE_COLS	Columns of nested tables
ALL_DIRECTORIES	Description of all directories accessible to the user
USER_REFS	Description of the user's own REF columns contained in the user's own tables
ALL_REFS	Description of REF columns contained in tables accessible to the user
USER_NESTED_TABLES	Description of nested tables contained in the user's own tables
ALL_NESTED_TABLES	Description of nested tables in tables accessible to the user

TABLE_NAME	COMMENTS
USER_VARRAYS	Description of varrays contained in the user's own tables
ALL_VARRAYS	Description of varrays in tables accessible to the user
USER_OBJ_COLATTRS	Description of object columns and attributes contained in tables owned by the user
ALL_OBJ_COLATTRS	Description of object columns and attributes contained in the tables accessible to the user
USER_CONS_OBJ_COLUMNS	List of types an object column or attribute is constrained to in the tables owned by the user
ALL_CONS_OBJ_COLUMNS	List of types an object column or attribute is constrained to in the tables accessible to the user
ALL_OPERATORS	All operators available to the user
USER_OPERATORS	All user operators
USER_OPBINDINGS	All binding functions or methods on operators defined by the user
ALL_OPBINDINGS	All binding functions for operators available to the user
USER_OPANCILLARY	All ancillary operators defined by user
ALL_OPANCILLARY	All ancillary operators available to the user
USER_OPARGUMENTS	All operator arguments of operators defined by user
ALL_OPARGUMENTS	All arguments of the operators available to the user
USER_OPERATOR_COMMENTS	Comments for user-defined operators
ALL_OPERATOR_COMMENTS	Comments for user-defined operators
USER_INDEXTYPES	All user indextypes
ALL_INDEXTYPES	All indextypes available to the user
USER_INDEXTYPE_COMM..	Comments for user-defined indextypes
ALL_INDEXTYPE_COMMENTS	Comments for user-defined indextypes
USER_INDEXTYPE_ARRA..	All array types specified by the indextype
ALL_INDEXTYPE_ARRAY..	All array types specified by the indextype
USER_INDEXTYPE_OPER..	All user indextype operators
ALL_INDEXTYPE_OPERA..	All operators available to the user
USER_SECONDARY_OBJECTS	All secondary objects for domain indexes
ALL_SECONDARY_OBJECTS	All secondary objects for domain indexes
ALL_CHANGE_SOURCES	Change Data Capture change sources
ALL_CHANGE_SETS	Change Data Capture change sets
ALL_CHANGE_TABLES	Change Data Capture change tables
ALL_CHANGE_PROPAGAT..	Change Data Capture propagations
ALL_CHANGE_PROPAGAT..	Change Data Capture propagated change set
USER_SOURCE_TABLES	Source tables available for Change Data Capture
USER_PUBLISHED_COLUMNS	Source columns available for Change Data Capture
USER_SUBSCRIPTIONS	Change Data Capture subscriptions
USER_SUBSCRIBED_TABLES	Change Data Capture subscribed tables
USER_SUBSCRIBED_COL..	Change Data Capture subscribed columns
ALL_SUMDELTA	Direct path load entries accessible to the user
ALL_SUMMAP	mapping entries of transaction ID and commit SCN accessible to the user
USER_EXTERNAL_TABLES	Description of the user's own external tables
ALL_EXTERNAL_TABLES	Description of the external tables accessible to the user
USER_EXTERNAL_LOCAT..	Description of the user's external tables locations
ALL_EXTERNAL_LOCATION	Description of the external tables locations accessible to the user
USER_MINING_MODELS	Description of the user's own models
ALL_MINING_MODELS	Description of the models accessible to the user
USER_MINING_MODEL_A..	Description of the user's own model attributes
ALL_MINING_MODEL_AT..	Description of all the model attributes accessible to the user
USER_MINING_MODEL_S..	Description of the user's own model settings
ALL_MINING_MODEL_SE..	Description of all the settings accessible to the user
USER_TAB_COL_STATIS..	Columns of user's tables, views and clusters
ALL_TAB_COL_STATISTICS	Columns of user's tables, views and clusters
USER_TAB_HISTOGRAMS	Histograms on columns of user's tables
ALL_TAB_HISTOGRAMS	Histograms on columns of all tables visible to user
USER_ASSOCIATIONS	All associations defined by the user
ALL_ASSOCIATIONS	All associations available to the user
USER_USTATS	All statistics on tables or indexes owned by the user
ALL_USTATS	All statistics
USER_TAB_MODIFICATION	Information regarding modifications to tables
ALL_TAB_MODIFICATIONS	Information regarding modifications to tables
ALL_TAB_STATS_HISTORY	History of table statistics modifications
USER_TAB_STATS_HISTORY	History of table statistics modifications
ALL_TAB_STAT_PREFS	Statistics preferences for tables
USER_TAB_STAT_PREFS	Statistics preferences for tables
ALL_TAB_PENDING_STATS	Pending statistics of tables, partitions, and subpartitions
USER_TAB_PENDING_STAT	History of table statistics modifications
ALL_IND_PENDING_STATS	Pending statistics of tables, partitions, and subpartitions
USER_IND_PENDING_STAT	Pending statistics of tables, partitions, and subpartitions
ALL_COL_PENDING_STATS	Pending statistics of tables, partitions, and subpartitions
USER_COL_PENDING_STAT	Pending statistics of tables, partitions, and subpartitions
ALL_TAB_HISTGRM_PEN..	Pending statistics of tables, partitions, and subpartitions
USER_TAB_HISTGRM_PE..	Pending statistics of tables, partitions, and subpartitions
ALL_DIMENSIONS	Description of the dimension objects accessible to the DBA

TABLE_NAME	COMMENTS
USER_DIMENSIONS	Description of the dimension objects accessible to the DBA
ALL_DIM_LEVELS	Description of dimension levels visible to DBA
USER_DIM_LEVELS	Description of dimension levels visible to DBA
ALL_DIM_LEVEL_KEY	Representations of columns of a dimension level
USER_DIM_LEVEL_KEY	Representations of columns of a dimension level
ALL_DIM_ATTRIBUTES	Representation of the relationship between a dimension level and a functionally dependent column
USER_DIM_ATTRIBUTES	Representation of the relationship between a dimension level and a functionally dependent column
ALL_DIM_HIERARCHIES	Representation of a dimension hierarchy
USER_DIM_HIERARCHIES	Representation of a dimension hierarchy
ALL_DIM_CHILD_OF	Representaion of a 1:n hierarchical relationship between a pair of levels in a dimension
USER_DIM_CHILD_OF	Representaion of a 1:n hierarchical relationship between a pair of levels in a dimension
ALL_DIM_JOIN_KEY	Representation of a join between two dimension tables.
USER_DIM_JOIN_KEY	Representation of a join between two dimension tables.
ALL_SUMMARIES	Description of the summaries accessible to the user
USER_SUMMARIES	Description of the summaries created by the user
ALL_MVIEW_ANALYSIS	Description of the materialized views accessible to the user
USER_MVIEW_ANALYSIS	Description of the materialized views created by the user
USER_MVIEW_AGGREGATES	Description of the materialized view aggregates created by the user
ALL_MVIEW_AGGREGATES	Description of the materialized view aggregates accessible to the user
ALL_MVIEW_DETAIL_RE...	Description of the materialized view detail tables accessible to the user
USER_MVIEW_DETAIL_R...	Description of the materialized view detail tables of the materializedviews created by the user
ALL_MVIEW_KEYS	Description of the columns that appear in the GROUP BYlist of a materialized view accessible to the user
USER_MVIEW_KEYS	Description of the columns that appear in the GROUP BYlist of a materialized view created by the user
ALL_MVIEW_JOINS	Description of a join between two columns in theWHERE clause of a materialized view accessible to the user
USER_MVIEW_JOINS	Description of a join between two columns in theWHERE clause of a materialized view created by the user
ALL_MVIEW_COMMENTS	Comments on materialized views accessible to the user
USER_MVIEW_COMMENTS	Comments on materialized views owned by the user
ALL_REFRESH_DEPENDE...	Description of the detail tables that materialized views depend on forrefresh
ALL_REWRITE_EQUIVAL...	Description of all rewrite equivalence accessible to the user
USER_REWRITE_EQUIVA...	Description of all rewrite equivalence owned by the user
ALL_MVIEW_DETAIL_PA...	Freshness information of all PCT materialized views in the database
USER_MVIEW_DETAIL_P...	Freshness information of all PCT materialized views in the database
ALL_MVIEW_DETAIL_SU...	Freshness information of all PCT materialized views in the database
USER_MVIEW_DETAIL_S...	Freshness information of all PCT materialized views in the database
USER_TSTZ_TAB_COLS	Columns of user's tables, which have column(s) defined on timestamp with time zone data type or ADT type cont...
ALL_TSTZ_TAB_COLS	Columns of user's tables, which have column(s) defined on timestamp with time zone data type or ADT type cont...
USER_TSTZ_TABLES	Description of the user's own tables, which have column(s) defined on timestamp with time zone data type or A...
ALL_TSTZ_TABLES	Description of tables accessible to the user, which have column(s) defined on timestamp with time zone data t...
USER_ERRORS	Current errors on stored objects owned by the user
ALL_ERRORS	Current errors on stored objects that user is allowed to create
USER_ERRORS_AE	Current errors on stored objects owned by the user
ALL_ERRORS_AE	Current errors on stored objects that user is allowed to create
USER_SOURCE_AE	Source of stored objects accessible to the user
ALL_SOURCE_AE	Current source on stored objects that user is allowed to create
USER_SOURCE	Source of stored objects accessible to the user
ALL_SOURCE	Current source on stored objects that user is allowed to create
USER_TRIGGERS	Triggers having FOLLOWS or PRECEDES ordering owned by the user
ALL_TRIGGERS	Triggers accessible to the current user
USER_INTERNAL_TRIGGER	Description of the internal triggers on the user's own tables
ALL_INTERNAL_TRIGGERS	Description of the internal triggers on the tables accessible to the user
USER_TRIGGER_COLS	Column usage in user's triggers
ALL_TRIGGER_COLS	Column usage in user's triggers or in triggers on user's tables
USER_DEPENDENCIES	Dependencies to and from a users objects
ALL_DEPENDENCIES	Dependencies to and from objects accessible to the user
USER_OBJECT_SIZE	Sizes, in bytes, of various pl/sql objects
ALL_TRIGGER_ORDERING	Triggers having FOLLOWS or PRECEDES ordering accessible to the current user
USER_JOBS	All jobs owned by this user
USER_SEGMENTS	Storage allocated for all database segments
USER_EXTENTS	Extents comprising segments owned by the user
USER_FREE_SPACE	Free extents in tablespaces accessible to the user
USER_TABLESPACES	Description of accessible tablespaces
USER_TS_QUOTAS	Tablespace quotas for the user
ALL_CONTEXT	Description of all active context namespaces under the current session
USER_RULE_SETS	Rule sets owned by the user
ALL_RULE_SETS	Rule sets seen by the user
USER_RULESETS	Rulesets owned by the user: maintained for backward compatibility
ALL_RULESETS	Rulesets seen by the user: maintained for backward compatibility
USER_RULES	Rules owned by the user
ALL_RULES	Rules seen by the user
USER_RULE_SET_RULES	Rules in user rule sets
ALL_RULE_SET_RULES	Rules in all rule sets seen by the user

TABLE_NAME	COMMENTS
USER_EVALUATION_CON...	rule evaluation contexts owned by user
ALL_EVALUATION_CONT...	rule evaluation contexts seen by user
USER_EVALUATION_CON...	tables in user rule evaluation contexts
ALL_EVALUATION_CONT...	tables in all rule evaluation contexts seen by the user
USER_EVALUATION_CON...	variables in user rule evaluation contexts
ALL_EVALUATION_CONT...	variables in all rule evaluation contexts seen by the user
ALL_SNAPSHOTS	Snapshots the user can access
USER_SNAPSHOTS	Snapshots the user can look at
ALL_SNAPSHOT_LOGS	All snapshot logs in the database that the user can see
USER_SNAPSHOT_LOGS	All snapshot logs owned by the user
ALL_REFRESH	All the refresh groups that the user can touch
USER_REFRESH	All the refresh groups
ALL_REFRESH_CHILDREN	All the objects in refresh groups, where the user can touch the group
USER_REFRESH_CHILDREN	All the objects in refresh groups, where the user owns the refresh group
ALL_REGISTERED_SNAP...	Remote snapshots of local tables that the user can see
USER_REGISTERED_SNA...	Remote snapshots of local tables currently using logs owned by the user
ALL_MVIEWS	All materialized views in the database
USER_MVIEWS	All materialized views in the database
ALL_MVIEW_REFRESH_T...	Materialized views and their last refresh times for each master table that the user can look at
USER_MVIEW_REFRESH...	Materialized views and their last refresh times for each master table that the user can look at
ALL_MVIEW_LOGS	All materialized view logs in the database that the user can see
USER_MVIEW_LOGS	All materialized view logs owned by the user
ALL_BASE_TABLE_MVIEWS	All materialized views with log(s) in the database that the user can see
USER_BASE_TABLE_MVIEW	All materialized views with log(s) owned by the user in the database
ALL_REGISTERED_MVIEWS	Remote materialized views of local tables that the user can see
USER_REGISTERED_MVIEW	Remote materialized views of local tables currently using logs owned by the user
ALL_POLICIES	All policies for objects if the user has system privileges or owns the objects
USER_POLICIES	All row level security policies for synonyms, tables, or views owned by the user
ALL_POLICY_GROUPS	All policy groups defined for any synonym, table or view accessible to the user
USER_POLICY_GROUPS	All policy groups defined for any synonym, table, or view
ALL_POLICY_CONTEXTS	All policy driving context defined for all synonyms, tables, or views accessible to the user
USER_POLICY_CONTEXTS	All policy driving context defined for synonyms, tables, or views in current schema
ALL_SEC_RELEVANT_COLS	Security Relevant columns of all VPD policies for tables or views which the user has access
USER_SEC_RELEVANT_COLS	Security Relevant columns of VPD policies for tables or views owned by the user
ALL_AUDIT_POLICIES	All fine grained auditing policies in the database
ALL_AUDIT_POLICY_CO...	All fine grained auditing policy columns in the database
USER_AUDIT_POLICIES	All fine grained auditing policies for objects in user schema
USER_AUDIT_POLICY_C...	Users fine grained auditing policy columns in the database
USER_CHANGE_NOTIFIC...	change notification registrations for current user
USER_CQ_NOTIFICATIO...	Description of registered queries for CQ notification
USER_SUBSCR_REGISTR...	All subscription registrations created by the user
ALL_QUEUE_TABLES	All queue tables accessible to the user
USER_QUEUE_TABLES	All queue tables created by the user
ALL_QUEUES	All queues accessible to the user
ALL_DEQUEUE_QUEUES	All queues accessible to the user
ALL_INT_DEQUEUE_QUEUES	All queues accessible to the user
USER_QUEUES	All queues owned by the user
USER_RSRC_CONSUMER...	Switch privileges for consumer groups for the user
USER_RSRC_MANAGER_S...	system privileges for the resource manager for the user
USER_OUTLINES	Stored outlines owned by the user
USER_OUTLINE_HINTS	Hints stored in outlines owned by the user
USER_DATAPUMP_JOBS	Datapump jobs for current user
ALL_REPGROUP_PRIVIL...	Information about users who are registered for object group privileges
USER_REPGROUP_PRIVI...	Information about users who are registered for object group privileges
USER_REPGROUP	Replication information about the current user
ALL_REPGROUP	Information about replicated object groups
USER_REPSITES	N-way replication information about the current user
ALL_REPSITES	N-way replication information
USER_REPSHEMA	N-way replication information about the current user
ALL_REPSHEMA	N-way replication information
USER_REPOBJECT	Replication information about the current user's objects
ALL_REPOBJECT	Information about replicated objects
ALL_REPCOLUMN	Replicated top-level columns (table) sorted alphabetically in ascending order
USER_REPCOLUMN	Replicated columns for the current user's table in ascending order
USER_REPPROP	Propagation information about the current user's objects
ALL_REPPROP	Propagation information about replicated objects
USER_REPKEY_COLUMNS	Primary columns for a table using column-level replication
ALL_REPKEY_COLUMNS	Primary columns for a table using column-level replication
USER_REPGENOBJECTS	Objects generated for the current user to support replication
ALL_REPGENOBJECTS	Objects generated to support replication
USER_REPGENERATED	Objects generated for the current user to support replication

TABLE_NAME	COMMENTS
ALL_REPGENERATED	Objects generated to support replication
USER_REPCATALOG	Information about the current user's asynchronous administration requests
ALL_REPCATALOG	Information about asynchronous administration requests
USER_REPDDL	Arguments that do not fit in a single repcat log record
ALL_REPDDL	Arguments that do not fit in a single repcat log record
ALL_REPPRIORITY_GROUP	Information about all priority groups which are accessible to the user
USER_REPPRIORITY_GROUP	Information about user's priority groups
ALL_REPPRIORITY	Values and their corresponding priorities in all priority groups which are accessible to the user
USER_REPPRIORITY	Values and their corresponding priorities in user's priority groups
ALL_REPCOLUMN_GROUP	All column groups of replicated tables which are accessible to the user
USER_REPCOLUMN_GROUP	All column groups of user's replicated tables
ALL_REPGROUPED_COLUMN	Columns in the all column groups of replicated tables which are accessible to the user
USER_REPGROUPED_COLUMN	Columns in the all column groups of user's replicated tables
ALL_REPCONFLICT	All conflicts with available resolutions for user's replicated tables
ALL_REPRESOLUTION_M...	All conflict resolution methods accessible to the user
USER_REPRESOLUTION...	All conflict resolution methods accessible to the user
ALL_REPRESOLUTION	Description of all conflict resolutions for replicated tables which are accessible to the user
USER_REPRESOLUTION	Description of all conflict resolutions for user's replicated tables
ALL_REPRESOLUTION_S...	Statistics for conflict resolutions for replicated tables which are accessible to the user
USER_REPRESOLUTION...	Statistics for conflict resolutions for user's replicated tables
ALL_REPRESOL_STATS...	Information about statistics collection for conflict resolutions for replicated tables which are accessible t...
USER_REPRESOL_STATS...	Information about statistics collection for conflict resolutions for user's replicated tables
ALL_REPPARAMETER_CO...	All columns used for resolving conflicts in replicated tables which are accessible to the user
USER_REPPARAMETER_C...	All columns used for resolving conflicts in user's replicated tables
ALL_REPAUDIT_ATTRIBUT...	Information about attributes automatically maintained for replication
USER_REPAUDIT_ATTRI...	Information about attributes automatically maintained for replication
ALL_REPAUDIT_COLUMN	Information about columns in all shadow tables for replicated tables which are accessible to the user
USER_REPAUDIT_COLUMN	Information about columns in all shadow tables for user's replicated tables
ALL_REPFLAVORS	Flavors defined for replicated object groups
USER_REPFLAVORS	Flavors current user created for replicated object groups
ALL_REPFLAVOR_OBJECTS	Replicated objects in flavors
USER_REPFLAVOR_OBJECTS	Replicated user objects in flavors
ALL_REPFLAVOR_COLUMNS	Replicated columns in flavors
USER_REPFLAVOR_COLUMNS	Replicated columns from current user's tables in flavors
USER_WARNING_SETTINGS	Warning Parameter settings for objects owned by the user
ALL_WARNING_SETTINGS	Warnings ettings for objects accessible to the user
ALL_STAT_EXTENSIONS	Optimizer statistics extensions
USER_STAT_EXTENSIONS	Optimizer statistics extensions
ALL_TAB_STATISTICS	Optimizer statistics for all tables accessible to the user
USER_TAB_STATISTICS	Optimizer statistics of the user's own tables
ALL_IND_STATISTICS	Optimizer statistics for all indexes on tables accessible to the user
USER_IND_STATISTICS	Optimizer statistics for user's own indexes
USER_AWS	Analytic Workspaces owned by the user
ALL_AWS	Analytic Workspaces accessible to the user
USER_AW_PS	Pagespaces in Analytic Workspaces owned by the user
ALL_AW_PS	Pagespaces in Analytic Workspaces accessible to the user
ALL_CUBES	OLAP Cubes in the database accessible to the user
USER_CUBES	OLAP Cubes owned by the user in the database
ALL_CUBE_DIMENSIONA...	OLAP Cube Dimensionality in the database accessible to the user
USER_CUBE_DIMENSION...	OLAP Cube Dimensionality owned by the user in the database
ALL_CUBE_MEASURES	OLAP Measures in the database accessible to the user
USER_CUBE_MEASURES	OLAP Measures owned by the user in the database
ALL_CUBE_DIMENSIONS	OLAP Cube Dimensions in the database accessible by the user
USER_CUBE_DIMENSIONS	OLAP Cube Dimensions owned by the user in the database
ALL_CUBE_HIERARCHIES	OLAP Hierarchies in the database accessible by the user
USER_CUBE_HIERARCHIES	OLAP Hierarchies owned by the user in the database
ALL_CUBE_HIER_LEVELS	OLAP Hierarchy Levels in the database accessible to the user
USER_CUBE_HIER_LEVELS	OLAP Hierarchy Levels owned by the user in the database
ALL_CUBE_DIM_LEVELS	OLAP Dimension Levels in the database accessible by the user
USER_CUBE_DIM_LEVELS	OLAP Dimension Levels owned by the user in the database
ALL_CUBE_ATTRIBUTES	OLAP Attributes in the database accessible by the user
USER_CUBE_ATTRIBUTES	OLAP Attributes owned by the user in the database
ALL_CUBE_ATTR_VISIB...	OLAP Attributes visible for Dimensions, Hierarchies, and Levels
USER_CUBE_ATTR_VISI...	OLAP Attributes visible for Dimensions, Hierarchies, and Levels
ALL_CUBE_DIM_MODELS	OLAP Dimension Models in the database accessible to the user
USER_CUBE_DIM_MODELS	OLAP Dimension Models in the database accessible to the user
ALL_CUBE_CALCULATED...	OLAP Calculated Members in the database accessible to the user
USER_CUBE_CALCULATE...	OLAP Calculated Members in the database accessible to the user
ALL_CUBE_VIEWS	OLAP Cube Views in the database accessible by the user
USER_CUBE_VIEWS	OLAP Cube Views owned by the user in the database
ALL_CUBE_VIEW_COLUMNS	OLAP Cube View Columns in the database accessible by the user

TABLE_NAME	COMMENTS
USER_CUBE_VIEW_COLUMNS	OLAP Cube View Columns owned by the user in the database
ALL_CUBE_DIM_VIEWS	OLAP Dimension Views in the database accessible by the user
USER_CUBE_DIM_VIEWS	OLAP Dimension Views owned by the user in the database
ALL_CUBE_DIM_VIEW_COLUMNS	OLAP Dimension View Columns in the database accessible to the user
USER_CUBE_DIM_VIEW_COLUMNS	OLAP Dimension View Columns in the database accessible to the user
ALL_CUBE_HIER_VIEWS	OLAP Hierarchy Views in the database accessible to the user
USER_CUBE_HIER_VIEWS	OLAP Hierarchy Views owned by the user in the database
ALL_CUBE_HIER_VIEW_COLUMNS	OLAP Hierarchy View Columns in the database accessible to the user
USER_CUBE_HIER_VIEW_COLUMNS	OLAP Hierarchy View Columns owned by the user in the database
ALL_MEASURE_FOLDERS	OLAP Measure Folders in the database accessible to the user
USER_MEASURE_FOLDERS	OLAP Measure Folders owned by the user in the database
ALL_MEASURE_FOLDER_CONTENTS	OLAP Measure Folder Contents in the database accessible by the user
USER_MEASURE_FOLDER_CONTENTS	OLAP Measure Folder Contents owned by the user in the database
ALL_CUBE_BUILD_PROCESSES	OLAP Build Processes in the database accessible to the user
USER_CUBE_BUILD_PROCESSES	OLAP Build Processes owned by the user in the database
USER_QUEUE_SUBSCRIBERS	queue subscribers under a user's schema
ALL_QUEUE_SUBSCRIBERS	All queue subscribers accessible to user
USER_SCHEDULER_PROGRAMS	Scheduler programs owned by the current user
ALL_SCHEDULER_PROGRAMS	All scheduler programs visible to the user
USER_SCHEDULER_DESTS	Destination objects for jobs in the database owned by current user
ALL_SCHEDULER_DESTS	All destination objects for jobs in the database visible to current user
ALL_SCHEDULER_EXTENDERS	User-visible destination objects in the database pointing to remote agents
USER_SCHEDULER_DB_DESTS	User-owned destination objects in the database pointing to remote databases
ALL_SCHEDULER_DB_DESTS	User-visible destination objects in the database pointing to remote databases
USER_SCHEDULER_JOB_STATES	State of all jobs owned by current user at each of their destinations
ALL_SCHEDULER_JOB_STATES	State of all jobs visible to current user at each of their destinations
USER_SCHEDULER_JOBS	All scheduler jobs in the database
ALL_SCHEDULER_JOBS	All scheduler jobs visible to the user
ALL_SCHEDULER_JOB_CLASSES	All scheduler classes visible to the user
ALL_SCHEDULER_WINDOWS	All scheduler windows in the database
USER_SCHEDULER_PROGRAM_ARGS	All arguments of all scheduler programs in the database
ALL_SCHEDULER_PROGRAM_ARGS	All arguments of all scheduler programs visible to the user
USER_SCHEDULER_JOB_ARGS	All arguments with set values of all scheduler jobs in the database
ALL_SCHEDULER_JOB_ARGS	All arguments with set values of all scheduler jobs in the database
USER_SCHEDULER_JOB_LOGS	Logged information for all scheduler jobs
USER_SCHEDULER_JOB_LOGS	The details of a job run
ALL_SCHEDULER_JOB_LOGS	Logged information for all scheduler jobs
ALL_SCHEDULER_JOB_LOGS	The details of a job run
ALL_SCHEDULER_WINDOWS	Logged information for all scheduler windows
ALL_SCHEDULER_WINDOWS	The details of a window
ALL_SCHEDULER_WINDOW_GROUPS	All scheduler window groups in the database
ALL_SCHEDULER_WINDOW_GROUPS	Members of all scheduler window groups in the database
USER_SCHEDULER_GROUP_MEMBERS	Members of all scheduler object groups owned by current user
ALL_SCHEDULER_GROUP_MEMBERS	Members of all scheduler object groups visible to current user
USER_SCHEDULER_GROUPS	All scheduler object groups owned by current user
ALL_SCHEDULER_GROUPS	All scheduler object groups visible to current user
USER_SCHEDULER_SCHEMES	Schedules belonging to the current user
ALL_SCHEDULER_SCHEDULES	All schedules in the database
ALL_SCHEDULER_REMOTE_STATES	Remote state of all jobs originating from this database visible to current user
USER_SCHEDULER_REMOTE_STATES	Remote state of all jobs originating from this database owned by current user
ALL_SCHEDULER_GLOBAL_ATTRIBUTES	All scheduler global attributes
USER_SCHEDULER_CHAINS	All scheduler chains owned by the current user
ALL_SCHEDULER_CHAINS	All scheduler chains in the database visible to current user
USER_SCHEDULER_CHAIN_RULES	All rules from scheduler chains owned by the current user
ALL_SCHEDULER_CHAIN_RULES	All rules from scheduler chains visible to the current user
USER_SCHEDULER_CHAIN_STEPS	All steps of scheduler chains owned by the current user
ALL_SCHEDULER_CHAIN_STEPS	All steps of scheduler chains visible to the current user
USER_SCHEDULER_RUNNING_STEPS	All steps of chains being run by jobs owned by the current user
ALL_SCHEDULER_RUNNING_STEPS	All job steps of running job chains visible to the user
USER_SCHEDULER_CREDENTIALS	Scheduler credentials owned by the current user
ALL_SCHEDULER_CREDENTIALS	All scheduler credentials visible to the user
USER_SCHEDULER_FILE_WATCHES	Scheduler file watch requests owned by the current user
ALL_SCHEDULER_FILE_WATCHES	Scheduler file watch requests visible to the current user
USER_SCHEDULER_NOTIFICATIONS	All e-mail notifications for jobs owned by the current user
ALL_SCHEDULER_NOTIFICATIONS	All job e-mail notifications visible to the current user
USER_TUNE_MVIEW	tune_mvview catalog view owned by the user
USER_FLASHBACK_ARCHIVE	Description of the flashback archives available to the user
USER_FLASHBACK_ARCHIVE	Information about the user tables that are enabled for Flashback Archive
ALL_CAPTURE	Details about each capture process that stores the captured changes in a queue visible to the current user
ALL_CAPTURE_PARAMETERS	Details about parameters for each capture process that stores the captured changes in a queue visible to the ...
ALL_CAPTURE_PREPARE	Is the local database prepared for instantiation?

TABLE_NAME	COMMENTS
ALL_CAPTURE_PREPARE...	All user schemas at the local database that are prepared for instantiation
ALL_CAPTURE_PREPARE...	All tables visible to the current user that are prepared for instantiation
ALL_SYNC_CAPTURE_PR...	All tables prepared for synchronous capture instantiation
ALL_CAPTURE_EXTRA_A...	Extra attributes for a capture process that is visible to the current user
ALL_SYNC_CAPTURE	Details about each sync capture process that stores the captured changes in a queue visible to the current user
ALL_APPLY	Details about each apply process that dequeues from the queue visible to the current user
ALL_APPLY_PARAMETERS	Details about parameters of each apply process that dequeues from the queue visible to the current user
ALL_APPLY_KEY_COLUMNS	Alternative key columns for a STREAMS table visible to the current user
ALL_APPLY_CONFLICT_...	Details about conflict resolution on tables visible to the current user
ALL_APPLY_TABLE_COL...	Details about the columns of destination table object visible to the user
ALL_APPLY_DML_HANDLER	Details about the dml handler on tables visible to the current user
ALL_APPLY_PROGRESS	Information about the progress made by the apply process that dequeues from the queue visible to the current ...
ALL_APPLY_ERROR	Error transactions that were generated after dequeuing from the queue visible to the current user
ALL_APPLY_ENQUEUE	Details about the apply enqueue action for user accessible rules where the destination queue exists and is vi...
ALL_APPLY_EXECUTE	Details about the apply execute action for all rules visible to the user
ALL_XSTREAM_OUTBOUND	Details about the XStream outbound server visible to user
ALL_XSTREAM_INBOUND	Details about the XStream inbound server visible to user
ALL_APPLY_CHANGE HA...	Details about apply change handler
ALL_PROPAGATION	Streams propagation seen by the user
ALL_FILE_GROUPS	Details about file groups
ALL_FILE_GROUP_VERS...	Details about file group versions
ALL_FILE_GROUP_EXPO...	Details about export information of file group versions
ALL_FILE_GROUP_FILES	Details about file group files
ALL_FILE_GROUP_TABL...	Details about the transportable tablespaces in the file group repository
ALL_FILE_GROUP_TABLES	Details about the tables in the file group repository
USER_FILE_GROUPS	Details about file groups
USER_FILE_GROUP_VER...	Details about file group versions
USER_FILE_GROUP_EXP...	Details about export information of file group versions
USER_FILE_GROUP_FILES	Details about file group files
USER_FILE_GROUP_TAB...	Details about the transportable tablespaces in the file group repository
USER_FILE_GROUP_TABLES	Details about the tables in the file group repository
ALL_STREAMS_MESSAGE...	Streams messaging consumers visible to the current user
ALL_STREAMS_GLOBAL_...	Global rules created on the streams capture/apply/propagation process that interact with the queue visible to...
ALL_STREAMS_SCHEMA...	Rules created by streams administrative APIs on all user schemas
ALL_STREAMS_TABLE_R...	Rules created by streams administrative APIs on tables visible to the current user
ALL_STREAMS_MESSAGE...	Rules for Streams messaging visible to the current user
ALL_STREAMS_RULES	Rules used by streams processes
ALL_SYNC_CAPTURE_TA...	All tables that are captured by synchronous streams captures.
ALL_XSTREAM_RULES	Details about the XStream server rules visible to user
ALL_STREAMS_TRANSFO...	Rules-based transform functions used by Streams
USER_COMPARISON	Details about the user's comparison objects
USER_COMPARISON_COL...	Details about the comparison object's columns
USER_COMPARISON_SCAN	Details about a comparison scan
USER_COMPARISON_SCA...	Details about a comparison scan
USER_COMPARISON_SCA...	Details about a comparison scan's values
USER_COMPARISON_ROW...	Details about the differing rows in a comparison scan
ALL_STREAMS_COLUMNS	Streams unsupported columns
ALL_STREAMS_UNSUPPO...	List of all the tables that are not supported by Streams in this release
ALL_STREAMS_NEWLY_S...	List of objects that are newly supported by Streams
USER_JAVA_POLICY	java security Permissions for current user
USER_JAVA_CLASSES	class level information of stored java class owned by the user
ALL_JAVA_CLASSES	class level information of stored java class accessible to the user
USER_JAVA_LAYOUTS	class layout information about stored java class owned by the user
ALL_JAVA_LAYOUTS	class layout information about stored java class accessible to the user
USER_JAVA_IMPLEMENT...	interfaces implemented by the stored java class owned by user
ALL_JAVA_IMPLEMENT...	interfaces implemented by the stored java class accessible to the user
USER_JAVA_INNERS	list of inner classes referred by the stored java class owned by user
ALL_JAVA_INNERS	list of inner classes referred by the stored java class accessible to user
USER_JAVA_FIELDS	field information of stored java class owned by the user
ALL_JAVA_FIELDS	field information of stored java class accessible to user
USER_JAVA_METHODS	method information of stored java class owned by the user
ALL_JAVA_METHODS	method information of stored java class accessible to user
USER_JAVA_ARGUMENTS	argument information of stored java class owned by the user
ALL_JAVA_ARGUMENTS	argument information of stored java class accessible to the user
USER_JAVA_THROWS	list of exceptions thrown from a method of a class owned by user
ALL_JAVA_THROWS	list of exceptions thrown from a method of a class accessible to user
USER_JAVA_DERIVATIONS	this view maps java source objects and their derived java class objects and java resource objects for the ja...
ALL_JAVA_DERIVATIONS	this view maps java source objects and their derived java class objects and java resource objects for the ja...
USER_JAVA_RESOLVERS	resolver of java class owned by user
ALL_JAVA_RESOLVERS	resolver of java class owned by user
USER_JAVA_NCOMPS	ncomp related information of java classes owned by user



TABLE_NAME	COMMENTS
ALL_JAVA_NCOMPS	ncomp related information of all java classes
USER_JAVA_COMPILER_...	native compiler options provided by the user
ALL_JAVA_COMPILER_O...	native-compiler options applicable to user
USER_EPG_DAD_AUTHOR...	DADs authorized to use the user's privileges
ALL_XML_TABLES	Description of the all XMLType tables that the user has privileges on
USER_XML_TABLES	Description of the user's own XMLType tables
ALL_XML_TAB_COLS	Description of the all XMLType tables that the user has privileges on
USER_XML_TAB_COLS	Description of the user's own XMLType tables
ALL_XML_VIEWS	Description of the all XMLType views that the user has privileges on
USER_XML_VIEWS	Description of the user's own XMLType views
ALL_XML_VIEW_COLS	Description of the all XMLType views that the user has privileges on
USER_XML_VIEW_COLS	Description of the user's own XMLType views
ALL_XML_SCHEMAS	Description of all XML Schemas that user has privilege to reference
ALL_XML_SCHEMAS2	Dummy version of ALL_XML_SCHEMAS that does not have an XMLTYPE column
USER_XML_SCHEMAS	Description of XML Schemas registered by the user
ALL_XML_INDEXES	Description of the all XMLType indexes that the user has privileges on
USER_XML_INDEXES	Description of the user's own XMLType indexes
ALL_XDS_OBJECTS	All XDS enabled objects accessible to the user
USER_XDS_OBJECTS	All XDS enabled objects owned by the user
ALL_XDS_INSTANCE_SETS	All instance sets for objects accessible to the user in the database
USER_XDS_INSTANCE_SETS	All instance sets for objects owned by the user
ALL_XDS_ATTRIBUTE_SECS	All objects with XDS column security and accessible to the user
USER_XDS_ATTRIBUTE_...	All objects with column security and owned by the user
ALL_XSC_SECURITY_CLAS	All security class definitions in the database
ALL_XSC_SECURITY_CL...	Security class "enable" and "mutable" status
ALL_XSC_SECURITY_CL...	All security class dependencies in the database
ALL_XSC_PRIVILEGE	All mappings of privileges to security classes in the database
ALL_XSC_AGGREGATE_P...	All privileges that make up an aggregate privilege in the database
USER_NETWORK_ACL_PR...	User privileges to access network hosts through PL/SQL network utility packages
USER_AW_PROP	Object properties in Analytic Workspaces owned by the user
ALL_AW_PROP	Object properties in Analytic Workspaces accessible to the user
USER_AW_OBJ	Objects in Analytic Workspaces owned by the user
ALL_AW_OBJ	Objects in Analytic Workspaces accessible to the user
ALL_AW_PROP_NAME	Analytic Workspace property names accessible to the user
ALL_AW_AC	Active Catalog Analytic Workspaces accessible to the user
ALL_LOB_SUBPARTITIONS	(null)
ALL_PART_INDEXES	(null)
USER_ADDM_FDG_BREAK...	(null)
USER_ADDM_INSTANCES	(null)
USER_PART_INDEXES	(null)
USER_PART_COL_STATI...	(null)
USER_ADVISOR_SQLW_J...	(null)
ALL_SERVICES	(null)
USER_ADVISOR_DIR_TA...	(null)
ALL_LOB_PARTITIONS	(null)
USER_ADVISOR_FDG_BR...	(null)
ALL_PART_LOBS	(null)
USER_ADDM_FINDINGS	(null)
ALL_SUBPART_KEY_COL...	(null)
USER_ADVISOR_SQLPLANS	(null)
USER_ADVISOR_SQLW_S...	(null)
USER_ADVISOR_FINDINGS	(null)
USER_ADVISOR_SQLW_SUM	(null)
USER_ADVISOR_PARAME...	(null)
ALL_REGISTRY_BANNERS	(null)
USER_TAB_SUBPARTITION	(null)
USER_TS	(null)
USER_ATTRIBUTE_TRAN...	(null)
USER_SQLTUNE_RATIO...	(null)
ALL_PART_TABLES	(null)
USER_SUBPARTITION_T...	(null)
USER_TRANSFORMATIONS	(null)
USER_SQLSET	(null)
USER_PART_LOBS	(null)
USER_FLASHBACK_TXN...	(null)
USER_LOB_PARTITIONS	(null)
ALL_IND_SUBPARTITIONS	(null)
USER_ADVISOR_SQLA_T...	(null)
USER_ADDM_TASKS	(null)
USER_PART_HISTOGRAMS	(null)
ALL_SQLSET_PLANS	(null)

TABLE_NAME	COMMENTS
ALL_PART_COL_STATIS...	(null)
ALL_SQLSET_REFERENCES	(null)
USER_ADVISOR_OBJECTS	(null)
ALL_QUEUE_PUBLISHERS	(null)
ALL_SCHEDULER_REMOT...	(null)
USER_ADVISOR_SQLW_C...	(null)
USER_TAB_PARTITIONS	(null)
USER_DBFS_HS_FILES	(null)
USER_PART_KEY_COLUMNS	(null)
USER_REPCAT	(null)
USER_ADVISOR_TEMPLATE	(null)
ALL\$OLAP2_AWS	(null)
USER_ADVISOR_SQLW_T...	(null)
USER_QUEUE_PUBLISHERS	(null)
USER_REGISTRY	(null)
USER_SQLTUNE_PLANS	(null)
USER_SQLSET_REFERENCE	(null)
USER_QUEUE_SCHEDULES	(null)
USER_ADVISOR_RATIONALE	(null)
USER_IND_SUBPARTITION	(null)
USER_ADVISOR_TASKS	(null)
USER_ADVISOR_SQLA_W...	(null)
ALL_LOB_TEMPLATES	(null)
USER_DBFS_HS_COMMANDS	(null)
ALL_PART_HISTOGRAMS	(null)
USER_ADVISOR_SQLW_T...	(null)
ALL_SQLSET_BINDS	(null)
USER_ADVISOR_SQLA_W...	(null)
USER_ADVISOR_RECOMM...	(null)
USER_ADVISOR_EXEC_P...	(null)
USER_ADVISOR_SQLA_T...	(null)
ALL_REPCAT	(null)
USER_PART_TABLES	(null)
USER_SUBPART_COL_ST...	(null)
USER_XML_COLUMN_NAMES	(null)
USER_ADVISOR_EXECUT...	(null)
ALL_SUBPARTITION_TE...	(null)
ALL_TRANSFORMATIONS	(null)
USER_ADVISOR_JOURNAL	(null)
USER_ADVISOR_SQLW_T...	(null)
USER_REPCONFLICT	(null)
USER_SQLSET_STATEMENT	(null)
USER_LOB_TEMPLATES	(null)
ALL_SUBPART_HISTOGRAM	(null)
USER_FLASHBACK_TXN_...	(null)
USER_ADVISOR_ACTIONS	(null)
USER_DBFS_HS_PROPER...	(null)
ALL_TAB_SUBPARTITIONS	(null)
USER_ADVISOR_SQLA_W...	(null)
USER_SQLTUNE_BINDS	(null)
USER_SQLTUNE_STATIS...	(null)
ALL_PART_KEY_COLUMNS	(null)
USER_ADVISOR_SQLSTATS	(null)
USER_ADVISOR_SQLA_R...	(null)
USER_ADVISOR_SQLW_P...	(null)
USER_ADVISOR_SQLA_C...	(null)
USER_DBFS_HS	(null)
ALL_SUBPART_COL_STA...	(null)
USER_PARALLEL_EXECU...	(null)
USER_SQLSET_BINDS	(null)
ALL_QUEUE_SCHEDULES	(null)
USER_SQLSET_PLANS	(null)
ALL_SQLSET	(null)
USER_PARALLEL_EXECU...	(null)
USER_SUBPART_KEY_CO...	(null)
USER_DBFS_HS_FIXED_...	(null)
USER_ADVISOR_LOG	(null)
ALL_IND_PARTITIONS	(null)
USER_AQ_AGENT_PRIVS	(null)
USER_LOB_SUBPARTITION	(null)
ALL_TAB_PARTITIONS	(null)

TABLE_NAME	COMMENTS
ALL_ATTRIBUTE_TRANS...	(null)
USER_SUBPART_HISTOG...	(null)
ALL_SQLSET_STATEMENTS	(null)
ALL_PROBE_OBJECTS	(null)
USER_ADDM_TASK DIRE...	(null)
USER_IND_PARTITIONS	(null)
ALL_AW_AC_10G	(null)
AUDIT_ACTIONS	Description table for audit trail action type codes. Maps action type numbers to action type names
COLUMN_PRIVILEGES	Grants on columns for which the user is the grantor, grantee, owner, or an enabled role or PUBLIC is the grantee
DATABASE_COMPATIBLE...	Database compatible parameter set via init.ora
DBMS_ALERT_INFO	(null)
DBMS_LOCK_ALLOCATED	(null)
DICTIONARY	Description of data dictionary tables and views
DICT_COLUMNS	Description of columns in data dictionary tables and views
DUAL	(null)
GLOBAL_NAME	global database name
INDEX_HISTOGRAM	statistics on keys with repeat count
INDEX_STATS	statistics on the b-tree
NLS_DATABASE_PARAME...	Permanent NLS parameters of the database
NLS_INSTANCE_PARAME...	NLS parameters of the instance
NLS_SESSION_PARAMETER	NLS parameters of the user session
RESOURCE_COST	Cost for each resource
ROLE_ROLE_PRIVS	Roles which are granted to roles
ROLE_SYS_PRIVS	System privileges granted to roles
ROLE_TAB_PRIVS	Table privileges granted to roles
SESSION_PRIVS	Privileges which the user currently has set
SESSION_ROLES	Roles which the user currently has enabled.
TABLE_PRIVILEGES	Grants on objects for which the user is the grantor, grantee, owner, or an enabled role or PUBLIC is the grantee
V\$ACTIVE_INSTANCES	Synonym for V_\$ACTIVE_INSTANCES
V\$ACTIVE_SESS_POOL_MTH	Synonym for V_\$ACTIVE_SESS_POOL_MTH
V\$ADVISOR_PROGRESS	Synonym for V_\$ADVISOR_PROGRESS
V\$AW_LONGOPS	Synonym for V_\$AW_LONGOPS
V\$BH	Synonym for V_\$BH
V\$BLOCKING QUIESCE	Synonym for V_\$BLOCKING QUIESCE
V\$MAX_ACTIVE_SESS_T...	Synonym for V_\$MAX_ACTIVE_SESS_TARGET_MTH
V\$NLS_PARAMETERS	Synonym for V_\$NLS_PARAMETERS
V\$NLS_VALID_VALUES	Synonym for V_\$NLS_VALID_VALUES
V\$OPTION	Synonym for V_\$OPTION
V\$PARALLEL_DEGREE_L...	Synonym for V_\$PARALLEL_DEGREE_LIMIT_MTH
V\$PQ_SESSTAT	Synonym for V_\$PQ_SESSTAT
V\$PQ_TQSTAT	Synonym for V_\$PQ_TQSTAT
V\$QUEUEING_MTH	Synonym for V_\$QUEUEING_MTH
V\$RESTORE_POINT	Synonym for V_\$RESTORE_POINT
V\$RSRC_CONSUMER_GROUP	Synonym for V_\$RSRC_CONSUMER_GROUP
V\$RSRC_CONSUMER GRO...	Synonym for V_\$RSRC_CONSUMER_GROUP_CPU_MTH
V\$RSRC_CONS_GROUP_H...	Synonym for V_\$RSRC_CONS_GROUP_HISTORY
V\$RSRC_PLAN	Synonym for V_\$RSRC_PLAN
V\$RSRC_PLAN_CPU_MTH	Synonym for V_\$RSRC_PLAN_CPU_MTH
V\$RSRC_PLAN_HISTORY	Synonym for V_\$RSRC_PLAN_HISTORY
V\$RSRC_SESSION_INFO	Synonym for V_\$RSRC_SESSION_INFO
V\$SESSION_CONNECT_INF	Synonym for V_\$SESSION_CONNECT_INFO
V\$SESSION_LONGOPS	Synonym for V_\$SESSION_LONGOPS
V\$SQLFN_ARG METADATA	Synonym for V_\$SQLFN_ARG METADATA
V\$SQLFN_METADATA	Synonym for V_\$SQLFN_METADATA
V\$SQLPA_METRIC	Synonym for V_\$SQLPA_METRIC
V\$TEMPORARY_LOBS	Synonym for V_\$TEMPORARY_LOBS
V\$TIMEZONE_FILE	Synonym for V_\$TIMEZONE_FILE
V\$TIMEZONE_NAMES	Synonym for V_\$TIMEZONE_NAMES
V\$VERSION	Synonym for V_\$VERSION
GV\$ENCRYPTED_TABLES...	Synonym for GV_\$ENCRYPTED_TABLESPACES
GV\$LOADISTAT	Synonym for GV_\$LOADISTAT
GV\$LOADPSTAT	Synonym for GV_\$LOADPSTAT
GV\$LOCK_ACTIVITY	Synonym for GV_\$LOCK_ACTIVITY
GV\$RESTORE_POINT	Synonym for GV_\$RESTORE_POINT
GV\$RSRC_CONSUMER GROU	Synonym for GV_\$RSRC_CONSUMER_GROUP
GV\$RSRC_CONSUMER GR...	Synonym for GV_\$RSRC_CONSUME_GROUP_CPU_MTH
GV\$RSRC_CONS_GROUP_...	Synonym for GV_\$RSRC_CONS_GROUP_HISTORY
GV\$RSRC_PLAN	Synonym for GV_\$RSRC_PLAN
GV\$RSRC_PLAN_CPU_MTH	Synonym for GV_\$RSRC_PLAN_CPU_MTH
GV\$RSRC_PLAN_HISTORY	Synonym for GV_\$RSRC_PLAN_HISTORY
GV\$RSRC_SESSION_INFO	Synonym for GV_\$RSRC_SESSION_INFO

TABLE_NAME	COMMENTS
GV\$SESSION_LONGOPS	Synonym for GV_\$SESSION_LONGOPS
GV\$SQLFN_ARG_METADATA	Synonym for GV_\$SQLFN_ARG_METADATA
GV\$SQLFN_METADATA	Synonym for GV_\$SQLFN_METADATA
V\$ENCRYPTED_TABLESPACES	Synonym for V_\$ENCRYPTED_TABLESPACES
V\$FLASHBACK_TXN_GRAPH	Synonym for V_\$FLASHBACK_TXN_GRAPH
V\$FLASHBACK_TXN_MODS	Synonym for V_\$FLASHBACK_TXN_MODS
V\$LOADISTAT	Synonym for V_\$LOADISTAT
V\$LOADPSTAT	Synonym for V_\$LOADPSTAT
V\$LOCK_ACTIVITY	Synonym for V_\$LOCK_ACTIVITY
GV\$AW_LONGOPS	Synonym for GV_\$AW_LONGOPS
GV\$BH	Synonym for GV_\$BH
GV\$BLOCKING QUIESCE	Synonym for GV_\$BLOCKING QUIESCE
GV\$DIAG_INFO	Synonym for GV_\$DIAG_INFO
GV\$MAX_ACTIVE_SESS...	Synonym for GV_\$MAX_ACTIVE_SESS_TARGET_MTH
GV\$NLS_PARAMETERS	Synonym for GV_\$NLS_PARAMETERS
GV\$NLS_VALID_VALUES	Synonym for GV_\$NLS_VALID_VALUES
GV\$OPTION	Synonym for GV_\$OPTION
GV\$PARALLEL_DEGREE...	Synonym for GV_\$PARALLEL_DEGREE_LIMIT_MTH
GV\$PQ_SESSTAT	Synonym for GV_\$PQ_SESSTAT
GV\$PQ_TQSTAT	Synonym for GV_\$PQ_TQSTAT
GV\$QUEUEING_MTH	Synonym for GV_\$QUEUEING_MTH
CAT	Synonym for USER_CATALOG
CLU	Synonym for USER_CLUSTERS
GV\$ACTIVE_INSTANCES	Synonym for GV_\$ACTIVE_INSTANCES
GV\$ACTIVE_SESS_POOL...	Synonym for GV_\$ACTIVE_SESS_POOL_MTH
ALL_OUTLINES	Synonym for USER_OUTLINES
ALL_OUTLINE_HINTS	Synonym for USER_OUTLINE_HINTS
ALL_PUBLISHED_COLUMNS	Synonym for USER_PUBLISHED_COLUMNS
RECYCLEBIN	Synonym for USER_RECYCLEBIN
SEQ	Synonym for USER_SEQUENCES
ALL_SOURCE_TABLES	Synonym for USER_SOURCE_TABLES
USER_SQLSET_DEFINIT...	Synonym for USER_SQLSET
SM\$VERSION	Synonym for SM_\$VERSION
V\$DIAG_CRITICAL_ERROR	Synonym for V_\$DIAG_CRITICAL_ERROR
V\$DIAG_INFO	Synonym for V_\$DIAG_INFO
ALL_SUBSCRIBED_COLUMNS	Synonym for USER_SUBSCRIBED_COLUMNS
ALL_SUBSCRIBED_TABLES	Synonym for USER_SUBSCRIBED_TABLES
ALL_SUBSCRIPTIONS	Synonym for USER_SUBSCRIPTIONS
SYN	Synonym for USER_SYNONYMS
TABS	Synonym for USER_TABLES
COLS	Synonym for USER_TAB_COLUMNS
USER_HISTOGRAMS	Synonym for USER_TAB_HISTOGRAMS
ALL_HISTOGRAMS	Synonym for ALL_TAB_HISTOGRAMS
IND	Synonym for USER_INDEXES
ALL_JOBS	Synonym for USER_JOBS
USER_SNAPSHOT_REFRE...	Synonym for USER_MVIEW_REFRESH_TIMES
OBJ	Synonym for USER_OBJECTS
GV\$TEMPORARY_LOBS	Synonym for GV_\$TEMPORARY_LOBS
GV\$TIMEZONE_FILE	Synonym for GV_\$TIMEZONE_FILE
GV\$TIMEZONE_NAMES	Synonym for GV_\$TIMEZONE_NAMES
GV\$VERSION	Synonym for GV_\$VERSION
DICT	Synonym for DICTIONARY
ALL_SNAPSHOT_REFRES...	Synonym for ALL_MVIEW_REFRESH_TIMES
ALL_OLAP2_AWS	Synonym for ALL\$OLAP2_AWS