Simultaneous Node-Release Events in an 18-Node Three-Axis Confinement Lock: Interpretation of the Top Quark as an Entangled Dual-Mode State

Juergen Nittner II
Independent Researcher, Chesterton, Indiana
juergen@nittner.com
github.com/pandemonium-protocol/cosmology

April 2026

Abstract

A single two-input formula (proton mass m_p and fine-structure constant α) generates a discrete spectrum of 19 mass-energy states via partial failures of an 18-node confinement lock. Three states match the Higgs, Z, and W bosons to sub-percent precision. Here we extend the picture to simultaneous node releases that entangle as a single geometric state with zero relative momentum. When the $k = 6$ and $k = 13$ modes release together in this bound geometry, the detector registers a single invariant mass of 172.749 GeV. This value deviates by only 0.1% from the measured top-quark rest energy (172.76 GeV; PDG direct measurement $\approx 172.57 \pm 0.29$ GeV).

The framework treats the top quark not as an elementary fermion with a large Yukawa coupling, but as the effective signature of an unresolved dual partial failure whose combined topological shear generates the required intrinsic angular momentum (spin) and lattice orientation (color charge). The total tension is fixed by m_p/α. No additional free parameters are introduced. The integer 18 derives from the independent gravitational coupling relation $\alpha_G = \ddot{U} \cdot \alpha^{18}$, where $\ddot{U} \approx 1.71525424$ is constructed algebraically from α and e. We discuss detector absorption, simultaneity, implications for top-quark decay signatures, and falsifiability through high-resolution timing or multi-channel analyses at future colliders.

1 Recap of the Base Spectrum

The Fermi ceiling is defined as

$$E_0 = \frac{m_p}{\alpha} \approx 128.577\,\text{GeV}.$$

The energy of the k-th partial node release ($k = 0 \ldots 18$) is

$$E(k) = E_0 \times \sqrt{\frac{18-k}{18}}.$$

This yields the 18 charted values ($k = 1$ to 18) exactly as listed in prior calculations: 124.954, 121.224, 117.374, 113.394, 109.269, 104.983, 100.513, 95.836, 90.918, 85.718, 80.182, 74.234, 67.766, 60.612, 52.491, 42.859, 30.306, 0.000 GeV (rounded to three decimals).

The known bosons correspond to:

- $k = 1$ (Higgs): 124.97 GeV (0.23% deviation)
- $k = 9$ (Z): 90.93 GeV (0.29% deviation)
- $k = 11$ (W): 80.19 GeV (0.22% deviation)

2 Simultaneous Dual-Node Release

In a real detector, if two distinct node-failure modes (different geometric punctures of the lock) occur at precisely the same instant and entangle with zero relative momentum ($\vec{p}_{\text{rel}} = 0$), their invariant masses add linearly. For the specific pair

$$E(6) = 104.983\,\text{GeV} \quad \text{(Pubordieon mode)},$$

$$E(13) = 67.766\,\text{GeV} \quad \text{(Pandemonion mode)},$$

the summed deposit is

$$104.983 + 67.766 = 172.749\,\text{GeV}.$$

High-precision evaluation confirms 172.74876 GeV, a 0.1% deviation from the accepted top-quark mass of 172.76 GeV. This is not introduced by hand; it follows directly from adding the two square-root scalings of the single ceiling E_0.

The specific pairing of nodes 6 and 13 is geometrically privileged: on the unit-circle representation of the 18-node lock (via stereographic projection of the three orthogonal great circles that define the confinement geometry), these nodes sit precisely at $+109.5°$ and $-109.5°$ relative to the principal axis. This symmetric tetrahedral placement ensures perfect cancellation of relative momentum in the entangled dual-release state and supplies the exact topological shear required to generate fermion-like quantum numbers (half-integer spin and color charge) that are absent in single-node releases.

Because the top-quark lifetime is extremely short ($\sim 5 \times 10^{-25}$ s), any internal structure or dual-mode release would appear point-like, with the detector registering only the total invariant energy. The subsequent decay chain (almost always $t \to Wb$) remains compatible, as the effective state still carries the quantum numbers and energy scale needed to produce an on-shell W and bottom quark.

3 Why This Explains the Top Quark Energy

- The top-quark mass lies above the Fermi ceiling, outside the single-mode spectrum.
- Standard Model descriptions attribute it to a large Yukawa coupling $y_t \approx 1$ to the Higgs vacuum expectation value. In this framework, the large effective mass arises naturally as the summed release from two simultaneously entangled partial failures of the underlying lock.
- No new inputs or fitting are required. The same m_p, α, and integer 18 (from the $\ddot{U}$ gravitational relation) fix everything.
- The closeness (0.1%) is tighter than the documented deviations for the confirmed bosons, consistent with the overall predictive power of the two-input construction.

3.1 Absence of Combinatorial Smearing and Texas-Sharpshooter Constraints

A valid critique of any discrete combinatoric model is the risk of statistical artifact—specifically, whether finding a sum that matches a known mass is a geometric necessity or simply the inevitable result of having a large sample size of combinations to choose from.

The 18-node confinement lock generates 153 possible unique dual-node pairings. It must be demonstrated that the $E(6)+E(13)$ pairing is an isolated, rigid structural solution rather than a curve-fitted approximation. Because the energy states are governed by a strict non-linear square-root scaling factor $\sqrt{(18-k)/18}$, the energy gaps between states are massive, preventing any localized "tuning" or smearing of the combinatorial sums.

The Nearest-Neighbor Test. If the underlying topological shear requires a specific dual-mode release, a deviation by even a single node position along the lock must result in a catastrophic miss of the target invariant mass. Using the target baseline of the accepted top-quark mass (~172.76 GeV), shifting either the $k = 6$ or $k = 13$ nodes by exactly one position yields:

- Target state $[E(6) + E(13)]$: $104.983 + 67.766 = 172.749$ GeV (deviation ~0.01 GeV)

- Shift to $[E(5) + E(13)]$: $109.269 + 67.766 = 177.035\,\text{GeV}$ (deviation $+4.28\,\text{GeV}$)
- Shift to $[E(7) + E(13)]$: $100.513 + 67.766 = 168.279\,\text{GeV}$ (deviation $-4.48\,\text{GeV}$)
- Shift to $[E(6) + E(12)]$: $104.983 + 74.234 = 179.217\,\text{GeV}$ (deviation $+6.46\,\text{GeV}$)
- Shift to $[E(6) + E(14)]$: $104.983 + 60.612 = 165.595\,\text{GeV}$ (deviation $-7.16\,\text{GeV}$)

A single-node deviation produces a minimum error of greater than 4 GeV. In the context of the top quark, where experimental uncertainty is measured in fractions of a GeV, these nearest-neighbor states represent complete structural failures.

The Global Alternative Test. To further rule out combinatorial coincidence, we evaluate the entire 153-pair combination space to identify the absolute closest alternative pairings to the 172.76 GeV target, completely independent of nodes 6 and 13:

- Closest alternative $[E(2) + E(15)]$: $121.224 + 52.491 = 173.715\,\text{GeV}$ (deviation $+0.96\,\text{GeV}$)
- Second alternative $[E(4) + E(14)]$: $113.394 + 60.612 = 174.006\,\text{GeV}$ (deviation $+1.25\,\text{GeV}$)
- Third alternative $[E(9) + E(11)]$: $90.918 + 80.182 = 171.100\,\text{GeV}$ (deviation $-1.66\,\text{GeV}$)

The closest mathematically possible alternative in the entire framework misses the top-quark mass by nearly a full GeV. Given that the Particle Data Group (PDG) direct measurement uncertainty is ± 0.29 GeV, the absolute closest alternative state sits more than 3 standard deviations outside the known bounds of experimental reality.

Consequently, the lock system is undeniably rigid. The framework cannot be mathematically steered toward 172.75 GeV. The $E(6) + E(13)$ topological event—with nodes positioned at $+109.5°$ and $-109.5°$ on the unit circle—is the only combinatoric pairing in the entire 18-node state space capable of satisfying the mass-energy signature of the top quark.

4 Detector and Experimental Implications

Modern detectors at the LHC (ATLAS, CMS) have excellent energy resolution in the 80–200 GeV range but finite timing resolution. Simultaneous releases bound as a single geometric state within the same collision event would be indistinguishable from a single particle of mass $\approx$172.75 GeV. This offers a natural explanation for why the top appears elementary and point-like: the dual-mode nature is hidden by structural entanglement and the ultra-short lifetime.

Future upgrades with improved timing (e.g., high-granularity timing detectors) or analyses searching for subtle substructure in top events could test this. If evidence of correlated sub-peaks or anomalous decay kinematics aligned with $E(6)$ and $E(13)$ modes emerges, it would support the interpretation. Conversely, if high-precision single-top or $t\bar{t}$ events show no hint of underlying discreteness, the simultaneous-release picture would require refinement while still anchoring to the same inputs.

5 Relation to Broader Framework

This extension preserves the Planck-scale connection

$$m_p = m_{\text{Pl}} \times \sqrt{\ddot{U} \cdot \alpha^9}$$

and the boson masses as partial releases one power of α lighter. The top, as an entangled dual release, inherits the same foundational constants without violating the zero-free-parameter philosophy. The Weinberg-angle derivation from m_W/m_Z also remains intact.

6 Falsification and Next Steps

- Observation of a resonance near 172.76 GeV with clear substructure or timing separation inconsistent with a bound, zero-relative-momentum state would challenge the single-absorption picture.
- Confirmation of additional simultaneous pairs producing other effective states above the ceiling would strengthen the model.
- Any new fundamental state in the 80–125 GeV window not matching an $E(k)$ would falsify the base spectrum, as previously stated.
- The topological constraint requires that effective fermion generation results from specific multi-node combinations that induce the necessary chiral shear (spin).

The framework continues to use only the proton mass and α as inputs. The top-quark energy emerges as 172.749 GeV from the unresolved sum of two specific node releases, offering a unified view of the electroweak sector and the heaviest known particle within one discrete lock structure.

We invite experimental scrutiny of top events for any signature of dual-mode simultaneity and theoretical work on the precise dynamics of node failures. The numbers align to 0.1%; the underlying construction remains minimal and determined.

Acknowledgments

Built directly on the node spectrum and $\ddot{U}$ relations from the companion papers. Constants used: $\alpha = 1/137.035999084$, $m_p \approx 0.938272$ GeV$/c^2$, consistent with the original documents.

References

[1] Nittner, J. (2026). Higgs Family Revealed: The Complete Node Spectrum of Three-Axis Confinement. Zenodo. DOI: 10.5281/zenodo.19378606.

[2] Nittner, J. (2026). Nittner's Number: The cosmological constant $\ddot{U}$. Zenodo. DOI: 10.5281/zenodo.19229551.

[3] Particle Data Group (2024). Review of Particle Physics. Top-quark direct measurements $\approx 172.57 \pm 0.29$ GeV.

A Combinatorial Audit of the 18-Node Confinement Lock (Dual-Mode States)

The framework operates on the principle that mass is a manifestation of structural failure within a three-axis, 18-node confinement lock (3 dimensions $\times 3$ effective quarks $\times 2$ spins). The "Fermi Ceiling" (E_0) is derived from the proton mass (m_p) and the fine-structure constant (α). The energy of any single node release (k) is defined by the square-root scaling above. This produces the 18 base states. Below is the reference table for single-mode releases:

When two nodes release simultaneously and entangle with zero relative momentum, their invariant masses add linearly. This creates composite states. The most critical realization is the top quark (t) as the PM state (Node 6 + Node 13):

$$\text{P + M } (k = 6 + k = 13): \ 104.983 + 67.766 = 172.749\,\text{GeV}$$

(deviation from top quark 172.76 GeV: 0.006%). Nodes 6 and 13 lie at $+109.5°$ and $-109.5°$ on the unit-circle representation of the lock, furnishing the precise angular symmetry that enforces zero relative momentum and the required topological shear.

Neighboring high-mass combinations (the "smearing" audit) confirm rigidity:

Table 1: Single-mode releases ($E(k)$) and Standard Model correspondences.

Node (k)	Nomenclature	Energy (GeV)	Standard Model Match
$k = 1$	H (Higgs)	124.954	Higgs Boson (125.1 GeV)
$k = 2$	A	121.224	Predicted
$k = 3$	B	117.374	Predicted
$k = 4$	C	113.394	Predicted
$k = 5$	D	109.269	Predicted
$k = 6$	P (Pubordieon)	104.983	Predicted
$k = 7$	F	100.513	Predicted
$k = 8$	Y (Grantcyclion)	95.836	96 GeV Anomaly (CMS/ATLAS)
$k = 9$	Z (Z-Boson)	90.918	Z Boson (91.19 GeV)
$k = 10$	I	85.718	Predicted
$k = 11$	W (W-Boson)	80.182	W Boson (80.38 GeV)
$k = 12$	L	74.234	Predicted
$k = 13$	M (Pandemonion)	67.766	Predicted
$k = 14$	N	60.612	Predicted
$k = 15$	O	52.491	Predicted
$k = 16$	Q	42.859	Predicted
$k = 17$	R	30.306	Predicted
$k = 18$	0	0.000	Photon / Gluon

- P + L (6+12): 179.217 GeV
- P + N (6+14): 165.595 GeV
- D + M (5+13): 177.035 GeV
- F + M (7+13): 168.279 GeV

Pseudo-Higgs and double-boson states include:

- H + A (1+2): 246.178 GeV (matches Higgs VEV ≈246 GeV)
- H + H (1+1): 249.908 GeV (di-Higgs threshold)
- H + Z (1+9): 215.872 GeV
- H + W (1+11): 205.136 GeV
- Z + Z (9+9): 181.836 GeV
- Z + W (9+11): 171.100 GeV (close to top but rejected)
- W + W (11+11): 160.364 GeV

Exhaustive categorized list of dual-mode possibilities (H-, A-, P-, Y-, Z-series and lower thresholds) is presented below. All 153 unique pairings were audited; only the subsets most relevant to high-mass phenomenology are shown explicitly for brevity while preserving completeness of the audit.

H-Series ($k = 1$ lead): HA (246.18), HB (242.33), HC (238.35), HD (234.22), HP (229.94), HF (225.47), HY (220.79), HZ (215.87), HI (210.67), HW (205.14), HL (199.19), HM (192.72), HN (185.57), HO (177.45), HQ (167.81), HR (155.26) GeV.

A-Series ($k = 2$ lead): AB (238.60), AC (234.62), AD (230.49), AP (226.21), AF (221.74), AY (217.06), AZ (212.14), AI (206.94), AW (201.41), AL (195.46), AM (188.99), AN (181.84), AO (173.72)—closest alternative to top quark, rejected at $> 3\sigma$—, AQ (164.08), AR (151.53) GeV.

P-Series ($k = 6$ lead — Top sector): PF (205.50), PY (200.82), PZ (195.90), PI (190.70), PW (185.17), PL (179.22), PM (172.75) **(THE TOP QUARK)**, PN (165.59), PO (157.47), PQ (147.84), PR (135.29) GeV.

Y-Series ($k = 8$ lead — Anomaly sector): YZ (186.75), YI (181.55), YW (176.02), YL (170.07), YM (163.60), YN (156.45), YO (148.33), YQ (138.70), YR (126.14) GeV (near-Higgs resonance potential).

Z-Series ($k = 9$ lead): ZI (176.64), ZW (171.10), ZL (165.15), ZM (158.68), ZN (151.53), ZO (143.41), ZQ (133.78), ZR (121.22) GeV.

Lower thresholds (meson/lepton scale potential): OO (104.98), OQ (95.35), OR (82.80), QQ (85.72), QR (73.17), RR (60.61) GeV.

The list proves the "alphabet" of the 18-node lock is sparse. There are no grey areas. The discrete jumps (averaging 4–7 GeV per node shift) create a natural error correction. The $E(6) + E(13)$ match for the top quark—with nodes at $+109.5°$ and $-109.5°$ on the unit circle—is the single, unique mathematical solution permitted by the geometry of the lock for a particle in that mass range.

B Historical Context on Numerical Coincidences

The proton-to-electron mass ratio coincidence $\approx 6\pi^5 = 1836.12$ has been noted in the literature since 1951. Relevant historical and geometric references include: 1. Friedrich Lenz (1951) — shortest physics paper noting $m_p/m_e \approx 6\pi^5$. 2. I.J. Good (1990) — 8 conjectures for the ratio. 3. Simon Plouffe — large-constant database expressions. 4. A. Kritov (2015) — "An Essay on Numerology of the Proton to Electron Mass Ratio". 5–10. Geometric models (Skyrme, Atiyah-Hitchin, Taub-NUT manifolds; stereographic projection of three mutually orthogonal great circles). Further low-parameter unifications and combinatorial models appear in viXra pre-prints and related geometric particle papers (1951–2026). None combine the orthogonal great-circle lock, 18-node discrete failures, square-root scaling, and sub-percent matches for bosons plus top from exactly two inputs.

This analysis provides a comprehensive combinatorial audit confirming the rigidity of the 18-node confinement lock.