

Frontend: Lab Assignment 2

Name : Abhinav Pandey

Section : NA

Roll No : 22515000006

Q1. Create webpage to display student's marksheet using table tag.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Student Marksheet</title>
<style>
  body { font-family: Arial, Helvetica, sans-serif; background: #f2f2f2; padding: 30px; }
  .marksheet { max-width: 650px; margin: auto; background: #fff; border: 2px solid
#1f4e79; padding: 20px 30px; }
  h1 { text-align: center; color: #1f4e79; margin-bottom: 5px; }
  .sub { text-align: center; margin-bottom: 20px; color: #555; }
  table { width: 100%; border-collapse: collapse; margin-top: 10px; }
  th, td { border: 1px solid #1f4e79; padding: 8px 10px; text-align: center; }
  th { background: #1f4e79; color: #fff; }
  tr:nth-child(even) { background: #eef3f8; }
  .info p { margin: 4px 0; font-size: 15px; }
  .result { text-align: right; font-weight: bold; margin-top: 12px; color: #1f4e79; }
</style>
</head>
<body>
  <div class="marksheet">
    <h1>Student Marksheet</h1>
```

<p class="sub">Academic Year 2025 - 2026</p>

<div class="info">

<p>Name: Abhinav Pandey</p>

<p>Roll No: 22515000006</p>

<p>Class: B.Tech - III Semester</p>

</div>

<table>

<tr>

<th>S.No</th>

<th>Subject</th>

<th>Max Marks</th>

<th>Marks Obtained</th>

<th>Grade</th>

</tr>

<tr>

<td>1</td>

<td>HTML & CSS</td>

<td>100</td>

<td>92</td>

<td>A+</td>

</tr>

<tr>

<td>2</td>

<td>JavaScript</td>

<td>100</td>

<td>85</td>

<td>A</td>

</tr>

<tr>

<td>3</td>

```
<td>Bootstrap</td>
<td>100</td>
<td>88</td>
<td>A</td>
</tr>
<tr>
<td>4</td>
<td>Data Structures</td>
<td>100</td>
<td>78</td>
<td>B+</td>
</tr>
<tr>
<td>5</td>
<td>DBMS</td>
<td>100</td>
<td>81</td>
<td>A</td>
</tr>
<tr>
<th colspan="2">Total</th>
<th>500</th>
<th>424</th>
<th>A</th>
</tr>
</table>
```

```
<p class="result">Result: PASS &nbsp;|&nbsp; Percentage: 84.8%</p>
```

```
</div>
</body>
</html>
```

Output:

Student Marksheet				
Academic Year 2025 - 2026				
Name: Abhinav Pandey				
Roll No: 22515000006				
Class: B.Tech - III Semester				
S.No	Subject	Max Marks	Marks Obtained	Grade
1	HTML & CSS	100	92	A+
2	JavaScript	100	85	A
3	Bootstrap	100	88	A
4	Data Structures	100	78	B+
5	DBMS	100	81	A
Total		500	424	A
Result: PASS Percentage: 84.8%				

Q2. Create a web page in which display a resume.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Resume - Abhinav Pandey</title>
<style>
  body { font-family: 'Segoe UI', Arial, sans-serif; background: #f7f7f7; padding: 25px; }
  .resume { max-width: 700px; margin: auto; background: #fff; display: flex; box-shadow:
0 0 8px rgba(0,0,0,0.15); }
  .sidebar { background: #1f4e79; color: #fff; width: 35%; padding: 25px 18px; }
  .sidebar h2 { font-size: 16px; border-bottom: 1px solid #ffffff66; padding-bottom: 4px;
```

```
margin-top: 22px; }
.sidebar p, .sidebar li { font-size: 13px; line-height: 1.5; }
.sidebar ul { padding-left: 18px; margin: 4px 0; }
.main { padding: 25px 22px; width: 65%; }
.main h1 { color: #1f4e79; margin-bottom: 0; }
.main .title { color: #555; margin-top: 2px; margin-bottom: 15px; }
.main h2 { color: #1f4e79; border-bottom: 2px solid #1f4e79; padding-bottom: 3px; font-size: 16px; margin-top: 18px; }
.main p, .main li { font-size: 13.5px; line-height: 1.5; }
.entry { margin-bottom: 10px; }
.entry .role { font-weight: bold; }
.entry .period { float: right; color: #777; font-size: 12px; }
</style>
</head>
<body>
<div class="resume">
  <div class="sidebar">
    <h2>Contact</h2>
    <p><strong>Phone:</strong> +91-98XXXXXXX</p>
    <p><strong>Email:</strong> abhinav.pandey@example.com</p>
    <p><strong>Location:</strong> Faridabad, Haryana, India</p>

    <h2>Skills</h2>
    <ul>
      <li>HTML5 & CSS3</li>
      <li>JavaScript</li>
      <li>Bootstrap</li>
      <li>C / C++</li>
      <li>MySQL</li>
    </ul>

    <h2>Languages</h2>
```

```
<ul>
  <li>English</li>
  <li>Hindi</li>
</ul>
</div>
```

```
<div class="main">
  <h1>Abhinav Pandey</h1>
  <p class="title">Frontend Web Development Student</p>
```

```
  <h2>Objective</h2>
  <p>Motivated computer science student seeking to apply strong front-end
development skills to build responsive and user-friendly web applications.</p>
```

```
  <h2>Education</h2>
  <div class="entry">
    <span class="role">Bachelor of Technology (B.Tech)</span>
    <span class="period">2024 - 2027</span>
    <p>Currently pursuing, Semester III</p>
  </div>
```


```
  <div class="entry">
    <span class="role">Senior Secondary (XII)</span>
    <span class="period">2024</span>
    <p>Science Stream</p>
  </div>
```

```
  <h2>Projects</h2>
  <div class="entry">
    <span class="role">Student Marksheet Web Page</span>
    <p>Built using HTML table tags to display academic results.</p>
  </div>
  <div class="entry">
```

```
<span class="role">Restaurant Menu Page</span>
<p>Designed a styled menu listing using HTML lists and CSS.</p>
</div>

<h2>Interests</h2>
<p>Web Development, UI Design, Reading Tech Blogs</p>
</div>
</div>
</body>
</html>
```

Output:



Q3. Create a menu of a restaurant using list.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Restaurant Menu</title>
<style>
  body { font-family: Georgia, 'Times New Roman', serif; background: #fdf6ec; padding:
```

```
30px; }

.menu { max-width: 620px; margin: auto; background: #fffaf1; border: 3px double
#8a5a2b; padding: 25px 35px; }

h1 { text-align: center; color: #8a5a2b; margin-bottom: 0; letter-spacing: 2px; }

.tagline { text-align: center; color: #a97b4f; margin-top: 4px; margin-bottom: 25px; font-
style: italic; }

h2 { color: #8a5a2b; border-bottom: 1px solid #cba874; padding-bottom: 4px; margin-
top: 22px; }

ul { list-style: none; padding: 0; }

ul li { display: flex; justify-content: space-between; padding: 6px 0; font-size: 15px;
border-bottom: 1px dotted #d8c3a5; }

.item-name { color: #333; }

.price { color: #8a5a2b; font-weight: bold; }

.sub { display: block; font-size: 12px; color: #888; font-style: italic; }

</style>
</head>
<body>

<div class="menu">

  <h1>The Green Fork</h1>

  <p class="tagline">— Multi-Cuisine Restaurant —</p>

  <h2>Starters</h2>

  <ul>

    <li><span class="item-name">Veg Spring Rolls</span><span
class="price">₹150</span></li>

    <li><span class="item-name">Paneer Tikka</span><span
class="price">₹220</span></li>

    <li><span class="item-name">Chicken Wings</span><span
class="price">₹280</span></li>

  </ul>

  <h2>Main Course</h2>
```

```
<ul>
  <li><span class="item-name">Butter Chicken<span class="sub">Served with
naan/rice</span></span><span class="price">₹320</span></li>
  <li><span class="item-name">Paneer Butter Masala</span><span
class="price">₹260</span></li>
  <li><span class="item-name">Veg Biryani</span><span class="price">₹240</span></li>
  <li><span class="item-name">Dal Makhani</span><span
class="price">₹200</span></li>
</ul>

<h2>Beverages</h2>
<ul>
  <li><span class="item-name">Fresh Lime Soda</span><span
class="price">₹90</span></li>
  <li><span class="item-name">Cold Coffee</span><span class="price">₹120</span></li>
  <li><span class="item-name">Masala Chai</span><span class="price">₹60</span></li>
</ul>

<h2>Desserts</h2>
<ul>
  <li><span class="item-name">Gulab Jamun (2 pcs)</span><span
class="price">₹100</span></li>
  <li><span class="item-name">Chocolate Brownie</span><span
class="price">₹150</span></li>
</ul>
</div>
</body>
</html>
```

Output:

The Green Fork — Multi-Cuisine Restaurant —	
Starters	
Veg Spring Rolls	₹150
Paneer Tikka	₹220
Chicken Wings	₹280
Main Course	
Butter Chicken <i>Served with naan/rice</i>	₹320
Paneer Butter Masala	₹260
Veg Biryani	₹240
Dal Makhani	₹200
Beverages	
Fresh Lime Soda	₹90
Cold Coffee	₹120
Masala Chai	₹60
Desserts	
Gulab Jamun (2 pcs)	₹100
Chocolate Brownie	₹150

Q4. Create a registration form with text, email, password, radio buttons, checkboxes, a dropdown, and a submit button — using proper <label> and for attributes.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
```

```
<title>Registration Form</title>
<style>
  body { font-family: Arial, Helvetica, sans-serif; background: #eef3f8; padding: 25px; }
  .form-box { max-width: 480px; margin: auto; background: #fff; border-radius: 8px;
padding: 25px 30px; box-shadow: 0 0 8px rgba(0,0,0,0.15); }
  h1 { text-align: center; color: #1f4e79; font-size: 22px; margin-bottom: 20px; }
  .field { margin-bottom: 14px; }
  label { display: block; font-weight: bold; font-size: 14px; margin-bottom: 4px; color: #333;
}
  input[type="text"], input[type="email"], input[type="password"], select {
    width: 100%; padding: 8px 10px; border: 1px solid #bbb; border-radius: 4px; font-size:
14px; box-sizing: border-box;
  }
  .inline-group label { display: inline-block; font-weight: normal; margin-right: 15px; }
  .inline-group input { margin-right: 4px; }
  .checkbox-group label { display: inline-block; font-weight: normal; margin-right: 15px; }
  .checkbox-group input { margin-right: 4px; }
  button { width: 100%; padding: 10px; background: #1f4e79; color: #fff; border: none;
border-radius: 4px; font-size: 15px; margin-top: 10px; cursor: pointer; }
</style>
</head>
<body>
  <div class="form-box">
    <h1>Registration Form</h1>
    <form action="#" method="post">

      <div class="field">
        <label for="fullname">Full Name</label>
        <input type="text" id="fullname" name="fullname" placeholder="Enter your full
name" required>
      </div>
```

```
<div class="field">
  <label for="email">Email Address</label>
  <input type="email" id="email" name="email" placeholder="example@mail.com"
required>
</div>
```

```
<div class="field">
  <label for="password">Password</label>
  <input type="password" id="password" name="password" placeholder="Enter
password" required>
</div>
```

```
<div class="field">
  <label>Gender</label>
  <div class="inline-group">
    <label for="male"><input type="radio" id="male" name="gender" value="male"
checked>Male</label>
    <label for="female"><input type="radio" id="female" name="gender"
value="female">Female</label>
    <label for="other"><input type="radio" id="other" name="gender"
value="other">Other</label>
  </div>
</div>
```

```
<div class="field">
  <label>Hobbies</label>
  <div class="checkbox-group">
    <label for="reading"><input type="checkbox" id="reading" name="hobbies"
value="reading">Reading</label>
    <label for="sports"><input type="checkbox" id="sports" name="hobbies"
value="sports" checked>Sports</label>
    <label for="music"><input type="checkbox" id="music" name="hobbies"
value="music">Music</label>
```

```
</div>
</div>

<div class="field">
  <label for="country">Country</label>
  <select id="country" name="country">
    <option value="india">India</option>
    <option value="usa">USA</option>
    <option value="uk">UK</option>
    <option value="canada">Canada</option>
  </select>
</div>

  <button type="submit">Register</button>
</form>
</div>
</body>
</html>
```

Output:

Registration Form

Full Name

Email Address

Password

Gender

☒ Male ☐ Female ☐ Other

Hobbies

☐ Reading ☒ Sports ☐ Music

Country

Register

Q5. Create a login page

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Login Page</title>
<style>
body {
  font-family: Arial, Helvetica, sans-serif;
  background: linear-gradient(135deg, #1f4e79, #4a90c2);
  padding: 60px 25px;
  margin: 0;
}
```

```
.login-box {
  max-width: 340px; margin: auto; background: #fff; border-radius: 10px;
  padding: 30px 28px; box-shadow: 0 4px 15px rgba(0,0,0,0.25); text-align: center;
}
.login-box h1 { color: #1f4e79; margin-bottom: 5px; font-size: 22px; }
.login-box p.sub { color: #777; margin-top: 0; margin-bottom: 20px; font-size: 13px; }
.field { margin-bottom: 14px; text-align: left; }
label { display: block; font-weight: bold; font-size: 13px; margin-bottom: 4px; color: #333;
}
input[type="text"], input[type="password"] {
  width: 100%; padding: 9px 10px; border: 1px solid #ccc; border-radius: 5px; font-size:
14px; box-sizing: border-box;
}
.options { display: flex; justify-content: space-between; font-size: 12px; margin-bottom:
15px; }
.options a { color: #1f4e79; text-decoration: none; }
button {
  width: 100%; padding: 10px; background: #1f4e79; color: #fff; border: none;
  border-radius: 5px; font-size: 15px; cursor: pointer;
}
.signup { margin-top: 15px; font-size: 13px; color: #555; }
.signup a { color: #1f4e79; font-weight: bold; text-decoration: none; }
</style>
</head>
<body>
<div class="login-box">
  <h1>Welcome Back</h1>
  <p class="sub">Login to your account</p>
  <form action="#" method="post">
    <div class="field">
      <label for="username">Username</label>
      <input type="text" id="username" name="username" placeholder="Enter username">
    </div>
  </form>
</div>
</body>
</html>
```

```
required>
  </div>
  <div class="field">
    <label for="password">Password</label>
    <input type="password" id="password" name="password" placeholder="Enter
password" required>
  </div>
  <div class="options">
    <label for="remember"><input type="checkbox" id="remember" name="remember">
Remember me</label>
    <a href="#">Forgot password?</a>
  </div>
  <button type="submit">Login</button>
</form>
  <p class="signup">Don't have an account? <a href="#">Sign up</a></p>
</div>
</body>
</html>
```

Output:

Welcome Back

Login to your account

Username

Password

☐ **Remember me**

[Forgot password?](#)

Login

Don't have an account? [Sign up](#)