

Implement Client Script & UI Policy (Incident)

3. Project Design Phase

ServiceNow Incident Management

Detailed Phase Report

3. Project Design Phase

3.1 Introduction

The Project Design Phase defines how the requirement will be implemented in ServiceNow. The design identifies the Incident form, Client Script, UI Policy, conditions and field actions. A clear design reduces configuration mistakes during development.

3.2 Overall Architecture

The project follows this simple flow:

User → Incident Form → Condition/Event → Client Script / UI Policy → Field Behavior → Incident Record

The Incident form is the user interface. Client Script provides programmable client-side behavior. UI Policy provides declarative control of field properties. The final information is stored in the Incident record.

3.3 Client Script Design

The Client Script must be created for the Incident table and the correct client-side event must be selected. Common types include onLoad, onChange, onSubmit and onCellEdit. The type depends on the requirement.

For example, if a rule must execute when a field changes, an onChange Client Script may be appropriate. If validation must occur before submission, an onSubmit script may be appropriate.

3.4 UI Policy Design

A UI Policy consists of a condition and UI Policy Actions. When the condition is satisfied, the configured field properties can be changed. UI Policy Actions commonly control Mandatory, Visible and Read-only states.

This approach avoids writing JavaScript for simple field-state requirements.

3.5 Design Table

The following design table can be used while preparing the configuration:

Design Mapping

Trigger field → Condition → Affected field → Expected state → Reverse state.

Example structure: Selected value → condition becomes true → Description field → Mandatory = Yes → normal state when condition becomes false.

3.6 User Interface Design

The Incident form should remain clear after the dynamic behavior is applied. Only relevant fields should change. The user should understand which information is required and should not be presented with unnecessary fields.

3.7 Design Validation

Before development, verify the table name, field names, Client Script type, UI Policy condition and UI Policy Actions. Also check whether another existing UI Policy or Client Script could conflict with the new configuration.

3.8 Conclusion

The design phase converts the requirements into a practical ServiceNow configuration model. The next phase plans the work, resources, timeline, risks and testing activities.