

Implement Client Script & UI Policy (Incident)

5. Project Development Phase

ServiceNow Incident Management

Detailed Phase Report

5. Project Development Phase

5.1 Introduction

The Project Development Phase converts the design into an actual ServiceNow configuration. The main development tasks are creating the Client Script, creating the UI Policy and configuring the related UI Policy Actions.

5.2 Client Script Configuration

Navigate to the Client Scripts configuration and create a new Client Script for the Incident table. Enter a meaningful name, select the required Type, select the required field when applicable, choose the appropriate UI Type and enter the project-specific logic.

5.3 Client Script Template

The following is a general example structure. The exact field name and condition must be replaced with the values from the assigned requirement.

Code

```
function onChange(control, oldValue, newValue, isLoading, isTemplate) {
  if (isLoading || newValue == '') {
    return;
  }

  // Add project-specific condition here.
  // Example:
  // if (newValue == 'required_value') {
  //   g_form.setMandatory('description', true);
  // }
}
```

5.4 UI Policy Configuration

Create a new UI Policy for the Incident table. Give it a clear name, enter the required condition and make sure it is active. The condition should represent the situation in which the field behavior must change.

5.5 UI Policy Actions

Create UI Policy Actions for the required fields. Set Mandatory when the field must be completed, Visible when the field should be displayed, and Read-only when the user should not edit it. Configure the reverse behavior carefully so the form returns to the expected state when the condition becomes false.

5.6 Development Validation

After saving each configuration, open the Incident form and test it immediately. Verify that the Client Script runs only at the intended event and that the UI Policy changes only the intended fields.

5.7 Error Handling

If the expected behavior does not occur, check whether the configuration is active, the table is correct, the field name is correct, the condition is correct and another configuration is overriding the field state. For a Client Script, also check the script syntax and event type.

5.8 Development Checklist

- ✓ Correct Incident table.
- ✓ Correct Client Script type.
- ✓ Correct field and condition.
- ✓ Script saved and active.
- ✓ UI Policy saved and active.
- ✓ Correct UI Policy Actions.
- ✓ Triggering case tested.
- ✓ Non-triggering case tested.

5.9 Conclusion

The development phase produces the working configuration. The next phase records the configuration, test cases, screenshots and results in a structured project document.